LENGTH OF STAY BY DIAGNOSIS

AND SURGICAL PROCEDURE

# MEDICARE 1971

U.S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE SOCIAL SECURITY ADMINISTRATION Office of Research and Statistics

PUBS RA 412 .3 M433 1971 Length o



RA 412.3 .M433 1971 Length of stay

# **MEDICARE**

Health Insurance for the Aged, 1971

Length of Stay for Selected Diagnoses,
Surgical Procedures and
Discharge Characteristics

Library of Congress Catalog Card Number HEW 66-36

#### SUGGESTED CITATION

U.S. Social Security Administration, Office of Research and Statistics, Medicare, Health Insurance for the Aged, 1971, Length of Stay for Selected Diagnoses, Washington, D.C. 1974

United States Government Printing Office Washington: 1972

### **Foreword**

WITH THE enactment of Medicare, utilization review became a national requirement for third-party reimbursement of certain health care costs. The 1972 Amendments to the Social Security Act authorized the establishment of Professional Standards Review Organizations (PSRO's), which will be responsible for assuring that services furnished by or in institutions are medically necessary, are provided in accordance with recognized professional standards of care, and are furnished in the most efficient and economical manner consistent with quality care. Retrospective review of patterns of inpatient care are or will be an important part of utilization review and PSRO activities.

To aid in studying hospital utilization patterns, this report presents national and regional data for 1971 on the number of discharges of persons aged 65 and over from short-stay hospitals, the mean and median length of stay and the percentile distribution of days of care for selected diagnoses and surgical procedures. For each diagnosis, data are presented for selected discharge characteristics: age, the presence of secondary or complicating conditions, and whether or not surgery was performed. For each surgical procedure, data are presented by age, and the presence of secondary or complicating conditions.

For diagnoses, similar data for 1970 were published in an earlier report, Medicare: Health Insurance for the Aged, 1970: Length of Stay by Diagnosis, Washington, D.C., 1973. Data for selected surgical procedures are presented for the first time in this report.

This report was prepared in the Division of Health Insurance Studies, Office of Research and Statistics, Social Security Administration, under the supervision of Howard West, director, and Aaron Krute, deputy director, Program Statistics. Text preparation was the responsibility of Penelope L. Pine of the Program Statistics Staff. Contributions to the tabulation and presentation of the statistical content of this report were made by Winston O. Edwards of Management Statistics and Robert M. Dickerson of Data Management. The General Tables were produced by the "System for Automated Tabular Composition," a computer system at the Social Security Administration Headquarters in Baltimore, Maryland. They were set on Linotron equipment at the Government Printing Office in Washington, D.C.

John J. Carroll
Assistant Commissioner for
Research and Statistics

September 1974

# Contents

_		Page
	eword	iii
Stat	tistical System of the Medicare Program	vi
Disc	charges from Short-Stay Hospitals for Selected Diagnoses, Surgical	
	rocedures and Discharge Characteristics, 1971	ix
		ix
	Source and Limitations of Data	X
	Medical Coding	X
	Uses of the Data	xi
Pro	visions of the Law	xii
	General Tables	
Note	es	1
1.	Northeastern States: Discharges from short-stay hospitals by	
		2
_	length of stay for selected diagnoses, and discharge characteristics	4
2.	Northeastern States: Discharges from short-stay hospitals by	
	length of stay for selected surgical procedures, and discharge char-	
	acteristics	14
3.	North Central States: Discharges from short-stay hospitals by	
٠.	length of stay for selected diagnoses, and discharge characteristics	15
4		19
4.	North Central States: Discharges from short-stay hospitals by	
	length of stay for selected surgical procedures, and discharge char-	
	acteristics	27
5.	South: Discharges from short-stay hospitals by length of stay for	
-	selected diagnoses, and discharge characteristics	28
c		20
6.	South: Discharges from short-stay hospitals by length of stay for	40
	selected surgical procedures, and discharge characteristics	40
7.	West: Discharges from short-stay hospitals by length of stay for	
	selected diagnoses, and discharge characteristics	41
8.	West: Discharges from short-stay hospitals by length of stay for	
•	selected surgical procedures, and discharge characteristics	53
0		00
9.	New England: Discharges from short-stay hospitals by length of	- 4
	stay for selected diagnoses, and discharge characteristics	54
10.	New England: Discharges from short-stay hospitals by length of	
	stay for selected surgical procedures, and discharge characteristics	66
11.	Middle Atlantic: Discharges from short-stay hospitals by length	
	of stay for selected diagnoses, and discharge characteristics	67
10		٠.
12.	Middle Atlantic: Discharges from short-stay hospitals by length of	70
	stay for selected surgical procedures, and discharge characteristics	79
13.	East North Central: Discharges from short-stay hospitals by length	
	of stay for selected diagnoses, and discharge characteristics	80
14.	East North Central: Discharges from short-stay hospitals by length	
	of stay for selected surgical procedures, and discharge characteristics	92
4 F	The state of the s	-
15.	West North Central: Discharges from short-stay hospitals by	00
	length of stay for selected diagnoses, and discharge characteristics	93
16.	West North Central: Discharges from short-stay hospitals by	
	length of stay for selected surgical procedures, and discharge char-	
	acteristics	105
177		
17.	South Atlantic: Discharges from short-stay hospitals by length of	100
	200, 200 200 200 200, 200 200 200 200 20	106
18.	South Atlantic: Discharges from short-stay hospitals by length	
	of stay for selected surgical procedures, and discharge characteristics	118
19.	East South Central: Discharges from short-stay hospitals by	
		119
	Cital Total Total Colored alabatopool appoint to cital according to the colored to the colo	

		Page
20.	East South Central: Discharges from short-stay hospitals by	
	length of stay for selected surgical procedures, and discharge char-	
21	acteristics	131
21.	West South Central: Discharges from short-stay hospitals by	100
00	length of stay for selected diagnoses, and discharge characteristics I	132
22.	West South Central: Discharges from short-stay hospitals by	
	length of stay for selected surgical procedures, and discharge characteristics	111
92	Mountain: Discharges from short-stay hospitals by length of stay	144
20.	for selected diagnoses, and discharge characteristics	145
24.	Mountain: Discharges from short-stay hospitals by length of stay	. 10
	for selected surgical procedures, and discharge characteristics	157
25.	Pacific: Discharges from short-stay hospitals by length of stay	
	for selected diagnoses, and discharge characteristics	158
26.	Pacific: Discharges from short-stay hospitals by length of stay for	
	selected surgical procedures, and discharge characteristics	170

# The Statistical System of

THIS PUBLICATION is a section of a statistical report series produced from Medicare program records. Presented on a calendar year basis, describing services rendered in the year, the series includes sections on enrollment, characteristics of providers, inpatient hospital care, outpatient hospital services, home health services, physicians' and other medical services, and overall summaries.

The primary objective of these reports is to provide data required to measure and evaluate program operation and effectiveness. Benefit payment operations furnish information about the amount and kind of hospital and medical care services used by persons aged 65 and over, as well as the expenditures for such services. The applications by hospitals, extended care facilities, home health agencies, and independent laboratories to participate in the program provide data on the characteristics of such providers of services. The claim number assigned to each individual serves as the link between the program services utilized and the demographic characteristics of each individual recorded in the health insurance entitlement master file.

The data-collection system has two inherent characteristics that determine the scope, detail, and flexibility of the available data. First, data are collected and maintained on an individual basis so that the beneficiary and his medical experience under the program form the basic unit. Second, records for each bill paid under the program and, for a sample of beneficiaries, records of diagnoses and surgical procedures are maintained on a centralized basis. Except for intermediary operating statistics such as those relating to workloads, costs, and the like, all program statistics are centrally prepared.

#### THE BASIC RECORDS

The statistical system is based on five related computer-tape records: the health insurance entitlement master file, provider record, hospital insurance (part A) utilization record, medical insurance (part B) payment record, and the record containing information from medical insurance bills for a 5-percent sample of supplementary medical insurance enrollees.

# THE HEALTH INSURANCE ENTITLEMENT MASTER FILE

The health insurance entitlement master file identifies each aged person eligible for health insurance benefits and indicates whether he is entitled to hospital benefits, to supplementary medical insurance benefits, or to both of these benefits. This record is used to create a health insurance card that is sent to each insured person. The card contains the individual's claim number (the number used for OASDI or railroad retirement programs). It indicates the entitlement of the individual for the two parts of the Medicare program.

The entitlement record provides the population data for each part of the program and therefore serves as the base for the computation of a variety of utilization rates, limited only by its demographic content.

#### PROVIDER RECORD

Every hospital, home health agency, extended care facility, and independent laboratory must apply for participation in the hospital insurance program in order to be reimbursed for services provided. Data included on the application forms have been recorded in the central provider record and are updated as facilities are recertified periodically, as new ones apply for participation, or as some leave the program. When the information in this provider file is combined with utilization data, it serves to relate the characteristics of facilities and agencies that provide care to the kinds and amounts of service used by persons insured under Medicare.

# UTILIZATION RECORD FOR HOSPITAL INSURANCE

The administration of the hospital insurance program requires that two items of information be known about each person at the time of his admission to a hospital—his entitlement under the program and the extent to which he had used the benefits available to him under the "benefit period" concept.

When the patient is admitted to a hospital, the admission section of the inpatient hospital admission and billing form is completed by the hospital and forwarded through its intermediary to the Social Security Administration for recording in the central record. As soon as the record is checked, normally in less than 24 hours, the intermediary is informed of the patient's benefit status and of the number of days remaining during the "benefit period."

This information is then forwarded to the hospital. At discharge, the hospital completes the billing section of the form and sends it to the intermediary for payment. When approval for payment has been made, the intermediary forwards the claim to the Social Security Administration for inclusion in the central record.

# the Medicare Program

As part of this process, information on diagnoses and surgical procedures are coded for a 20-percent sample of beneficiaries based on specific combinations of digits in the health insurance claim number. Copies of admission and billing forms are handled in a comparable manner by home health agencies and extended care facilities. The outpatient billing form is also transmitted to the Social Security Administration for recording in the central record after the bill is approved for payment by the intermediary.

All the information on utilization experience in hospital and extended care facilities that is needed to administer the "benefit period" provision is recorded in the central record. This information includes stays in certain nonparticipating institutions that meet the definition of a hospital or extended care facility under the law, and days of care not covered or reimbursable under the program.

Each admission and billing form contains both the beneficiary's claim number and the provider's identification number. The resulting tape record can be readily matched to the beneficiary files and the provider files. By this process, a statistical tape record is created for the sample of insured persons that contains all the available information needed for tabulation from the three files related to part A utilization.

#### PAYMENT FOR MEDICAL INSURANCE

Payment or reimbursement under the SMI program is made only after receipt by the carriers (intermediaries involved in Part B of the Medicare program) of bills having allowed charges exceeding \$50 during a calendar year period.

For the insured population, carriers need to know from a central source that the deductible has been met; thereafter, during the remainder of the calendar year, the only additional information required from the Social Security Administration for reimbursement or payment purposes is whether the person is still enrolled under the SMI program.

For administration and operation of the program, the Social Security Administration must have accurate and complete information on the amounts paid by the carriers for physician services and for other services and supplies under this part of the program. To meet these needs, carriers furnish a payment record consisting of tape, punched card, or other machine-readable record of each bill paid. A "bill" is defined as a request for payment from or on behalf of a beneficiary as the result of services provided by a single physician or supplier.

The payment record also contains selected items of information needed to supply an efficient basis for drawing samples of the bills. These items provide a sampling frame that may be used to draw additional samples designed to obtain specific information not furnished reliably by the basic sample of enrolled persons under the medical insurance program.

#### THE MEDICAL INSURANCE SAMPLE

Although the payment record provides a rapid method for summarizing payment data and a sampling frame for efficiently drawing additional samples of bills, it does not provide specific data on diagnoses, procedures, and related charges.

Basic statistics on the utilization of physician and other services covered under the supplementary medical insurance program are derived from bills paid by intermediaries to or on behalf of a continuous 5-percent sample of all enrolled persons. Intermediaries have been given specific combinations of digits of the health insurance claim number to be used in selecting the 5-percent sample, which is a sub-sample of the 20-percent sample used for hospital insurance program data.

Bills are submitted either directly on an SSA request for payment form, or on the SSA form in combination with the physicians's billing form. Both methods are designed to provide information on the date and place of each service, the procedure carried out or service provided, the condition treated (diagnosis), and the physician's or supplier's charge for the specific service.

All of the bills of persons in the 5-percent sample to or for whom payment is made under the program, including those used to meet the annual \$50 deductible, are included in the sample and coded. However, data are not available through these procedures for persons in the sample who do not meet the \$50 deductible. Such data are collected by means of the Current Medicare Survey, with data made available in a separate report series.<sup>1</sup>

For hospital-based physicians who have authorized the provider to collect the fee for their services, the provider billing for patient services by physicians form is used. This form is completed for each patient. It includes descriptive information on the date and place of each service, the diagnoses, procedures, and the charges. These bills are received centrally for the 5-percent sample of persons enrolled for supplementary medical insurance.

<sup>&</sup>lt;sup>1</sup> Jack Scharff, "Current Medicare Survey: The Medical Insurance Sample," Social Security Bulletin, April 1967.

# Symbols

Quantity zero	_
Quantity more than 0 but less than 0.05	0.0
Figure subject to relatively large variability	*

# Discharges from Short-Stay Hospitals for Selected Diagnoses, Surgical Procedures and Discharge Characteristics, 1971

#### Introduction

The hospital insurance (HI) part of the Medicare program, effective July 1, 1966, has been providing payment for a large portion of the costs of inpatient hospital services for the insured population aged 65 and over. In calendar year 1971, for example, Medicare reimbursements for inpatient care in short-stay hospitals totalled almost \$5.0 billion and represented more than three-fourths of the charges billed to the program for such services.

This report presents tables showing length of stay distributions for selected diagnoses and surgical procedures by census region and division for Medicare patients discharged from short-stay hospitals during 1971. (See Notes to General Tables for composition of geographic areas.) For each diagnosis, data are reported by selected characteristics of discharged pa-

1 Two previous reports for length of stay by diagnosis are Medicare, Health Insurance for the Aged, 1969, Length of Stay by Diagnosis, and Medicare, Health Insurance for the Aged, 1970, Length of Stay by Diagnosis, Washington, D.C.: U.S. Government Printing Office, 1973.

tients, including age, the presence or absence of additional (complicating) conditions, and whether or not surgery was performed (see Notes preceding General Tables for definitions). For each surgical procedure, data are reported by the patient's age and the presence or absence of additional conditions (discharge diagnoses). These factors as well as the disease, illness, or injury which was the primary cause of a person's hospitalization are important in determining length of stay and, as a result, benefit payments under Medicare.

This report presents data for 166 specific diagnoses or diagnostic groups, representing 4.81 million stays and 17 specific surgical procedures or procedural groups representing 700,000 stays for inpatients discharged from short—stay hospitals under Medicare during 1971. The figures reported were selected from some 5.7 million total discharges, including 1.7 million with surgical procedures, entered in the Social Security Administration's central records at the time the data were tabulated. Table A below summarizes the length of stay experience under Medicare for the United States, and for census regions of the total 5.7 million discharges recorded.

Table A.—Number and percent of discharges from short-stay hospitals and the average length of stay for selected discharge characteristics, by census region, 1971

Discharge characteristics	United States	North- eastern States	North Central States	South	West
		Numbe	er of discha	arges	
Total	5,735,810	1,254,330	1,716,305	1,892,425	872,750
		Perce	nt distribu	tion	
65-74 years	52.3	52.1	50.6	53.8	52.5
75-84 years	37.6	38.4	38.6	36.4	37.1
85 years and older	10.2	9.5	10.8	9.8	10.5
Single diagnosis	42.5	44.9	39.3	45.2	39.5
Multiple diagnoses	57.5	55.1	60.7	54.8	60.5
With surgery	29.0	34.1	28.4	25.3	31.0
Without surgery	71.0	65.9	71.6	74.7	69.0
		Average le	ngth of sta	y (days)	
Total	12.4	15.0	13.0	11.3	10.0
65-74 years	11.8	14.2	12.3	10.7	9.6
75-84 years	13.0	15.7	13.6	11.9	10.5
85 years and older	13.7	16.8	14.4	12.6	10.9
Single diagnosis	11.0	13.4	11.4	10.2	9.5
Multiple diagnoses	13.5	16.3	14.1	12.3	10.4
With surgery	13.6	15.5	14.4	12.9	9.8
Without surgery	11.9	14.7	12.5	10.8	10.2

#### Source and Limitations of Data

The data in this report are derived from bills for inpatient services submitted for payment by short-stay hospitals for a 20-percent sample of Medicare beneficiaries. The data include all discharges, that is, patients discharged alive as well as those who died during hospitalization or who were transferred to other facilities. The number of reported discharges is greater than the actual number of persons discharged during the year because a person could have more than one stay during the reporting period.

When a beneficiary is hospitalized, an admission notice and subsequent bills are received by the Social Security Administration (SSA) where they are processed and placed on file. Part of this process consists of coding medical information on the bills in the sample to identify the nature of any surgery performed, and the primary disease, illness, condition, or injury responsible for the hospitalization. Information from the billing forms is matched to other master records maintained by SSA, which contain information about the characteristics of each Medicare beneficiary as well as about individual short-stay hospitals participating in the program. General and special hospitals reporting average stays of less than 30 days are included.

The data in this report are based on a sample of the approximately 5.7 million discharges from short-stay hospitals during 1971 which were recorded in SSA by January 1973. The sample counts have been multiplied by five to give an estimate of the total number of discharges recorded from a hospital as of this date. There is a lag between the time a person is discharged from a hospital and the time this information is received by SSA and posted to central records. Therefore, the counts for this report understate the total number of discharges for each diagnosis. An additional small number of discharges, approximately 30,000, were also excluded, i.e., emergency admissions to hospitals not participating in the Medicare program.

A complete count of all Medicare discharges from short-stay hospitals in 1971 would be about 6.1 million, 7 percent more than the total figure used in this study. Since this proportion represents such a small element in the universe this difference would not be expected to have a significant effect on the data. The date shown by geographic division were summarized by address of the hospital providing care, not the residence of the beneficiary. Included in the totals are the 50 States and the District of Columbia.

The data in this report are estimates derived from a sample of bills and therefore are subject to sampling variability. The effect of sampling variability will be discussed in the section on "Uses of the Data." Smaller numbers in table cells are generally subject to greater variability than larger estimates. An asterisk (\*) appears in place of the estimate in the table, where there were five or fewer cases in the sample.

#### **Medical Coding**

Participating hospitals use standard billing forms (SSA-1453) to identify the beneficiary and specify the services rendered during the stay (see Figure 1 for a facsimile of the billing form). The billing form includes a space for the entry by the hospital of a detailed description of the patient's primary diagnosis at the time of discharge. Primary diagnosis is defined as the primary reason for the patient's hospitalization, i.e., the condition requiring the current hospitalization. Space is also provided for the entry of any secondary diagnoses. The name and date of any surgical procedure performed during the hospital stay is also recorded.

The primary discharge diagnosis on each bill in the 20-percent sample with a discharge date of January 1, 1971, or after is coded using the International Classification of Diseases, Adapted—Eighth Revision (ICDA-8). Four-digit codes are assigned for each primary diagnosis. If more than one diagnosis appears on the bill and there is no indication of which diagnosis is primary, the first diagnosis listed is coded. The only exception to this rule is when a symptom or ill-defined condition is listed first. In this case, preference is given to the more substantive diagnosis appearing second. The presence or absence of additional diagnoses is indicated by a one-digit code. Data in previous reports for years prior to 1971 were based on the Seventh Revision of ICDA.

Surgical procedures are also coded on each sample bill on which one or more surgical procedures are reported. Codes are assigned using the Current Procedural Terminology (CPT) manual.<sup>4</sup> When two or more surgical procedures appear on a bill, the first listed surgical procedure is coded. However, if the first listed procedure is primarily diagnostic in nature, such as an endoscopic procedure or biopsy, coding preference is given to more serious procedures such as resections, removals, repairs, etc. The CPT defines surgery to include procedures involving incision, excision, amputation, introduction, endoscopy, repair, destruction, suture, manipulation, and surgical collapse therapy.

The CPT was changed somewhat from its published format to meet the needs of the Medicare program. In addition, descriptions of surgical procedures that were worded differently than the rubrics in the CPT were often reported on bills. If the description for a particular procedure occurred often enough, it was added to the CPT for coding purposes. For these additions, care

<sup>&</sup>lt;sup>2</sup> International Classification of Diseases, Adapted for Use in the United States, Public Health Services Publication No. 1693, Volumes 1 and 2, U.S. Department of Health, Education, and

Welfare.

<sup>3</sup> For a discussion of the differences between the two classifications, see *Monthly Vital Statistics Report*, "Provisional Estimates of Selected Comparability Ratios Based on Dual Coding of 1966 Death Certificates by the Seventh and Eighth Revisions of the International Classification of Diseases," Volume 17, No. 8 Supplement, October 25, 1968, National Center for Health Statistics

<sup>4</sup> Current Procedural Terminology, First Edition, American Medical Association, Chicago, 1966.

was exercised to assure that the CPT numerical code categories were not changed, i.e., the definitions of specific codes were neither broadened or narrowed by the additional descriptive entries.

Medical coding is done by personnel of the Social Security Administration who have completed special training in anatomy and medical terminology and the use of the statistical coding manuals. Also, review of the coding is carried out with the assistance of skilled personnel including medical record technicians and registered record librarians.

#### **Uses of the Data**

The presentation of length of stay patterns in this report is intended to aid in the examination of hospital utilization by providing statistics which can be used to reflect the experience of hospitals in various parts of the country under the Medicare program. Individual hospitals or other organizations involved in reviewing hospital utilization can use the data as a guide to expected or typical lengths of stay patterns in hospitals in their geographic area and can compare their own figures with those reported.

Average length of stay for a group of comparable cases is a traditional measure of typical hospital practice. To make comparisons of the duration of average stays, individual hospitals might consider the figures for a particular geographic area as the "population" with which patients with specific diagnoses and discharge characteristics are to be compared. Table B can be used to determine whether average lengths of stay in individual hospitals differ significantly from those shown for the geographic area in which the hospital is located. For example, suppose an individual hospital in Massachusetts has five cases in a specific diagnostic, age, etc., category with an average length of stay of 10 days. This hospital wishes to compare its data with that for the geographic division in which it is located. From this report it is shown that the average length of stay for the same specific diagnostic, age category in the New England States was 8 days. It is assumed that

the cases from individual hospitals represent a sample of the "population" reported for the geographic area.

The standard error for a sample of five cases with an average length of stay of 8 days is found to be 3.6 days using table B. Since 8 days is not one of the average lengths of stay shown in the table, linear interpolation is used to arrive at the standard error, i.e., (8-7)/(10-7)  $= \frac{1}{3}$ . This figure applied to the difference in the respective standard errors (4.5 - 3.1) gives  $\frac{1}{3}$  (1.4)+3.1. = 3.6 days. The difference between the observed cases of 10 days and the hypothesized length of stay from the regional data (8 days) is 2 days, well below the standard error of 3.6 days. The observed difference would not be regarded as significant since the difference could be attributable to chance factors alone. In fact, given a sample of five cases the observed difference would be significant at the 95 percent confidence level only if it exceeded 7.2 days or two standard errors.

Table B may also be used for the construction of confidence intervals for the tabled values of length of stay. For this purpose, since the number of discharges shown in the General Tables are the inflated sample numbers, it is necessary to divide these by five to secure the actual size of sample for entering Table B.

Percentiles are also provided in the General Tables for each patient group to give some indication of the variability of the length of stay data. If the 75th percentile shown in the tables for a particular diagnostic, age, surgical group is 9 days, then 75 percent of the patients in that group stayed 9 days or less. Similarly, if the 90th percentile is 14 days, then 90 percent stayed 14 days or less.

The percentile distribution may be used as a screen to identify cases with unusually long or short lengths of stay. Long lengths of stay may indicate possible overutilization. Thus, hospitals may wish to look at every case in a particular group where the length of stay exceeds the figure shown in the tables for the 90th percentile. Very short lengths of stay may indicate unnecessary admissions. Thus, hospitals may wish to look at the cases falling below the figure shown for the 10th percentile.

Table B.—Approximate standard error of mean length-of-stay

Twote D.—Appl	oxima	ie stur	iuuru	error	oj med	in teng	jtn-oj-	-stay									
Mean length of stay (in days)					Nu	_		out of rges in	3] sample	e							
	5	8	10	12	14	16	20	25	30	40	50	60	80	100	<b>12</b> 0	160	200
1	.4 .9 1.3 2.2 3.1 4.5 5.4 6.3 7.2 8.0 8.9 11.2 15.7 17.9 20.1 22.4 24.6 26.8	.4 .7 1.1 1.8 2.5 3.5 4.2 4.9 5.7 6.4 7.1 8.8 10.6 12.4 14.1 15.9 17.7 19.4 21.2	.3 .6 .9 1.6 2.2 3.2 3.8 4.4 5.1 5.7 6.3 7.9 9.5 11.1 12.6 14.2 15.4 17.4	.3 .6 .9 1.4 2.0 2.9 3.5 4.0 4.6 5.2 5.8 7.2 11.5 13.0 14.4 15.9 17.3	.3 .5 .8 1.3 1.9 2.7 3.7 4.3 4.8 5.3 6.7 8.0 9.4 10.7 12.0 13.4 14.7 16.0	.8 .5 .8 1.3 1.7 2.5 3.0 3.5 4.0 4.5 5.0 6.3 7.5 8.8 10.0 11.2 12.5 13.7 15.0	.2 .4 .7 1.1 1.6 2.2 2.7 3.1 3.6 4.0 4.5 5.6,7 7.8 8.9 10.1 11.2,3 12.3 13.4	.2 .4 .6 1.0 1.4 2.0 2.4 2.8 3.2 3.6 4.0 5.0 6.0 7.0 8.0 9.0 11.0 12.0	.2 .4 .5 .9 1.3 1.8 2.2 2.6 2.9 3.3 3.7 4.6 5.4 7.3 8.2 9.1	.2 .3 .5 .8 1.1 1.6 2.2 2.5 2.8 3.2 4.7 5.5 6.3 7.1 7.9 8.7	.1 .3 .4 .7 1.0 1.4 1.7 2.0 2.3 2.5 2.8 3.5 4.9 5.7 6.4 7.1 7.8 8.5	.1 .3 .4 .6 .9 1.3 1.5 1.8 2.1 2.3 2.6 3.9 4.5 5.8 6.5 7.7	.1 .2 .3 .6 .8 1.1 1.3 1.6 1.8 2.0 2.2 2.8 3.4 4.5 5.0 5.8 6.1	.1 .2 .3 .5 .7 1.0 1.2 1.4 1.6 1.8 2.0 2.5 3.5 4.0 4.5 5.5 6.0	.1 .2 .3 .5 .6 .9 1.1 1.3 1.5 1.6 1.8 2.7 3.2 3.7 4.1 4.6 5.5	.1 .2 .4 .6 .8 1.0 1.1 1.3 1.5 1.6 2.4 2.9 3.3 3.7 4.15 4.9	.1 .2 .4 .5 .7 .8 1.0 1.1 1.3 1.4 2.5 2.8 3.2 3.5 3.9 4.2
90	40.2	31.8	28.5	26.0	24.1	22.5	20.1	18.0	16.4	14.2	12.7	11.6	10.1	9.0	8.2	7.3	6.4

# Provisions of the Law and Regulations

The Medicare program, enacted on July 30, 1965 as Title XVIII of the Social Security Act, became effective on July 1, 1966. The program makes available two separate but coordinated insurance coverages--hospital insurance, covering nearly all persons aged 65 and over, and supplementary medical insurance, covering those persons in this age group who enroll voluntarily and pay the premium.

### Hospital Insurance Program

The hospital insurance (HI) program pays for part of the costs of inpatient hospital care and related health care services provided by extended care facilities and home health agencies following a period of hospitalization. For the services to be covered, they must be provided by institutions and organizations which have been certified as qualified providers of services and which have signed an agreement to participate in the program. An exception exists under special provisions for hospitals certified to provide only emergency services.

As described in more detail below, the program is financed by a tax on a portion of current earnings and, to a certain extent, by general tax revenues.

#### BENEFITS

The law provides maximum limits on the benefits which may be covered under the HI program. These limits are established based on the concept of a "benefit period." A benefit period begins with the first day of hospitalization and ends when the individual has not been a bed patient in a hospital or skilled nursing home for 60 continuous days.

Requirements for payment by the individual of an inpatient hospital deductible and coinsurance amounts also are established by law, with the Secretary of Health, Education and Welfare authorized to set the deductible amount each year in accordance with a speci-

<sup>1</sup>For certification requirements see Social Security Administration, *Medicare: Health Insurance for the Aged, 1968, Section 3: Participating Providers* (Washington, D.C.: U.S. Government Printing Office, 1971).

fied procedure. By law, the deductible amount automatically determines the coinsurance amounts for each type of service under the HI part of the program.

Inpatient hospital benefits.—Covered hospital services include room and board in accommodations containing from two to four beds, nursing services (except for private-duty nursing), drugs and biologicals, and all those services ordinarily furnished by a hospital to its inpatients. The program does not cover the services of physicians (including staff radiologists, anesthesiologists, pathologists and physiatrists) except for services provided by interns or residents under approved teaching programs in a hospital.

The program pays for the "reasonable costs" of covered services in a participating hospital for up to 90 days in a "benefit period." Full payment is made for the first 60 days of hospitalization less the deductible of \$60 for services received in benefit periods starting in 1971. For each of the remaining 30 days in the benefit period, the patient pays a coinsurance amount of \$15 a day (one-fourth of the inpatient hospital deductible).

Each hospital insurance beneficiary also has a "lifetime reserve" of 60 additional hospital days, which can be used at his option whenever he has exhausted the 90 days covered in a benefit period. Lifetime reserve days are subject to a copayment of \$30 a day (one-half of the inpatient hospital deductible).

The cost of the first three pints of blood (or equivalent amounts of packed red blood cells) furnished a patient during a benefit period is also deductible unless the patient arranges for replacement. Charges for any additional blood are covered under the program.

The program also pays for emergency services in a nonparticipating hospital. Each nonparticipating hospital providing emergency services elects whether to claim payments from the Medicare program or from the beneficiary for emergency services rendered beneficiaries in a given year. If the hospital elects to bill the program, reimbursement is made under the program as described above. In other cases, the beneficiary claims direct payment and submits the itemized bill to Social Security Administration. In this case, reimbursement is based on reasonable charges for covered services and amounts to 60 percent of reasonable charges for room and board plus 80 percent of such charges for ancillary services. Payment is subject to the deductible and coinsurance provisions of the law.

Inpatient tuberculosis and psychiatric hospital services are covered as hospital insurance benefits. However, there is a lifetime limit of 190 days of care in a psychiatric hospital. Where an individual is a patient in a participating psychiatric hospital at the time he becomes entitled to hospital insurance, the number of days he was such an inpatient in the 150-day period immediately prior to his eligibility are deducted from his days of entitlement to inpatient psychiatric care in that benefit period but not from the lifetime limitation.

Extended care facility benefits.—Covered extended care services may include nursing care; bed and board; physical, occupational or speech therapy; drugs and biologicals; medical services of an intern or resident-intraining of a hospital having a transfer agreement with the extended care facility (ECF); and other necessary health care services generally provided by extended care facilities.

The program pays for the reasonable cost of all covered inpatient services in participating ECF's for up to 100 days in a benefit period. Benefits are payable only following discharge from a hospital after a stay of 3 consecutive days or more, provided admission to an ECF occurs within 14 days of discharge. Full payment is made for the first 20 days. For each of the remaining 80 days, the patient pays a coinsurance amount of \$7.50 a day (one-eighth of the inpatient hospital deductible) as required by law.

Post-hospital home health benefits.—Covered home health services may include part-time or intermittent nursing care; physical, occupational, or speech therapy; part-time or intermittent services of a home health aide; medical supplies (other than drugs and biologicals) and the use of medical appliances; and, in certain cases, services of an intern or resident-in-training of a teaching hospital. The services must be furnished by or under arrangements of an approved home health agency.

Coverage under HI provides for payment of the reasonable cost of up to 100 home health visits after the beginning of one benefit period and before the beginning of the next. In addition, the visits must occur in the year following a beneficiary's most recent discharge from a hospital stay of at least 3 consecutive days or from a covered ECF stay. A home health plan must be established by the patient's physician within 14 days after the hospital or ECF discharge. The home health services must be necessary for further treatment of a condition for which the patient received services in the hospital or ECF.

## Supplementary Medical

## Insurance Program

The supplementary medical insurance (SMI) program provides coverage for a variety of medical services and supplies furnished by physicians or others in connection with physicians' services. Individuals 65 years of age and

over may enroll in the program regardless of whether they are eligible for monthly social security benefits. Premiums are paid by or on behalf of all enrollees, and are matched by the Federal government from general revenues.

#### BENEFITS

Physicians' services covered under the program include home, hospital, and office visits. The program also pays for other services and supplies, such as: drugs and biologicals that cannot be self-administered if they are furnished as a part of a physician's professional service; diagnostic X-ray tests, diagnostic laboratory tests, and other diagnostic tests; X-ray, radium, and radioactive isotope therapy, including materials and the services of technicians; surgical dressings, splints, casts, and other devices used for reduction of fractures and dislocations; purchase or rental of durable medical equipment such as oxygen tents, hospital beds, and wheel-chairs used in the patient's home (including an institution used as his home); ambulance service where the use of other methods of transportation is contraindicated by the individual's condition; prosthetic devices (other than dental) that replace all or part of an internal organ; leg, arm, back, and neck braces; artificial legs, arms and eyes, including replacement if required because of a change in the patient's physical condition; and home health visits provided by a certified home health agency in accordance with a home health plan established by the patient's physician (no prior hospitalization is necessary). Payment may be made up to 100 home health visits in a calendar year without regard to similar services received under the HI program.

Also covered are hospital services incident to physicians' services rendered to outpatients, and outpatient

physical therapy services.

In each calendar year a deductible of \$50 must be satisfied before payment may be made under the SMI program (with one exception noted below). Bills count toward the deductible on the basis of incurred rather than paid expenses; only charges allowed under the program count towards the deductible. To preclude the possibility of a beneficiary having to meet a deductible twice in a short period of time, a "carryover" provision is applied. Accordingly, covered expenses incurred in the last quarter of the year and counted towards the deductible in that year are also credited toward the deductible for the following year.

After the deductible has been met, the SMI program pays for 80 percent of the allowed (reasonable) charges for covered physician services and most other medical services. However, deductible and coinsurance requirements do not apply to the services of radiologists and pathologists furnished to hospital inpatients. "Reasonable" charges for such services are completely reimbursed. Hospital services incident to outpatient care, and home health services are subject to the deductible, and are reimbursed on the basis of 80 percent of reasonable costs.

The law sets special limits on the payment which may be made for outpatient treatment of mental illness: recognition of incurred expenses is limited to the lesser of \$312.50 or 62.5 percent of actual expenses in a calendar year. Since only 80 percent of allowed charges may be reimbursed, the effect is to limit payment to \$250 or 50 percent of the allowed charges in any year after the deductible has been met, whichever is less.

### Eligibility

The hospital insurance program.—Almost all persons aged 65 and over are eligible for benefits under the hospital insurance program. Included are those persons in this age group who are entitled to monthly social security cash benefits or payments from the railroad retirement system. Further, a special transitional provision provides eligibility for certain persons who do not qualify for monthly cash benefits on the basis of their own wage record or as a dependent or survivor of an insured worker. The provision applies, generally, to persons age 65 or over who (1) attained age 65 before 1968 or (2) attained age 65 after 1967 with not less than three quarters of social security coverage, whenever acquired, for each calendar year elapsing after 1966 and before the year in which he attains age 65. For persons who reach age 65 after 1968, the amount of work credits (quarters of coverage) needed increases by three quarters each year--six quarters are needed by those who reached age 65 in 1969, nine by those who reached age 65 in 1970 and so on.

Federal employees who retired from the Federal service after July 1, 1960, and who had the opportunity to be covered under the Federal Employees Health Benefits Act of 1959, are ineligible for hospital insurance benefits under the transitional provisions. Also ineligible are aliens with less than 5 years of continuous residence in the United States, and those persons convicted of crimes against the security of the United States.

Hospital insurance protection can be retroactive for as many as 12 months before the month an individual files his application for entitlement. For example, an individual may apply 11 months after he attains age 65 and still be entitled to benefits from the month he attained age 65.

Supplementary medical insurance.—Persons entitled to benefits under the hospital insurance program, retired federal employees, and persons not eligible for hospital insurance under the transitional provisions may voluntarily participate in the SMI program.

Enrollment.—Individuals may enroll in the SMI program only during specified periods--the initial and the general enrollment periods. The initial enrollment period begins with the third month preceding the one in which an individual attains age 65 and ends 3 months after the month of attainment, a total period of 7 months. If he enrolls during the 3 months prior to the month in which he attains age 65, his coverage is effec-

tive with the month in which he attains age 65; if he enrolls during the month he attains age 65, his coverage begins the following month; if he enrolls in any of the 3 months after he attains age 65, his coverage begins from 2 to 3 months after enrollment, depending on how long he waited before enrolling.

Beginning with 1969, there are general enrollment periods from January 1 through March 31 of each year for those who did not enroll in their initial enrollment period, or who previously terminated their enrollment and wish to re-enroll. For 1969 and later years, a person who enrolls during a general enrollment period becomes covered under SMI beginning with July 1 of the year in which he enrolls. An eligible individual must enroll within 3 years after the end of his initial enrollment period or within 3 years after termination of prior enrollment. Re-enrollment is allowed only once.

A State may enroll otherwise eligible individuals who receive cash payments under public assistance programs or are otherwise eligible for medical assistance under Title XIX if a) prior to January 1, 1970 the State requested that a State-Federal enrollment agreement be established and b) the State pays the necessary premiums. Enrollment terminates with the beginning of the month following the month of death. Social Security and railroad retirement beneficiaries may give notice of their desire to withdraw from the SMI program at any time and their coverage will be terminated at the close of the following calendar quarter. Other enrolled persons may terminate their coverage by witholding payment of premiums or by notifying the Social Security Administration in writing of the desire to withdraw from the program. The enrollee is provided a 90-day grace period for the payment of overdue premiums after which coverage is automatically terminated.

# Financing the Program

Hospital insurance.—The hospital insurance program is financed primarily through a schedule of increasing tax rates on a portion of current earnings in employment covered under the Social Security Act. The maximum amount of annual earnings to which the rates are applied began at \$6,600 for calendar year 1966; it increased to \$7,800 effective with 1968 and \$9,000 beginning with 1972.

The same tax rate applies to employees, employers, and self-employed persons. The rate was 0.60 percent for each year 1968-72. The proceeds of this tax, and monies collected from the railroad retirement system (with respect to the coverage of railroad retirement beneficiaries) are placed in a Hospital Insurance Trust Fund from which reimbursement for all benefits and administrative expenses incurred under the hospital insurance program is made. The Hospital Insurance Trust Fund is reimbursed from general tax revenues for the cost of providing coverage for the persons who qualify for hospital insurance under the transitional provisions. For 1971, there were about one million such persons, a decrease from the 2.6 million who so qualified in 1966.

Supplementary medical insurance.—Premiums are paid into the Federal Supplementary Medical Insurance Trust Fund by those persons enrolled for supplementary medical insurance (or on their behalf), and a matching amount is paid by the Federal Government from general revenues. Benefits and administrative costs are paid from monies in the SMI Trust Fund.

The premiums of persons receiving social security cash benefits, railroad retirement, or Federal Civil Service annuities are deducted from their monthly benefit checks. Persons not receiving monthly benefits are billed quarterly for premiums by the Social Security Administration or the Railroad Retirement Board and have a 90-day grace period in which to make payment. Premiums may be paid for as long as a year in advance, and for individuals financially unable to make quarterly payments, arrangements can be made for monthly payments.

Amount of premium.—The Secetary of HEW is directed by law to determine the SMI basic premium rate on an annual basis. The dollar amount is required to be sufficient to produce revenue equal to one half of the expected benefit and administrative costs payable under SMI during the period for which the premium rate applies. The rate is determined in December of each year and is applicable for 12 months beginning with the following July.

The premium rate in the first half of 1971 was \$5.30 per month. The rate was raised to \$5.60 effective July 1971.

### Administration of the Program

Hospital insurance.—Under the hospital insurance part of the program, groups or associations of providers, on behalf of their members, may nominate a national, State, or other public or private agency or organization to serve as intermediary in the claims process. A member of an association is free, however, to receive payment from an approved intermediary other than its association's nominee, if approved by the Secretary and agreeable to the intermediary selected. In addition, a provider may deal directly with the Social Security Administration.

The Secretary may enter into an agreement with a nominated organization if he finds this to be consistent with effective and efficient administration of the hospital insurance program. The intermediary makes payments to providers for covered items and services on the basis of reasonable cost determinations and assists in the application of safeguards against unnecessary utilization of covered services. The agreement may also call for (1) furnishing consultative services to assist providers to establish and maintain necessary fiscal records and otherwise qualify as providers of services, (2) serving as a center for communicating with providers, and (3) making audits of provider records. Hospital insurance intermediaries also make payments for home health and outpatient hospital services covered under medical insurance.

Requests for Medicare payment for covered services generally are submitted by the provider of services; they must be signed by the beneficiary (or someone for him, if he is unable to do so). The provider is reimbursed on the basis of reasonable costs of covered services and bills the beneficiary for deductible and coinsurance amounts as well as for services not covered by the program.

In some instances, hospitals may bill the program for physician services rendered to inpatients. In these cases, payment is made by the HI intermediary. Depending on the nature of the billing, funds are transferred from the SMI trust fund to the HI trust fund to cover the cost of these services, or are paid directly from the SMI trust fund.

The intermediary selected by the provider reviews claims for payment and pays the provider. Actual payment is made on the basis of an interim rate established between the provider and the intermediary. Final settlement for each provider's operating year is made on the basis of a cost report submitted by the provider, and subject to an independent audit.

No payments can be made to Federal facilities except for emergency services, unless the provider serves as a community institution. In addition, payment cannot be made to a provider for those services it is obligated to render at public expense under Federal law or contract.

Supplementary medical insurance.—Under the medical insurance program, the Secretary of Health, Education, and Welfare may enter into contracts with carriers for the performance of specified administrative functions. The carriers' principal function is to determine whether charges are allowable (reasonable) and to make payment. Carriers also have the authority and responsibility to determine, in a given case, whether a claim is for a covered service and to deny claims for noncovered or excluded items or services. In addition, carriers are to assist in the application of safeguards against unnecessary utilization of services.

The law requires that in determining allowed (reasonable) charges, carriers should take into account the customary charges of physicians and other suppliers of medical services and the prevailing charges in the locality for similar services. The law also specifies that the allowed (reasonable) charge for a service may not exceed the charge applicable for a similar service and under comparable circumstances to the carrier's own policyholders and subscribers. The allowed charge, therefore, is a charge for a service which in the absence of unusual circumstances or medical complications is the lowest of the following: (1) the actual charge of the physician or other person rendering the service, (2) the charge the physician or other person customarily makes for similar services, (3) the prevailing charges in the locality for similar services.

Customary and prevailing charges are recalculated each fiscal year based on charges in the calendar year preceding the start of the fiscal year. Beginning January 1. 1971, the upper limit of prevailing charges was set by regulation at the 75th percentile of the customary charges (weighted by frequency) made for similar services. Thus, increases in prevailing charges recognized by


the carriers beginning in January 1971 were limited to the levels established by the 75th percentile of calendar year 1969 customary charges. Similary, increases in prevailing charges recognized by carriers beginning July 1, 1971, have been limited to the 75th percentile of calendar year 1970 customary charges.

Claims for payment of SMI benefits may be submitted to the carrier either by the patient or by the physician or other supplier of services. If the patient submits a claim (an itemized bill) directly to the carrier, he receives direct payment of benefits for covered services; he remains responsible for the physician's (or supplier's) bill. The patient may assign the benefits to a physician or other supplier of services willing to accept assignment. In this case, the physician (or supplier) agrees that the allowed or reasonable charge determined by the carrier is the total charge. The physician (or supplier) submits the bill and is reimbursed. In this situation, the patient remains responsible for the remaining 20 percent of the allowed charges for covered services and the \$50 deductible (if applicable to the current bill).

Services furnished by group practice prepayment plans (GPPP) to members are normally rendered in return for predetermined premium payments. In these cases Medicare reimbursement is made directly to the GPPP. A GPPP which exercises the option provided by law to be paid 80 percent of the reasonable cost of services (in lieu of 80 percent of the allowed charge for such services) generally deals directly with the Social Security Administration. Plans which choose to be paid on the basis of allowed charges are reimbursed by the SMI carrier.

The 1967 amendments to the Social Security Act introduced a time limit on filing of claims. For bills incurred in the supplementary medical insurance portion of the program after March 1968, claims must be filed no later than the close of the calendar year following the year in which the services are furnished. For services provided during the last 3 months of the calendar year, bills may be submitted through the end of the second year following.

				TAL AND EX									NG		Form Budge 72-R0	Approved et Bureau No.
NOTICE: An	yone who misrep	resents or fa	Isifies essential In	formation request	led b	y this form n	nay u	on c	onvicti	on be s	ubje	ct to fine	and Imp	risonm	ent unde	r Federal law.
1. Patient'	's last name		First n	ame		MI		2.	_		3.	Health	insurar	nce cla	aim nun	ber
4. Patient'	's address (Str	eet number	, City, State, ZI	P Code)				1 1	M  5. C	ate of	birt	th	6. Medi	cal re	cord nur	nber
7. Date of	this admission	n 8	. Provider nam	ne and address	(City	and State	)		9. P	rovide	r nu	mber	10. Atte	nding	physici	an
11. Dates FROM	of qualifying s	tay 1	2. Qualifying a	nd other prior s	stay	information	1		l							
THRU																
If you have about this	e other health claim released	insurance of	or if your State	Medical Assista	ance tems	Agency wi s 13 and 1	II pay	y par	t of y	our m	edic	al expe	nses an	d you	want in	nformation
13. Insurir	ng organization	or State ag	gency name and	d address								14. Po	olicy or a	nedic	al assist	anes no.
for pay lease t	yment under 1 to the Social S	Title XVIII o Security Adm	f the Social Se ninistration or i	e Information, a curity Act is co ts intermediarie be made on my	rrect	t. I authori r carriers a	ze ar	ny ho	older	of me	dica	l or oth	er Infor	matio	n about	me to re-
Contain	ned in ser's record	Signature (F	Patient or autho	orized represent	ative	e) (Signatu	re by	mar	k mu:	st be w	/itne	ssed)		D	ate	
	ting diagnoses ddress of empl		n <b>e</b> nt related, al	so give name		Do not use this space		Disc Prim	_	or cu	rren	t diagn	0566			Do not use this space
							(b)	Sec	ondar	y						
18. Surgic	al procedures	(Show date	of each)													
19. STATE	MENT OF SER	VICES REN	DERED	Total Charges	r	Non-covered	Chg's.	20. FRO		nent co	vers	period	THR	U		
Blood pints furnished	Pints replaced	Not replaced	Charge per pint				-	21.	Date g	uarante				=	? notice re	ceived
Accon	nmodation	Days	Rate					1		nt bega I				1		1
B. 1-Bed								_		<u> </u> -	i			<u> </u>		
C. 2-3-4 E					-			23.	Date a	ctive ca	re e	nded	24. [	Date be	nefits exi	nausted
D. 5 or m	ntensive care						-	1			- !			- !		
	Self care						-	25	Patier	t status						
6	PIP total				-			J		lischarg		B.	Date of	death		C.
	Operating room	n			-			1			!_				!	Still
Å I.	Anesthesia									ne rese	ve		n-covered	4	28. Cove	red days
	Outpatient sen	vices							days ı	1260		day	/ S			
K. Blood	administration															
L. Pharma							<u> </u>	30.	Rema	rks:				per diei unt		
M. Radiolo					_		ļ	1								
N. Labora		L sandust sur	1:					-								
	al, surgical and al therapy	central su	pplies				-	-								
	ational therapy				-		+	-								
R. Speech				<del>                                     </del>			+	-								
	tion therapy			<del>    -</del>	-		+	1								
T. Other					+			1								
	(200,120)							1								
							_	1								
U. TOTAL				L	_		-	-	D				•			
	ent deductible			_		-	31.	Reimt	urseme		mount		D)/ 1	ICE.		
W. Blood		pts. @					-	200	14. 15	4.			RMEDIA			24 Days
X. Coinsu		days (	)(	)	_			32. Fro		d non-c	over	ed stays Thru			3. Non- mt. coda	34. Days used
-	DEDUCTIONS							1								
-				ion and recertifi		~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~			<u>_i_</u>			i=			Deta	nmyed
Signature	of provider rep	presentative				ote receiv	ed	35.	Appro	ved by					Data a	proved
22	A-1453(5)	-01			P	O 13 SSA-28		1	Depertn	nent of H	ealth,	Educetion	n, and Welf	are Soci	iel Security	Administration



### **General Tables**

#### **Notes**

Health Insurance for the Aged: The program, commonly known as Medicare, that pays for part of the costs of hospital and medical services for participating persons aged 65 and over.

Short-Stay Hospital: General and special hospitals certified as participating facilities under Medicare and reporting average lengths of stay of less than 30 days.

Discharge: The formal release of an inpatient from a hospital. Includes those persons who died during their hospitalization, or were transferred to other hospitals.

Length of Stay: The number of days of care for a discharge. The day of discharge is not counted as a day of care. A hospitalization of less than 1 day (i.e., the patient is admitted and discharged on the same day) is counted as 1 day.

Primary Discharge Diagnosis: The illness, condition, or injury recorded on the patient's billing form by the hospital as the primary diagnosis at the time of discharge. This diagnosis is coded using the International Classification of Disease, Adapted, Eighth Revision.

Age: The number of completed years at last birthday in month of admission to the hospital.

Percentile: The 10th, 25th, 50th, 75th and 90th percentiles of stay are presented. The 50th percentile is the median of the distribution. That is, half of the stays fall above and below the median of the distribution. The meaning of the percentiles can be illustrated by example: If the 10th percentile for a group of discharges is 2 days, then 10 percent of the discharges stay 2 days or less.

With and Without Surgery: A discharge is considered to involve surgery if any operative procedure classified as such, according to the Current Procedural Terminology, First Edition, American Medical Association, Chicago, Illinois, 1966, was performed during the stay. Surgery includes procedures involving incision,

excision, amputation, introduction, endoscopy, repair, destruction, suture, manipulation, or surgical collapse therapy. All other discharges are classified as "without surgery."

Geographic classifications: Based on the address of the hospital.

United States: Consists of the 50 States, and the District of Columbia, grouped in 9 census divisions, which are regrouped into 4 census regions. Census Regions: Northeast, North Central, South, West.

Census Divisions: Northeast—New England, Middle Atlantic.

North Central—East North Central, West North Central.

South—South Atlantic, East South Central, West South Central.

West-Mountain, Pacific.

States included in each division:

New England—Maine, New Hampshire, Vermont, Massachusetts, Rhode Island, Connecticut.

Middle Atlantic—New York, New Jersey, Pennsylvania.

East North Central—Ohio, Indiana, Illinois, Michigan, Wisconsin.

West North Central—Minnesota, Iowa, Missouri, North Dakota, South Dakota, Nebraska, Kansas.

South Atlantic—Delaware, Maryland, District of Columbia, Virginia, West Virginia, North Carolina, South Carolina, Georgia, Florida.

East South Central—Kentucky, Tennessee, Alabama, Mississippi.

West South Central—Arkansas, Louisiana, Oklahoma, Texas.

Mountain—Montana, Idaho, Wyoming, Colorado, New Mexico, Arizona, Utah, Nevada.

Pacific—Washington, Oregon, California, Alaska, Hawaii.

Table 1 NORTHEASTERN STATES: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND DISCHARGE CHARACTERISTICS

Oiagnasis And Oischarge Characteristics	Number of	Average stay		Perce	entiles	(days)		Oiagnasis And Oischarge Characteristics	Number af	Average stay		Perce	ntiles (	days)	
(ICOA 8th Revision)	discharges	(days)	10th	25th	50th	75th	90th	(ICOA 8th Revisian)	discharges	(days)	10th	25th	50th	75th	90th
OIARRHEA (009.1)								MALIGNANT NEOPLASM OF ESOPHAGUS (150)							
Tatal		13.8	3	5	9	15	27	Tatal	1,670	19.1	2	6	14	27	39
65 ta 74 years	400	11.2 16.0 14.4	3 4 1	6 3	7 9 10	12 16 20	21 30 35	65 ta 74 years	1,005 535	18.6 19.9	2 2	6	14 16	26 27	37 38
Single diagnosis	290 585	12.8 14.2	2 3	5 5	8 9	16 15	28 26	85 years and aver	1,015	19.7	2	8 6 7	11 14	26	46 33
With surgery		13.7 13.8	3 3	6 5	10 8	15 15	22 29	Multiple diagnases	945	19.8	3	8	17 16 13	32 27 25	57 36 45
GASTROENTERITIS AND COLITIS (009.2)								MALIGNANT NEOPLASM OF STOMACH	725	18.2		4	13	25	43
Tatal		10.0 9.3	2	4	7	12	20	(151) Tatal	4,840	20.3	3	8	17	27	39
75 ta 84 years	2,775	10.4 12.1	2 2 2	4 5	7 9	12 15	21 22	65 ta 74 years	2,315	20.0	3	8	17	27	38
Single diagnasis		7.9 11.2	1	3 5	5 8	9	17 22	75 to 84 years	2,040 485	20.7 20.3	4	8	17 17	28 28	42 36
With surgery	710	15.7 9.4	4 2	7 4	13	20 11	30 18	Single diagnasis	1,835 3,005	20.0 20.5	3	9	17 17	27 28	37 40
PLEURISY WITH EFFUSION WITHOUT	0,440	7.4	2	4	′	''	10	With surgery	2,250 2,590	24.7 16.5	9 2	15 5	22 11	31 22	42 37
MENTION OF CAUSE (012.2) Tatal	1,695	16.1	3	7	12	21	32	MALIGNANT NEOPLASM OF CECUM, APPENOIX AND ASCENDING COLON							
65 ta 74 years	900	14.7	3	7	11	19	27	(153.0)	2 525	22.2	0	10	10	24	27
75 ta 84 years	620 175	18.5 14.5	4 1	8 5	14	23 16	40 30	Tatal	2,525	22.3	8	13 13	19	26	37 37
Single diagnasis	595 1,100	15.2 16.5	3	7 7	12	19 21	30 33	75 to 84 years	1,120 235	22.6 23.1	7 9	13 15	19 21	27 27	40 35
With surgery	415 1,280	20.4 14.7	7 2	10 6	16 11	25 18	35 30	Single diagnasis	835 1,690	20.9 23.0	9 8	14 13	19 20	24 28	32 40
SEPTICEMIA (038)								With surgery	1,860 665	23.4 19.2	11 4	16 7	20 14	27 23	37 38
Tatal		18.3	1	5	13	24	41	MALIGNANT NEOPLASM OF TRANSVERSE AND DECENDING COLON							
65 ta 74 years	680	19.8 16.4 19.2	2 1 1	8 5 2	16 12 8	28 21 22	36 57	(153.1, 153.2)							
Single diagnosis	335 1,205	14.4	1	5 5	12 14	18 25	30 42	Tatal	1,790 875	24.7 23.8	10	14	20 19	29	43
With surgery	270	24.9	4	11	20	32	56	75 to 84 years	750 165	26.2 22.9	10	16 10	23 18	33 29	43 42
Without surgery	1,270	16.9	'	4	12	22	36	Single diagnasis	555 1,235	22.4 25.8	11 9	14 14	19 21	26 33	34 46
Tatal	1,595	12.9	3	6	10	15	25	With surgery	1,380 410	26.0 20.6	12	15	21 16	32 27	45 39
65 ta 74 years	655	12.2 13.5 14.0	3 4 4	6 6 8	9 10 12	14 17 18	23 26 25	MALIGNANT NEOPLA5M OF SIGMOIO COLON (153.3)	410	20.0		ĺ	10	2,	37
Single diagnasis	580	11.1	2	5 7	8	13	22	Tatal	3,260	23.5	6	13	19	29	43
Multiple diagnases		14.0	6	8	11	16	31	65 ta 74 years	1,735 1,340	23.3 23.1	6 6	13 12	19 20	28 29	41 40
Without surgery	1,495	12.7	3	6	10	15	24	85 years and aver	1.400	28.4 22.3	6	10 12	20 18	27	68 40
Tatal	1,085	11.7	3	5	8	15	21	Multiple diagnases	1,860	24.3	5	13	20	30	46
65 ta 74 years		11.3 11.7	3 3	4 5 7	8 7	15 13	20 21	With surgery	2,425 8 <b>3</b> 5	25.4 17.8	11	15 4	21 10	29 24	42 44
85 years and aver	115	13.1	4 2	7	10	15	23	MALIGNANT NEOPLASM OF UNSPECIFIED PART OF LARGE INTESTINE (153.8)							
Multiple diagnases	845	12.1	3	5	8	15	22	Tatal	5,710	20.7	4	9	17	27	40
With surgery		14.3	3 3	5	8 8	21 14	32 20	65 ta 74 years	3,040 2,270 400	20.8 20.5 21.8	4 4 4	9 9 8	16 17 18	27 27 29	41 38 45
MALIGNANT NEOPLASM OF BUCCAL CAVITY AND PHARYNX (140-149)								Single diagnasis	2,120 3,590	20.0	4	9	17 16	26	36
Tatal	3,030	16.6	2	4	10	21	39	Multiple diagnases	2,480	21.2	10	14	21	30	42 42
65 ta 74 years 75 ta 84 years 85 years and aver	1,055	16.5 17.2 15.1	2 2 2	4 5 4	10 11 9	21 23 17	39 39 37	MALIGNANT NEOPLASM OF RECTUM	3,230	17.5	2	6	12	23	38
Single diagnasis Multiple diagnases		14.8 18.9	2 3	4 6	9	18 24	36 42	AND RECTOSIGMOIO JUNCTION (154)  Tatal	6,280	23.9	5	11	20	30	43
With surgery	1,870	16.1	2	4	10	21	39	65 ta 74 years	3,420	23.7	5	12	21	31	43
Without surgery	1,160	17.4	2	4	11	21	39	75 ta 84 years	2,380 480	25.2 18.9	4	10	16	26	45 40
								Single diagnasis	2,945 3,335	22.4 25.2	5	12 11	20 21	33	38 46
								With surgery	4,315 1,965	25.0 21.5	7 2	14	22 14	32 27	42 45

Table 1 NORTHEASTERN STATES: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND DISCHARGE CHARACTERISTICS—Con.

Oiganosis And Oischarge		Average	Percentiles (doys)			Oiognosis And Oischorge		Averoge		Perce	entiles (	(doys)			
Chorocteristics (ICOA 8th Revision)	Number of dischorges	stoy (doys)	10th	25th	50th	75th	90th	Chorocteristics (ICOA 8th Revision)	Number of dischorges	stoy (doys)	10th	25th	50th	75th	90th
MALIGNANT NEOPLA5M OF PANCREA5								MALIGNANT NEOPLASM OF OVARY (183.0)							
Totol	3,080	22.1	3	9	18	28	39	Total	1,960	19.3	4	8	15	24	39
65 to 74 yeors	1,645 1,195 240	22.4 22.0 20.6	3 2 2	9 9 6	19 18 16	29 27 31	39 40 39	65 to 74 yeors	1,295 570 95	18.4 18.9 33.8	4 3 4	8 8 17	15 17 22	23 25 38	40 35 57
Single diognosis Multiple diognoses	1,210 1,870	23.9 21.0	3 3	8 9	18 18	29 28	45 39	Single diognosis	590 1,370	18.2 19.8	4	8 9	14 16	23 24	39 39
With surgery	1,395 1,685	26.4 18.6	12 1	17 4	23 11	31 22	40 39	With surgery	955 1,005	21.5 17.3	, 7	13 6	19 12	26 22	38 40
MALIGNANT NEOPLA5M OF LARYNX (161)								MALIGNANT NEOPLA5M OF PROSTATE (185)							
Total	1,435	16.8	1	3	11	21	39	Total	11,965	16.0	4	7	12	20	31
65 to 74 yeors	1,010 345 80	16.6 19.6 7.9	1 1 2	3 2 2	11 13 4	22 22 11	38 51 18	65 to 74 yeors	5,315 5,430 1,220	15.1 16.6 17.5	3 4 3	6 8 7	11 13 12	19 20 22	30 32 32
Single diagnosis		14.4 20.3	1 2	2 6	7 14	20 26	28 45	Single diagnosis	5,195 6,770	13.9 17.7	3 4	6 8	11 13	17 21	25 35
With surgery	1,020	16.1 18.6	1	2	11 10	21 22	33 47	With surgery	7,415 4,550	16.5 15.2	5 2	9 5	13 10	20 19	30 32
MALIGNANT NEOPLASM OF TRACHEA, 8RONCHUS, ANO LUNG (162)								MALIGNANT NEOPLASM OF BLAODER (188)							
Total	12,650	17.4	3	7	13	23	35	Total	9,780	13.5	2	3	8	17	29
65 to 74 years	8,610 3,670 370	17.2 17.9 15.8	3 2 2	7 6 5	13 13 11	23 23 20	34 36 36	65 to 74 yeors	5,135 3,875 770	12.2 14.0 19.0	1 2 3	3 4 7	8 9 14	16 17 22	28 32 31
Single diognosis		15.2 19.0	2	5 7	12 14	21 25	31 38	Single diognosis	5,685 4,095	11.0 16.9	1 2	3 6	6 11	14 20	26 35
With surgery		19.6 15.8	5 2	10 5	16 11	25 21	36 33	With surgery	7,665 2,115	12.3 17.8	2 2	3 4	8 11	16 21	27 38
MALIGNANT NEOPLA5M OF 5KIN (172, 173)								MALIGNANT NEOPLASM OF KIONEY, EXCEPT PELVIS (189.0)							
Total	5,585	10.3	1	2	5	11	22	Total	1,395	19.6	4	9	15	26	35
65 to 74 years	2,810 2,130 645	9.0 10.9 13.9	1 1 2	2 2 3	6 7	10 11 15	20 25 28	65 to 74 years 75 to 84 yeors 85 years and over	860 485 50	18.2 22.3 18.1	4 5 1	9 9 7	15 16 13	24 31 20	33 41 40
Single diognosis	3,545 2,040	7.8 14.6	1	2 3	4 7	9 17	16 34	Single diognosis	425 970	17.5 20.6	4 4	8 9	14 16	24 26	31 37
With surgery	4,605 980	8.6 18.0	1 2	2	4 10	9 22	18 41	With surgery	650 745	20.8 18.7	10 3	13 6	17 11	26 26	34 39
MALIGNANT NEOPLA5M OF 8REAST (174)								LYMPHO5ARCOMA ANO RETICULUM-CELL 5ARCOMA (200)							
Total	11,400	16.5	4	8	12	19	31	Total	1,730	17.7	3	7	13	21	36
65 to 74 years	6,660 4,030 710		5 4 3	8 8 7	12 12 11		31 32 25	65 to 74 yeors 75 to 84 yeors 85 yeors and over	1,105 565 60	16.7 19.6 18.2	2 4 5	10 8	12 16 11	21 22 22	34 39 36
Single diognosis	4,955 6,445	14.0 18.4	5 4	8 8	11	15 22	23 36	Single diognosis	925 805	16.7 18.9	3 3	7 8	12 16	19 26	37 35
With surgery	7,075 4,325	14.9 19.0	6 3	9 6	12 13	17 24	26 41	With surgery	575 1,155	18.6 17.2	5 2	9	14 13	21 21	35 36
MALIGNANT NEOPLA5M OF CERVIX UTERI (180)								HODGKIN'S DISEASE AND OTHER NEOPLASMS OF LYMPHOID TISSUE							
Total	1,965	13.7	3	5	8	17	27	(201, 202) Tatal	1,855	17.3	3	7	13	22	35
65 to 74 years	565	13.7 13.7 13.1	3 3 2	4 6 3	10 6	17 18 12	28 24 30	65 to 74 yeors	1,065	17.1 16.1	3 2	7 6	13 12	21 20	33 32
5ingle diagnosis Multiple diagnoses	1,100	10.9 17.1	3 3	4 6	7	11 20	23 33	85 years and over	1,010	27.0 14.4	4	9	16	38	49
With surgery	1,240	12.4	3	4 5	8	14 20	23	Multiple diagnoses	845 650	20.8 17.6	3	9	16	27	43
MALIGNANT NEOPLASM OF UTERUS, EXCEPT CERVIX (182)	723	13.8	3	,	,	20	33	Without surgery	1,205	17.2	3	6	12	21	36
Total	4,125	13.3	3	6	10	15	27	Total	2,065	20.3	3	7	14	27	43
65 to 74 years	1,430	12.8 14.5	3	6 5	10 10	14 16	24 30	65 to 74 yeors	1,310 670	19.2 22.2 21.0	2 6	10	13 18 15	25 29 27	43 43 47
85 years and over	2,145	10.6	3	5	8	13	16	85 years and over	775 1,290	18.9 21.1	3	6 7 8	14 15	24 29	47 41 44
Multiple diagnoses	3,080	16.2	3	8 6 5	11 10 10	19 13 23	33 20 37	Multiple diagnoses	220	28.7 19.3	8	15	23 14	37 26	55 42
Without surgery	1,045	16.9	31	5	10	23	3/	Without surgery	1,043	17.3	, J	,	141	201	

Table 1 NORTHEASTERN STATES: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND DISCHARGE CHARACTERISTICS—Con.

Diognosis And Dischorge Chorocteristics	Number of	Averoge :		Perce	entiles (	doys)		Diognosis And Dischorge Chorocteristics	Number of	Average stoy		Perce	ntiles (	doys)	
(ICDA 8th Revision)	dischorges	(doys)	10th	25th	50th	75th	90th	(ICDA 8th Revision)	dischorges	(doys)	10th	25th	50th	75th	90th
LEUKEMIA (204-207)								AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCY (260-269)							
Total	3,445	16.9	2	5	12	22	37	Total	1,835	18.3	2	7	13	23	39
65 to 74 years	1,730 1,460	17.3 16.0	2	5	12 11	18	37 36	65 to 74 yeors	715	17.5	2	6	12	21	39
85 years and over	1,430	19.2 16.2	2	6 5	15 11	23 21	35 37	75 to 84 years	815 305	18.5 20.0	2 1	7	14 17	22 26	40 39
Multiple diagnoses	2,015	17.3	3	6	13	22	37	Single diognosis	390 1,445	19.2 18.1	1 3	5 7	12 14	26 22	41 39
With surgery	440 3,005	22.9 16.0	5 2	11 5	17 11	28 20	46 35	With surgery	150	28.5	8	18	22 12	38 21	46
8ENIGN NEOPLASMS OF LARGE INTESTINE, EXCEPT RECTUM (211.3)								Without surgery	1,685	17.4	2	6	12	21	38
Total	1,740	15.2	3	8	13	19	28	Totol	1,170	13.5	4	6	10	15	23
65 to 74 years	1,285 420	14.7 17.1	3 2	8	13 12	18 24	26 33	65 to 74 yeors	695 425	13.7 12.6	4 5	6 7	9	15	22 22
85 years and over	35	12.0	4	5	9	14	23	85 years and over	50	19.4	2	7	10 13	16 22	45
Single diognosis	980 760	12.9 18.2	2 5	6 9	12 16	16 24	23 31	Single diognosis	300 870	11.2 14.4	4	6	8 10	12 16	17 23
With surgery	1,400 340	16.3 10.7	5	10 4	14.	20 12	29 20	With surgery	90 1,080	12.1 13.7	5 4	8	10 9	17 15	20 24
BENIGN NEOPLASMS OF RECTUM (211.4)	0.0	10.7			Í		20	IRON DEFICIENCY ANEMIAS (280)	1,000						
Total	1,665	9.1	2	3	6	11	19	Total	3,060	13.8	4	7	11	17	25
65 to 74 years		8.7 8.9	1 2	3	6	10 11	18 17	65 to 74 yeors	1,240 1,490	13.8 13.5	4	7 6	12 11	17 16	23 25
85 years and over	100	13.3	2	4	8	17	21	85 years and over	330	14.8	3	8	12	16	25 31
Single diognosis	955 710	7.7 10.9	1 2	2 4	8	8 14	16 21	Single diognosis  Multiple diognoses	740 2,320	11.2 14.6	2 4	6 7	12	15 17	19 28
With surgery	1,455 210	9.0 9.6	2 1	3 3	6	11 9	19 15	With surgery	535 2,525	18.6 12.7	6 3	10 6	14 10	22 16	33 23
LIPOMA (214)								PERNICIOUS ANEMIA (281.0)							
Totol	1,620	5.9	1	2	3	7	12	Total	1,380	18.5	6	9	14	22	33
65 to 74 yeors	340	5.3 8.4	1 2	2 3	3 5	6 10	11 14	65 to 74 yeors	575 595	19.4 16.4	5 6	9	14 13	22 19	33 28
85 years and over		4.4	1	2	3	5	10	85 years and over	210 475	22.0 15.4	7	11 7	19 12	27 18	35 30
Single diognosis		5.1 8.0	2	3	5	10	14	Single diognosis	905	20.2	6	10	15	23	35
With surgery	1,460 160	5.9 6.0	1 1	2 1	3 2	7 8	12 13	With surgery	165 1,215	27.2 17.4	7 5	12 9	20 13	36 21	61 29
NEOPLASMS OF UNSPECIFIED NATURE OF 8LADDER (237.6)								ALL OTHER AND UNSPECIFIED ANEMIAS (281.1-281.9, 282-285)							
Totol	3,490	8.7	1	2	4	9	19	Total	8,585	15.0	2	5	10	19	32
65 to 74 years	2,095	7.2	1		4	8	14	65 to 74 yeors	3,305	14.8	3	6	10	19	32
75 to 84 years	1,160 235	10.8		2 2 3	6 7	12 15	23 20	75 to 84 yeors	3,940 1,340	15.3 14.6	2 2	4	10 9	20 18	32 31
Single diognosis	2,735 755	8.2 10.3	1 2	2 3	4	9 13	18 21	Single diognosis	2,870 5,715	12.2 16.4	2 3	4	8 12	15 21	26 34
With surgery	3,185	8.6 9.1	,	2 2	4	9 13	18 22	With surgery	1,270 7,315	22.0 13.8	5 2	10 5	17	29 17	43 30
DISEASES OF THYROID GLAND (240-246)	305	7.1		2	4	13	22	Without surgery  AFFECTIVE PSYCHOSES (296)	7,313	13.0	2	,	1	"	30
Totol	3,145	14.1	4	6	10	17	27	Total	1,935	21.0	5	10	17	27	39
65 to 74 yeors		12.8 17.4	4	6	9 11	15 20	25 33	65 to 74 yeors	1,420 480	20.7 21.2	5 6	10 11	17 17	26 29	39 39
85 years and over		17.4	2	8	14	25	33	85 years and over	35	26.7	10	20	24	29	37
Single diagnosis		11.7 15.8	4 5	5 7	8 11	14 20	22 30	Single diagnosis	1,165 770	20.4 21.9	5 5	11 10	17 16	26 28	38 42
With surgery	1,020 2,125	11.7 15.3	5	6	9 11	14 19	21 30	With surgery	55 1,880	19.2 21.0	3	7 10	15 17	22 27	25 40
DIASETES MELLITUS (250)	2,123	13.3		3	ı i	"	30	ANXIETY NEUROSIS (300.0)	1,000	2		10	.,	-	
Total	38,910	16.3	4	7	11	19	32	Total	1,615	9.9	2	4	7	12	19
65 to 74 years	22,140 14,705	15.9 16.6	4	7	11 12	18 20	31 32	65 to 74 years	1,120 445	10.0 9.1	2 2 2	4 3	7 7 6	12 12	19 17
85 years and over	2,065	18.2	3	7	13	22	37	85 years and over	50	14.1	2	3		19	37
Single diognosis	8,715 30,195	15.3 16.5	3 4	6 7	10 12	18 20	29 32	Single diagnosis	510 1,105	9.2 10.1	2	3 4	5 8	10 12	22 18
With surgery	6,265 32,645	24.6 14.7	6	10	19 11	32 17	49 27	With surgery	105 1,510	14.9 9.5	5 2	7 4	12 7	19 11	28 18

Table 1 NORTHEASTERN STATES: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND DISCHARGE CHARACTERISTICS—Con.

Diognosis And Dischorge	Number of	Averoge			Oiognosis And Oischorge	Number of	Averoge		Perce	entiles (	doys)				
Chorocteristics (ICOA 8th Revision)	dischorges	stoy (doys)	10th	25th	50th	75th	90th	Chorocteristics (ICOA 8th Revision)	dischorges	stoy (doys)	10th	25th	50th	75th	90th
OEPRESSIVE NEUROSIS (300.4)								NEURALGIA ANO NEURITIS, UNSPECIFIEO							
Total	3,855	19.5	5	8	16	26	36	(355) Total	870	12.8	3	5	9	16	27
65 to 74 yeors	2,655 1,120	18.6 21.6	5 5 3	8	15 18	24 28	36 37	65 to 74 years	490	13.0	3	5	10	17	28
85 years ond over	2,260	21.4	6	5 11	16 18	30 27	33 37	75 to 84 yeors	330 50	12.1 15.3	3	5 6	12	13 18	25 26
Multiple diognoses	1,595	18.1	4	7	12	23	35	5ingle diognosis	350 5 <b>20</b>	12.0 13.3	3	4 6	8 11	14 18	25 28
With surgery	165 3,690	19.2 19.5	5	8	15 16	27 26	38 36	With surgery	130 740	20.2 11.5	6	10 5	14 8	30 15	41 23
ALCOHOLI5M (303)	1,940	10.5	1	3	7	13	22	CATARACT (374)			:				
65 to 74 years	1,625	9.7	1	3	6	12	21	Total	47,240	7.7	3	5	6	8	12
75 to 84 years	305 10	14.7	2 *	4	10	19	23	65 to 74 yeors	23,095 20,685 3,460	7.4 7.8 8.9	3 4 4	5 5 5	6 6 7	8 8 9	11 12 15
Single diognosis	825 1,115	7.4 12.8	1 2	3 4	5 8	9 16	14 25	Single diognosis	36,210	7.2	3	5	6 7	8	11
With surgery	115 1,825	27.0 9.5	2	9	20	31 12	50 20	Multiple diagnoses	11,030 44,980	9.1 7.7	4	5	7 6	9	15 12
MENTAL DISORDERS NOT SPECIFIED AS	1,025	,		J		12	20	Without surgery	2,260	8.3	ĩ	3	6	9	16
F5YCHOTIC, A550CIATEO WITH PHYSICAL CONDITIONS (309)								GLAUCOMA (375) Total	4,430	8.2	2	4	6	9	14
Total	4,125	21.2	4	7	13	23	46	65 to 74 yeors	2,545	8.2	3	4	6	9	13
65 to 74 years	1,590 1,915 620	19.6 21.8 23.5	3 3	7 7 6	13 13 14	23 24 25	41 48 56	75 to 84 years	1,655 230	8.1 9.2	3	4	6 7	11	14 15
5ingle diognosis	1,300	19.9	3	6	12	23	47	5ingle diognosis	2,890 1,540	7.1 10.3	2 3	4 5	5 7	8 11	12 16
Multiple diagnoses	2,825 265	33.4	9	8 14	14 22	23	45 64	With surgery	3,650 780	7.9 9.9	3 2	4	5 6	9	14 16
Without surgery	3,860	20.4	4	7	13	22	44	OETACHMENT OF RETINA (376)							
PARALYSIS AGITAN5 (342) Totol	3,815	20.1	5	8	14	24	39	Total	2,430	9.8	3	6	8	12	16
65 to 74 years	2,155 1,520	20.1 20.0	5	9 8	15 14	25 24	38 40	65 to 74 yeors	1,830 570 30	9.6 10.6 11.5	3 4 2	6 6 5	8 9 11	11 14 13	15 18 17
85 years and over	140	19.6	7	10	14	23	36	Single diognosis	2,040	9.8	3	6	8	- 11	17
5ingle diognosis	1,470 2,345	19.1 20.7	5 5	8	15 14	24 25	35 41	Multiple diognoses	390 2,295	9.9	3	6	9	12	16 16
With surgery	390 3,425	26.0 19.4	6 5	13 8	18 14	33 24	54 37	Without surgery	135	8.1	ĩ	2	4	12	19
CEREBRAL PARALY515 (344)								LA8YRINTHITIS (384.0) Totol	1,115	9.1	2	4	6	11	19
Total	1,305	20.6	3	6	13	24	44	65 to 74 years	690	9.4	3	4	7	11	19
65 to 74 years	635 550 120	21.7 19.4 20.3	3 3	6	12 13	23 25 24	43 42 58	75 to 84 years	370 55	8.0 12.7	2 6	6	10	10	14 22
5ingle diognosis	455	19.4	2	5	11	25	44	5ingle diognosis	435 680	7.7 10.0	1	3 5	5 7	12	15 <b>20</b>
Multiple diognoses	850 125	21.2 13.8	5	7	14 10	24 17	27	With surgery	45 1,070	12.0 9.0	5	7	9	10	22 18
Without surgery	1,180	21.3	3	6	13	25	48	CHRONIC RHEUMATIC HEART DISEASE							
FACIAL PARALY515 AND TRIGEMINAL NEURALGIA (350, 351)								(393-398) Total	4,305	15.3	3	6	10	19	31
Total	1,055	12.2	3	5	9	15 14	23 21	65 to 74 yeors	3,105 1,030	15.4 14.6	3	6	10	19	32 27
65 to 74 years		11.4 12.3 15.9	3 2	5	10	14 22	24 42	85 years and over	170	17.5	3	4	9	21	44
Single diognosis	580	10.5	3 3	4	.8	14	19	Single diognosis	1,155 3,150	14.7 15.5	3	6	10 10	19 19	29 32
Multiple diognoses	475 315	14.2 12.1	2	4	11	16 16	28 23 22	With surgery	665 3,640	20.6 14.3	3	7 6	17 10	29 17	43 29
Without surgery	740	12.2	3	5	9	14	22	ESSENTIAL BENIGN HYPERTENSION (401)							
Total	1,000	14.7	5	8	12	18	25	Totol	8,105	10.6	2	4	7	13	21
65 to 74 years	620 325	15.3 14.1	5 4	9	13 12	19 17	26 24	65 to 74 yeors	5,080 2,595 430	10.2 11.0 13.9	2 2 3	4 4 5	7 8 10	12 13 16	20 22 30
85 years and over	55	11.7	6	7	11	14	17	5ingle diognosis	2,840	9.3	2 3	4	7	- 11	17
5ingle diognosis	450 550	13.6 15.6	5	7 9	12 12	17 19	23 26	Multiple diognoses	5,265 800 l	11.3		5	11	14	23 27
With surgery	85 915	21.6 14.1	6	8	20 12	28 17	39 24	Without surgery	7,305	10.3	2	4	7	12	20

Table 1 NORTHEASTERN STATES: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND DISCHARGE CHARACTERISTICS—Con.

Oiagnosis And Oischorge Characteristics	Number of	Averoge stoy		Perce	ntiles (	aoys)		0iognosis And 0ischorge Chorocteristics	Number af	Averoge stay		reice	entiles (	aoys)	_
(ICOA 8th Revision)	dischorges	(doys)	10th	25th	50th	75th	90th	(ICOA 8th Revision)	dischorges	(doys)	10th	25th	50th	75th	901
HYPERTENSIVE HEART DISEASE (402)								HEART BLOCK, AND CARDIAC ARREST (427.2, 427.3)							
Totol		14.1	3	6	10	17	28	Total	5,045	13.6	1	4	10	17	
5 to 74 years	1,305	13.6 14.2 16.6	3 3 5	6 8	10 10 12	16 17 20	28 27 34	65 to 74 years	1,880 2,435	13.0 13.8	1	3	9 10	17 17	
ingle diognosis		12.2 15.1	3	6	9 11	14 18	23 30	85 years and over	730 2,460	14.7	1	3	10	17	
Vith surgery	205	22.1	5	10	16	26	41	Multiple diagnases	2,585	15.4	i	4	11	20	
Vithout surgery		13.6	3	6	10	16	27	With surgery	1,985 3,060	15.1 12.6	3 1	7 2	11 8	18 16	
RENAL 015EA5E (403, 404)  Tatal	1,365	16.7	2	5	12	21	34	ATRIAL FIBRILLATION OR FLUTTER AND OTHER UNSPECIFIED OISOROERS OF HEART RHYTHM (427.4, 427.9)							
5 ta 74 years	600	15.9		5	12	23	32	Totol	4,680	12.3	2	4	8	15	
5 to 84 years	580 185	17.9 15.7	2 2 1	6 3	13 8	21 18	35 36	65 to 74 years	2,395 1,870	11.1 13.8	2 2 2	4 5	8 10 8	13 16	
ingle diognasis		19.3 15.9	1 2	4 5	11 13	19 22	37 33	85 years and over	415 2,200	12.6 10.6	2	4	8	16 15	
Vith surgeryVithaut surgery		19.4 16.3	7 1	12 5	17 11	25 20	30 36	Multiple diognoses	2,480	13.8	2	5	10	16	
ACUTE MYOCAROIAL INFARCTION (410)								With surgery	430 4,250	18.7 11.7	6 2	9	15 8	25 14	
Total		17.5 18.0	1	7	17	24	31	OTHER MYOCAROIAL INSUFFICIENCY (428)							
5 to 84 years	17,695	16.9 15.9	1	6 2	16 13	23 23	32 33	Tatal	1,590	13.2	2	5	10	16	
ingle diognosis		16.4 18.6	1	6 7	16 18	23 25	29 33		770 545 275	12.7 14.7 11.4	2 3 1	5 6 3	10 11 7	16 16 16	
fith surgery	2,150	22.9	3	10	20	30	43	Single diagnosis	460	11.3	2	4 5	8	16	
ithout surgery  OTHER ACUTE ANO 5UBACUTE FORM5	45,385	17.2		7	17	23	31	Multiple diagnoses	1,130	13.9 18.4	2 5	8	12	17 26	
OF ISCHEMIC HEART OISEASE (411)  Totol	10,955	14.0	3	6	11	18	26	Without surgery	1,525	13.0	2	5	10	16	
5 ta 74 yeors	6,550	13.3		6	11	18	25 30		3,640	17.0	3	6	11	20	
5 to 84 years 5 years and over	570	15.2 12.9	3 3 1	6 5	11	19 18	26	75 to 84 years	1,570 1,555	14.9 19.4	2 3	6	11 12	19 22	
ingle diognosis		13.9 14.0	3	6 7	11	18 18	26 26	85 years and aver	515 1,735	16.4 17.0	2	5 6	11	19 21	
/ith surgery/ithout surgery		20.0 13.7	4 3	11 6	16 11	26 18	36 26	Multiple diognoses	1,905	17.1	3	6	12	20	
CHRONIC ISCHEMIC HEART OISEASE (412)								With surgery	285 3,355	29.4 16.0	10 3	14 6	20 11	33 19	
Total	139,630	14.9	3	6	11	18	28	CEREBRAL HEMORRHAGE (431)	4,065	10.7	,	,	5	17	
5 ta 74 years	61,660	14.0 15.4	3 3 3	6	11 11	18 19	26 30	65 to 74 yeors	1,760	12.7	1	1	4	15	
5 years and averingle diagnosis		15.7	3	6	11	20 16	31 25	75 to 84 years	1,755 550	12.8 13.0	1	1 2	6 8	18 17	
Julitiple diognases	98,720	15.7	4	7	12	19	30	Single diognosis	1,670 2,395	12.1 13.1	1	1	4 6	15 18	
lith surgery Iithaut surgery	11,085 128,545	21.0 14.3	5 3	10 6	16	27 18	40 27	With surgery	270 3,795	17.4 12.4	1	2	15 5	23 16	
ANGINA PECTORI5 (413) Tatol	1,920	10.5	2	4	7	13	21	OCCLUSION OF PRECEREBRAL ARTERIES (432)							
5 to 74 years	1,260	10.1	2	3	7	12	21	Total	2,785	15.4	3	6	11	18	
5 to 84 years 5 years and over		11.4 9.5	2 3	5 3	8 7	14 9	24 15	65 to 74 years	1,680 955	15.5 15.4	3	6	12 11	18 19	
ngle diognosis		9.5 11.5	2	3 4	7 8	12 13	19 24	85 years and aver	150 1,110	13.8 13.1	3	5	11	19 16	
ith surgeryithout surgery	60 1,860	14.6 10.3	4 2	9 4	12 7	19 12	23 21	Multiple diognoses	1,675	16.9	3	6	12	20	
CONGESTIVE HEART FAILURE (427.0)	- 0							With surgery	595 2,190	17.7 14.7	3	10 5	14 10	20 17	
Total		15.4	2	6	11	19	30	CEREBRAL THROM80515 (433)	15.740	10.7	2	7	14	24	
5 to 74 yeors	10,140	15.2 15.4 15.6	3 2 2	7 6 5	11 11 11	18 19 20	28 30 31	65 to 74 years	15,760 6,175	19.7 20.3	3	7 8	14	26	
ingle diognosis	11,815	14.5 16.3	2	6	11 12	18 21	28 32	75 to 84 years	7,335 2,250	20.0 17.5	3 2	7	15 15 12	26 23	
Vith surgery	1,130	24.4	8	13	20	31	45	5ingle diognosis	4,970 10,7 <b>9</b> 0	17.8 20.7	3	6 8	13 15	22 27	
Vithaut surgery	21,005	14.9	2	61	111	18	29	With surgery	790 14,970	29.2 19.3	7 3	13	24 14	38 25	

Table 1 NORTHEASTERN STATES: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND DISCHARGE CHARACTERISTICS—Con.

Oiognosis And Oischorge		Averoge			Oiognosis And Oischorge		Average		Perce	entiles (	doys)				
Characteristics (ICOA 8th Revision)	Number of dischorges	stoy (doys)	10th	25th	50th	75th	90th	Characteristics (ICOA 8th Revision)	Number of dischorges	stoy (doys)	10th	25th	50th	75th	90th
SUBARACHNOIO HEMORRHAGE ANO CEREBRAL EMBOLISM (430, 434)								ARTERIAL EM80LI5M AND THROM805I5							
Total	1,705	18.1	1	4	12	26	40	Total	4,135	18.0	1	6	13	22	37
65 to 74 years	990 570 145	18.3 18.3 16.6	1 1 2	5 4	12 12 9	26 26 20	40 40 40	65 to 74 yeors	2,385 1,415 335	19.0 16.4 17.7	2 1 1	7 5 3	14 12 9	23 23 17	37 37 31
Single diognosis	540 1,165	17.8 18.3	1	4 4	11 12	25 26	39 40	Single diognosis Multiple diognoses	1,975 2,160	14.7 21.0	1 2	5 6	12 14	20 25	30 44
With surgery	180 1,525	24.3 17.4	3 1	11 4	20 11	32 25	38 40	With surgery	2,325 1,810	21.4 13.6	5	11 2	17 7	26 14	39 31
TRANSIENT CEREBRAL ISCHEMIA (435)				:				GANGRENE (445)				·			
Total	3,190 1,385	9.8	2	4	7	12	18	65 to 74 years	4,060 1,505	30.4	8	13	23	38 41	61 62
65 to 74 years 75 to 84 years 85 years and over	1,430 375	9.6 9.7	2 2 2	4 5	7 7	12	18 16	75 to 84 yeors	1,830 725	29.8 29.7	7 6	12 12	24 24 22	37 35	62 59
Single diognosis	1,160 2,030	8.3 10.6	1 2	3 5	6 8	11 13	15 19	Single diognasis	2,000 2,060	29.5 31.2	7 8	13 13	23 24	38 38	55 65
With surgery	130 3,060	17.0 9.5	7 2	10 4	15 7	20 12	30 17	With surgery	2,790 1,270	31.2 28.7	10 5	15 9	25 16	38 38	60 61
GENERALIZEO ISCHEMIC CEREBROVASCULAR OISEASE (437)								PULMONARY EM80LISM AND INFARCTION (450)							
Total	15,115	14.8	3	6	10	17	28	Total	6,080	18.4	2	8	14	23	36
65 to 74 years	5,560 7,050 2,505	13.4 15.3 16.3	3 3 3	5 6 6	9 10 12	15 18 19	25 30 32	65 to 74 yeors 75 to 84 yeors 85 yeors ond over	3,225 2,390 465	17.8 18.8 20.9	3 2 2	8 8 6	14 14 13	22 24 27	34 38 46
Single diagnosis Multiple diagnoses	4,315 10,800	14.4 14.9	3	5 6	9 10	15 18	26 29	Single diognosis Multiple diognoses	1,615 4,465	16.0 19.3	2 2	7 8	12 15	19 25	30 37
With surgery	940 14,175	22.7 14.3	6 3	11	18 9	28 16	47 27	With surgery Without surgery	850 5,230	23.7 17.5	6 2	11 7	20 13	29 22	42 35
ILL-OEFINEO CEREBROVASCULAR OISEASE (436, 438)								PHLE8ITIS ANO THROM8OPHLEBITIS (451)							
Total	34,980	19.1	2	6	13	24	40	Total	7,385	15.2	6	8	12	18	27
65 to 74 years 75 to 84 years 85 years and over	13,850 16,155 4,975	19.0 19.5 18.5	2 2 1	6 6	13 13 12	24 24 24	40 41 39	65 to 74 yeors	4,360 2,630 395	15.1 15.2 15.1	5 6 6	8 9 8	12 12 12	18 18 18	27 26 28
Single diognosis Multiple diognoses	16,965 18,015	18.5 19.7	1 2	5 7	12 14	23 25	40 41	Single diognosis	3,190 4,195	13.2 16.7	5 7	7 9	11 13	16 20	22 29
With surgery	1,625 33,355	27.5 18.7	5 2	13 6	21 13	34 23	53 40	With surgery	700 6,685	21.4 14.5	6 6	11 8	17 12	27 17	41 25
ARTERIOSCLEROSIS (440)								VARICOSE VEINS OF LOWER EXTREMITIES WITH ULCER (454.0)							
Totol	9,170 3,290	17.9	3	6	11	21	35	Total	1,805	23.7	7	12	20	31	42
65 to 74 years 75 to 84 years 85 years and over	3,995 1,885	17.6 18.3 17.4	2 3 2	5 6 5	11 12 10	21 21	38 33	65 to 74 yeors	915 760 130	20.3 26.4 31.4	6 8 10	11 13 21	17 21 32	27 33 40	37 47 47
Single diognosis	2,025 7,145	16.4 18.3	2 3	6	9 12	17 22	32 36	Single diagnosis Multiple diagnoses	835 970	24.4 23.0	6 8	12	21 19	32	44 40
With surgery	1,890 7,280	22.9 16.6	7 2	11 5	17 10	28 19	45 32	With surgery	735 1,070	25.6 22.3	11 6	15	24 17	32 30	41 43
NONSYPHILITIC AORTIC AND OTHER ANEURYSM (441, 442)								VARICOSE VEINS OF LOWER EXTREMITIES WITHOUT ULCER (454.1,	1,070	22.5				30	~~
Total	4,765	13.7	1	3	10	19	29	454.9)	2,175	10.4	,		8	,,	10
65 to 74 years	2,680 1,670 415	14.4 13.1 11.2	1	3 2 2	12 10 7	19 18 16	30 28 26	65 to 74 years	1,580	10.4	3	5	7	12	19 18
Single diagnosis	2,455 2,310	12.5 15.0	1	2 4	10 11	17 20	27 31	75 to 84 years	515 80	11.7 9.9	3 2	3	9 8	13 15	21 18
With surgery	2,265 2,500	17.0 10.7	1	7 2	15	23 14	31 25	Single diognosis	1,365 810	8.6 13.4	3	5 5	10	10	15 26
OTHER PERIPHERAL VASCULAR OISEASE (443)	3,330							With surgery	1,605 570	9.7 12.5	3	5	7 9	11 17	17 23
Total	1,935	21.0	4	8	15	25	44	HEMORRHOIDS (455)	4.405	9.4	3	5	7	11	17
65 to 74 years	1,015 750	17.9 23.2	3	7 9	13 16	21 27	39 44	65 to 74 years	4,405 3,155	8.6	3	5	7	10	15
85 years and over	170	29.5	4	15	16 22	35	58	75 to 84 yeors	1,065 185	11.2 12.6	5	7	10 10	14 17	21 22
Multiple diagnoses	1,270 875	23.9 24.8	5 8	9 13	16 19	28 29	50 50	Single diognosis	2,260 2,145	8.2 10.7	3	5	6 8	13	13 20
Without surgery		17.9	2		10	21	36	With surgery	3,650 755	9.5 8.8	4 2	5 3	6	11	17 15

# Table 1 NORTHEASTERN STATES: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND DISCHARGE CHARACTERISTICS—Con.

Diagnasis And Discharge Characteristics	Number af	Average stay		Perce	entiles	days)		Oiagnasis And Oischarge Characteristics	Number of	Averoge stay		Perce	entiles (	doys)	
(ICDA 8th Revision)	discharges	(doys)	10th	25th	50th	75th	90th	(ICDA 8th Revision)	discharges	(doys)	10th	25th	50th	75th	90th
ACUTE UPPER RESPIRATORY INFECTIONS EXCEPT INFLUENZA (460-465)								OTHER DISEASES OF UPPER RESPIRATORY TRACT (500-508)							
Total	2,715	10.4	3	4	8	13	19	Tatal	3,650	5.8	1	2	3	6	11
65 to 74 yeors	1,000	10.0 10.7 10.9	2 3 3	4 5 4	8 8 7	12 13 12	19 19 16	65 ta 74 years 75 ta 84 years 85 years and aver	2,700 845 105	5.0 7.7 9.6	1 1 1	1 2 2	2 4 4	5 9 10	8 18 18
Single diagnasis		8.4 11.0	2 3	3 5	5 8	11 13	17 19	Single diagnasis	2,320 1,330	4.2 8.5	1	1 2	2 5	4 9	7 19
With surgery	235 2,480	10.8 10.3	1 3	2 5	6 8	13 13	29 18	With surgery	2,925 725	5.2 8.0	1	1 2	2 5	5 9	9 16
ACUTE ANO UNQUALIFIEO BRONCHITIS ANO BRONCHIOLITIS (466, 490)								PLEURISY (511)	0.45	10.1	,	,	9	16	20
Totol	9,335	11.6	4	6	9	14	20	Tatal	845 455	12.1	3	5	8	15	19
65 to 74 years	5,105 3,540 690	10.7 12.5 12.6	3 4 4	5 6 6	8 9 10	13 14 15	19 23 24	75 to 84 years	355 35	13.4 14.4	4	6	10 12	16 17	26 23
Single diagnasis		9.6 12.3	3 4	5 6	8 9	11 15	16 21	Single diagnosis	325 520	10.9 12.9	3	5 6	8 10	14	20 20
With surgery	610	15.9	4	6	12	21	29	With surgery	80 765	23.3 11.0	4 3	11 5	17 9	38 12	49 19
Without surgery	8,725	11.2	4	6	9	13	19	PULMONARY CONGESTION AND HYPOSTASIS (514)							
Total	1,565	10.4	3	5	7	13	20	Total	5,645	13.4	1	5	10	18	27
65 to 74 years	615	9.1 11.0 13.3	2 3 5	4 5 7	7 8 11	12 13 16	18 22 22	65 ta 74 years	2,385 2,575 685	13.4 13.9 12.1	1 1 1	5 5 3	10 10 9	18 18 17	26 29 25
Single diagnasis		8.9 11.1	3 3	4 5	7 8	11 14	16 22	Single diagnosis	2,270 3,375	13.4 13.5	1	4 5	10 10	18 18	27 27
With surgery		16.2 10.2	7 3	9 5	11 7	13 13	32 20	With surgery	290 5,355	24.1 12.9	6 1	12 4	19 10	31 17	49 25
PNEUMONIA (480-486)								CHRONIC INTERSTITIAL PNEUMONIA (517)							
Tatal		15.6	3	7	11	18 17	30 27	Tatal	1,420	14.6	3	6	10	19	30
65 to 74 years 75 to 84 years 85 years and over	12,730	14.7 16.0 16.5	4 4 2	7 6	11 11 12	19 20	31 33	65 to 74 years	895 460 65	14.4 14.8 15.3	4 2 5	6 7 8	10 11 12	18 20 19	29 32 28
Single diagnosis		13.5 16.4	3 3	6 7	10 12	15 20	24 31	Single diagnosis	240 1,180	11.0 15.3	2	4 7	8 11	18 20	22 31
With surgery		25.7 14.8	8 3	13 6	21 11	31 17	47 27	With surgery	260	17.0	4	7 6	11 10	20 18	31 29
CHRONIC BRONCHITIS (491)								OISEASES OF ORAL CAVITY, SALIVARY	1,160	14.1	3	٥	10	18	29
Total		12.9	3		9	15 14	25 22	GLANO5, ANO JAW5 (520-529) Total	3,215	6.1	1	2	3	6	12
65 ta 74 years	1,415	14.4 14.4	4		10 11	17 16	28 29	65 ta 74 years	2,130 905	5.9	1	2 2	2	6	11
Single diagnosis	1,090 3,140	10.3 13.8	· 3	5 7	8 10	11 16	18 26	85 years and over	180	6.3 8.3	i	2	3 6	10	12 18
With surgery	760 3,470	13.7 12.8	2	5	10	18 14	28 23	Single diagnasis	1,555 1,660	7.6	i	2	3	8	15
EMPHYSEMA (492)	5,5	.2.0						With surgery	2,365 850	5.8 7.0	1 1	2 2	2 5	5 9	11 14
Total	10,215	14.0	3	6	10	17	27	DISEASES OF ESOPHAGUS (530)							
65 to 74 years	3,285	13.7 14.6	3	6	10 10	16 17	26 28	Tatal	3,520	10.9	2	3	7	13	24
85 years and over	2,865	14.9 11.4	2	6	10 8	18 13	31 23	65 to 74 years	1,875 1,360 285	10.7 11.6 9.3	2 2 2	3	7 7	13 13 13	24 26 18
Multiple diagnoses	7,350 1,055	15.1 19.4	3	6 8	11 15	18 23	28 40	Single diagnosis	1,490 2,030	9.3 12.1	1 2	3 4	6	11 15	19 25
Without surgery	9,160	13.4	3	6	10	16	26	With surgery	1,665 1,855	12.9 9.2	2	3 4	9	17	28 17
Tatal	4,735	12.8	4	6	10	15	24	ULCER OF STOMACH (531)	.,055	7.2	•				"
65 to 74 years	3,210	12.5 13.2	4 4	6	9 10 9	15 15 16	23 24	Tatal	5,585	16.2	4	8	13	21	31
85 years and over	1,685	15.0 10.6	3	5	8	13	33 20	65 ta 74 years	3,205 1,985 395	15.9 16.4 17.4	5 4 4	8 7 7	13 13 13	20 21 23	31 31 40
Multiple diagnases	3,050	14.0	4	5 6 12	11 17	17 28	26 50	Single diagnasis	2,090 3,495	15.0 16.9	4	7	12 13	19 22	27 32
Without surgery		12.3	3	6	9	15	23	With surgery	1,855 3,730	20.6 14.0	7	11 7	17	26 17	38 27

Table 1 NORTHEASTERN STATES: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND DISCHARGE CHARACTERISTICS—Con.

Oiagnasis And Discharge Characteristics	Number of dischorges	Averoge		Perce				Oiagnasis And Oischarge Characteristics	Number of discharges	Average stay			entiles (		
(ICDA 8th Revision)	dischorges	(days)	10th	25th	50th	75th	9Dth	(ICDA 8th Revision)	aischurges	(days)	10th	25th	50th	75th	90
ULCER OF DUODENUM (532)								HERNIA OF ABOOMINAL CAVITY WITH OBSTRUCTION (552, 553)							
Tatal	9,345	14.1	4	7	11	17	26	Tatal	5,040	13.1	4	7	10	15	
to 74 years	5,625 3,17D 550	13.4 14.7 18.2	4 5 6	6 8 9	11 11 14	16 18 25	25 27 38	65 ta 74 years	2,165 2,190	12.7 12.9	4	6 7	9	15 15	
gle diagnosis	3,380	12.5	4	6	10	15	22	85 years and over	685	14.9	4	8	12	17	
Itiple diagnoses	5,965	15.1	5	7	12	18	28	Single diagnasis	2,720 2,320	11.8 14.7	4 5	6 7	9 11	13 18	
h surgery hout surgery	2,385 6,960	19.9 12.1	7 4	11	17 10	25 14	34 21	With surgery	4,190 850	13.4 11.8	5	7	10	15 14	
PTIC ULCER, SITE UNSPECIFIEO (533)								INTESTINAL OBSTRUCTION WITHOUT	050	11.0		,		14	
Total	2,930	14.5	4	7	11	17	27 27	MENTION OF HERNIA (560)	0.075	16.7	3	,	11	20	
to 74 years	1,655 990 285	14.7 14.4 13.1	4 3	7 6	10 10	18 17 15	26 27	65 ta 74 yeors	9,975 4,3 <b>3</b> 0	15.7 15.8	3	6	"	2D 2D	
gle diagnosis	1,275	13.5	4	7	11	16	24	75 to 84 years	4,165 1,480	15.6 15.9	3	6	12	20 18	
tiple diognoses	1,655	15.2 19.7	4	7 11	11	18	28	Single diognasis	4,850	14.9	2	5	11 12	18 21	
h surgeryhaut surgery	2,250	12.9	6	6	10	24 15	34 23	Multiple diognases	5,125 3,995	16.5	7	11	17	25	
GASTRITIS AND OUOOENITIS (535)								Without surgery	5,980	12.5	2	4	8	14	
to 74 years	4,915 2,805	10.3 9.7	2	4	7:	13	19 17	DIVERTICULA OF INTESTINE (562)	19,395	12.2	3	5	8	14	
ta 84 yearsyears ond over	1,695 415	11.1 11.1 11.1	3 2	5	8 8	14 14	20 22	Tatal	9,505	12.3	3	5	8	14 14	
gle diagnosis	1,435	8.1	2	3	6	9	17	75 ta 84 years	8,270 1,620	13.1 11.5	3	5	8	15 13	
triple diognoses	3,480 595	11.2 18.3	3 5	5 8	14	14 20	20 37	Single diognasis	7,000 12,395	10.6 13.3	2	4 6	7 9	12 16	
hout surgery	4,320	9.2	2	4	7	11	17	With surgery	5,555	18.0	4	8	14	23	
5ORDERS OF FUNCTION OF STOMACH (536)								Without surgery	13,840	10.0	3	4	7	12	
Tatol	720	13.7	1	4	7	13	28	FUNCTIONAL OISOROERS OF INTESTINE (564)							
to 74 yearsto 84 years	365 235	1D.2 13.2	1 1	4	6 7	11 13	25 26	Tatal	2,795	8.6	2	3	6	1D	
years ond over	120	25.2	2	5	9	24	45	65 to 74 years	1,445 1,090	7.7 9.1	2	3	6	10	
gle diagnosis	230 490	9.9 15.4	2	2 4	7	10 14	20 29	85 yeors and over	260 845	11.8	2	3	6	10 7	
h surgeryhout surgery	90 630	20.4 12.7	5 1	8	11 6	26 12	50 26	Multiple diagnoses	1,950	9.6	3	4	7	- 11	
IGUINAL HERNIA WITHOUT MENTION								With surgery	530 2,265	11.0 8.1	2	4 3	7	13 9	
OF OBSTRUCTION (550) Totol	18,015	10.3	5	6	8	11	16	CIRRHOSIS OF LIVER (571)							
to 74 years	11,980	9.5	4	6	8	10	15	Total	4,540	18.2	3	7	14	23	
to 84 yearsyears and over	5,165 870	11.3 15.5	5 5	6 7	10	13 15	18 25	65 to 74 years	3,380 1,035 125	17.8 19.0 22.6	2	7 7 3	14 14 14	23 22 19	
gle diognosistiple diognoses	11,580 6,435	9.0 12.7	4 5	6 7	8 9	10 14	14 21	85 years and over	1,495	17.1	3	6	12	21	
h surgery	16,610	10.2	5	6	8	- 11	16	Multiple diagnoses	3,045	18.7	4	8	14	24	
hout surgery NTRAL HERNIA WITHOUT MENTION OF	1,405	12.1	2	5	8	13	22	With surgery	940 3,600	23.4 16.8	3	11 7	19 13	29 21	
OBSTRUCTION (551.2)								CHOLELITHIASIS (574)							
Tatol	2,915	13.8	5	7	11	15	23	Total	17,565	16.3	6	9	13	2D	
to 74 years	2,005 780 130	12.7 16.0 17.2	5 5 2	7 7 6	10 11 10	14 16 22	21 24 32	65 ta 74 years	10,290 6,035 1,240	15.4 17.5 18.4	6 5 4	9 9 8	13 14 14	19 21 22	
gle diagnosis	1,600	11.8	5	7	10	12	17	Single diagnosis	8,190	15.0	6	9	12	18	
h surgery	1,315 2,400	16.2	6	8	13	19	27 23	Multiple diagnases	9,375	17.5	5 8	9	14	21 22	
haut surgery	515	16.1	6 2	5	9	15	26	Without surgery	5,830	12.3	3	5	8	14	
OIAPHRAGMATIC HERNIA WITHOUT MENTION OF O85TRUCTION (551.3)								CHOLECYSTITIS AND CHOLANGITIS WITHOUT MENTION OF CALCULUS							
Total	8,340	11.2	3	5	8	14	21	(575)	8,540	15.0	4	7	12	18	
to 74 yearsto 84 years	4,770 2,915	10.7 11.6	3	5	8 9	13 14	20 21	Tatal	4,535	15.0 15.D	4	_	11	18	
years and over	655	13.3	4	6	9	16	24	75 to 84 years	3,260 745	15.2	4	8 7 7	12	19 18	
gle diognosis	1,890 6,450	9.7 11.7	3	5	7   9	11	18 ( 22 )	Single diagnasis	4,245 4,295	14.D 16.D	4	7 7	11	17 20	
h surgery	1,900	15.6	4	8	13 7	19	28	Monthle alagnoses	4,273	10.0	4	′	12	20	

Table 1 NORTHEASTERN STATES: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND DISCHARGE CHARACTERISTICS—Con.

Oiognasis And Oischarge Characteristics	Number of	Average stay		Perce	entiles (	days)		Oiagnasis And Oischarge Characteristics	Number of	Average stay		Perce	entiles (d	days)	
(ICOA 8th Revision)	discharges	(days)	10th	25th	50th	75th	90th	(ICOA 8th Revision)	discharges	(days)	10th	25th	50th	75th	90th
OTHER DISEASES OF GALL BLAODER AND BILIARY OUCTS (576)								CYSTITIS (595)							
Tatal	3,355	15.8	3	7	12	21	31	Tatal	6,355	10.9	2	4	7	13	20
65 ta 74 years	1,805	15.2	3	7		20	29	65 to 74 years	3,130 2,535	9.0 12.2	2 2 3	3	6	11 14	17 22 27
75 ta 84 years	1,240 310	16.8 15.4	3	7	12 12 14	23 21	33 32	85 years and aver	690 2,160	14.5	2	5 3	10	17 10	16
Single diagnasis	1,745 1,610	15.1 16.7	3 4	6 7	12 13	20 22	29 33	Multiple diagnoses	4,195	12.2	2	4	5 8	14	22
With surgery	1,260 2,095	21.3 12.6	8	12 5	18	27 15	37 25	With surgery	3,960 2,395	10.5 11.5	2	3 4	7 8	13	20
OISEASES OF PANCREAS (577)								OTHER DISEASES OF BLADDER (596)	-						
Tatal	2,310	15.9	4	7	12	19	33	Tatal	3,225 1,710	15.4 15.3	3	6	11	19	28
65 ta 74 years	1,245 865	15.7 16.5	4 3	7 7	11 13	19 21	34 32	75 to 84 years	1,250 265	15.3 16.5	2 3 5	6 8	11	19	32
85 years and over	200 910	14.4	5	7	12	15	25	Single diagnasis	1,265 1,960	13.2 16.8	2 3	5 7	9	17 20	26
Single diagnosis	1,400	13.4 17.6	5	8	11	16 22	26 37	Multiple diagnoses	2,460	15.4	3	6	11	19	29
With surgery	510 1,800	26.3 13.0	11 4	15 6	22 10	35 15	47 23	Without surgery	765	15.5	2	5	10	16	32
CHRONIC ANO UNQUALIFIED NEPHRITIS (582, 583)								URETHRITIS AND STRICTURE OF URETHRA (597, 598)							
Tatol	1,245	15.8	2	5	10	20	34	Tatal	4,340	9.4	2	3	6	12	20
65 to 74 years	735	14.1	ļ	3	9	20	31	65 to 74 years	2,490 1,590	9.0 9.7	2 2 3	3 3 5	5 6 9	11 12 18	19 22 22
85 years and over	465 45	18.61 14.7	2 2	6 4	12	22 16	38 30	85 years and over	1,750	12.1 7.0	1	2		8	15
Single diagnasis	320 925	12.1 17.1	1 2	3 5	8 11	15 22	21 37	Multiple diagnoses	2,590	11.0	2	4	7	14	23
With surgery	160 1,085	28.4 13.9	6	10	21	37 19	48 30	With surgery	3,510 830	9.2 10.5	2	3	6 7	11 14	19 23
INFECTIONS OF KIONEY (590)	1,003	13.7	· ·	,	,	"	30	URINARY TRACT INFECTION, NOT ELSEWHERE CLASSIFIEO (599.0)							
Tatal	4,775	14.6	3	6	11	17	27	Tatal	4,760	14.0	3	6	10	17	28
65 to 74 years	2,385 1,905	13.5 15.4	3	6 7	10 -11	16 18	24 27	65 ta 74 years	2,155 2,010	13.1 14.2	3	5 6	10 11	15 17	26 27
85 years and over	485	17.1	4 2	5	13	26	34	85 years and over	595	16.7	3	6	13	20	34
Single diagnasis	1,425 3,350	11.9 15.8	3 4	5 7	11	15 19	21 30	Single diagnosis	1,350 3,410	11.6 15.0	2 4	6	11	15 17	25
With surgery	1,180 3,595	16.9 13.9	4 3	8 6	13 10	20 16	28 27	With surgery	1,530 3,230	13.7 14.2	3	6	12 10	18 16	27 29
CALCULUS OF KIONEY AND URETER								HYPERPLASIA OF PROSTATE (600)							
(592) Total	4,850	10.7	2	4	7	14	22	Tatal	32,745	15.6	5	8	13	19	27
65 ta 74 years	3,610	10.1	2	3	7	13	21	65 ta 74 years	18,680 11,980	14.5 16.9	4 5	8 9 9	12 14	18 21	25 30
75 ta 84 years	1,120 120	12.0 16.2	2	4	13	16 22	25 31	85 years and over	2,085 17,575	18.0 14.0	6	8	15	23 17	32
Single diagnasis	2,470 2,380	8.8 12.6	2 2	3 4	6 9	11 17	17 26	Multiple diagnoses	15,170	17.3	5	9	14	22	31
With surgery	2,730	12.9	3	5	10	16	26 16	With surgery	28,540 4,205	15.7 14.6	2	9	13	19 18	27 31
OTHER DISEASES OF KIONEY AND	2,120	7.8	i i	3	,	,	10	PROSTATITIS (601)							
URETER (593)	3 205	14.5	,	,	10	19.	30	Tatal	955 600	11.1	2	4	8	15	21 19
Tatal	3,295 1,850	14.5	2 2	4	9	18	28	75 ta 84 years	295 60	13.2 10.9	2 2	5	10	17	25
75 ta 84 years	1,195 250	15.6 15.6	2	5	12 12	20 18	36 27	Single diagnosis	385	10.6	2	4	8	14	20
Single diagnosis	1,155 2,140	12.2 15.7	1 2	3 5	9 12	16 20	27 33	Multiple diagnoses	570 600	11.5	2	4	9	15 17	24
With surgery	1,405	16.9	3	7	14	22	32	Without surgery	355	8.8	2	4	7	ii	17
CALCULUS OF OTHER PARTS OF	1,890	12.7		3	8	17	29	CHRONIC CYSTIC OISEASE AND OTHER OISEASES OF BREAST (610, 611)							
URINARY SYSTEM (594)								Tatal	2,305	6.8	2	3	4	8	13
Tatal	1,810	12.9	2	5	10	17	25 22	65 ta 74 years	1,635 575 95	6.2 8.5 6.8	1 2 1	2 3 2	. 4 5 5	7 10 9	13 17 12
65 ta 74 years	1,140 550 120	11.7 14.6 16.6	2 3 2	5 3	11 15	19 21	31 29	Single diagnasis	1,615	5.9	1	2 3	4	7	11
Single diagnosis	790	9.6	2	3	7	12	20	Multiple diagnases	690 2,100	8.8 6.8	2	Ĭ	6	11	13
Multiple diagnases	1,020	15.5	3	7	13 10	20 18	28 26	With surgery	2,100	6.8	2	3 2	4	8	14

Table 1 NORTHEASTERN STATES: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND DISCHARGE CHARACTERISTICS—Con.

Diognosis And Dischorge Chorocteristics	Number of discharges	Averoge stoy			entiles (			Diognosis And Dischorge Chorocteristics	Number of discharges	Average stoy			ntiles (		
(ICDA 8th Revision)	discharges	(doys)	1Dth	25th	5Dth	75th	9Dth	(ICDA 8th Revision)	discharges	(doys)	1Dth	25th	50th	75th	901
UTEROVAGINAL PROLAPSE (623)								5PONDYLITIS OSTEOARTHRITICA (713.1)							
Totol		12.2	6	8	1D	14	19	Total	4.31D	13.9	4	7	11	17	
65 to 74 years	6,190 2,200 175	11.6 13.5 13.8	6 6 5	8 8 8	1D 11 11	13 15 17	18 22 22	65 to 74 yeors 75 ta 84 yeors 85 yeors and over	2,465 1,540 305	13.5 14.4 13.9	4 4	6 7 6	11 12 10	16 17 18	
ingle diognosis	4,945 3,620	11.5 13.D	6	8 8	10 11	13 15	17 21	Single diognosis	1,090 3,220	13.1 14.1	3 4	6 7	1D 11	16 17	
Vith surgeryVithout surgery	7,8D0 765	12.3 10.9	6 2	8 5	10 9	14 14	19 22	With surgery Without surgery	475 3,835	23.0 12.7	7 4	12 6	17 1D	28 16	
POSTMENOPAUSAL BLEEDING (626.7)								ARTHRITIS, UNSPECIFIED (715)							
Totol		6.2	1	2	3	7	14	Total	3,415	14.4	3	6	10	18	
15 to 74 years	560	6.0 6.7 8.4	1 1 3	2 2 3	3 4 6	6 13	13 14 14	65 to 74 yeors 75 to 84 yeors 85 yeors ond over	1,77D 1,355 290	14.6 14.1 15.0	3 4 2	6 5 5	11 10 10	18 18 15	
ingle diognosis		5.6 7.1	1	2 2	3 4	5 10	12 16	Single diognosis	1,290 2,125	14.D 14.7	2 4	5	1D 11	18 18	
/ith surgery/ithout surgery	2,005 170	6.1 6.8	1	2 2	3	6 8	13 15	With surgery	520 2,895	18.7 13.7	5 3	8 5	15 10	23 16	
CELLULITIS AND ABSCESS (681, 682)								OSTEOPOROSI5 (723.0)							
Total	4,675	15.2	4	6	11	18	29	Total	4,125	17.5	5	8	13	21	
5 to 74 years	2,290 1,925 460	15.1 15.5 14.7	3 4 5	6 7 8	11 11 12	17 20 19	28 30 27	65 to 74 yeors 75 to 84 yeors 85 years ond over	1,600 1,845 680	18.4 16.3 18.5	5 4 4	8 8 8	13 13 14	21 20 23	
ingle diognosis	1,795 2,880	14.2 15.9	3 4	6 7	1D 12	16 19	28 30	Single diagnosis	1,01D 3,115	17.3 17.5	5 5	7 8	14 13	22 21	
lith surgerylithout surgery		17.8 14.3	3	7	14	23 16	37 26	With surgery	320 3,805	25.5 16.8	7 5	11 7	19 13	36 20	
OERMATITIS AND ECZEMA (690, 692)	5,105							DISPLACEMENT OF INTERVERTEBRAL							
Total	955	10.9	. 3	5	9	14	21	0ISC (725) Total	3,685	17.3	5	9	14	21	
5 to 74 years	405	11.0 10.8 10.9	; 3 3 2	5 6 4	8 9 8	14 13 15	21 20 24	65 to 74 yeors	2,840 760	16.7 19.1	5 5	9	13 14	21 21	
ngle diognosis	390	9.8 11.7	2 4	4 5	8 10	13 15	20 22	85 years ond over	85 1,975	19.7 17.4	5	7	12 14	29	
/ith surgery/ithout surgery	125	10.1 11.0	1	3-	7 9	13	23 21	Multiple diagnoses	1,710	17.1 22.6	5 10	13	13 19	21 26	
CHRONIC ULCER OF SKIN (707)	000	11.0	J			, ,		Without surgery	2,645	15.2	4	7	12	18	
Total	3,865	25.7	6	11	19	31	52	VERTERROGENIC PAIN SYNDROME (728) Total	2,140	14.4	3	6	11	17	
5 to 74 years	1,585	24.6 27.0 25.2	6 6 6	10 10 14	19	30 32 31	52 55 42	65 to 74 years	1,275 720	14.3 14.4	4 3	6	11 11	18 16	
ingle diognosis	1,655	23.5	6	10	18	28	42	85 years and over	900	14.5	2	7	12	16 17	
Aultiple diognoses	2,210 1,340	27.3	8	11	20	34 36	57 53	Single diagnosis	1,240	14.1 14.6	3	6	11	17	
Vithout surgery	2,525	23.8	5	10	17 	28	48	With surgery	290 1,850	19.5 13.6	6 3	11 6	17 10	26 16	
CONDITIONS (712)	3 440	17.9	٠		12	21	32	5YNOVITIS, 8URSITIS, ANO TENOSYNOVITIS (731)							
Total		18.0	5	8	13	21	32	Total	2,730	8.4	1	2	5	10	
5 to 84 years	1,175	18.2 11.4	5 5 4	8	12	22 14	36 22	65 to 74 years 75 to 84 years 85 years and over	1,960 670 100	7.2 11.3 11.7	1 2 3	2 4 6	4 7 9	9 14 16	
ingle diognosis	1,115 2,525	18.2 17.7	4 5	7 8	12 13	19 22	31 33	Single diagnosis	1,615	6.4 11.1	1 2	2	4 8	7	
fith surgery	730 2,910	20.5 17.2	5 5	9 8	16 12	26 20	36 31	Multiple diagnoses	1,115	6.6	1	2	3	7	
OSTEOARTHRITIS (713.0)								Without surgery	1,065	11.1	2	5	8	13	
Total		17.9	4	7	13	23	34	SYSTEM AND SPECIAL SENSES (780, 781)	U.						
5 to 74 years	2,83D	19.1 16.7 16.3	4 4 3	7 7 5	14 12 12	24 21 20	36 32 29	Total	1,565	12.4	2	4	7	14	
ingle diognosis	2,790	19.5	4	7	15	25	37	65 to 74 years	955 <b>50</b> 0	11.6 12.8	2 2	4	7 8	12 15 20	
Multiple diagnoses	4,655	17.0	4 8	7 15	12 22	21 32	32 44	85 years and over	1 ID 1,155	17.1 11.4	2	5	1D 7	20 12	
Without surgery	5,365			6		17		Multiple diagnoses	41D	15.1	2	6	- 11	2D j	
								With surgery	140 1,425	22.1 11.4	4 2	9	17 7	22 12	

Table 1 NORTHEASTERN STATES: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND DISCHARGE CHARACTERISTICS—Con.

Diagnosis And Discharge Characteristics	Number of	Averoge stay			entiles (	10,0,		Diognosis And Discharge Characteristics	Number of	Average stay			ntiles (		
(ICDA 8th Revision)	discharges	(days)	10th	25th	50th	75th	90th	(ICDA 8th Revision)	discharges	(days)	10th	25th	50th	75th	90
ACUTE HEART FAILURE, UNOFFINED (782.4)	1 000			_				FRACTURE OF VERTEBRAL COLUMN, DOR5AL (THORACIC) AND LUMBAR, CLOSEO (805.2)							
Total	1,930 750	14.8	1 2	5	11 12	19 20	30 28	Tatal	4,080	16.5	5	8	13	21	
5 to 74 years	885 295	13.9 17.8	1	6 5 2	10 13	17 22	28 43	65 to 74 years	1,665 1,860 555	15.7 16.5 18.7	5 6 6	8 8 9	12 13 14	20 21 23	
ingle diagnasis	1,605 325	14.9 14.0	1	5 4	11 10-	19 20	29 34	Single diagnasis	1,835 2,245	14.2 18.3	5	7	11 14	18 24	
fith surgery	120 1,810	17.8 14.6	1	7 5	10 11	26 19	35 29	With surgery	200 3,880	23.8 16.1	7 5	12 8	19 12	29 20	
5YNCOPE OR COLLAPSE (782.5) Total	990	7.4	1	3	5	8	14	FRACTURE RI8(5), CLOSED (807.0)							
is to 74 years	610	6.8	1	3	5	7	13	Tatal	3,055	13.0	3	5	9	15	
5 ta 84 years	310 70	8.0 10.0	i 2	3 4	6 7	10 9	16 19	65 ta 74 years	1,430 1,160 465	10.7 14.5 16.7	2 4 3	4 6 6	7 9 11	13 17 18	
ngle diagnosisultiple diagnases	790 200	6.7 10.1	1 4	2 5	5 7	8 11	13 19	Single diognosis	815 2,240	8.8 14.5	2	4	6	10 17	
ith surgeryithout surgery	45 945	15.4 7.0	5 1	7	5	11 8	34 14	With surgery	205 2,850	19.4 12.6	4 3	7 5	13 8	26 14	
EPISTAXIS (783.0) Tatal	1,530	4.0	,	3	4	6	11	CLOSED FRACTURE OF PELVIS (808.0)							
5 to 74 years	835	6.0	2	3	5	6	11	Tatol	3,225	23.1	6	-11	19	28	
to 84 years	580 115	5.9 5.5	Î 1	2 2	4 4	6	10 10	65 ta 74 years	895 1,545 785	23.2 22.0 25.1	7 6	11 11 12	20 19 18	29 27 31	
ngle diagnosis ultiple diagnases	1,270 260	5.6 8.1	1 2	2 3	4 5	6 9	10 16	Single diognosis Multiple diagnoses	1,665 1,560	21.2 25.0	6 7	10 13	17 21	27	
th surgerythout surgery	195 1,335	7.3 5.8	2 1	3	5 4	11 6	14 9	With surgery	205 3,020	31.8 22.5	11 6	15 11	27 19	39 28	
PAIN IN CHE5T (783.7) Tatol	595	9.3	2	3	6	12	17	MULTIPLE ANO ILL-DEFINEO FRACTURES OF TRUNK, CLOSEO (809.0)							
i ta 74 years	410	8.9		3	6	11	16	Tatal	1,475	24.8	4	9	19	32	
to 84 yearsyears and aver	150 35	10.8 7.4	2 2 3	4	8	13 7	22 12	65 ta 74 years	660 600	26.8 22.0	4 4	9	19 17	34 28	
ngle diognosis	510 85	8.9 11.4	2	3 4	6	12 11	16 24	85 years and aver	215 730	26.7 23.3	5	11	22 16	37 28	
ith surgeryithout surgery	_ 595	9.3	2	3	- 6	- 12	_ 17	Multiple diagnoses	745 335	26.4 34.8	3 5 7	11	22	36 45	
A800MINAL PAIN (785.5)	1.500	,,,,						Withaut surgery	1,140	21.9	4	8	16	30	
Taial	1,500	9.7	2	4		11	20 19	FRACTURE OF UPPER END OR SHAFT OF HUMERU5, CLOSED (812.0, 812.2)							
5 to 84 years 5 years and over	525 110	11.2 .12.4	2 2 1	4 3 3	6 7 6	12 10	21 26	Tatal	4,450 1,750	13.0 11.5	2 2	4	8	16 14	
ngle diagnasis		9.7 14.0	2 2	4	6 8	11 15	19 26	75 to 84 years	1,970 730	13.4 15.6	2 3	4	8 11	16 20	
Tith surgery	325 1,175	16.6 8.7	3 1	6 3	13 6	20 10	27 15	Single diagnasis	2,420 2,030	10.9 15.5	1 2	3	7 11	13 20	
RETENTION OF URINE (786.1)								With surgery	1,295 3,155	14.2 12.5	2 2	4	9	18 15	
Tatal	2,050 980	15.1 14.0	3 2	6	12 11	19 18	28 24	FRACTURE OF UPPER END OR UNSPECIFIED PART OF RADIUS AND							
5 ta 84 years	810 260	16.1 16.0	4 2	7 7	13 11	19 20	29 33	ULNA, CLO5ED (813.0)	,						
ngle diagnasis	1,805 245	15.0 15.8	3	7 6	12 11	18 19	28 30	Total	1,095	8.6 7.4	1	2	5	10 <sup>1</sup>	
/ith surgery/ithout surgery	1,240 810	16.5 12.8	6	10	14 7	20 15	27 29	75 to 84 years	350 130	9.8 10.8	1	3	6 5	12 14	
HEMATURIA (789.3)								Single diagnasis	765 330	6.9 12.4	1 2	3	7	7 14	
Tatal		10.7	2	4	7	13	22 22	With surgery	770 325	7.9 10.1	1	3	5 6	8 13	
5 to 74 years	1,125 795 145	10.7 10.3 12.3	2 2 2	3 4 5	7 7 8	13 12 15	19 26	FRACTURE OF LOWER END OF RADIUS AND ULNA, CLOSED (813.4)							
ngle diagnasis Jultiple diagnases	1,895 170	10.4 13.7	2 2	4	7	13 17	21 35	Tatal	2,150 1,230	6.6 5.3	1	2	3	7 5	
Vith surgeryVithaut surgery		11.4 9.4	2 1	5 3	8 5	14 10	22 20	75 to 84 years	715 205	7.4 11.9	i   1	2 2	4	10	
								Single diagnasis	1,445 705	4.6 10.7	1	1 3	2 6	4 12	
								With surgery	1,640 510	5.5 10.2	1	1 2	3	6 11	

Table 1 NORTHEASTERN STATES: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND DISCHARGE CHARACTERISTICS—Con.

Oiagnosis And Oischarge	Number of	Average	tay		Oiagnosis And Oischarge	Number of	Average		Perc	entiles (	days)				
Characteristics (ICOA 8th Revision)	discharges	(days)	10th	25th	50th	75th	90th	Characteristics (ICDA 8th Revision)	discharges	stay (doys)	10th	25th	50th	75th	90th
FRACTURE OF INTERTROCHANTERIC SECTION OF NECK OF FEMUR, CLOSEO								CONCUSSION (850)							
(820.2)		07.0				•		Total		11.4	1	3		12	25
Total	6,340 1,360	27.8 27.0	10	16 16	23	33	49 44	65 ta 74 years	1,260 1,105 265	10.1 13.2 9.9	1 2 2	3 3 4		11 14 13	18 30 20
75 to 84 years	2,960 2,020	28.0 27.8	10 10	16 16	23 23	34 34	50 50	Single diagnosis	645 1,985	10.2 11.8	1 2	2 3	4 7	9 13	14 27
Single diagnosis	3,195 3,145	26.1 29.4	10 10	15 16	22 23	31 36	45 54	With surgery	235 2,395	19.1	2	6 3	12	24 11	41 21
With surgery	5,200 1,140	26.4 34.1	11 2	16 14	22 27	31 43	45 72	LACERATION AND OPEN WOUND	2,373	10.6	'	3	٥	"	21
FRACTURE OF OTHER AND UNSPECIFIED PART OF NECK OF FEMUR, CLOSEO (820.4)								OF HEAD, NECK, AND TRUNK (870-879)  Total	2,610	9.1	1	3	6	11	19
Total	19,955	27.8	8	14	21	34	53	65 ta 74 years	1,255	8.1	1	2	5	9	16
65 to 74 years	5,355 9,420	27.3 28.7	9	14 15	21 22	33 34	53 54	75 ta 84 years	935 420	9.7 10.7	2	3 3	7	13 12	20 20
85 years and over	5,180	26.7 26.2	6	12	21 20	33 32	54 53 50	Single diagnosis Multiple diagnoses	660 1,950	6.2 10.1	1	3	6	12	13 20
Multiple diagnoses	7,680	30.4	8	15	24	36	59	With surgery	700 1,910	10.6 8.5	1 1	3 3	7 5	11 11	24 18
With surgery	14,430 5,525	26.6 30.9	11 3	15 9	21 21	32 41	47 68	CONTUSION AND CRUSHING WITH INTACT SKIN SURFACE (920-929)							
FRACTURE OF OTHER AND UNSPECIFIED PARTS OF FEMUR (821)								Tatal	5,970	11.7	2	4	8	14	22
Total	-	34.9	7	14	25	48	77	65 to 74 years	2,250 2,695	10.7 11.6	2 2 2	4 4	7 9	12 14	20 23 28
65 to 74 years	1,225	36.4 35.2 31.2	6 8 7	15 13 13	28 25 20	50 48 42	79 75 68	85 years and over	1,025	14.2	2 2 2	3	10	18 11	28 19
Single diagnosis	1,715 1,115	33.0 37.7	7	14	24 27	45 54	70 84	Multiple diognases	4,295 515	12.3 15.0	3	5	10	15 18	24 32
With surgery	1,585	32.1	10	15 12	24 27	41	64 83	Without surgery	5,455	11.4	2	4	8	14	22
FRACTURE OF TIBIA AND FIBULA (823)	1,245	38.4	4	12	2/	57	83	AOVERSE EFFECT OF MEDICAL AGENTS (960-979)							
Tatal	2,140	19.5	3	7	13	23	40	Tatal	3,225	10.6	1	3	8	14	20
65 to 74 years	690	19.2 21.4	3	7	13 14 10	23 28 15	37 46 34	75 to 84 years	1,230 320	11.0 13.8	2 3	4 6	8 9	14	21 27
85 years and aver	1,310	14.4	3	6 7 7	12 15	21	37	Single diagnosis	1,045 2,180	8.3 11.7	1 2	2 5	5 9	10 14	17 22
Multiple diagnoses		21.3	6	7 9		27 25	43 52	With surgery	185 3,040	18.1 10.2	6 2	9	14	26 13	35 20
Without surgery	1,310	17.3	6 3	6	16 12	22	36	IMPLANT AND COMPLICATIONS OF MECHANICAL NATURE FROM INTERNAL							
Total	2,620	15.4	3	5	10	18	32	PROSTHETIC OEVICE (997.5)							
65 ta 74 years	760	14.3 16.6	3	5 6 5	10 11 12	17 20	26 35	Tatal	1,605	13.2	2 2 3	5	8	15	27 30
85 years and over	1,840	19.5 13.0	2	5	12	24 16	50 25	75 ta 84 years	815 155	13.0 12.8	3	5 6	8 9	14 17	26 23
Multiple diagnases	780	20.9	4	7	13	25	45	Single diagnasis	1,175 430	12.2 16.1	2 3	5 6	8 10	14 21	25 35
With surgery	1,575 1,045	15.4 15.2	3 2	4	11	19 17	31 32	With surgery	1,215 390	13.5 12.4	3 1	6	9 8	15 14	26 35
MULTIPLE FRACTURES INVOLVING 80TH LOWER LIM8S, LOWER WITH UPPER LIM8, AND LOWER LIM8 WITH RIS AND STERNUM (828)															
Total	1,645	28.6	5	11	22	35	57								
65 to 74 years	680 670 295	27.0 29.7 29.9	5 5 4	10 14 12	19 25 20	35 37 31	57 58 58								
Single diagnosis Multiple diagnoses		26.0 32.1	3 7	11 12	20 20 24	32 40	53 68								
With surgery	940	30.7	10	15	24	38 31	56								
SPRAINS AND STRAINS OF BACK (846, 847)	705	25.9	3	/	15	31	64								
Tatal	2,925	12.2	4	6	10	15	22								
65 ta 74 years	1,715 1,045	11.6 13.4	4 4 3	6 6 5	10	14 15	21 23								
85 years ond aver Single diagnasis	165 910	11.6	2	5	10	16	22 19								
Multiple diagnases	2,015 135	13.0 19.6	4	12	10	15 23	23 31								
Without surgery	2,790	11.8	3	6	9	14	21								

Table 2 NORTHEASTERN STATES: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED SURGICAL PROCEDURES, AND DISCHARGE CHARACTERISTICS

Surgical Procedures And Discharge Characteristics	Number of	Average stay		rerce	entiles (	uuys)		Surgical Procedures And Discharge Characteristics	Number of	Average stoy		rerce	ntiles (	agys)	
(CPT 1st Edition)	dischorges	(day's)	10th	25th	50th	75th	90th	(CPT 1st Edition)	dischorges	(days)	10th	25th	50th	75th	90
MASTECTOMY, COMPLETE, SIMPLE (0457)								REPAIR OF VENTRAL HERNIA (3661)							
Totol	3,000	13.2	4	7	10	15	23	Tatal	2,760	14.0	6	8	11	16	
5 ta 74 yeors 5 to 84 years 5 years and aver	1,380 1,315 305	13.1 13.5 12.3	4 5 4	7 8 7	10- 11 11	15 15 14	23 23 23	65 to 74 years 75 ta 84 years 85 years and aver	1,940 725 95	13.5 15.0 16.6	6 6 3	8 9 8	11 12 12	15 17 21	
ngle diagnasis		11.5 16.3	4 6	7 9	10 13	13 19	19 <b>2</b> 9	5ingle diagnasis	1,560 1,200	11.7 17.0	5 7	7 10	10 13	13 20	
MASTECTOMY, RAOICAL (0470)	3,480	15.0	8	10	12	16	22	PROSTATECTOMY, EXCEPT TRANSURETHRAL (4311-4313, 4316, 431X)							
ta 74 years	2,390	14.7	8	9	12	16	22	Tatal	10,125	21.1	11	14	18	24	
ta 84 yearsyears ond over	1,000 90	15.2 22.7	8 7	10	13 14	16 20	23 45	65 ta 74 years	5,955 3,785	19.6 23.0	11	13 14	17 20	22 26	
gle diagnasis	2,170 1,310	13.8 17.1	8 8	10	12 13	15 18	20 28	85 years ond over	385	25.4	12	16	20	28	
REDUCTION OF FRACTURE OF HIP (0865-0868, 0872-0874)								Single diagnasis Multiple diagnoses PROSTATECTOMY, TRANSURETHRAL	5,460 4,665	19.0 23.6	10 12	13 15	17 20	21 27	
Tatal	16,265	27.5	11	15	22	33	49	(4321)							
ta 74 years	7,590	28.5 27.6 26.2	12 11 9	16 16 14	23 22 21	32 33 32	49 51 47	Tatal	22,505 12,100	16.5 15.2	7	9	13	19	
gle diagnosis	9,445	26.2	11	15	21	31	46 54	75 ta 84 years	8,840 1,565	17.5 21.1		10 11	14	20 25	
ANTHROPLASTY OF HIP (1150)	6,820	29.2	11	16	23	35	34	Single diagnosis	11,890 10,615	14.1 19.1	6 8	8 10	11 15	16 22	
Total	7,475	27.8	13	17	24	33	47	COLPORRHAPHY (4481-4495, 449X, 4501, 4505, 450X)							
to 74 years	3,310	28.4 27.9 26.4	13 13 11	17 17 16	24 24 22	35 32 32	49 45 43	Tatal	3,595	12.3	6	8	10	14	
gle diagnasis		26.2 30.2	13 13	17 18	22 26	30 36	44 54	65 ta 74 years 75 to 84 years 85 years and over	2,735 825 35	12.1 13.3 10.1	6 7 7	8 9 7	10 11 9	13 15 11	
GASTRECTOMY (3112, 3114, 3115, 3118, 3119, 311X)	,,,,,							Single diagnasis	2,080 1,515	11.4 13.6	6	8	10 11	12 16	
Total	3,705	25.0	11	16	22	30	41	HYSTERECTOMY, ABOOMINAL (INCLUDING PÉLVIC EXENTERATION)							
to 74 years	1,065	24.3 25.8 28.9	11 10 16	16 16 19	21 23 27	29 31 35	40 43 42	(4617, 4618, 4621, 4624-4627) Tatal	3,120	15.5	8	10	12	17	
gle diagnosis	1,650	24.4	12	16	21	29 31	39	65 ta 74 years	2,330	14.7	8	9	12	16	
Utiple diagnases	2,055	25.5	11	16	23	31	42	75 to 84 years	760 30	17.6 19.0	12	11 13	14 17	20 21	
Tatal	9,520	25.1	12	16	21	29	41	5ingle diagnasis	1,495 1,625	14.2 16.6	8 8	9 10	12 13	15 20	
to 74 yearsto 84 yearsyears and over	3,635	24.3 25.9 28.8	12 12 11	15 16 16	20 22 24	29 30 33	39 44 54	HYSTERECTOMY, VAGINAL (4631)	3,170	13.1	7	9	11	15	
ngle diagnasis		23.0 26.8	12	15	20 23	27	36 46		2,265 860	12.1 15.8	7 8	9		14 18	
ultiple diognases	3,230	20.0	'2	''	23	J.	40	85 years and over	45	13.7	2	8	13	16	
Total	3,610	10.5	4	5	8	12	19	Single diagnasis	1,730 1,440	12.4 14.0	7 8	8 9	10	13	
to 74 years	835	9.4 13.3 15.4	4 5 5	5 6 7	7 10 12	11 16 18	16 22 25	OILATION ANO CURETTAGE UTERUS, OIAGNOSTIC (4647)							
ngle diagnasisultiple diagnases	1,895 1,715	8.5 12.6	4	5	7 9	10 16	14 22	Total	4,915 3,345	7.9 7.4	1	2	4	10	
CHOLECYSTECTOMY (3515)	1,713	12.0	•	"	,	10	**	75 ta 84 years	1,420 150	8.7 11.9	2	3 6	10	10 14	
Tatal	13,815	18.2	8	11	15	21	30	5ingle diagnasis	2,675 2,240	6.5 9.6	1 2	2	4 6	8 12	
ta 74 years	4,010	16.8 20.7 22.4	8 10 9	10 12 13	14 17 19	20 24 27	28 36 40	EXTRACTION OF LEN5 (5611, 5612)							
igle diagnosis	7,620 6,195	16.1 20.7	8 9	10 12	13 18	19 25	25 35	Tatal	46,130 22,680	7.9 7.6	4	5	6	8	
REPAIR OF INGUINAL HERNIA, EXCEPT RECURRENT (3630-3632)								75 ta 84 years	20,145 3,305	8.0 9.5	4 4	5	6 7	10	
Tatal	19,150	10.9	5	6	8	12	17	5ingle diagnasis	34,635 11,495	7.3 9.7	4	5 5	6 7	10	
ta 74 years	5,895	10.0 11.9 15.6	5 5	6 7 8	8 9 11	11 13 16	16 20 24								
nale diagnasis	12 145	0.2		4		10	14								

Table 3 NORTH CENTRAL STATES: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND DISCHARGE CHARACTERISTICS

Diognosis And Oischorge		Averoge		Percei		(doys)		Oiognosis And Dischorge		Averoge		Perce	entiles (d	days)	
Chorocteristics (ICOA 8th Revision)	Number of dischorges	stoy (doys)	10th	25th	50th	75th	90th	Chorocteristics (ICOA 8th Revision)	Number of dischorges	stoy (days)	10#h	25th	50th	75th	90th
OIARRHEA (009.1)								MALIGNANT NEOPLASM OF ESOPHAGUS							
Total	2,170	10.4	2	4	7	12	21	Total	1,470	18.8	3	6	13	23	41
65 to 74 yeors	840 1,000 330	9.3 1 10.3 13.4	2 2 3	3 4 5	6 7 9	10 13 13	17 21 28	65 to 74 yeors 75 to 84 yeors 85 yeors ond over	815 535 120	19.2 17.9 20.1	3 3 2	6 7 4	13 13 14	24 22 25	40 39 48
Single diognosis	670 1,500	7.5 11.7	1	3	5 8	10 13	14 23	5ingle diognosis	685	17.7	3	5	12	23	39
With surgery	255 1,915	13.0 10.1	3 2	5 4	10 7	15 12	22 20	Multiple diognoses	785 670 800	19.7 20.9 17.0	3 4 2	7 5	13 16 11	23 26 22	43 46 37
GASTROENTERITIS AND COLITIS (009.2) Totol	17,335	8.4	2	3	6	10	16	MALIGNANT NEOPLASM OF STOMACH (151)	000	17.0	2			22	37
65 to 74 yeors	8,430 6,760	7.7 8.7	1	3 3	5	9	14	Total	4,395	17.7	2	7	15	23	33
85 years and over	2,145 6,000	10.5	2 2	4 2	7	13	21	65 to 74 yeors 75 to 84 yeors 85 yeors ond over	1,930 1,995 470	17.7 17.4 18.8	2 2 2	7 6 7	14 15 16	23 23 25	33 33 35
Multiple diognoses	11,335	9.6	2	4	4 7 8	11	18	Single diognosis	1,425 2,970	16.2 18.4	2	5 7	14	22 24	32 34
Without surgery	16,205	8.2	2 2	3	6	10	15	With surgery	1,700	22.3	9	14	19	27	36
PLEURISY WITH EFFUSION WITHOUT MENTION OF CAUSE (012.2)	1 055	15.4	,	,	10	18	34	MALIGNANT NEOPLASM OF CECUM, APPENOIX AND ASCENDING COLON	2,695	14.8	2	4	10	20	31
Totol	1,855 845 780	15.4 15.0 13.7	3	5 6	10 10	17 17	30 30	(153.0)	3,025	21.1	5	12	18	26	38
85 years and over	230	22.6	2 5	7	14	32 13	50	65 to 74 yeors	1,430 1,255	21.2 20.3	7	12 12	18	26 25	36 38
Multiple diagnoses	1,385	17.0	3	6	11	20	37	85 years and over	340	24.0	4	9	21	34	48
With surgery	1,380	18.9 14.2	3 2	6	11 10	27 16	39 29	Single diognosis	880 2,145	18.3 22.3	5	11 12	16	23 28	30 39
5EPTICEMIA (038) Total	1,430	16.1	1	4	10	21	32	With surgery	2,045 980	23.1 17.0	11 2	15 4	20 10	26 22	37 39
65 to 74 yeors	565 665	17.3	1	7	12 10	22 20	35 30	MALIGNANT NEOPLASM OF TRANSVERSE AND DECENDING COLON (153.1, 153.2)							
85 years ond over	200	12.0	i	2	6	20	31	Totol	1,805	22 2	6	13	19	28	39
Single diognosis	270 1,160	10.9 17.3	1	5	8	13 22	22 35	65 to 74 yeors	870 710	20.9 24.3	7 5	13 14	18 21	25 30	35 42
With surgery	1,70 1,260	18.5 15.8	1	4	15	26 21	36 32	85 years ond over	225 625	20.6	3	12	17	30 25	38 34
HERPES ZOSTER (053) Total	3,090	12.6	3	6	9	16	24	Multiple diognoses	1,180	22.9	6	14 15	20	30 28	42 38
65 to 74 years	1,320	11.3	3	5	9	14	22	Without surgery	515	18.1	2	4	12	23	41
75 ta 84 years	1,300 470	13.1 15.1	3	6	10 11	16 21	23 30	MALIGNANT NEOPLA5M OF SIGMOIO COLON (153.3)							
Single diognosis	980 2,110	10.5 13.6	3 4	5 6	9 10	13 17	19 26	Total	3,305 1,705	20.6	3	10	17	26 25	41 40
With surgery	155 2,935	14.9 12.5	3	3 6	9	19 16	30 23	75 to 84 yeors	1,370 230	20.5 20.9	4	10 10	17 19	26 27	41 41
OTHER VIRAL 015EASES (070-079) Total	1,875	10.2	2	4	6	13	22	5ingle diognosis	1,280 2,025	20.0 20.9	4 3	11 10	17 17	25 26	37 42
65 to 74 yeors	1,070 635	9.9 9.5	2 2 2 2	4 4	7	13 12 17	21 21	With surgery	2,270 1,035	22.9 15.5	10 1	14 3	20 10	27 20	41 38
85 years and over	170	14.3		4	6 9	1	28	MALIGNANT NEOPLASM OF UNSPECIFIED PART OF LARGE INTESTINE (153.8)							
Single diagnosis	515 1,360	8.7 10.7	2	3	6 7	11 14	18 23	Total	6.815	18.7	3	7	15	25	36
With surgery	180 1,695	11.7	1 2	2	6 7	17 12	25 21	65 to 74 years	3,635 2,595 585	18.2 19.5 17.8	2 3 2	7 7 6	15 16 14	24 26 26	36 37 38
MALIGNANT NEOPLASM OF BUCCAL CAVITY AND PHARYNX (140-149)								Single diognosis	2,045 4,770	17.5 19.2	2	5 7	14	23 25	35 38
Totol	3,415 1,925	14.6	2	3	8	18 16	32	With surgery	2,875 3,940	22.7 15.7	9 2	14	20	28 20	38 35
75 to 84 years	1,095	14.2 17.5	2	4	8 8 10	17	32 37	MALIGNANT NEOPLA5M OF RECTUM ANO RECTOSIGMOID JUNCTION (154)	5,7 .0						35
Single diognosis	1,660 1,755	13.1 16.0	2 2	3 4	7 9	15 20	30 36	Total	6,390	21.4	3	9	18	29	41
With surgery	1,910 1,505	11.9 18.0	2	3	7	14 22	25 43	65 to 74 years	3,295 2,435 660	21.3 22.5 18.1	4 4 3	9 8 8	18 19 13	29 29 24	39 45 38
								5ingle diognosis	2,565 3,825	19.3 22.9	3 4	8 9	16 19	26 31	36 45
								With surgery	4,145 2,245	22.2 20.0	5 2	1	20 13	29 28	38 47

Table 3 NORTH CENTRAL STATES: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND DISCHARGE CHARACTERISTICS—Con.

Oiognosis And Oischorge		Averoge	Percentiles (doys)			(doys)		Oiognosis And Oischorge		Averoge		Perce	entiles (	doys)	
Chorocteristics (ICOA 8th Revision)	Number of dischorges	stoy (doys)	10th	25th	50th	75th	90th	Choracteristics (ICOA 8th Revision)	Number of dischorges	stoy (doys)	10th	25th	50th	75th	90th
MALIGNANT NEOPLASM OF PANCREAS (157)								MALIGNANT NEOPLASM OF OVARY (183.0)							
Totol	3,690	19.1	2	8	15	25	37	Total	2,375	18.2	2	6	13	25	39
65 to 74 yeors	2,090 1,310 290	18.0 20.6 20.7	2 3 1	7 9 6	15 17 14	24 26 25	36 40 42	65 to 74 yeors 75 to 84 yeors 85 yeors ond over	1,450 835 90	18.5 17.0 22.5	2 1 1	7 5 10	13 12 16	25 23 29	39 36 46
Single diognosis Multiple diognoses	2,600	16.9 20.0	3	6 8	13 16	23 25	33 40	Single diognosis	615 1,760	16.5 18.7	1 2	6	12 14	21 26	37 40
With surgery	1,500 2,190	24.1 15.7	11	15 4	21 11	29 20	40 35	With surgery	1,015 1,360	20.7 16.3	7 1	11 3	17 9	27 22	37 41
MALIGNANT NEOPLASM OF LARYNX (161)								MALIGNANT NEOPLASM OF PROSTATE (185)							
Total		16.5	1	4	10	20	40	Totol	17,180	14.5	3	6	10	18	29
65 to 74 yeors 75 to 84 yeors 85 yeors ond over	950 340 60	16.3 17.5 13.2	1 2	4 5 5	11 8 10	19 24 14	40 40 27		7,570 7,780 1,830	13.8 14.9 16.0	3 3 3	5 6 6	10 11 12	17 18 21	27 29 32
Single diognosis	775 575	15.6 17.7	1 2	4	10 10	19 25	35 47	Single diognosis	6,210 10,970	13.0 15.4	3	5 6	10 11	16 20	25 31
With surgery	865 485	15.7 17.9	1	4	11 9	19 25	37 44	With surgery	9,115 8,065	15.4 13.5	4 2	7 4	12 9	19 16	29 30
MALIGNANT NEOPLA5M OF TRACHEA, 8RONCHU5, ANO LUNG (162) Totol	15,095	16.6	2	6	12	21	34	MALIGNANT NEOPLASM OF 8LAOOER (188)  Total	10,370	12.0	1	3	8	15	26
65 to 74 years	10,145	16.4	2	6	12	21	34	65 to 74 yeors	5,390	11.2	1	3	6	14	25
75 to 84 yeors	4,390 560	17.1 16.5	3	6	13 11	22 19	37 28	75 to 84 yeors	3,935 1,045	12.7 13.5	2 2	4	8 10	15 20	28 27
Single diognosis Multiple diognoses	5,630 9,465	15.4 17.3	2 3	6	11 13	20 22	31 36	Single diognosis	5,680 4,690	9.9 14.6	1 2	3 5	6 10	12 19	22 29
With surgery	5,630 9,465	18.9 15.2	5 2	9 5	16 10	24 19	35 33	With surgery	7,965 2,405	11.3 14.4	2 1	3	7 9	15 18	24 33
MALIGNANT NEOPLA5M OF 5KIN (172, 173)								MALIGNANT NEOPLA5M OF KIONEY, EXCEPT PELVI5 (189.0)							
Total	5,850	9.8	1	2	5	12	23	Total	2,005	19.2	3	7	14	24	38
65 to 74 yeors 75 to 84 yeors 85 yeors ond over	2,605 2,380 865	9.4 9.9 10.7	1 1 1	2 2 2	5 5 5	11 12 13	22 23 23	65 to 74 yeors 75 to 84 yeors 85 yeors ond over	1,180 730 95	18.0 21.8 12.6	3 2 1	7 8 ,5	14 16 8	23 27 12	36 46 20
Single diognosis Multiple diognoses	3,175 2,675	7.9 12.0	1 2	2	4 7	9 15	18 28	Single diognosis	585 1,420	16.9 20.1	2 3	8 6	14 15	21 26	29 45
With surgery	4,590 1,260	8.5 14.5	1 2	2 4	4 9	10 18	19 32	With surgery	815 1,190	21.9 17.3	6 2	13 5	19 11	27 22	37 39
MALIGNANT NEOPLASM OF 8REAST (174)								LYMPHO5ARCOMA AND RETICULUM-CELL 5ARCOMA (200)							
Total	13,940	15.7	4	8	12	18	29	Total	2,195	16.9	3	7	13	21	33
65 to 74 yeors 75 to 84 yeors 85 yeors ond over	7,920 4,890 1,130	15.6	4 4 3	8 8 7	11 11 12	18 18 18	30 28 29		1,235 775 185	15.4 18.4 20.1	2 3 2	6 7 9	12 13 16	21 23 21	31 37 39
Single diognosis	5,440 8,500	12.8 17.5	4	8 8	10 13	15 21	21 33	Single diognosis	950 1,245	15.1 18.3	2 4	6 8	12 14	19 24	29 35
With surgery	8,220 5,720	14.3 17.6	5 3	8 6	11 12	16 21	24 36	With surgery	715 1,480	18.5 16.1	5 2	9 5	15 12	24 20	34 32
MALIGNANT NEOPLA5M OF CERVIX UTERI (180)								HOOGKIN'S OISEASE AND OTHER NEOPLASMS OF LYMPHOID TISSUE (201, 202)							
Totol	2,485	13.4	2	4	8	15	31	Total	2,650	14.9	2	5	10	20	33
65 to 74 yeors	1,625 735 125	12.9 14.0 17.0	2 3 2	4 4 3	8 7 7	15 16 31	28 30 43	65 to 74 yeors	1,620 885 145	15.3 14.4 14.5	2 2 2	5 4 6	10 10 10	20 19 21	32 34 25
Single diognosis	1,310 1,175	10.2 17.1	2 3	4 5	6 10	11 23	20 36	Single diognosis Multiple diognoses	1,175 1,475	14.8 15.0	2 2	5	9	19	33 32
With surgery	1,455 1,030	11.3 16.5	2 2	4	7 10	12 22	26 37	With surgery	935	16.4	3	7	11	22	36
MALIGNANT NEOPLASM OF UTERUS, EXCEPT CERVIX (182)								Without surgery	1,715	14.2	2	4	9	19	29
Total	4,710	13.6	3	5	10	16	28	Total	2,345	18.1	3	6	12	26	39
65 to 74 yeors 75 to 84 yeors 85 yeors ond over	3,020 1,385 305	13.0 14.5 16.0	3 3 2	5 6 4	9 11 8	15 19 18	26 29 36	65 to 74 yeors	1,415 770 160	16.7 19.3 25.2	2 3 2	5 6 9	12 12 21	23 25 33	37 47 56
Single diognosis Multiple diognoses	2,245 2,465	10.0 16.9	2	4 7	8 12	12 21	19 34	Single diognosis	945 1,400	16.7 19.0	3	5 6	12 13	23 27	37 40
With surgery	3,225 1,485	12.4 16.2	3 2	6	10 10	15 22	23 36	With surgery	295 2,050	22.0 17.5	3	10	18 12	29 25	49 37

Table 3 NORTH CENTRAL STATES: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND DISCHARGE CHARACTERISTICS—Con.

Oiognosis And Oischorge	Number of	Averoge		Perce	entiles (	doys)		Oiagnosis And Oischorge Chorocteristics	Number of	Averoge		Perce	ntiles (	doys)	
Chorocteristics (ICOA 8th Revision)	dischorges	stoy (doys)	10th	25th	50th	75th	90th	(ICOA 8th Revision)	dischorges	stoy (doys)	10th	25th	50th	75th	90th
LEUKEMIA (204-207)								AVITAMINOSES AND OTHER NUTRITIONAL OFFICIENCY (260-269)							
Totol	6,675	13.1	2	4	8	17	29	Total	2,395	14.7	3	6	11	18	30
65 to 74 yeors	3,555 2,510 610	12.5 14.0 11.9	1 2 1	3 4 3	7 9 7	16 18 13	29 30 30	65 to 74 yeors	950 855	13.7 14.7	3 2	6	11 10	17 19	28
Single diognosis	2,705 3,970	11.8 13.9	1 2	3	7 <b>9</b>	15 18	27 30	85 yeors and over	590 490	16.5 11.1	2	7 5	12	22	33
With surgery	590 6,085	19.4 12.4	3 2	7	12 8	25 16	42 28	Multiple diagnoses	1,905 190	15.7 17.1	3 6	6 10	12	20	3
8ENIGN NEOPLASMS OF LARGE INTESTINE, EXCEPT RECTUM (211.3)	0,003	12.4	-	J			2.0	Without surgery	2,205	14.5	3	6	10	18	30
Totol	2,175	13.2	2	6	11	17	25	Total	2,230	10.1	3	4	7	12	20
65 to 74 years	1,450 645	12.9 13.7	2 2 2	6 5 7	11 11	17 18	24 25	65 to 74 years	1,255 845	10.1 9.9	3	4	7 8	11	20 19
85 years and over	80 995	13.2 11.2	1	5	11	15 15	22	85 yeors and over	130 570	11.6 7.0	3 2	3	5	16	2:
Multiple diagnoses	1,180	14.9 14.7	3	6	13	19	27 26	Multiple diognoses	1,660	11.2 14.2	3	5	8	12	25
Without surgery	610	9.4	ĭ	2	6	10	17	Without surgery	2,010	9.7	3	4	7	ĩi	18
Total	1,845	9.5	1	3	5	12	20	Totol	4,270	12.1	3	5	9	15	23
65 to 74 years	1,070 670	8.9 10.4	1	2	5	11 14	20 19	65 to 74 yeors	1,660 1,900	12.0 11.9	3	5	10	15 15	23
85 years and over	105 795	6.5	1	2	4	7	18 15	85 yeors ond over	710 880	9.6	2	5	8	15	2:
Multiple diagnoses	1,050	11.8 9.7	2	3	7	15 13	26 20	Multiple diognoses	3,390 695	12.8 15.3	3	5 7	9	16 21	2
Without surgery	310	8.6	1	2	5	10	16	Without surgery	3,575	11.5	3	5	9	14	2
Total	2,120	6.3	1	2	3	7	14	Total	2,230	13.1	3	6	- 11	16	24
65 to 74 years	1,640 440 40	6.0 7.7 5.4	1 1 3	2 2 3	3 4 4	6 8 6	14 17 9	65 to 74 yeors	860 1,015 355	12.2 13.4 14.4	3 3 3	6 6 6	11 11 12	16 17 18	2: 2: 2:
5ingle diognosis	1,355	4.6	1 2	2	3	5 13	7 19	Single diognosis	725 1,505	11.3	2 3	5	10 11	16 17	20
Multiple diagnoses	765 1,925	9.4 6.1	1	2	3	6	14	Multiple diagnoses	235	14.8	4	6 8	14	18	23
NEOPLASMS OF UNSPECIFIED NATURE OF	195	8.1	'	2	4	8	18	Without surgery	1,995	12.9	3	6	11	16	24
8LADDER (237.6) Total	3,010	6.9	1	2	4	8	15	(281.1-281.9, 282-285) Total	11,280	11.6	2	3	7	14	2:
65 to 74 yeors	1,690	6.5 6.9	1	2 2	3 4	7 9	13 15	65 to 74 yeors	4,440 5,095	11.6 11.8	2 2	3	, 7 7	14	26
85 years and over	200	9.6 5.9	2	2	3	12 7	18	85 years and over	1,745 3,415	11.3	1	3	6	14	24
Single diognosis	2,335 675	10.0	i	2	5	12	12 22	Single diognosis	7,865	12.9		4	8	16	2
With surgery	2,575 435	6.4 9.5	1	2 2	3 5	10	14 19	With surgery	1,360 9,920	17.6 10.8	1	3	14 7	13	34 23
OISEASES OF THYROIO GLANO (240-246)	4 425	11.4	2	5	8	13	22	AFFECTIVE P5YCHO5E5 (296)	2,910	22.3		9	18	30	4
Total	4,435 3,115	11.4	3	5	8	12	20	Total	2,120	22.8	4	10	19	31	4:
75 to 84 years	1,160 160	14.6 11.7	3	5 5	9 9	19 15	31 19	75 to 84 years	755 35	20.7 25.6	9	7 10	17 20	28 21	4
Single diognosis	1,625 2,810	8.5 13.1	3	4 5	6 9	9 15	16 26	Single diognosis	1,460 1,450	23.0 21.6	4 4	10 8	20 18	31 29	4:
With surgery	1,645 2,790	10.3 12.1	4 3	5 5	7 8	11 14	18 24	With surgery	100 2,810	28.2 22.1	9 4	10 9	26 18	33 30	49
OIA8ETES MELLITUS (250)								ANXIETY NEURO515 (300.0)							
Total	51,780	13.7	3	6	10	16	27	Total	4,190	9.1	2	3	6	10	19
65 to 74 years	29,715 18,940 3,125	13.1 14.5 14.3	3 3 3	6	9 10 10	15 17 18	25 29 28	65 to 74 years	2,995 1,085 110	9.1 9.3 5.9	2 2 1	3 3 2	6 6 5	10 11 7	20 18 10
5ingle diognosis	9,990 41,790	12.1 14.1	3	5 6	8 10	14 17	24 27	5ingle diognosis	1,475 2,715	8.3 9.5	1 2	2 4	5 7	9 11	]! ]*
With surgery	6,315 45,465	22.1 12.5	5 3	9 5	17	29   15	44 23	With surgery	190 4,000	12.2 8.9	3 2	5	8 6	14 10	2

Table 3 NORTH CENTRAL STATES: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND DISCHARGE CHARACTERISTICS—Con.

Oiagnasis And Oischarge	Number of	Average		Perce	entiles (	days)		Diagnasis And Oischarge	Number af	Average		Perce	ntiles (	days)	
Characteristics (ICOA 8th Revision)	discharges	stay (days)	10th	25th	50th	75th	90th	Characteristics (ICDA 8th Revision)	discharges	(days)	10th	25th	50th	75th	90th
OEPRESSIVE NEUROSIS (300.4)								NEURALGIA ANO NEURITIS, UNSPECIFIED (355)							
Tatal	5,320	17.4	4	7	13	23	36	Tatal	2,125	9.9	2	4	7	12	18
65 to 74 years	3,715 1,480 125	18.3 15.3 13.7	4 4 3	7 6 5	13 11 12	25 20 19	38 32 26	65 ta 74 years	1,205 755	9.7 9.6	3 2 2	4	7 8	12 11	19 17
Single diagnasis	2,345 2,975	18.7 16.3	3 4	8 6	15 12	26 21	38 34	85 years and aver  Single diagnasis  Multiple diagnases	720 1,405	13.0 8.2 10.8	2 2 3	5 3 5	9 5 8	15 10 13	31 16 21
With surgery	265 5,055	19.9 17.2	3 4	7 7	17 13	28 23	41 36	With surgery	240 1,885	12.0 9.7	3 2	6	11 7	17 11	20
ALCOHOLISM (303)								CATARACT (374)							
Tatal	2,550	9.2	1	3	6	11	19	Tatal	46,295	7.8	3	5	6	8	13
65 ta 74 years	2,200 325 25	9.0 11.3	1 2 *	3 4	8 *	11 13 *	18 25	65 ta 74 years	21,955 20,645 3,695	7.5 7.9 8.6	3 3 4	5 5 5	6 6 7	8 9 10	13 13 14
Single diagnasis	1,050 1,500	7.5 10.5	1	2 4	4 7	9 13	13 22	Single diagnasis Multiple diagnases	33,145 13,150	7.4 8.9	3 4	5 5	6 7	8	12
With surgery	55 2,495	22.4 8.9	2	7 3	18 6	34 11	45 18	With surgery	43,110 3,185	7.8 7.7	4	5 4	6	8	13 14
MENTAL OISOROERS NOT SPECIFIED AS F5YCHOTIC, ASSOCIATED WITH PHYSICAL CONDITIONS (309)								GLAUCOMA (375)							
Tatal	7,570	16.8	3	6	11	20	33	Tatal	4,060	7.5	2	4	6	9	13
65 ta 74 years	2,745 3,400 1,425	18.0 15.5 17.3	4 3 3	7 6 6	12 11 10	23 18 19	38 30 28	65 ta 74 years 75 ta 84 years 85 years and aver	2,110 1,620 330	7.2 7.8 7.8	2 3 2	3 4 4	5 6 6	8 9 9	13 14 14
Single diagnasis	1,995 5,575	15.2 17.3	3 3	6 6	11	19 21	33 33	Single diagnasis	2,305 1,755	6.4 8.9	2	3 4	5 7	8 10	11 16
With surgery	475 7,095	20.0	6 3	9 6	15	26 20	40 32	With surgery	3,100 960	7.7 6.9	3	4 3	6 5	9 8	13 13
PARALYSIS AGITANS (342)								OETACHMENT OF RETINA (376)							
Tatal	5,760	16.6	4	7	12	21	32	Tatal	2,040	8.7	3	5	8	10	13
65 ta 74 years	3,420 2,115 225	15.8 18.0 15.6	4 4 4	7 7 8	12 13 13	20 23 19	30 37 28	65 ta 74 years 75 ta 84 years 85 years and aver	1,420 595 25	8.9 8.4	3 4	5 5 *	8	10 10	13 13 *
Single diagnasis	1,765 3,995	15.1 17.2	4 4	7 7	12	19 22	28 35	Single diagnasis	1,520 520	8.2 10.3	3 4	5 6	7 8	10 11	12 15
With surgery	425 5,335	19.4 16.3	5 4	10 7	15 12	26 20	37 32	With surgery Without surgery	1,775 265	8.7 9.0	1	3	8 5	10 8	13 20
CEREBRAL PARALY515 (344)								LA8YRINTHITIS (384.0)	2 105	0.0	2			10	16
Tatal	1,690	20.7	3	7	15	30	45	65 ta 74 years	3,105 1,805	8.0 7.5	2	3	6	10	15
65 ta 74 years	895 650 145	21.8 19.9 17.8	4 3 2	8 6 6	15 15 12	29 30 30	49 42 36	75 ta 84 years	1,095	8.6 9.7	2 2 2 2	3	6 5	11 10	15 17
Single diagnasis	410 1,280	18.1 21.6	2 4	7 7	14 16	24 31	40 45	Single diagnasis		6.7 8.7	1 2	3 4	5	10	12 16
With surgery	205 1,485	23.2 20.4	4 3	8 7	20 14	32 29	47 45	With surgery Withaut surgery CHRONIC RHEUMATIC HEART OISEASE	125 2,980	14.6 7.8	2 2	3	11	18	27 14
FACIAL PARALYSIS AND TRIGEMINAL NEURALGIA (350, 351)								(393-398)							
Tatal	1,740	10.7	2	4	8	12	19	Tatal	4,875	13.5	3	5	10	17	27
65 ta 74 years	885 765	9.5 12.2	2 2	4 3	8	12 13	18 22	65 ta 74 years	3,335 1,285 255	13.8 12.8 12.7	3 3 3	5 5 5	10 10 10	17 17 14	28 24 22
85 years and aver	90 995 745	9.2 12.7	3	3 4	10 8 8	13	18 19 21	Single diagnasis	1,055 3,820	13.1 13.6	2 3	5	10 10	17 17	24 27
With surgery Without surgery	575 1,165	10.8 10.7	2 2	3 4	9 8	14 13 12	22 18	With surgery	655 4,220	19.3 12.6	4 2	9	16 9	25 15	38 24
SCIATICA (353)	.,103		2	7	Ü		10	ESSENTIAL BENIGN HYPERTENSION (401)	122						
Tatal	1,575	13.7	4	7	11	17	25	Total	14,935	9.2	2	4	6	11	17
65 ta 74 years	975 540 60	13.2 14.7 12.3	3 4 4	7 8 5	11 12 9	16 18 12	24 26 22	65 ta 74 years	8,685 5,235 1,015	8.5 10.0 11.4	2 2 2	3 4 4	6 7 8	10 12 13	16 19 26
Single diagnasis	555 1,020	12.4 14.4	3	5	9	14 18	23 26	Single diagnasis	4,265 10,670	7.2 10.0	2 2	3 4	5 7	12	13 19
With surgery	75 1,500	19.2 13.4	9	12	17 11	24 17	30 24	With surgery	1,345 13,590	12.1	3	5	9	16	24 16

Table 3 NORTH CENTRAL STATES: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND DISCHARGE CHARACTERISTICS—Con.

Oiagnosis And Discharge	Number of	Average		Perce	entiles	(days)		Oiagnasis And Oischarge	Number of	Average		Perce	entiles (	days)	
Charocteristics (ICDA 8th Revisian)	discharges	stoy (days)	10th	25th	50th	75th	90th	Characteristics (ICOA 8th Revision)	discharges	stoy (days)	10th	25th	501h	75th	90th
HYPERTENSIVE HEART 015EA5E (402)								HEART BLOCK, AND CARDIAC ARREST							
Tatal	4.800	12.4	3	5	9	15	23	(427.2, 427.3) Total	4,780	11.4	1	4	8	15	24
65 ta 74 years	2,440 1,925 435	11.5 12.7 15.6	2 3 3	5 5 6	9 9 11	15 15 19	22 25 36	65 to 74 years	1,925 2,140 715	10.9 11.5 12.6	] ]	3 4 4	8 8	14 15 16	23 24 25
Single diagnosis	1,445 3,355	11.8 12.6	3	5 5	8 9	13 16	21 24	Single diagnosis Multiple diagnoses	2,055 2,725	10.4 12.2	- }	3 4	7 8	14	21 26
With surgery	255 4,545	17.6 12.1	3	8 5	12 9	21 15	28 23	With surgery	1,415 3,365	14.3 10.2	3	7 3	11 7	18 13	25 21
HYPERTENSIVE RENAL, AND HEART AND RENAL DISEASE (403, 404)	0.475	14.2			,,	10	21	ATRIAL FIBRILLATION OR FLUTTER AND OTHER UNSPECIFIED DISORDERS OF							
Tatal		14.3	2	5	11	19 18	31	HEART RHYTHM (427.4, 427.9) Total	7,395	10.5	2	4	7	13	21
75 ta 84 years	1,220	14.6 13.3	2 2	5 4	12	19 18	31 31	65 ta 74 years	3,670 2,950	9.9 11.1	2 2	4 4	7 8	12	19 22
Single diagnosis		13.3 14.6	1	4 6	9 11	18 19	31 31	85 years and over	775 2,640	11.3	2	3	7 6	15	23 18
With surgery	220 2,455	20.4 13.8	4 2	11 5	17 10	30 18	34 30	Single diagnasis	4,755	11.6	3	5	8	14	23
ACUTE MYOCAROIAL INFARCTION (410)								With surgery	515 6,880	15.2 10.2	3 2	8 4	13	20 12	27 20
Tatal	49,055	16.2	1	4	15	23	31	OTHER MYOCAROIAL INSUFFICIENCY (428)							
65 ta 74 years	18,600	16.8 16.1 13.1	1 1	6 3 2	16 14 9	23 23 20	30 32 31	Tatal	3,345	13.0	2	4	9	16	26
Single diagnosis	23,130 25,925	14.9 17.4	1	3 5	14 16	21 24	28 33	65 ta 74 years	1,300 1,465 580	11.2 13.9 15.0	2 2 2	5 4	8 9 9	14 18 19	22 29 34
With surgery		20.2 16.1	2 1	7	18 15	28 23	40 30	Single diagnasis	905 2,440	12.0 13.4	2 2	4 4	9	13 18	22 28
OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411)								With surgery	135 3,210	16.9 12.9	3 2	6 4	13	22 16	35 26
Total	10,375	11.6	2	5	8	14	23	ILL-OEFINEO HEART 015EA5E (429)							
65 to 74 years	3,715	11.1 12.2 13.0	3 2 2	5 5 4	8 9 8	14 15 15	21 26 23	Tatal	6,995 2,670	13.5 13.0	2	5	9	16 16	28 25
Single diagnasis	4,955	10.7	2 3	4 5	7 9	13 16	21 24	75 ta 84 years	3,225 1,100	13.9 13.7	2 2	5 5	10 9	17 17	29 29
With surgery Without surgery	275 10,100	19.7 11.4	4 2	10	16	24 14	36 22	Single diagnasis	2,335 4,660	11.9 14.3	2 3	4 5	8 10	14 17	23 29
CHRONIC ISCHEMIC HEART DISEASE (412)	10,100					1-7	22	With surgery	350 6,645	24.0 13.0	6 2	10 5	17 9	28 16	46 26
Tatal	173,300	12.9	3	5	9	16	25	CEREBRAL HEMORRHAGE (431)							
65 to 74 years	73,625 75,885	12.3 13.2	3 3	5 5	9	15 16	24 26	65 ta 74 years	6,105 2,625	13.0 12.1	1	1	6	18	32 30
85 years and over	23,790	13.8	2	5	10	17	28	75 ta 84 years	2,645 835	13.8 13.3	i	1 2	7 7	18	34 30
Single diagnasis	125,270	13.7	3	5	10	17	27	5ingle diagnasis	2,650 3,455	11.6 14.1	1	1 2	5 8	16 19	29 34
Without surgery	11,190 162,110	19.1 12.5	5 2	5	15 9	24 15	36 24	With surgery	365 5,740	22.2 12.4	1	7	18 6	28 17	42 31
ANGINA PECTORIS (413) Tatal	4,540	8.1	2	3	6	10	16	OCCLUSION OF PRECEREBRAL ARTERIES (432)							
65 ta 74 years	2,915 1,360	7.6 8.5	2	3 3	6 5	9 10	14 18	Tatal	4,100	13.7	3	5	10	17	28
85 years and aver	265	7.1	3	3	5	16	25 15	65 to 74 years 75 ta 84 years 85 years and aver	2,600 1,335 165	13.4 14.1 13.8	3 2 2	6 5 5	10 9 13	17 18 17	27 30 28
Multiple diagnases	2,315	9.0	2	4	7	10	17	Single diagnasis	1,930 2,170	12.4 14.9	2 3	5	10	15 19	24 31
Without surgery	4,440	8.0	2	3	5	10	16	With surgery	1,220	17.3	6	9	14	21	30
CONGESTIVE HEART FAILURE (427.0)  Tatal	24,255	13.0	2	5	10	16	25	CEREBRAL THROMBO5I5 (433)	2,880	12.2	2	4	8	15	27
65 ta 74 years	9,420	12.8	2	5	10	16	24	Tatal	19,610	18.6	3	7	14	24	40
75 ta 84 years	-	13.1 13.2	1	5	10	16 17	26 27	65 to 74 years	7,265 9,360	19.2 18.4	3	7	14 14	25 25	41 39
Single diagnasis	İ	11.8 13.8	2 2	5 6	10	15 17	23 27	5 years and aver	2,985 5,970	17.9 16.8	2	6	13	24	38 35
With surgery	925 23,330	19.9 12.7	6	9 5	15 10	26 16	35 25	Multiple diagnases	13,640 970	19.4 26.8	7	12	14	26 36	41 53
								Without surgery		18.2	3	6		24	39

Table 3 NORTH CENTRAL STATES: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND DISCHARGE CHARACTERISTICS—Con.

Oiagnasis And Oischarge Characteristics	Number of	Average stay		Perce	ntiles (	(days)		Oiagnasis And Oischarge Characteristics	Number of	Average stay		Perce	ntiles (	days)	
(ICOA 8th Revision)	discharges	(days)	10th	25th	50th	75th	90th	(ICDA 8th Revision)	discharges	(days)	10th	25th	50th	75th	90th
5U8ARACHNOIO HEMORRHAGE ANO CEREBRAL EM80LI5M (430, 434)								ARTERIAL EMBOLISM AND THROM80515 (444)							
Tatal	1,880	17.1	2	5	12	23	39	Tatal	4,520	15.0	1	4	11	20	32
65 to 74 years	665	18.1 16.7 13.7	2 2 1	7 5 3	13 11 7	24 24 19	41 38 26	65 ta 74 years 75 ta 84 years 85 years and aver	2,370 1,540 610	15.2 15.1 14.0	1	4 3 2	12 11 8	20 19 21	32 32 31
Single diagnosis		13.6 18.7	1 2	4 6	9 14	16 25	35 39	Single diagnasis	1,635 2,885	12.8 16.3	1 1	4 3	10 12	17 22	25 36
With surgery	235 1,645	27.2 15.7	5 2	11 5	24 11	37 20	54 36	With surgery	2,070 2,450	19.9 10.9	. 1	10 2	16 6	26 14	38 25
TRANSIENT CEREBRAL ISCHEMIA (435)			_					GANGRENE (445)							
Total		8.4	2	3	6	10	15	Total	3,810	25.9	5	11	20	34	53
65 to 74 years	2,230	8.0 8.6 9.2	2 2 2	3 3 4	6	10 10 10	14 17 17	65 to 74 years 75 ta 84 years 85 years ond aver	1,315 1,690 805	26.5 27.1 22.4	6 4	12	22 17	34 37 31	55 54 48
Single diagnosis	1,885 3,175	7.3 9.1	1 2	3 4	5 7	9 11	14 17	Single diagnasis	1,685 2,125	23.0 28.2	6 5	10 12	18 22	30 38	46 56
With surgery	. 175 . 4,885	13.8 8.2	5 2	8 3	10	16 10	25 15	With surgery	2,430 1,380	28.1 22.1	8	14 7	23 14	37 29	54 49
GENERALIZEO ISCHEMIC CEREBROVASCULAR OISEASE (437)								PULMONARY EM80LI5M ANO INFARCTION (450)							
Tatol	1	11.8	2	5	8	14	23	Tatal	5,470	16.4	2	7	13	21	32
65 to 74 years	12,565	11.1 12.2 12.4	2 2 3	5 5 5	8 8 9	14 15 16	21 24 24	65 ta 74 years	2,955 2,045 470	16.6 16.5 15.1	3 2 1	7 7 5	13 13 10	21 21 20	32 32 33
Single diagnosis	7,695 19,305	9.8 12.7	2 3	4 5	7 9	12 15	19 25	Single diognosis	1,295 4,175	13.2 17.4	1 3	6 7	11 14	16 23	22 35
With surgery	1,605 25, <b>39</b> 5	18.2 11.4	5 2	8	14 8	22 14	36 22	With surgery	715 4,755	20.7 15.8	5 2	9 7	15 13	24 21	41 31
ILL-OEFINEO CEREBROVASCULAR OISEASE (436, 438)								PHLEBITIS AND THROMBOPHLEBITIS (451)							
Tatal	. 50,315	16.7	2	5	11	22	36	Tatal	9,985	13.5	5	7	11	16	23
65 to 74 years	. 23,375	16.7 17.1 15.8	2 2 1	5 5 5	11 12 11	22 22 21	37 36 34	65 ta 74 years	5,895 3,475 615	13.1 13.9 14.1	5 5 5	7 7 7	11 11 11	16 17 17	22 24 24
Single diagnasis	20,945	15.2 17.8	1 2	4 6	10 13	20 23	33 38	Single diagnosis	4,140 5,845	11.9 14.5	4 5	7 8	10 12	14 18	19 26
With surgery	. 1,990 . 48,325	24.1 16.4	6 2	11 5	21 11	32 21	45 35	With surgery	630 9,355	21.1 12.9	6 5	11 7	16 11	25 16	37 22
ARTERIOSCLEROSIS (440)								VARICOSE VEINS OF LOWER EXTREMITIES WITH ULCER (454.0)							
Total	17,685	13.7	2	4	9	17	28	Total	2,760	20.9	6	11	17	25	37
65 ta 74 years	7,925	13.3 14.0 13.7	2 2 2	4 5 5	9 9 9	17 18 17	29 28 29	65 to 74 years	1,295 1,175	20.7 21.2	7 7	10 11	16 18	24 27	36 38
Single diagnosis		12.1 14.0	2 2	4 5	8	15 18	27 29	85 years and aver	1,110	20.4 19.2	6	9 10	15	24	37 34
With surgery	2,440 15,245	20.1 12.7	6 2	10	16 8	25 16	38 26	Multiple diagnoses	1,650 810	22.0 23.5	7 10	11	21	28	40 40
NONSYPHILITIC AORTIC AND OTHER ANEURYSM (441, 442)								Without surgery  VARICOSE VEINS OF LOWER	1,950	19.8	6	10	15	24	35
Total	5,935	11.0	1	2	7	16	24	EXTREMITIES WITHOUT ULCER (454.1, 454.9)							
65 to 74 years	2,220	12.0 10.4 8.5	] ] ]	2 1 1	9 7 4	17 14 11	25 23 21	Tatal	2,510 1,905	10.2 9.5	3	4	7	12	19 17
Single diagnosis	2,685	10.1 11.8	1	1 2	7 8	15 16	22 26	75 ta 84 years	515 90	11.6 16.7	3	6	11	14 20	20 36
With surgery Without surgery	2,365	16.4 7.5	2	9	14	20	29 18	Single diagnasis	1,395 1,115	8.5 12.2	3	4 5	6 9	10 14	16 22
OTHER PERIPHERAL VASCULAR 015EA5E (443)								With surgery	1,795 715	9.3 12.4	3	5	6 10	11 15	16 23
Tatal	1,675	14.7	2	5	10	19	31	HEMORRHOIO5 (455)							
65 ta 74 years	945	14.2	2	4	9 11	19 19	31 28	Tatal	6,195 4,330	9.4 8.9	3	5	7	11	16
75 to 84 years	120	15.0 17.1	2 6	6 9	12	24	34	65 ta 74 years 75 ta 84 years 85 years and aver	1,575 290	10.3 11.7	3 2 3	4	7 8	11 12 16	15 19 25
Single diagnasis	1,270	11.6 15.6	2	6	11	15 20	23 32 37	5ingle diagnasis	2,520 3,675	8.0 10.3	3 2	4 5	7 8	10 12	13 19
With surgery	485 1,190	20.9 12.1	8 2	10	18	26 15	24	With surgery	4,765 1,430	10.2	4	5	8 5	12	17 12

Table 3 NORTH CENTRAL STATES: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND DISCHARGE CHARACTERISTICS—Con.

Oiagnasis And Discharge Characteristics	Number of	Average stay	Т		entiles (			Oiagnasis And Oischarge Characteristics	Number of	Average stay			entiles (	days)	
(ICOA 8th Revision)	discharges	(days)	10th	25th	50th	75th	90th	(ICOA 8th Revision)	discharges	(days)	10th	25th	50th	75th	90tl
ACUTE UPPER RESPIRATORY INFECTIONS EXCEPT INFLUENZA (460-465)								OTHER OISEASES OF UPPER RESPIRATORY TRACT (500-508)							
Tatal	7,840	9.5	2	4	7	11	17	Tatal	4,690	5.6	1	2	3	7	1
5 ta 74 years	3,810 2,950 1,080	8.6 9.9 11.4	2 3 2	4 4 4	6 7 7	10 11 13	15 18 21	65 ta 74 years 75 ta 84 years 85 years and aver	3,355 1,160 175	5.3 6.2 8.1	1 1 1	2 2 3	3 4 6	6 8 11	1 1 1
ingle diagnasis	1,605 6,235	6.9 10.1	2	3 4	5 7	8 12	12 19	Single diagnasis Multiple diagnases	2,305 2,385	4.1 7.1	1	1 2	2	4 9	1
Vith surgeryVithaut surgery	415 7,425	11.6 9.3	2 2	3 4	6 7	14 11	23 17	With surgery	3,025 1,665	4.5 7.6	1	1	2 5	4 9	1
ACUTE ANO UNQUALIFIEO BRONCHITIS ANO BRONCHIOLITIS (466, 490)								PLEURISY (511)							:
Tatal	18,510	10.1	3	5	8	12	18	Tatal	1,850	9.8 8.3	2	3	6	11	
5 ta 74 years	10,200 6,750 1,560	9.6 10.5 12.0	3 3 3	5 5 5	7 8 8	11 12 14	17 19 24	75 ta 84 years	710 140	11.4 12.6	2 2	4	7 9	13 14	
ingle diagnasis	5,435 13,075	8.2 10.9	3	4 5	6 8	10 13	14 19	Single diagnasis	580 1,270	7.3 11.0	1 2	3	4 7	13	
/ith surgery/ithaut surgery	965 17,545	14.0 9.9	4 3	6	11	17 12	26 18	With surgery	180 1,670	20.6 8.7	3 2	9	17 6	25 10	
INFLUENZA (470-474)	,			_				PULMONARY CONGESTION AND HYPOSTASIS (514)							
Tatal	5,830 2,865	8.2 8.0	2	3	6	10 10	15 14	Tatal	4,175 1,540	12.2 11.3	1	4	9	16 14	
5 ta 84 years	2,245 720	8.3 8.6	2 2 2	3	6 7	10	15 17	75 ta 84 years	1,835 800	12.5 13.3	1	4 5	10	16 17	
ngle diagnasis	2,020 3,810	6.5 9.1	2 2	3 4	5 7	8 11	12 17	Single diagnasis Multiple diagnases	845 3,330	10.7 12.6	1 1	4	8 9	13 16	
fith surgery	145 5,685	12.7 8.1	3 2	6 3	11 6	16 10	25 15	With surgery	205 3,970	18.3 11.9	6 1	9 4	15 8	23 16	
PNEUMONIA (480-486)								CHRONIC INTERSTITIAL PNEUMONIA (517)							
Tatal	45,330 17,670	13.2 12.7	3	6	10	16 15	25 23	Tatal	2,110	12.6	3	5	9	16	
5 ta 84 years	19,160 8,500	13.6 13.3	3 3 2	6	10 9	16	26 27	65 ta 74 years	1,080 870 160	12.3 12.5 15.5	3 3 2	5 5 5	9 9 10	15 16 17	
ingle diagnasis	12,435 32,895	10.2 14.3	3 3	5 6	8 10	12 17	19 28	Single diagnasis	305 1,805	11.1 12.9	2	5	9	13	
/ith surgery/ithaut surgery	2,635 42,695	21.8 12.7	7 3	10 6	17 9	26 15	42 24	With surgery	350	15.5	5	7	12	20	
CHRONIC BRONCHITIS (491)								Without surgery	1,760	12.1	2	5	٩	15	
Tatal	5,625 3,405	11.3	3	5	8	14	21	GLANDS, ANO JAWS (520-529)  Tatal	4,050	6.4	1	2	4	7	
5 ta 84 years	1,945 275	11.4 12.1	3 4	5	8	14 14	21 23	65 ta 74 years	2,630 1,135	6.1 7.1	1	2 2	3 4	7	
ngle diagnasis	1,640 3,985	9.8 11.9	2 3	4 5	7 9	11 15	18 23	85 years and aver	285 1,645	7.1 5.2	i	2	4	9	
ith surgeryithaut surgery	775 4,850	12.4 11.1	2 3	5	9 8	16 14	25 21	Single diagnasis	2,405	7.3	1	2	4	9	
EMPHYSEMA (492)								With surgery	2,660 1,390	6.0 7.2	i	2	3 5	9	
Total	16,725	12.3	2	5	8	15	24	OISEASES OF ESOPHAGUS (530)	4.155	10.0		2		12	
5 ta 74 years	10,205 5,715 805	11.8 13.1 12.8	2 3 2	5 5	8 8 9	14 15 16	24 26 25	Tatal	4,655 2,505	10.0 9.6	2	3	6	13	
ngle diagnasis	3,805 12,920	10.3 12.9	2 3	4 5	7	12	20 26	75 ta 84 years	1,700 450	10.4 11.2	2 2	3	7 8	13 14	
th surgery	1,235 15,490	18.2 11.8	4	8	13	23	35 23	Single diagnasis	1,495 3,160	8.2 10.9	1 2	2 4	5 7	11 14	
ithaut surgeryASTHMA (493)	13,490	11.0	2	J	°	14	23	With surgery	1,900 2,755	12.0 8.7	2 2	4 3	8	16 10	
Tatal	7,570	10.6	2	5	8	13	20	ULCER OF STOMACH (531)							
ta 74 years	4,880 2,480 210	10.4 11.0 10.6	2 3 2	5 5 4	8 9	13 13 16	19 21 19	Tatal	8,060 4,550	14.7 14.0	3	7	12	19	
ngle diagnasis	2,375 5,195	8.6 11.5	2 3	4 5	6	11	16 21	75 ta 84 years	2,885 625	15.6 15.5	3	7	13	20 20	
fith surgery	280	18.7	5	8	14	25	33	Single diagnasis	2,800 5,260	12.8 15.7	2	6 7	10 13	17 20	
/ithaut surgery	7,290	10.3	2	41	8	13	19	With surgery	2,235 5,825	19.2 13.0	6	11 5	17 10	24 16	

Table 3 NORTH CENTRAL STATES: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND DISCHARGE CHARACTERISTICS—Con.

Oiognosis And Oischorge		Averoge		Perçe	entiles (	doys)		Oiognosis And Oischorge		Averoge		Perce	ntiles (	doys)	
Chorocteristics (ICOA 8th Revision)	Number of dischorges	stoy (doys)	10th	25th	50th	75th	90th	Chorocteristics (ICOA 8th Revision)	Number of dischorges	stoy (doys)	10th	25th	50th	75th	90th
ULCER OF OUOOENUM (532)								HERNIA OF ABOOMINAL CAVITY WITH							
Total	15,400	12.2	3	5	9	15	24	O85TRUCTION (552, 553)	5,785	12.2	3	6	10	15	23
65 to 74 yeors	9,210 5,145 1,045	11.3 13.1 15.4	2 3 4	5 5 7	10 12	14 16 19	21 25 29	65 to 74 yeors	2,395 2,515	11.8 12.5	3	6	9	13 15	21 24
Single diognosis Multiple diognoses	5,410	10.0 13.3	2 3	4	8 10	12	19 26	85 years and over	875 2,730	12.7	2	, 6 5	10	15	24
With surgery		18.7 10.5	6	10	15	24 13	34 19	Multiple diagnoses	3,055 4,435	14.4	4	7	11	17	28
PEPTIC ULCER, SITE UNSPECIFIEO (533)	12,273	10.5	٤	~		13	.,	Without surgery	1,350	9.2	5 1	7	6	15	17
Total	4,335	12.3	3	5	9	16	24	INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (560)							
65 to 74 yeors	2,360 1,565 410	11.7 12.8 14.1	2 3 3	5 6 5	8 10 11	15 16 18	22 25 28	Total	12,665 5,385	13.3 13.3	2	4	9	17	27 27
Single diognosis	1,630 2,705	10.8 13.2	2 3	5	9 10	14 17	20 26	75 to 84 yeors	5,125 2,155	13.5 12.9	2 2 1	3	9	18 17	28 27
With surgery	780 3,555	18.5 10.9	4 2	10	16	24 14	35 20	Single diognosis	4,895 7,770	11.5 14.5	1 2	4 5	8 10	15 18	24 30
GASTRITIS AND OUDOENITIS (535)	5,555			J				With surgery	4,385 8,280	19.2 10.2	5 1	10	15 6	23 12	34 21
Totol	9,975	8.3	2	3	6	10	16	OIVERTICULA OF INTESTINE (562)							
65 to 74 yeors	5,795 3,450 730	7.7 8.9 10.0	2 2 2	3 4 4	5 6 7	9 11 14	15 17 21	65 to 74 years	30,225 15,135	9.5 9.1	2	3	6	11	19 19
Single diognosis	2,845 7,130	6.4 9.0	1 2	2	4 6	7	12 17	75 to 84 years	12,320 2,770	9.6 11.2	2 2 2	3 4	6 8	11 11 13	19 22
With surgery	965 9,010	12.6 7.8	2	5	10	16	24 15	Single diognosis	9,860 20,365	7.7 10.3	1 2	2	5 7	12	16 21
DISORDERS OF FUNCTION OF STOMACH	7,010	7.6	2	3	٥	,	13	With surgery	6,535 23,690	13.6 8.4	2 2	4 3	10 6	18 10	28 16
(536) Totol	2,110	7.6	1	2	4	8	16	FUNCTIONAL 0150ROERS OF INTESTINE (564)					ļ		
65 to 74 yeors	1,165 725	6.8 8.7	1 2	2 3 2	4 5	7 12	13 18	Total	8,435	6.9	1	2	4	8	13
85 years and over	220	8.2 6.2	1	2	5	9	16 13	65 to 74 yeors 75 to 84 yeors 85 yeors and over	4,415 3,155 865	6.3 7.2 8.4	1 1	3 3	4 5 5	7 8 9	12 15 17
Multiple diognoses		8.2	1 2	3	5	10	17 25	Single diognosis Multiple diognoses	2,615 5,820	5.1 7.6	1	2 3	3	6 9	10
With surgery	1,860	7.0	1	2	4	8	14	With surgery	1,445	7.0	1	3	4	8	13
INGUINAL HERNIA WITHOUT MENTION OF OBSTRUCTION (550)								CIRRHOSIS OF LIVER (571)	6,990	6.8	1	2	4	8	13
Totol	20,865	9.5 8.8	4	6 5	8	10	15	Total	4,605	16.7	3	7	12	21	33
75 to 84 years	6,400 1,075	10.6 12.7	4 5 4	6	, 10	12 13	18 23	65 to 74 yeors	3,340 1,190 75	16.5 16.7 23.1	4 1	8 6 3	12 12 11	21 20 30	33 32 45
Single diognosis	12,170 8,695	8.4 11.2	4 5	5 6	7 9	9 12	12 19	Single diognosis Multiple diognoses	1,330 3,275	15.2 17.3	2	6 8	11	19 22	29 34
With surgery	18,990 1,875	9.5 9.8	4 2	6 4	8 7	10 10	15 18	With surgery	785	21.7	7	11	18	26	40
VENTRAL HERNIA WITHOUT MENTION OF OBSTRUCTION (551.2)								Without surgery	3,820	15.6	3	6	11	20	32
Totol	4,210	12.0	4	7	10	14	20	Totol	30,665	14.0	3	7	- 11	18	25
65 to 74 yeors	2,765 1,250 195	11.7 12.8 11.6	4 5 5	7 7 6	10 10	13 14 15	19 23 22	65 to 74 yeors 75 to 84 yeors 85 yeors ond over	18,240 10,125 2,300	13.1 15.2 15.4	4 3 3	7 7 6	11 12 12	16 20 21	23 29 30
Single diognosis	2,260 1,950	10.4 13.8	5 4	7 7	9 11	12 16	16 25	Single diagnosis	13,465 17,200	12.7 15.0	4 3	7	11	16	22 28
Multiple diognoses	3,420	12.5	6 2	8	10	14	20 21	With surgery Without surgery	18,505 12,160	16.7 9.9	8	10	14	20	27 20
Without surgery	790	10.1	2	4		12	21	CHOLECYSTITIS AND CHOLANGITIS	12,100		-			12	20
MENTION OF OBSTRUCTION (551.3)  Totol	13,765	9.2	2	4	6	11	18	WITHOUT MENTION OF CALCULUS (575)							
65 to 74 years	7,975	8.8	2 2	3	6	11	17 19	Total	12,690 6,310	12.0	3	5	9	15	24 21
75 to 84 years	4,765 1,025	9.6 10.4	2	4	6 7	12	18	75 to 84 yeors	4,920 1,460	12.5 13.6	3 4	5	10	16 16	25 29
Single diognosis	2,760 11,005	7.4 9.6	2	3 4	6	12	15 19	Single diagnosis	5,285 7,405	10.6 13.0	2	4	8	13 16	20 26
With surgery	2,810 10,955	13.5 8.1	3 2	5 3	11 6	17	27 15	With surgery	3,580 9,110	17.8 9.7	8	10 4	15 7	21 12	31 18

Table 3 NORTH CENTRAL STATES: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND DISCHARGE CHARACTERISTICS—Con.

Oiagnasis And Oischarge	Number of	Average		Perce	entiles (	(days)		Oiagnosis And Oischarge	Number of	Average		Perc	entiles (	days)	
Characteristics (ICOA 8th Revision)	discharges	(doys)	10th	25th	50th	75th	90th	Characteristics (ICOA 8th Revision)	discharges	(doys)	10th	25th	501h	75th	90th
OTHER OISEASES OF GALL 8LAOUER AND BILIARY OUCTS (576)								CY5TITI5 (595)							
Total	4,380	12.9	2	4	9	16	28	Total	11,480	9.6	2	4	7	12	20
65 to 74 years	2,010 1,885 485	12.3 13.3 13.9	2 2 3	4 4 5	8 9 10	16 18 17	26 29 31	65 to 74 years	5,520 4,590 1,370	8.6 10.3 11.5	2 2 3	3 4 5	6 7 8	10 13 14	17 21 24
Single diagnosis	1,610 2,770	11.2 13.9	2 3	3 5	8 9	15 18	25 30	Single diagnosis	3,485 7,995	6.9 10.8	1 2	2 4	5 8	8 13	14 22
With surgery	1,265 3,115	21.6 9.4	7 2	11	19	28 11	37 18	With surgery	5,400 6,080	9.3 9.9	2 2	3 4	6 7	11 12	19 20
OISEASES OF PANCREAS (577)								OTHER DISEASES OF BLADDER (596)							21
Tatal	3,110	14.3	3	6	10	18	28	Total	6,205 3,165	13.3 12.5	2 2	5		16 15	26 26
65 to 74 years	1,920 1,005 185	13.9 15.0 14.3	3 3 2	6 6 7	10 11 10	18 19 19	28 30 30	75 to 84 years	2,380 660	13.6 16.2	3	6	10 11	17 20	25 36
Single diagnosis	1,100 2,010	11.0 16.1	2 4	5 7	8 12	13 21	23 31	Single diagnosis	2,115 4,090	10.3 14.9	3	6		13 18	22 29
With surgery	575 2,535	24.1 12.0	8	14	21	30 14	41 25	With surgery	4,275 1,930	13.9 11.9	3 1	6 4	10 7	18 13	28 24
CHRONIC ANO UNQUALIFIED NEPHRITIS (582, 583)	2,333	12.0	3	Ü		14	23	URETHRITIS AND STRICTURE OF URETHRA (597, 598)							
Total	1,465	15.1	3	6	10	19	32	Tatal	7,285	8.3	1	3	5	10	17
65 to 74 yeors	875 445 145	14.8 16.1	2 5 3	5 7	10 12	19 19 19	32 31 29	65 to 74 years	3,985 2,685 615	7.5 9.3 9.0	2 2	2 3 4	5 6 6	9 11 12	15 20 18
85 years and aver	365 1,100	14.4 12.5 16.0	2 4	6 4 6	10 8 11	15 20	27 27 34	5ingle diagnosis	2,610 4,675	6.5 9.3	1 2	2 3	4 6	8 12	12 19
With surgery	200	18.1	4	8	15	26	36	With surgery	5,8 <b>3</b> 0 1,455	8.1 9.2	1	3	5 6	10 11	16 19
INFECTIONS OF KIONEY (590)	1,265	14.6	3	5	10	18	30	URINARY TRACT INFECTION, NOT EL5EWHERE CLA55IFIEO (599.0)							
Tatal	10,255	12.3	3	5	9	15	23	Total	8,400	11.6	3	5	8	14	21
65 to 74 years	4,685 4,075 1,495	11.5 12.1 15.0	3 3 4	5 6 6	8 9 10	14 14 17	22 23 26	65 to 74 years	3,475 3,495 1,430	10.5 11.7 13.8	2 3 3	4 5 5	8 8 10	13 14 17	19 21 26
Single diagnasis	2,655 7,600	10.2 13.0	3	4 6	8 9	12 15	18 25	Single diagnasis	2,070 6,330	8.6 12.5	2 3	4 5	6 9	10 15	17 23
With surgery	1,595 8,660	15.2 11.7	3	7 5	12 9	19 14	27 21	With surgery	1,625 6,775	12.5 11.3	2 3	5	10	17 13	23 21
CALCULUS OF KIONEY AND URETER (592)								HYPERPLASIA OF PROSTATE (600)							
Total	7,680	9.6	2	3	6	12	20	Total	38,170	13.7	4	7	11	17	25
65 to 74 years	5,440 1,995 245	9.3 10.2 10.5	1 2 2	3 4 4	6 7 7	12 13 12	19 21 26	65 ta 74 years 75 to 84 years 85 years and over	20,340 14,720 3,110	12.5 14.7 16.3	3 4 4	8 8	10 12 13	15 18 21	22 27 30
Single diagnosis	3,585 4,095	7.8- 11.2	1 2	2	5 8	10 15	16 23	Single diagnosis	17,490 20,680	12.0 15.1	3 4	7 7	10 12	14 19	21 28
With surgery	3,700 3,980	12.5 6.9	3	6 2	10	17	24 14	With surgery	31,345 6,825	14.1 11.8	5 2	8	11 7	17 14	25 25
OTHER OISEASES OF KIONEY AND URETER (593)	5,75					Ĭ		PROSTATITIS (601)	2,210	9.0	2	3	7	11	16
Total	4,310	13.4	2	4	9	17	29	65 to 74 years	1,355 655	8.0 10.2	2 2	3 4	6 7	10 11	15 19
65 to 74 years	2,480 1,465 365	13.6 12.7 14.7	2 2 2	4 4	9 9 10	18 16 19	30 27 33	85 years and over	200 760	11.9 7.0	4	6	5	13	18
Single diagnosis	1,210 3,100	10.8 14.4	1 2	2	7	13	24 31	Multiple diagnoses	1,450	10.1	2	3	8	12	18
With surgery	1,835 2,475	14.5 12.5	2	5	11 8	19 15	30 29	Without surgery	1,080	7.8	2	4	6	9	14
CALCULUS OF OTHER PARTS OF URINARY SYSTEM (594)	_,						-	015EA5E5 OF 8REA5T (610, 611)	3,140	5.9	1	2	3	6	11
Tatal	2,145	12.3	2	4	9	17	25	65 to 74 years	2,250	5.2	1	2	3	6	10
65 to 74 years	1,130 815	11.1 13.1	2 2 3	3	8 9	15 17	24 25 33	75 to 84 years	805 85	7.4 10.2	2 2	3	7	10	15 17
85 years and over	209 710	16.2 8.6	1	6 3	12	21	19	Single diagnosis	2,050 1,090	4.6 8.3	2	3	3 5	5 9	17
Multiple diagnases	1,435	14.1 13.8	3	5	11	19 18 9	27 26	With surgery	2,760 380	5.4 9.3	1	2 2	3	10	10 23
Without surgery	600	8.31	il	2	4	9	19								

Table 3 NORTH CENTRAL STATES: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND DISCHARGE CHARACTERISTICS—Con.

Oiagnosis And Oischorge Characteristics	Number of	Average stay		Perce	entiles	(aays)		Oiagnasis And Oischarge Characteristics	Number of	Average stay		Perce	ntiles (	agys)	
(ICOA 8th Revision)	discharges	(days)	10th	25th	50th	75th	90th	(ICDA 8th Revision)	discharges	(days)	10th	25th	50th	75th	9011
UTEROVAGINAL PROLAPSE (623)								5PONOYLITIS OSTEOARTHRITICA (713.1)							
Tatal	11,085	12.0	6	8	10	14	19	Tatal	9,290	11.0	3	5	8	13	2
65 ta 74 years	7,745 3,075 265	11.6 12.9 14.8	6 5 5	8 8 8	10 11 12	13 14 16	18 21 28	65 to 74 years	5,140 3,355 795	10.2 11.9 12.8	3 3 3	4 5 5	8 9 10	12 14 16	2
Single diagnasis	5,545 5,540	11.1 13.0	6	8 8	10 11	13 15	16 21	5ingle diagnasis	1,880 7,410	9.9 11.3	2 3	4 5	7	11 14	
With surgery	9,865 1,220	12.2 11.0	6 2	8 4	11 8	14 13	18 21	With surgery	835 8,455	16.8 10.5	3 3	6 5	12	21 13	
POSTMENOPAUSAL BLEEDING (626.7)								ARTHRITIS, UNSPECIFIEO (715)							
Tatal	2,125	5.3	1	2	3	5	11	Tatal	7,090	11.8	3	5	9	14	
55 to 74 years	1,560 495 70	4.9 6.5 6.1	1 2 2	2 2 3	2 3 5	4 7 8	10 14 11	65 to 74 years	3,470 2,830 790	11.3 12.4 11.6	3 3 3	4 5 5	8 9 8	13 15 14	
Single diagnosis	1,075 1,050	4,1 6.5	1	2 2	3	4 7	9 14	Single diagnasis	1,995 5,095	11.8 11.7	3 3	4 5	8 9	15 14	
With surgery	1,940 185	5.0 8.3	1	2 2	3	5 7	10 16	With surgery	630 6,460	15.4 11.4	4 3	7 5	11	19 14	
CELLULITIS AND A85CE55 (681, 682)	, 055	10.0		,	_	.,	0.5	O5TEOPORO5I5 (723.0)	7.00	15.0			,,	,,	
Tatal	6,255 2,975	13.3	3	6 5	9	16 16	25 25	Tatal	7,455 2,465	15.3 13.8	3	6	11	19	
75 to 84 years	2,480 800	13.3 13.6	4	6 7	10 10	16 15	25 27	75 ta 84 years	3,550 1,440	15.7 16.8	3	7	12	19 20	
ingle diagnasis	2,200 4,055	10.7 14.7	3 4	5 6	7 11	13 18	20 28	Single diagnosis	1,470 5,985	13.5 15.7	4	6 7	11 12	16 19	
Vith surgery	1,290 4,965	18.2 12.0	4 3	8 5	14 9	23 14	35 22	With surgery	430 7,025	21.4 14.9	4	8 7	14 11	26 18	
DERMATITIS AND ECZEMA (690, 692)								015PLACEMENT OF INTERVERTEBRAL 015C (725)							
Total	1,810	10.0	2	4	}	12	18	Tatal	4,970	14.4	4	7	- 11	18	
5 to 74 years	1,020 580 210	9.1 11.2 11.0	2 2 2	4 4 5	7 8 8	11 14 14	17 19 21	65 to 74 years	3,730 1,120 120	14.5 13.8 17.5	4 4 2	7 7 6	11 11 8	18 17 17	
iingle diagnosis	625 1,185	9.5 10.2	1 3	3 5	6 8	13 12	18 18	Single diagnosis Multiple diagnoses	2,175 2,795	13.7 14.9	4	7 7	11	17	
Nith surgery	200 1,610	12.6 9.6	2 2	5 4	10 7	16 12	26 18	With surgery	1,200 3,770	20.9 12.3	8	12 6	18	27 15	
CHRONIC ULCER OF 5KIN (707) Tatal	4,220	22.7	5	9	17	28	44	VERTEBROGENIC PAIN 5YNOROME (728)							
65 ta 74 yeors	1,800	22.0	5	9	16	27	43	Total	3,390	11.9	3	5	9	15	
75 ta 84 years	1,830 590	22.5 25.1	5 6	9 11	18 18	28 32	42 48	65 to 74 years 75 ta 84 years 85 years and over	1,925 1,130 335	11.2 12.3 14.6	3 3 3	5 5 5	9 10 11	14 15 18	
Single diagnasis	1,405 2,815	20.8 23.6	3 6	8 9	15 18	27 28	40	Single diagnosis	1,050	10.7	2	5.	8 9	14	
With surgery	1,250 2,970	26.9 20.9	6 4	13 8	23 15	35 24	49 39	Multiple diagnases	300	17.3	4	7	13	24	
RHEUMATOIO ARTHRITIS AND ALLIEO CONDITIONS (712)								Without surgery	3,090	11.4	3	5	9	14	
Tatal	5,900	16.0	4	7	12	20	31	TENOSYNOVITIS (731)							
65 ta 74 years	3,705	16.2	4	7	12	21	32 29	Tatal	3,655	7.7	1	3	5	9	
75 ta 84 years	1,925 270	15.8 13.7	4	7	12 10	20 17	26	65 ta 74 years	2,360 1,070 225	7.0 8.7 10.4	2	2 3 4	6 7	10 12	
Single diagnosis	1,740 4,160	14.8 16.4	4	6 7	11 12	19 21	29 31	5ingle diagnasis	1,735 1,920	5.4 9.8	1 2	2	3 7	6 12	
Nith surgery	1,030 4,870	20.4 15.0	5 4	8 7	17 11	28 19	41 29	With surgery	1,760	6.1	1	2	4	.7	
OSTEOARTHRITIS (713.0)	14,810	14.9	3	6	11	19	30	Without surgery	1,895	9.1	2	4	7	11	
Total	7,465	15.5	3	6	11	20	31	781)	į					İ	
75 ta 84 years	5,970 1,375	14.4 14.0	3 3	6 5	10 9	17 17	29 31	Tatal	1,985	8.2 7.9	1	3	5	9	
Single diagnasis	4,615 10,195	16.6 14.2	3 3	6 5	14 10	22 17	32 28	75 ta 84 years	685 125	8.3 10.2	2 2	3	5	10	
With surgery		22.5 12.3	7 3	13 5	20 8	27 14	38 24	5ingle diagnasis	1,490 495	8.2 8.1	1 2	3	5	8 10	
								With surgery	80 1,905	7.6 8.2	1 2	2 3	4 5	11	

Table 3 NORTH CENTRAL STATES: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND DISCHARGE CHARACTERISTICS—Con.

ED

Oiognosis And Oischorge	T	Averoge		Perce	entiles (	(doys)		Oiognosis And Oischorge		Averoge		Perce	ntiles (	doys)	
Characteristics (ICOA 8th Revision)	Number of discharges	stoy (doys)	10th	25th	50th	75th	90th	Chorocteristics (ICDA 8th Revision)	Number of dischorges	stoy (doys)	10th	25th	50th	75th	90th
ACUTE HEART FAILURE, UNOEFINEO (782.4)								FRACTURE OF VERTEBRAL COLUMN, OORSAL (THORACIC) AND LUMBAR,							
Total	1,745	13.5	1	4	8	15	28	CLOSEO (805.2) Total	6,450	16.6	5	8	13	21	31
65 to 74 years	605 785	12.3 14.8	2 1	4	9 8	14 15	26 31	65 to 74 years	2,635	15.2	4	7	12	19	29
85 years and over	355 1,240	12.8 12.2	1	3	8	17 14	28 24	75 to 84 years	2,930 885	17.3 18.5	5 5	8 9	14 15	22 24	32 36
Multiple diognoses	505 45	16.6	2	8	11	23	32	Single diognosis	2,450 4,000	14.3 18.0	4 5	7 8	12 14	18 23	27 34
With surgery	1,700	20.8 13.3	2 1	4	8	25 15	36 28	With surgery	235 6,215	23.4 16.3	5 5	12 8	18 13	30 21	41 31
5YNCOPE OR COLLAPSE (782.5) Totol	1,380	5.1	1	2	3	6	11	FRACTURE RI8(S), CLOSEO (807.0)							
65 to 74 years	740 535	4.4	1	1 2	3	5 8	9	Total	5,095 2,040	11.6 9.9	2	5	9	14	22 18
75 to 84 years	105	6.4 3.0	i	i,	2	4	6	65 to 74 yeors 75 to 84 yeors 85 yeors and over	2,260 795	12.5 13.7	3	6	9 10	16	24 28
Single diognosis	1,085 295	4.8 6.0	1	1 2	3	5 7	10 12	Single diognosis	1,095 4,000	8.2 12.6	2	3	6 10	10 16	16 24
With surgery	40 1,340	8.9 5.0	2	3 1	5 3	12 6	21 11	With surgery	255 4,840	16.7 11.4	6	9	13	21 14	30 22
EPISTAXIS (783.0)				_			_	CLOSEO FRACTURE OF PELVIS (808.0)	4,040	11.4		,			
Totol	2,445 1,285	5.0	1	2	3	6	9	Total	4,180	23.3	6	12	19	30	43
75 to 84 years	915 245	4.7 4.4	1	1 2	3	5 5	9 8	65 to 74 yeors 75 to 84 yeors 85 yeors and over	1,260 1,935 985	23.8 22.9 23.4	6 7 5	11 12 12	19 19 21	32 29 32	46 43 42
Single diognosis	1,960 485	4.4 7.3	1	1 3	3 5	5 8	8 14	Single diagnosis	1,770	21.1	5	13	18	27	39
With surgery	310 2,135	7.5 4.6	1	2 2	5	7 5	14 8	Multiple diognoses	2,410 180	24.9 36.7	9	13 23	21 36	33 49	48 62
PAIN IN CHEST (783.7)								Without surgery	4,000	22.7	6	12	19	30	42
Total	1,100	8.2 8.8	1	2		10	18 21	OF TRUNK, CLOSEO (809.0)	1,910	22.5		9	19	29	47
65 to 74 years	665 350 85	6.6 10.5	1 2	2 2 3	5 5 7	11 8 14	12 23	65 to 74 years	790	22.6	5	9	18	29	47 49
Single diognosis	885 215	8.6 6.5	1 2	2 3	5	11	19 12	75 to 84 years	850 270	23.0 20.8	5 4	10 8	20 15	30 28	46 45
With surgery	30 1,070	14.3 8.0	1	7 2	14	19 10	22 17	Single diognosis	790 1,120	22.0 22.9	4 5	8 10	18 19	29 30	47 47
A8DOMINAL PAIN (785.5)	1,070	0.0				,,,	,,	With surgery	430 1,480	25.2 21.7	4 5	10 9	20 18	32 29	56 45
Total		7.7	1	2	4	8	14	FRACTURE OF UPPER ENO OR SHAFT OF HUMERUS, CLOSED (812.0, 812.2)							
65 to 74 years	1,520 825 225	6.4 9.2 11.2	1 2 1	2 3 2	5 5	8 9 13	13 14 19	Total	6,125	12.8	2	4	8	16	28
Single diognosis	2,100 470	7.7 7.9	1 2	2	4	8 10	14 14	65 to 74 yeors 75 to 84 yeors 85 yeors and over	2,590; 2,665 870	11.3 13.1 16.1	2 2 3	4 4 6	7; 9	14 17 20	24 29 32
With surgery	320	10.9	2	3 2	7	14	22 13	5ingle diognosis	3,350	10.6 15.4	2 3	3	7	13	23
Without surgery	2,250	7.3	·		4		13	With surgery	1,525	12.3	2	4	8	16	32 28
Total	1,820	10.3	1	3	7	13	21	FRACTURE OF UPPER ENO OR	4,600	12.9	2	4	8	17	28
65 to 74 years	770 775 275	10.0 10.8 10.1	1	3 4 3	7 7 7	13 15 12	21 21 17	UNSPECIFIEO PART OF RAOIUS ANO ULNA, CLOSEO (813.0)							
Single diognosis	1,540	9.9	1	3	7	13	19	Total	1,745	8.4	1	2	5	10	18
Multiple diognoses	280 760	12.7 13.7	4	5 7	12	18	27 25	65 to 74 yeors	900 665 180	6.7 10.7 8.2	2	2 4 2	4 7 6	7 13 11	14 21 20
Without surgery	1,060	7.9	1	2	5	9	16	Single diognosis	1,060 685	6.2 11.7	1 2	2	4 9	7 14	14 22
Total	1,685	8.2	1	2	5	11	17	With surgery	1,120	7.7	1	2	5	9	16
65 to 74 yeors 75 to 84 yeors 85 years ond over	845 675 165	8.0 7.9 10.2	1. 1 1	2 3 3	4 6 5	10 11 12	18 16 24	FRACTURE OF LOWER ENO OF RACIUS AND ULNA, CLOSEO (813.4)	625	9.5		2	0	12	20
Single diognosis	1,380 305	8.0 8.8	1 2	2 3	5 7	10 12	18 17	Total	3,520	6.0	1	1	3	7	12
With surgery	880	8.4	1 1	2	6	11	17: 18	65 to 74 yeors	1,825 1,365 330	4.8 6.9 8.8	1 1 1	1 2 2	2 4 4	5 8 10	11 13 22
								Single diagnosis	2,300 1,220	4.4 9.2	1	1	2 6	4 11	19
								With surgery	2,250 1,270	5.4 7.1	1	1 2	3	6	11 16

Table 3 NORTH CENTRAL STATES: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND DISCHARGE CHARACTERISTICS—Con.

Oiognasis And Oischarge Charocteristics	Number of	Average stay		Perce	entiles (	days)		Olagnosis And Olscharge Characteristics	Number of	Averoge stay		Perce	ntiles (	days)	
(ICOA 8th Revision)	discharges	(days)	10th	25th	50th	75th	90th	(ICOA 8th Revision)	discharges	(days)	10th	25th	50th	75th	90th
FRACTURE OF INTERTROCHANTERIC SECTION OF NECK OF FEMUR, CLOSEO								CONCUSSION (850)							
(820.2)	11 (75	0, ,		, ,	20	22	49	Tatal	2,380 1,185	9.7	1	3	6	12	22
Total	11,475 2,515	26.6	8	14	22	33	48	65 to 74 years	895 300	8.8 10.6 10.2	1 2	3 3 4	6 6 8	13	21 24 21
75 to 84 years	5,195 3,765	27.3 25.9	8	14 14	22 21	34 33	51 49	Single diagnasis	375 2,005	6.0 10.4	1	1 3	4 7	7 13	13 22
Single diagnosis	6,005 5,470	24.6 28.8	8 8	14 15	20 24	30 36	46 54	With surgery	285	13.8	2	5	9	17	33 21
With surgery	8,955 2,520	25.6 30.2	10 1	15 8	22 24	31 44	46 64	Without surgery	2,095	7.1	'	3		- ' '	21
FRACTURE OF OTHER AND UNSPECIFIED PART OF NECK OF FEMUR, CLOSEO			:					OF HEAD, NECK, AND TRUNK (870-879)							
(820.4) Tatal	24,140	25.4	5	13	21	32	46	Tatal	4,310 1,965	8.8 8.3	1	2	6	11	18 18
65 to 74 years	6,130	24.9	6	13	20	31	45	75 ta 84 years	1,750 595	9.1 9.4	1	2 3	6	12 12	17 19
75 to 84 years	11,400 6,610	26.5 23.7	6		22 20	33 31	48 44	Single diagnasis	945 3,365	5.2 9.8	1	1	2 7	7 12	12 19
Single diagnosis	13,380 10,760	22.9 28.4	5 6	13 14	20 23	. 29 36	41 53	With surgery	1,300 3,010	11.6 7.6	1	2 2	7	14 10	27 16
With surgery	16,620 7,520	25.8 24.4	10 1	15 6	22 18	31 34	43 54	CONTUSION AND CRUSHING WITH	3,010	7.0				10	10
FRACTURE OF OTHER AND UNSPECIFIED PARTS OF FEMUR (821)								INTACT SKIN SURFACE (920-929) Total	10,835	9.7	1	3	7	12	21
Total	3,900	31.7	4	13	23	41	67	65 to 74 years	4,050 4,715	8.5 10.5	1	3	6	10 13	18 22
65 to 74 years	1,160 1,815	33.5	4 6 2	14 15	24 24 21	44 42	76 72	85 years and over	2,070	10.6	2	3	7	14	23
85 years and over	925 2,145	25.3 30.1	3	12	22	34	55 58	Single diagnasis	2,685 8,150	7.4 10.5	2	2	5 7	13	15 22
Multiple diagnoses	1,755 2,105	33.8 31.0	10	15	26	46 37	71 57	With surgery	720 10,115	15.5 9.3	2 1	5 3	11	20 12	36 20
Without surgery	1,795	32.6	2	7	24 23	44	77	AOVERSE EFFECT OF MEDICAL AGENTS (960-979)							
FRACTURE OF TIBIA AND FIBULA (823) Total	2,660	17.3	3	6	12	22	37	Total	5,355	9.3	2	3	7	-11	18
65 to 74 years	1,530	17.0 16.6	3 3	6	11	21 21	36 31	65 ta 74 years 75 to 84 years 85 years and over	2,710 2,170 475	9.0 9.5 10.4	1 2 2	3 4 4	7 7 7	11 11 12	17 18 22
85 years and over	300	20.9	2	6	13 15	24	52	Single diagnosis	1,410	6.6	1	2	5 8	8	13
Single diognosis	1,590 1,070	14.9 20.8	2 4	5 8	10 16	18 25	33 45	Multiple diagnoses	3,945 285	10.3	3	5	10	12 18	20 27
With surgery	1,105 1,555	19.6 15.6	4 2	7 5	14 11	23 19	44 34	Without surgery	5,070	9.0	2	3	7	11	17
FRACTURE OF ANKLE (824)								MECHANICAL NATURE FROM INTERNAL PROSTHETIC OEVICE (997.5)							
Total	3,220 1,985	13.1	2 2	5	10	16 16	25 23	Tatal	1,365	11.1	2	4	8	14	23
75 to 84 years	1,015 220	13.2 16.5	3 2	6 7	9 14	17 21	28 27	65 to 74 years 75 to 84 years 85 years and over	640 600 125	10.8 11.7 10.2	2 1	4 4 3	7 9 7	15 14 12	22 26 19
Single diagnosis	2,140 1,080	11.8 15.6	2 4	5 7	9 12	15 18	23 28	Single diagnosis	945	11.0	2	3	7	13	24
With surgery		13.9 12.0	3 2	6	11 9	18 14	26 24	Multiple diagnases	1,065	11.4	2	5	9	15	21 22
MULTIPLE FRACTURES INVOLVING 80TH LOWER LIM8S, LOWER WITH UPPER								Without surgery	300	11.7	2	4	7	16	30
LIMB, AND LOWER LIMB WITH RIB AND STERNUM (828)															
Total		28.0	5	12	21	33	56								
65 to 74 years	975 965 390	27.3 29.1 27.1	4 7 4	9 15	19 23 23	31 35 32	65 54 53								
Single diagnosis	1,120	25.1	5	12	20	30	51								
Multiple diagnoses	1,210	30.7 30.0	5 7	12 15	23	35 34	69 58								
Without surgery	910	24.9	3	8	16	31	53								
847)	C 710	10.5		_		3.2	00								
Total	5,710 3,155	9.8	3	5	8	13	20 17								
75 ta 84 years	2,035 520	11.3 11.6	3 3 3	4 5 5	8 9 9	14 14	22 22								
Single diagnosis	1,635 4,075	9.0 11.1	2	4 5	7 9	11 14	17 21								
With surgery	205 5,505 I	15.0 10.3	5	7 5	12	20 13	26 19								

Table 4 NORTH CENTRAL STATES: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED SURGICAL PROCEDURES, AND DISCHARGE CHARACTERISTICS

Surgical Pracedures And	Number of	Average		Perce	entiles	days)		Surgical Procedures And	Number of	Average		Perce	entiles (c	lays)	
Oischarge Charocteristics (CPT 1st Edition)	discharges	stay (days)	10th	25th	50th	75th	90th	Oischarge Characteristics (CPT 1st Edition)	discharges	stay (days)	10th	25th	50th	75th	90th
MASTECTOMY, COMPLETE, SIMPLE								REPAIR OF VENTRAL HERNIA (3661)							
(0457) Total	3,580	12.7	4	7	10	15	23	Total	3,800	13.2	6	8	11	15	21
65 ta 74 years	1,525 1,625 430	12.0 13.2 13.2	3 5 4	6 8 8	10 10 11	14 15 16	21 23 23	65 ta 74 years 75 ta 84 years 85 years and aver	2,565 1,105 130	12.8 14.0 13.8	6 6 5	8 8 6	11 11 12	14 15 17	20 24 25
Single diagnasis	2,060 1,520	10.9 15.1	3 5	6 8	10 12	13 19	17 28	Single diagnasis	2,100 1,700	11.2 15.7	5 7	7 9	10 12	13 18	17 27
Totol	3,955	14.5	7	9	12	17	22	TRANSURETHRAL (4311-4313, 4316, 431X)							
65 ta 74 years	2,655 1,195 105	14.5 14.4 17.5	7 8 10	9 9 11	12 12 15	16 17 20	22 22 25	Tatal	5,785 3,140	20.7 19.4	10 10	14	18	25 23	31 29
Single diagnosis	2,275 1,680	12.9 16.7	7 8	9 10	11 14	15 19	19 28	75 ta 84 years	2,320 325	21.8 25.4	11 13	14 16	19 22	26 30	35 44
REOUCTION OF FRACTURE OF HIP (0865-0868, 0872-0874)	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,							Single diagnosis Multiple diagnases	2,665 3,120	18.8 22.3	10 11	13 15	17 20	23 26	29 35
Tatal	21,775	26.4	10	15	22	31	46	PROSTATECTOMY, TRANSURETHRAL (4321)							
65 ta 74 years	5,260 10,055 6,460	26.8 27.2 24.8	11 11 8	16 16 14	22 22 21	32 32 30	46 47 44	Total	32,295 17,095	15.1 13.6	6	8	12	18 16	26 23
5ingle diagnosis	11,685	24.6	10 10	15	20	29	42	75 ta 84 years	12,755 2,445	16.3 18.8	7 8	8 9 11	13 16	19	29 33
Multiple diagnases	10,090	28.4	10	16	23	35	50	Single diognosis	14,830 17,465	12.6 17.2	6 7	8 9	10 14	14 20	20 30
Total	9,795	27.8	13	18	24	33	47	COLPORRHAPHY (4481-4495, 449X, 4501, 4505, 450X)							
65 to 74 years	3,820 4,335 1,640	26.5 29.7 25.6	14 13 12	17 18 16	23 25 22	31 35 31	42 50 42	Tatal	4,425	11.8	6	8	10	13	18
5ingle diagnosis	5,640 4,155	25.5 30.9	13 13	17 18	22 26	30 38	40 54	65 to 74 years	3,250 1,100 75	11.7 12.3 12.4	6 6 5	8 8 8	10 10 11	13 13 15	18 21 19
GA5TRECTOMY (3112, 3114, 3115, 3118, 3119, 311X)								Single diagnosis Multiple diagnases	2,380 2,045	10.7 13.1	6 7	7 8	9	12 15	16 21
Tatal	3,280	23.4	11	14	20	28	39	HYSTERECTOMY, ABOOMINAL (INCLUOING PELVIC EXENTERATION)							
65 to 74 years	2,145 985 150	23.3 24.1 20.9	10 11 9	14 15 14	20 21 18	28 30 25	39 40 28	(4617, 4618, 4621, 4624-4627) Tatal	3,470	14.9	8	9	12	16	24
Single diagnasis	1,330 1,950	20.5 25.4	9 11	13 16	18 22	24 32	33 42	65 ta 74 years	2,660 755 55	14.4 16.3 18.5	8 8 9	9 11 10	11 13 13	15 19 25	23 25 34
COLECTOMY (3178, 3180)	9,300	23.9	12	15	21	28	39	Single diagnasis	1,390 2,080	12.9 16.2	7 8	9 10	11 12	14 18	19 27
65 to 74 years	5,285 3,520	23.1 24.8	12	15 16	20 21	27	37 40	HY5TERECTOMY, VAGINAL (4631)	2,000						
85 years and aver	495	26.1	13 10	14	23	29 32	47	Total	4,455	13.1	7	9	11	15	19
Single diognosis	3,555 5,745	21.4 25.5	11 12	14 16	19 22	25 30	34 42	65 ta 74 years 75 ta 84 years 85 years and aver	3,130 1,250 75	12.3 14.7 22.1	7 8 10	9 10 12	11 13 17	14 16 28	18 22 38
Total	4,465	11.3	4	6	9	13	19	5ingle diagnasis	2.090 2,365	12.2 14.0	7 8	9	11 12	14 15	18 22
65 ta 74 years	3,370 975 120	10.3 14.4 15.2	4 5 5	6 7 8	8 10 11	12 16 18	16 26 28	OILATION ANO CURETTAGE UTERU5, OIAGNOSTIC (4647)							
Single diagnosis	1,815 2,650	9.3 12.7	4 5	5	8 10	11 15	14 22	65 ta 74 years	5,905 4,075	6.9	1	2	3	7	15 13
CHOLECYSTECTOMY (3515)	2,030	12.7		,		13		75 ta 84 years	1,595 235	8.3 11.4	2	3	4 6	10	19
Total	18,895	17.0	8	10	14	20	28	Single diagnosis	2,855 3,050	5.0 8.8	1	2	3 4	5 11	10 20
65 ta 74 years		15.7 19.5 23.2	8† 9 11	10 12 15	13 16 21	18 23 28	25 32 35	EXTRACTION OF LEN5 (5611, 5612)							
Single diagnosis		14.3 19.7	8	9 12	12 17	17 24	22 32	Tatal	44,560 21,025	7.7	4 3	5	6	8	13
REPAIR OF INGUINAL HERNIA, EXCEPT RECURRENT (3630-3632)	7,550	,,,,			.,		51	75 ta 84 years	19,865 3,670	8.0 8.8	4	5	6 7	10	13 14
Tatal	21,795	10.3	5	6	8	11	17	Single diagnasis Multiple diagnases	31,165 13,395	7.4 9.3	3 4	5	7	10	12
65 ta 74 years		9.3 11.4 13.8	4 5 6	6 7 8	7 9 11	10 13 16	14 20 24								
Single diagnasis	12,360 9,435	8.6 12.4	4 5	6	7	9 14	13 22								

Table 5 SOUTH: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND DISCHARGE CHARACTERISTICS

Oiognosis And Oischorge Chorocteristics	Number of	Averoge stoy		Perce	entiles (	(doys)		Oiognosis And Oischorge Chorocteristics	Number of	Average stoy		Perce	ntiles (	doys)	
(ICOA 8th Revision)	dischorges	(doys)	10th	25th	50th	75th	90th	(ICOA 8th Revision)	dischorges	(doys)	10th	25th	50th	75th	90th
01ARRHEA (009.1)								MALIGNANT NEOPLASM OF E5OPHAGUS (150)							
Total		9.4	2	4	7	11	17	Total	1,565	14.5	2	5	9	19	35
65 to 74 years	1,240	8.9 9.2 11.5	2 2 2	4 4	6 7 8	10 11 14	16 17 21	65 to 74 yeors	995 475	14.5 13.7	2 2 2	5	10	19 17	35 32
Single diognosis	1,070 2,110	8.4 9.9	2 2	3	6 7	10 12	15 18	85 years and over	95 805	18.1 13.4	2	4	14 9	28 17	39 34
With surgery	235 2,945	13.0 9.1	3 2	5 4	11 7	18 11	23 16	Multiple diognoses	760 705	15.6 16.8	3	7	10 12	20 21	37 36 34
GASTROENTERITIS AND COLITIS (009.2)								Without Surgery	860	12.6	1	3	7	15	34
Total		7.6 6.7	2	3	5 5	9 8	14	(151) Total	4,260	17.0	2	6	13	22	35
75 to 84 yeors	9,450	8.1 9.8	2 2	3	6	10 12	15 19	65 to 74 years	2,110 1,730	16.5 17.2	2 3 2	6	13 13	20	35 34
5ingle diognosis	11,030 13,555	6.1 8.8	1 2	2 4	4 6	7 10	11 17	75 to 84 years	420	18.8		6	12	23 24	50
With surgery		13.0 7.4	3 2	5 3	10 5	16 9	26 14	Single diagnosis	1,675 2,585	15.6 17.9	3	5	11 14	20 23	31 37
PLEURISY WITH EFFUSION WITHOUT MENTION OF CAUSE (012.2)								With surgery	1,635 2,625	22.3 13.6	9 1	14	19 9	27 17	38 31
Total	1,955	12.6	3	5	9	16	25	MALIGNANT NEOPLASM OF CECUM, APPENOIX AND ASCENDING COLON (153.0)							
65 to 74 years	795	11.0 14.2 14.5	2 3 4	5 6 6	9 10 9	14 18 17	21 31 28	Total	2,110	18.6	4	11	16	23	33
Single diognosis	745	10.9	2 3	5	8	15	22	65 to 74 yeors	1,150 790	17.4 19.9	4 6 1	11 12	16 17	21 25 27	29 34
Multiple diagnoses	380	13.7	5	6	10	17 20	28 30	85 years and over	170 740	20.6 15.4	3	10	19 14	18	38 25
SEPTICEMIA (038)	1,575	11.7	2	5	8	15	23	Multiple diognoses	1,370 1,440	20.3	5 11	12 14	18	26 24	35 32
Total	1,815	12.7	1	3	9	17	28	Without surgery	670	14.7	1	4	10	21	_ 33
65 to 74 yeors	700	11.7 13.4 14.0	1 1 1	3 3 2	8 10	16 19 17	25 28 33	TRANSVERSE AND DECENDING COLON (153.1, 153.2)							
Single diognosis	440	10.5	1	3	9	16	21	Total	1,485	20.9	6	12	17 17	25	36
Multiple diagnoses	195	13.4	1	3 5	17	18 25	30 36 26	65 to 74 yeors	770   570 145	19.7 21.3 25.2	7 7 4	12 12 8	18 17	24 26 27	34 36 53
Without surgery	1,620	12.0	,	3	9	16	26	Single diognosis	525 960	20.6 21.0	9	13 11	17 18	24 26	37 36
Total	3,405	12.2	3	5	9	14	23	With surgery	1,175 310	22.5 14.5	11 21	14	19	27 19	38 28
65 to 74 yeors	1,480	10.5 13.5 14.2	3 3 4	5 6 6	8 9 10	12 15 19	21 25 28	MALIGNANT NEOPLASM OF SIGMOIO COLON (153.3)							
Single diognosis	1,425	9.9	3 4	5	7	12	17 26	Total	2,475	19.6	4	10	17	25	36
With surgery	115	17.3	6	7	12	20	39	65 to 74 yeors	1,385 835	19.2 19.8	4	11	16 17	24 26	35 36
OTHER VIRAL 015EASES (070-079)	3,290	12.0	3	5	8	14	22	Single diagnosis	1,105	21.3 18.0	3 2	9	17	24	47 35
Total		9.2	2	4	6	11	18	Multiple diagnoses	1,370	20.9	9	11	18	27 26	38 36
65 to 74 years	1,050	8.7 10.3 8.0	2 2 2	4 4 3	6 7 6	10 13 10	16 20 14	Without surgery	655	14.4	1	3	8	18	36
Single diognosis	1,075	8.5 9.6	2	3 4	6	9 11	16 18	PART OF LARGE INTESTINE (153.8) Total	6,955	17.0	2	5	13	23	35
Multiple diagnoses	190	11.3	1	3	7	11	25	65 to 74 years	3,720	17.5	2	6	13	23	35
MALIGNANT NEOPLASM OF BUCCAL	2,715	9,1	2	4	6	111	18	75 to 84 years	2,585	16.7 15.2	1	5	12	22 22	34 34
CAVITY AND PHARYNX (140-149)  Total	3,815	12.8	2	3	8	15	29	Single diognasis	2,845 4,110	16.5 17.3	2 2	5	12	22 23	32 36
65 to 74 yeors	2,350	12.7 13.1	1 2	3	7	15	28 31	With surgery	2,555 4,400	21.7 14.3	8	13	19	27 17	39 32
85 years and over	330	11.8	ĩ	3	10 7	17	23	MALIGNANT NEOPLASM OF RECTUM ANO RECTOSIGMOIO JUNCTION (154)							
Single diognosis		15.0	2	4	9	13 18	22 35	Total	4,660 2,580	19.2	2	7	17	26	39
With surgery	2,440 1,375	11.4 15.2	2	3   4	7   9	14	23 36	65 to 74 yeors	1,650 430	19.6 19.3 17.0	2 3 2	7 7 6	17 17 12	27 26 22	39 38 38
								5ingle diognosis	2,175 2,485	17.6 20.7	2 3	6 8	15 18	24 28	36 40
								With surgery	2,975 1,685	22.4 13.8	5	12	20	29 19	42 32

Table 5 SOUTH: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND DISCHARGE CHARACTERISTICS—Con.

Oiagnosis And Discharge	Number of	Average		Perce	entiles (	days)		Oiagnasis And Oischarge	Number of	Average		Perce	ntiles (d	doys)	
Characteristics (ICOA 8th Revision)	dischorges	stay (days)	10th	25th	50th	75th	90th	Characteristics (ICOA 8th Revision)	discharges	stay (days)	10th	25th	50th	75th	90th
MALIGNANT NEOPLASM OF PANCREAS (157)								MALIGNANT NEOPLASM OF OVARY (183.0)							
Tatal	4,195	18.7	3	7	15	23	35	Tatal	1,665	17.8	4	7	13	23	34
65 ta 74 years	2,360 1,585 250	19.2 18.6 14.2	3 3 1	7 8 4	15 15 13	23 24 20	36 36 27	65 ta 74 years	1,185 440 40	16.9 20.1 18.5	3 5 1	6 9 9	12 16 16	22 26 21	33 34 33
Single diagnasis	1,640 2,555	18.5 18.8	2	6 8	14 15	23 24	35 35	5ingle diagnasis	440 1,225	16.1 18.4	3 4	7 7	13 14	21 25	31 35
With surgery	1,615 2,580	23.4 15.7	9 2	14 4	20 11	28 19	40 32	With surgery	755 910	20.8 15.3	8 2	11 5	17 9	25 21	36 33
MALIGNANT NEOPLASM OF LARYNX (161)								MALIGNANT NEOPLASM OF PROSTATE (185)							
Total	1,750	12.3	1	2	8	16	27	Tatal	16,765	12.5	3	5	9	15	24
65 to 74 years	1,220 465 65	11.8 12.4 22.2	1 1 1	2 2 5	8 8 17	16 17 42	25 26 44	65 to 74 years	8,280 6,780 1,705	12.3 12.8 12.1	2 3 2	5 6 5	9 10 9	15 15 14	24 25 21
Single diagnasis	1,070 680	10.4 15.3	1	2 4	6 11	14 21	22 37	Single diognasis	7,180 9,585	11.1 13.6	3	5 5	9 10	13 16	20 27
With surgery	1,230 520	12.0 13.3	1 1	2 2	8 8	16 18	26 29	With surgery	9,015 7,750	13.0 11.8	4 2	7 4	10 8	15 14	23 25
MALIGNANT NEOPLASM OF TRACHEA, 8RONCHUS, AND LUNG (162)								MALIGNANT NEOPLASM OF 8LAOOER (188)							
Tatal	15,845	14.3	2	5	10	18	28	Tatal	8,425	12.0	2	4	8	15	25
65 to 74 years	11,210 4,150 485	14.2 14.5 14.9	2 2 2	5 5 6	11 10 11	18 19 19	28 29 30	65 ta 74 years 75 ta 84 years 85 years ond over	4,690 3,100 635	11.1 12.8 13.9	2 2 3	3 4 6	7 8 9	14 15 15	23 27 30
Single diagnosis	7,060 8,785	13.1 15.2	2 2	4	10 11	17 19	26 30	Single diagnasis	5,085 3,340	10.0 15.0	2 3	3 6	6 11	12 19	20 31
With surgery	5,735 10,110	16.2 13.2	4 1	8	13 9	21 17	30 27	With surgery	6,220 2,205	11.4 13.5	2 1	4	8	14	23 31
MALIGNANT NEOPLA5M OF 5KIN (172, 173)						2		MALIGNANT NEOPLASM OF KIONEY, EXCEPT PELVIS (189.0)							
Total	8,620	8.1	1	2	4	9	18	Total	1,750	17.1	3	6	13	21	33
65 to 74 years	4,350 3,165 1,105	7.8 8.2 8.9	1 1 1	2 2 2	4 4 5	13 12	18 18 19	65 ta 74 years 75 to 84 years 85 years and aver	1,180 475 95	17.1 16.8 17.4	3 1 7	6 5 8	13 12 11	21 23 20	31 38 31
Single diagnasis	4,655 3,965	7.2 9.1	1	2	3 5	8 11	15 20	5ingle diagnasis	610 1,140	14.8 18.3	2 3	7 6	13 14	18 24	28 37
With surgery	6,875 1,745	7.3 11.4	1 1	2 3	4 7	8 14	16 25	With surgery	745 1,005	20.4 14.6	8 2	13 4	17 8	24 18	34 32
MALIGNANT NEOPLASM OF BREAST (174)								LYMPHO5ARCOMA ANO RETICULUM-CELL 5ARCOMA (200)	İ						
Total	11,665	13.8	3	7	10	16	27	Tatal	1,870	15.0	2	5	10	19	33
65 to 74 years	7,195 3,700 770	13.8 13.8 13.5	3 4 3	7 7 7	10 11 11	16 16 17	27 26 23	65 to 74 years	1,095 670 105	14.0 16.1 19.3	2 2 4	4 6 6	9 12 10	17 20 28	30 36 50
Single diagnosis	5,300 6,365	11.7 15.4	4 3	7 6	10 11	14 19	19 32	Single diagnosis	875 995	13.0 16.8	2	4 6	12	15 21	30 36
With surgery	6,845 4,820	13.2 14.6	5 2	8 5	11 10	15 18	22 32	With surgery	625 1,245	20.5 12.3	5 2	9 4	15 8	29 15	45 26
MALIGNANT NEOPLA5M OF CERVIX UTERI (180)								HOOGKIN'S OISEASE AND OTHER NEOPLASMS OF LYMPHOID TISSUE							
Total	3,645	11.3	2	4	6	13	25	(201, 202) Tatal	2,310	15.3	3	6	10	21	32
65 ta 74 years	2,310 1,075 260	10.9 12.3 11.6	2 2 2	3 4 4	6 7 6	12 15 13	23 26 33	65 ta 74 years	1,505 670	14.6 17.1	2 3	5	10 12	19	32
Single diagnosis	2,145 1,500	9.4 14.1	2 2	3 4	5 8	10 17	19 32	5ingle diagnasis	135	14.1 12.8	2 3	6 5 7	10	19	34 30 28
With surgery	2,225 1,420	10.8 12.2	3 2	4	6	12 14	20 31	Multiple diagnases	1,105 875	18.0 17.9	3	7	13	24	38 35
MALIGNANT NEOPLASM OF UTERUS, EXCEPT CERVIX (182)	.,,23	.2.2		ŭ			5.	Without surgery	1,435	13.7	2	Ś	9	17	31
Tatol	3,630	11.4	3	4	8	13	22	Tatal	2,625	14.6	2	5	10	20	31
65 ta 74 years	2,345 1,090 195	10.4 13.2 13.7	2 3 3	4 5 5	8 9	11 15 16	19 27 27	65 ta 74 years	1,750 725 150	14.6 14.1 16.2	2 2 2	5 4 4	10 10	20 18 24	31 30 32
Single diagnasis	1,975 1,655	9.7 13.5	2 3	4 6	7	11	16 26	Single diagnosis	1,050 1,575	11.6 16.5	1 3	3 6	7	14 23	27 35
With surgery	2,550 1,080	10.8 12.9	3	5	8 9	12 15	19 28	With surgery	330 2,295	15.5 14.4	2 2	3	12 10	21 20	33 31

Table 5 SOUTH: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND DISCHARGE CHARACTERISTICS—Con.

Oiognosis And Oischorge	No other of	Averoge		Perce	entiles (	(doys)		Diognosis And Oischorge	Number of	Averoge		Perce	ntiles (	(doys)	
Chorocteristics (ICOA 8th Revision)	Number of dischorges	stoy (doys)	10th	25th	50th	75th	90th	Chorocteristics (ICOA 8th Revision)	Number of dischorges	stoy (doys)	10th	25th	50th	75th	90th
LEUKEMIA (204-207)								AVITAMINOSES AND OTHER							
Tatal	4,975	12.2	1	3	8	15	26	NUTRITIONAL OEFICIENCY (260-269)  Total	2,800	13.8	3	5	10	17	27
65 to 74 yeors	2,375 2,125	11.9 12.7	2 1	3	8 8	15 14	25 28	65 to 74 yeors	1,040	13.9	3	6	10	17	25
85 years and over	475	11.9	1	3	7	15	25	75 to 84 years	1,215 545	13.7 13.7	2 2	5	10 9	17 17	27 26
Single diognosis	2,325 2,650	11.7 12.7	2	3 4	7 8	14 15	25 26	Single diognosis	630 2,170	12.0 14.3	2	4 5	8 11	12 18	23 28
With surgery	440 4,535	14.6 12.0	2 1	4 3	9 7	19 14	29 25	With surgery	140	18.4	6	12	14	24 17	32
8ENIGN NEOPLASMS OF LARGE INTESTINE, EXCEPT RECTUM (211.3)								Without surgery	2,660	13.5	3	5	9	17	26
Totol	1,830	12.1	2	5	11	16	22	Totol	2,780	9.9	2	4	7	12	18
65 to 74 yeors	1,285 505	11.9 12.4	2 2	5 5	11 10	15 18	21 23	65 to 74 years	1,650 950	9.7 10.5	2	4 5	7 8	11 14	18 20
85 years and over	40	14.4	2	4	11	19	31	85 yeors ond over	180	9.6	3	5 5	7	14 12	16
Single diognosis	855 975	10.9 13.2	3	6	10 11	14 17	20 24	Single diognosis	775 2,005	8.7 10.4	3	4	8	13	17 19
With surgery	1,225 605	14.1 8.0	5 1	9 2	13 5	17 10	24 16	With surgery	210 2,570	11.3 9.8	3 2	4	7 7	12 12	20 18
BENIGN NEOPLASMS OF RECTUM (211.4)								IRON OEFICIENCY ANEMIAS (280)							
Total	1,400	8.8	2	3	5	10	19	Total	4,425	10.4	3	5	8	13	19
65 to 74 years	930 415	8.5 8.6	1 2		5	10 10	19 18	65 to 74 years	2,075 1,785	10.61 10.3	3 3 3	5	8	13 13 12	20 17
85 years and over	55 725	14.4	5	6 2	9 4 7	21	29 13	85 years and over	1,090	9.3	2	4	8 7	11	20 17
Multiple diognoses	675	11.1	2			14	26	Multiple diognoses	3,335 540	10.8	3	5	10	14	20
With surgery	1,165	9.0 7.7	1	2	5 5	10 8	20 16	With surgery	3,885	10.0	3	6 5	8	15 13	18
LIPOMA (214)								PERNICIOUS ANEMIA (281.0)							
Totol		5.7	1	2 2	3	7	11	Total	1,920 810	11.6	3	5	9	14	21 20
75 to 84 years	415	7.0 5.7	i	2 2	4 5	6 8 7	14	75 to 84 years	865 245	11.7 13.4	3 4	6	9 11	14	21 27
Single diognosis	1,240 725	4.6 7.4	1	2 3	3 5	5 9	9 14	5ingle diognosis	700 1,220	9.5 12.9	2	5 7	8 10	12 16	16 24
With surgery		5.5 6.9	1	2 2	3 4	7 8	11 17	With surgery	160 1,760	14.1 11.4	5 3	9	12	15 14	25 21
NEOPLASMS OF UNSPECIFIED NATURE OF 8LAOOER (237.6)								ALL OTHER AND UNSPECIFIED ANEMIAS (281.1-281.9, 282-285)							
Totol	1,985	7.0	1	2	4	9	15	Totol	12,710	10.1	2	4	7	13	21
65 to 74 years	1,210 675	6.7 6.9	1	2 2	4 5	8 9	14 16	65 to 74 years	5,390 5,635	10.2 10.3	2 2	4	7	13 13	20 22
85 years and over	100	11.7	3		10	15	24	85 years and over	1,685	9.3	1	3	6	12	20
Single diognosis	1,625 360	6.7 8.5	1	3	4 5	10	14 20	Single diognosis	4,325 8,385	8.1 11.2	2	3 4	5 8	10 14	17 23
With surgery	1,760 225	6.9 7.6	1	2 2	4 5	9 8	15 20	With surgery	1,050 11,660	15.8 9.6	4 2	8	13	21 12	29 19
OISEASES OF THYROIO GLANO (240-246)								AFFECTIVE P5YCHO5E5 (296)							
Totol	4,045	9.9	3		7	12	19	Total	2,335	18.9	4	7.	14	24	37
65 to 74 years	3,015 920 110	9.4 10.7 17.5	3 3 2	5	7 8 11	11 13 16	19 20 31	65 to 74 yeors	1,780 500 55	19.1 18.7 14.9	4 3 2	7 7 5	15 12 15	24 25 20	36 40 28
Single diognosis	1,725	8.2	3	4	6 8	10	15	Single diognosis	1,300	18.9	4	7	15	25	35
Multiple diognoses	2,320 1,615	9.0	3	5	8	14 10	21 16	Multiple diognoses	1,035	18.9 30.9	3	14	13	23 39	38 59
With surgery	2,430	10.5	2	4	8	13	20	Without surgery	2,290	18.7	4	7	14	24	36
OIABETES MELLITUS (250)	CO 705						00	ANXIETY NEUROSIS (300.0)	2.750	0.1	,				1.5
Total	50,735 30,285	11.8	3	5	9	14	22	Total	3,750 2,720	8.1 8.2	1	3	6	10	15 15
75 to 84 years	17,430 3,020	12.5 12.4	3 3		8 9 9	15 15	24 23	75 to 84 years	940 90	8.0 6.2	2	3	5	7	15 13
Single diognosis	12,570 38,165	11.0 12.1	2 3	4 5	8 9	13 15	20 23	5ingle diognosis	1,420 2,330	7.9 8.2	1 2	2 3	5 6	10 10	15 15
With surgery	5,050 45,685	20.1 10.9	5	9	15 8	25 l 13 l	36 20	With surgery	125 3,625	14.4 7.9	2	5	9	17 10	27 15

Table 5 SOUTH: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND DISCHARGE CHARACTERISTICS—Con.

Diagnasis And Discharge		Averoge		Perce	entiles	(days)		Diagnasis And Discharge		Average		Perce	entiles (	(days)	
Characteristics (ICOA 8th Revision)	Number of discharges	stay (days)	10th	25th	50th	75th	90th	Characteristics (ICDA 8th Revision)	Number af discharges	stay (days)	10th	25th	50th	75th	90th
DEPRESSIVE NEUROSIS (300.4)								NEURALGIA ANO NEURITIS, UNSPECIFIED							
Tatal	5,545	16.9	3	7	12	22	33	(355) Tatol	2,240	8.9	2	3	7	11	17
65 to 74 years 75 ta 84 years 85 years and over	1,255	17.2 15.9 14.7	4 3 6	7 6 8	13 11 10	22 19 16	33 33 28	65 to 74 years 75 to 84 years 85 years and over	1,345 735 160	8.7 9.4 8.7	2 2 2	4 3 4	7 6 9	11 12 11	16 22 16
Single diagnasis		18.3 15.0	3	7 6	13 10	24 18	34 30	Single diagnosis Multiple diagnoses	880 1,360	7.3 10.0	2 2	3	5 8	10	14
With surgery	140 5,405	25.7 16.6	5 3	8 7	22 12	34 21	44 32	With surgery	210 2,030	11.6 8.7	2 2	4 3	11 6	16	23 17
ALCOHOLISM (303)							,,	CATARACT (374)							
Tatal		8.2	,	3	5	10	17	Total	51,605	7.1	3	4	6	8	11
75 ta 84 years	240	9.4	2	4	7 *	12	19	65 to 74 years	26,630 21,405 3,570	7.0 7.2 7.7	3 3	4 4	6 6 6	7 8 8	11 12 13
Single diagnasis Multiple diagnases	1,355	7.0° 9.1°	1	3		8 11	14 18	Single diagnosis Multiple diagnoses	41,105 10,500	6.9	3 3	4 5	6	7 9	11
With surgery		13.1 8.0	4 1	6 3	11 5	16 10	24 16	With surgery	48,260	7.1	3	4	6	8	11
MENTAL DISORDERS NOT SPECIFIED AS FSYCHOTIC, ASSOCIATED WITH PHYSICAL CONDITIONS (309)								GLAUCOMA (375)	3,345	7.5	1	4	5	8	13
Tatal	8,100	15.4	3	6	11	19	30	Tatal	4,485	7.3	2	3	5	8	13
65 to 74 years	3,715	15.6 15.2 15.7	3 3 2	6 6 5	11 11 10	19 20 18	30 30 29	65 ta 74 years 75 ta 84 years 85 years and aver	2,615 1,540 330	7.0 7.6 8.3	2 2 2	3 3 3	5 5 6	8 8 10	12 13 18
Single diagnosis Multiple diagnases	2,615	15.2 15.5	3 3	5 6	10	19 20	30 30	Single diagnasis	2,930 1,555	6.4 <b>9</b> .0	2 2	3	5 6	7 10	11 16
With surgery	310	21.4 15.2	5 3	12	16	26 19	44 29	With surgery	3,430 1,055	7.2 7.5	2 1	3 2	5	8	13 15
PARALY515 AGITANS (342)				:				DETACHMENT OF RETINA (376)  Tatal	2,320	9.0	3	5	8	11	15
Total		14.5	3	6	11	18	27	65 ta 74 years	1,730	8.8	2	5	8	10	15
65 ta 74 years 75 to 84 years 85 years ond over	2,005	14.5 14.8 11.9	3 3 2	6 6 5	10 11 10	17 18 15	26 29 20	75 to 84 years	580 10 1,820	9.7	3	5	8 *	12	16
Single diagnosis		14.0 14.7	3 3	6 6	11 11	17 18	25 28	Single diagnosis Multiple diagnoses With surgery	500 2,150	9.7 9.2	3	6	9	12	16
With surgery		19.2 14.2	4 3	8	14 10	24 17	41 25	Without surgery	170	6.3	ĭ	2	5	8	14
CEREBRAL PARALYSIS (344)								Tatal	3,625	7.5	2	3	5	9	15
65 ta 74 years	965	16.2	3	6	12 12 12	20	36	65 ta 74 years	2,010 1,4 <b>2</b> 5	6.9 8.1	2	3	5	8	13 17
75 ta 84 years 85 years and over	150	16.0 14.7	3 2 3	6 4 5	12 7	21 17 17	31 34 28	85 years and aver	1,475	6.1	1 2	3 2 4	4	11 7 10	17 12 16
Single diagnasis	1,250		3		12		38	Multiple diagnoses	2,150 85	8.4 9.6	2	4	6	14	18
With surgery	170 1,625	16.7 16.2	3	5 6	9 12	22 20	45 36	Without surgery	3,540	7.4	2	3	5		14
FACIAL PARALYSIS AND TRIGEMINAL NEURALGIA (350, 351)								(393-398) Total	3,945	12.8	2	5	9	15	25
Tatal		8.9	2	4	7	11	15	65 to 74 years	2,690	12.7	2	4	9	16	25
65 to 74 years 75 ta 84 years 85 years and over	625	8.5 9.8 7.0	2 3 2	4 4 3	7 8 5	11 13 9	15 17 13	75 to 84 years	1,085	13.1 11.9	3 2	5	10	15	25 20
Single diagnasis Multiple diagnases	860 740	8.5 9.3	2 2	3 5	7 8	11 11	16 15	Single diagnosis	1,200 2,745 595	11.7 13.2 17.2	3	5	10 15	14 16 23	23 26 31
With surgery	460 1,140	8.7 8.9	2 2	5 4	7 7	11 11	15 16	With surgery Without surgery ESSENTIAL BENIGN HYPERTENSION (401)	3,350	12.0	2	4	8	14	22
SCIATICA (353)	1,630	11.8	3	5	9	14	22	Tatal	17,550	8.4	2	3	6	10	15
65 ta 74 years	1,160	11.5	3	5		14	21	65 to 74 years	10,650 <b>5</b> ,800	7.8 9.2	2 2	3 4	6	9	14 17
75 to 84 years	390 80	12.6 12.3	3 1	2	9 7	15 18	24 30	85 years and aver	1,100 6,790	9.7 7.4	2	3	7 5	12	19
Single diagnasis Multiple diagnases	930	11.6	3	5	9 9	14	22 23	Multiple diagnoses	915	9.1	3	5	9	15	17 23
With surgery	135 1,495	19.5 11.1	3	8 5	15	24 14	37 21	Without surgery	16.6351	8.2	2	3	6	101	15

Table 5 SOUTH: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND DISCHARGE CHARACTERISTICS—Con.

Oiognasis And Oischarge	Number of	Average		Perce	entiles	(days)		Oiagnasis And Oischorge Characteristics	Number af	Average		Perce	ntiles (	days)	
Characteristics (ICOA 8th Revision)	discharges	stoy (days)	10th	25th	50th	75th	90th	(ICOA 8th Revision)	dischorges	stay (doys)	10th	25th	50th	75th	90th
HYPERTENSIVE HEART DISEASE (402)								HEART BLOCK, AND CARDIAC ARREST (427.2, 427.3)							
Tatal		10.3	2	4	8	12		Tatal	5,345	10.4	1	3	7	13	21
65 ta 74 years	1,890	9.8 10.8 11.6	2 2 2	5	7 8 8	11 12 15	19 21 24	65 ta 74 years	2,350 2,240	9.4 11.0	1 2 1	3	7 8	12 13 15	19 22
Single diagnosis		8.9 11.0	1	3 5	7 8	10 13	16 21	75 ta 84 years 85 years and aver Single diagnasis	755 2,435	11.2 9.2	1	3	8	15	24 18
With surgery	225	19.2 9.9	5 2	8	16	27 12	36	Multiple diagnases	2,910 1,710	11.3	3	4	10	15	24
HYPERTENSIVE RENAL, AND HEART AND RENAL DISEASE (403, 404)	4,703	7.7	_	•	,	12	,,	Without surgery	3,635	9.4	ĭ	3	6	15 11	23 21
Total	2,350	13.8	2	5	10	17	29	OTHER UNSPECIFIED DISORDERS OF HEART RHYTHM (427.4, 427.9)					1		
65 ta 74 years	1,040	13.2 13.9	2 3 2	5 5 5	9 10	15 17	30 28	Tatal	8,580	9.1	2	3	6	11	17
Single diagnasis	600	15.1	2 3	4	9	20 14	30	65 ta 74 years	4,520 3,235 825	8.4 9.9 9.7	2 2	4	6 7 7	10 12 12	16 18 19
Multiple diagnases	220	14.0 16.5	2	5 8	10 13	18 23	28 34	Single diagnosis	3,550 5,030	7.3 10.4	1 2	3 4	5 7	8 12	13 19
ACUTE MYOCAROIAL INFARCTION (410)	2,130	13.5	2	5	9	16	29	With surgery	535 8,045	16.9 8.6	4 2	7	12 6	17 10	35 17
Tatal	53,160	14.4	1	4	13	20	27	OTHER MYOCAROIAL INSUFFICIENCY (428)							
65 ta 74 years	19,000	14.9 14.2 11.6	] ]	6 3 2	14 12 8	21 20 18	27 28 25	Tatal	3,485	11.6	2	4	8	15	23
Single diagnasis	28,260	13.3 15.6	1	4 5	12 14	20 21	25 30	65 to 74 years	1,410 1,550 525	10.9 11.7 13.0	2 2 1	4 4	8 9	14 15 17	21 23 32
With surgery	1,495	19.3 14.3	3	9	17	26 20	35 27	Single diagnasis	1,155	9.9	2 2	3	7 9	13 16	18 25
OTHER ACUTE AND SUBACUTE FORMS	51,665	14.5	'	4	13	20	2	Multiple diagnases	2,330	12.4	4	5	11	17	39
OF ISCHEMIC HEART DISEASE (411)  Total	12,675	10.0	2	4	7	13	20	Without surgery	3,345	11.4	2	4	8	15	22
65 to 74 years	4,295	9.5 10.9	2 2 2	4	7 8	12 15		Tatal	6,750	10.9	2	4	8	13	21
85 years ond aver	7,090	10.5 9.4	2 2 2	3	7	13	21 19	65 to 74 years	3,015 2,775 960	10.5 11.1 11.9	2 2 2	4 5	7 8 8	12 13 16	20 21 25
Multiple diognoses	5,585	10.8 16.6	3	9	15	13	21 32	Single diagnosis	3,390 3,360	10.7 11.2	2 2	4 5	7	13 14	20 22
Without surgery	12,435	9.9	2	4	7	13	19	With surgery	340 6,410	13.0 10.8	3 2	6	10	16 13	25 21
(412)	1 ,040,0	. ,,,						CEREBRAL HEMORRHAGE (431)	5,	,,,,					
Tatol		11.3	2	4	8	14	22	Tatal	5,680	13.3	1	2	7	18	32
75 to 84 years	80,685	11.6 12.3	2 2 2	5 4	8 9	14 15	23 24	65 ta 74 years	2,650 2,335 695	13.6 12.7 14.0	1	1 2 2	7 7 7	19 18 16	34 31 35
Single diagnasis	61,090 133,170	9.6 12.0	2 3	4 5	7 9	12 15	19 23	Single diagnasis	2,710 2,970	10.8 15.5	1	1	5	15 21	28 35
With surgery	10,300 183,960	17.3 10.9	4 2	8	14 8	21 13	33 21	With surgery	365 5,315	20.6	1	6	15	26 17	42 31
ANGINA PECTORIS (413)	7,020	7.8	2	3	5	9	15	OCCLUSION OF PRECEREBRAL ARTERIES (432)	5,510	,				,	J.
65 ta 74 years	4,155	7.2	2	3	5	9	14	Tatal	4,825	11.8	2	5	9	15	22
75 ta 84 years	440	8.5 9.5	2 2	3	6	10 11	16 22	65 ta 74 years	3,150 1,510	11.6 11.6	2 2	4 5	9	15 16	22 23
Single diagnasis	3,330	6.8 8.9	1 2	4	6	8 11	12 17	85 years and aver	165 2,515	15.8	2 2	4	8	18	28 20
With surgery	120 6,900	15.1 7.6	2 2	6 3	14	21 9	27 14	Multiple diagnases	2,310 1,730	12.9	5	5 8	10	16	25 23
CONGESTIVE HEART FAILURE (427.0)	20.440	,,,				14	21	Without surgery	3,095	10.7	2	3	7	13	22
Tatal	30,440 12,485	11.1	2 2	5	8	14	21 21	Tatal	19,935	15.4	2	5	11	20	32
75 ta 84 years	13,175 4,780	11.2	2 2	5	8	14 15	22 23	65 ta 74 years	7,725 9,020	15.0 15.5	3 2 2	5	11	19 20 19	30 33 33
Single diagnasis	15,645	10.3	2 2	5	7 9	13 15	20 23	85 years and aver	6,905	16.0	2	4	10	17	28
With surgery	1,050 29,390	17.6 10.9	5 2	9	15	23 13	31 21	Multiple diagnases	13,030	16.4 21.1	5	10	12	21	33 39
								Without surgery	19,300	15.2	2	5	iil	19	31

Table 5 SOUTH: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND DISCHARGE CHARACTERISTICS—Con.

Oiognosis And Oischorge	North an of	Averoge		Perce	entiles (	doys)		Oiognosis And Oischarge	N	Average		Perce	entiles (	doys)	
Chorocteristics (ICOA 8th Revision)	Number of dischorges	stoy (doys)	10th	25th	50th	75th	90th	Chorocteristics (ICDA 8th Revision)	Number of dischorges	stoy (doys)	10th	25th	50th	75th	90th
SUBARACHNOIO HEMORRHAGE ANO CEREBRAL EMBOLISM (430, 434)								ARTERIAL EMBOLI5M AND THROMBOSI5							
Total	1,785	14.0	1	3	10	20	32	Total	5,160	13.0	1	4	10	16	27
65 to 74 yeors	1,095 590 100	13.6 14.9 14.0	1 1 1	3 3 4	9 11 12	19 21 17	31 33 31	65 to 74 yeors	2,900 1,800 460	13.5 13.0 10.6	1 1 1	5 4 2	11 10 6	17 16 14	27 26 24
Single diognosis	780 1,005	10.3 17.0	1 1	1 6	6 13	14 23	26 35	Single diognosis	2,295 2,865	11.8 14.1	1	3	10 10	15 17	23 29
With surgery	105 1,680	15.9 13.9	2 1	4 3	14 10	19 20	32 32	With surgery	2,780 2,380	15.7 9.9	3 1	8 2	13 6	19 12	29 22
TRANSIENT CEREBRAL ISCHEMIA (435)								GANGRENE (445)							
Totol	5,595	7.9	2		6	9	14	Total	4,580	20.3	5	9	16	26	40
65 to 74 yeors	2,690 2,215 690	7.5 8.1 8.9	2 2 2	3	6 6 6	9 10 9	13 14 16	65 to 74 yeors	1,950 1,740 890	20.8 19.8 20.4	5 5 5	10 10 9	17 16 17	26 26 28	42 38 36
Single diognosis		6.7 8.7	1 2	3 4	5 6	8 10	12 15	Single diognosis	2,415 2,165	19.3 21.5	5 5	9 10	15 18	24 29	36 43
With surgery	245 5,350	13.0 7.7	5 2		10 6	16 9	23 13	With surgery	3,170 1,410	21.9 16.7	7 2	11 6	18 12	28 23	41 36
GENERALIZEO ISCHEMIC CEREBROVASCULAR OISEASE (437)								PULMONARY EMBOLISM AND INFARCTION (450)							
Total	28,975	11.0	2		7	13	21	Totol	6,010	14.6	2	7	12	19	27
65 to 74 years	10,975 13,235 4,765	10.1 11.2 12.3	2 2 2	4 4	7 7 8	12 14 15	18 23 25	65 to 74 yeors 75 to 84 yeors 85 yeors ond over	3,365 2,215 430	14.6 14.8 13.1	3 1 2	7 6 5	12 12 10	19 19 16	27 29 24
Single diognosis	10,095 18,880	8.9 12.0	2 3	3 5	6 8	11 14	17 24	Single diagnosis Multiple diagnoses	1,865 4,145	12.8 15.4	2 2	6 7	10 12	16 20	24 29
With surgery	1,400 27,575	17.7 10.6	5 2		13 7	22 13	35 21	With surgery Without surgery	695 5,315	18.8 14.0	5 2	8 6	15 12	25 18	36 26
ILL-OEFINEO CEREBROVASCULAR OISEASE (436, 438)								PHLEBITIS AND THROMBOPHLEBITIS (451)							
Total	55,295	14.2	2		10	18	30	Total	10,760	12.0	4	6	10	14	21
65 to 74 years	22,640 23,890 8,765	13.6 14.4 15.1	2 2 1	5 4	9 10 10	17 19 19	29 30 33	65 to 74 years 75 to 84 years 85 years and over	6,710 3,445 605	11.5 12.8 13.8	4 4	6 7 7	9 10 11	14 16 17	20 24 23
Single diagnosis		13.0 15.2	1 2	4 5	8 11	16 20	28 32	Single diognosis Multiple diognoses	5,165 5,595	10.8 13.2	4 4	6 7	9 11	13 16	18 23
With surgery	1,715 53,580	20.3 14.0	5 2		16 9	27 18	43 30	With surgery	610 10,150	ì8.4 11.7	7 4	10 6	15 10	24 14	33 20
ARTERIOSCLEROSIS (440)								VARICOSE VEINS OF LOWER EXTREMITIES WITH ULCER (454.0)							
Totol	19,225	12.3	2		8	15	25	Total	2,455	19.5	6	9	16	25	36
65 to 74 years 75 to 84 years 85 years and over	6,755 8,680 3,790	12.3 12.1 12.5	2 2 2	4	8 8 8	15 15 15	25 25 25	65 to 74 yeors	1,285 950 220	18.6 21.1 17.4	6 5 4	9 9 8	15 18 13	23 28 25	34 40 32
Single diognosis	3,775 15,450	10.2 12.8	2 2	3 5	7 8	13 16	20 26	Single diognosis	1,110 1,345	18.2 20.5	5	8 10	15 17	25 26	34 39
With surgery	2,390 16,835	18.9 11.3	5 2	9	15 7	23 14	35 23	With surgery	860 1,595	23.6 17.2	6	11	20	32 22	41 31
NONSYPHILITIC AORTIC AND OTHER ANEURY5M (441, 442) Totol	6,135	12.0	1	3	10	16	25	VARICOSE VEINS OF LOWER EXTREMITIES WITHOUT ULCER (454.1, 454.9)	1,070						0.
65 to 74 years	3,655	12.5	1	3	11	17	26	Total	2,325	9.2	3	4	7	11	17
75 to 84 years	2,110 370	11.2 11.6	1	3 2	9 7	15 14	23 26	65 to 74 yeors	1,770 460	8.9 10.5	3 2	4 5	7 7	10 12	16 19
Single diognosis	2,865 3,270	11.4 12.5	1	3	10 10	16 16	24 25	85 years and over	95 1,260	9.4 7.6	2	4	7 6 8	12	18
With surgery	2,940 3,195	16.4 8.0	2 1	10	15 4	20 10	28 18	Multiple diagnoses	1,065	11.2 9.1	3	5	8	14	22 16
OTHER PERIPHERAL VASCULAR DISEASE (443)								Without surgery	740	9.5	2	4	7	ii	19
Totol	2,305	14.3	2	5	10	18	29	Total	7,120	8.7	3	5	7	10	15
65 to 74 years	1,360 755 190	14.1 14.5 14.7	1 3 3	4 6 4	10 11 9	17 19 21	29 27 32	65 to 74 yeors	5,085 1,695 340	8.5 9.3 9.0	3 3 2	5 5 4	7 7 6	10 11	14 16 18
Single diagnosis	790 1,515	12.6 15.2	2 2		10 11	16 19	25 31	Single diagnosis	3,600 3,520	7.8 9.6	3	5	7 7	9	12 17
With surgery	855 1,450	20.6 10.6	8	12 3	16	25 13	36 23	With surgery	5,105 2,015	9.4 6.9	4	5	8 5	11 8	15 13

Table 5 SOUTH: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND DISCHARGE CHARACTERISTICS—Con.

Oiognosis And Oischorge Chorocteristics	Number of	Averoge stoy			entiles (			Oiognosis And Oischarge Chorocteristics	Number of	Averoge stoy			entiles (	doys)	
(ICOA 8th Revision)	dischorges	(doy's)	10th	25th	50th	75th	90th	(ICOA 8th Revision)	dischorges	(doys)	10th	25th	50th	7Sth	90th
ACUTE UPPER RESPIRATORY INFECTIONS EXCEPT INFLUENZA (460-46S)								OTHER OISEASES OF UPPER RESPIRATORY TRACT (500-508)							
Total	11,170	8.5	2	4	6	10	15	Total	5,245	\$.6	1	2	3	7	- 1
65 to 74 yeors	6,00\$ 3,88\$ 1,280	7.7 9.2 10.1	2 3 2	4 4 4	6 7 7	9 11 12	14 16 19	6S to 74 yeors 7S to 84 yeors 8S yeors ond over	3,810 1,230 20\$	\$.1 7.1 5.7	1 1 2	2 2 3	3 S 4	6 8 8	10
Single diognosis	3,195 7,975	7.0 9.1	2 3	3 4	5 7	8 11	12 16	Single diognosis	2,640 2,605	4.S 6.8	1	1 2	3 S	\$ 8	13
With surgery	340 10,830	9.3 8.5	1 2	2 4	7 6	13 10	18 15	With surgery	3,240 2,005	4.6 7.2	1 2	2 3	3 6	5 9	1:
ACUTE ANO UNQUALIFIEO 8RONCHITIS ANO 8RONCHIOLITIS (466, 490)								PLEURISY (511)	0.475	0.0	2		7	,,	,
Total	32,850	9.2	3	4	7	11	16	6S to 74 years	2,475 1,330	9.0 9.0	2	4	6	11	1
6S to 74 yeors	19,175 11,025 2,680	8.9 9.4 10.1	3 3 3	4 5 S	7 7 8	11 11 12	16 16 18	75 to 84 years	940 20S	8.S 10.4	2 3	4	7 9	11	1
Single diognosis		7.9 9.9	2 3		6 8	9	13	Single diagnosis	8SS 1,620	7.3 9.8	2 3	3	5 8	9 12	1
With surgery	1,39\$	12.5	3	5	9	15	23	With surgery	120 2,3SS	15.5 8.6	4 2	9 4	11 6	20 10	2: 1:
Without surgery	31,45\$	9.0	3	4	7	11	16	PULMONARY CONGESTION AND HYPOSTASIS (S14)							
Totol	9,005	8.3	3	4	6	10	14	Tatal	4,320	11.3	1	4	8	14	2
6\$ to 74 yeors	4,740 3,400 865	7.9 8.4 9.9	2 3 3	4 4 4	6 6 7	9 10 13	13 14 20	65 to 74 yeors 75 to 84 yeors 85 yeors ond over	1,810 1,895 615	11.4 11.0 12.0	1 1	4 S 4	8 8 7	14 14 13	2:
Single diagnosis		7.0 9.3	2 3	3 4	5 7	8 11	12 16	Single diognosis	1,100 3,220	10.3 11.7	1	4	7 8	13 14	2
With surgery	130 8,875	11.2 8.2	5 3	7	10 6	13 9	17 14	With surgery	105 4,215	18.8 11.1	4 1	6	13 8	20 14	31
PNEUMONIA (480-486)								CHRONIC INTERSTITIAL PNEUMONIA							
Totol	60,830	11.8	3	S	9	14	22	Total	2,700	10.9	3	s	8	14	21
6S to 74 yeors	26,44\$ 24,460 9,925	11.2 12.2 12.5	3 3 2	5 6 5	8 9 9	13 14 15	20 23 24	65 to 74 yeors	1,555 898	11.1 10.2	3	5 4 7	8 8 10	14	2
Single diognosis	21,520 39,310	9.7 13.0	3 3	5	7 10	11 15	17 24	85 yeors ond over	250 495 2,205	12.3 11.1 10.9	3 3	5	8 8	16 16	2 2
With surgery	2,670 \$8,160	19.9 11.4	7	10 5	16 9	23 13	38 21	With surgery	34S 2,3SS	12.S 10.7	3	6	11	17	2 2
CHRONIC 8RONCHITIS (491)								DISEASES OF ORAL CAVITY, SALIVARY	2,535	10.7	3	٦		13	
Total	7,715	10.5	3		8	13	19	GLANOS, ANO JAWS (520-529)					Ì		
6S to 74 yeors	4,980 2,275 460	10.1 11.0 12.0	3 3 3	5 S 4	8 8 7	13 13 12	19 22 17	6\$ to 74 years	3,750 2,830	6.3 \$.4	1	2 2 2	3	7 6 9	1:
Single diognosis	2,230 5,48\$	8.S 11.3	2 3	4 5	6 8	10 13	16 21	75 to 84 years	1,005 215 2,025	7.7 9.1	1	2 2 2	4 4 3	11	1 2
With surgery	920 6,795	11.2 10.4	2	4 5	8 8	16 12	24 19	Single diagnosis	1,725	5.4 7.3	i	2	4	9	1
EMPHYSEMA (492)								With surgery	2,310 1,440	5.6 7.4	1	2 2	3 5	5 9	1
Totol	21,235	10.4	2	4	7	12	20	OISEASES OF ESOPHAGUS (530)							
6S to 74 years	13,350 6,830	10.1 10.9	2 2 2	4	7 8	12 13	19 22	Total	5,40\$	9.3	1	3	6	11	2
8S years and over	1,0SS 6,01S	11.0 9.1	2 2 2	4	8 6	13 11	24 17	65 to 74 years	3,045 1,860 500	8.9 9.4 11.3	1 1 2	3 3 4	5 6 7	10 11 15	2 2 2
Multiple diognoses		10.9	2	S 7	8	13 19	21 30	Single diognosis	1,990 3,41S	7.6 10.2	1 2	2 3	4 7	8	1
Without surgery		10.1	2	4	7	12	19	With surgery	1,890 3,515	11.9 7.8	1	3	8 5	16	2
Total	7,300	8.8	2	4	7	11	17	ULCER OF STOMACH (531)							
65 to 74 years	S,165 1,885	8.S 9.5	2	4 4	6 7	10 11	16 18	Total	8,395	12.3	2	5	10	16	2
85 years and over	250 2,740	9.4 7.\$	2 2 2	3	8 5	12	18	65 to 74 years	5,085 2,760 550	11.7 13.3 13.2	2 3 2	5 6 5	9 10 11	15 17 16	2 2 2
Multiple diagnoses	4,560	9.S 13.8	2	4	7	12	18 29	Single diognosis	3,465 4,930	10.8 13.4	1	4	8 10	15	2:
Without surgery		8.6	2		6		16	With surgery	1,985 6,410	17.9 10.6	6	10	15.	22	3 2

Oiognosis And Oischorge		Average		Perce	entiles (	days)		Oiognosis And Oischorge		Averoge		Perce	ntiles (	doys)	
Chorocteristics (ICOA 8th Revision)	Number of dischorges	stoy (doys)	10th	25th	50th	75th	90th	Chorocteristics (ICOA 8th Revision)	Number of dischorges	stay (doys)	10th	25th	50th	75th	90th
ULCER OF OUOOENUM (532)								HERNIA OF A800MINAL CAVITY WITH							
Totol	16,880	10.5	3	5	8	13	20	085TRUCTION (552, 553)							
65 to 74 years	10,710 5,225	10.0 11.3	2	4 5 5	8	13 14	19 21	Total	5,230 2,735	11.2	3	5	8	13	21 21
85 years and over	945	11.5 8.9	3	5	9	14	20 17	75 to 84 years	1,755 740	11.5 12.3	3 2	6	9	12 15	20 24
5ingle diognosis	10,095	11.6	3	5	9	14	21	Single diognosis	?,905 2,325	9.6 13.2	3 3	5	8 10	11 16	16 25
With surgery		17.2 9.0	7 2	10 4	15 7	21 11	29 16	With surgery	4,115 1,115	12.0 8.3	5	7 2	9	13	21 19
PEPTIC ULCER, SITE UNSPECIFIED (533)	4 015	10.4	2	4	8	13	20	INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (560)							
Totol	6,815 4,290	10.6	2	4	7	13	20	Total	13,650	11.6	1	3	8	15	24
75 to 84 years	2,010 515	10.8 14.8	2 2	5	8 9	13 17	20 34	65 to 74 yeors	6,150 5,365	11.8 11.5	1	3	8	15 14	25 24
Single diognosis	3,065 3,750	8.9 12.0	2	4 5	7 9	11 15	17 22	85 years and over	2,135	11.0	1	3	7	14	24
With surgery	825 5,990	17.9 9.6	6 2	10 4	16 7	22 12	29 18	Single diagnosis	6,450 7,200	10.2 12.8	2	3	9	13 16	22 26
GASTRITIS AND OUDOENITIS (535)								With surgery	4,030 9,620	18.0 8.9	6 1	10	14	10	32 18
Total	14,845	7.2	2	3	5	8	14	OIVERTICULA OF INTESTINE (562)	21 205	0.0	0	2		11	17
65 to 74 years	4,595	6.7 7.9 8.6	2 2 2	3 3 3	5 6 6	8 9 10	13 16 17	Total	31,205 17,085	9.0 8.5	2	3	6	11	17 17
Single diognosis		5.4 8.2	1 2	2 3	4 6	6	10 16	75 to 84 years	11,575 2,545	9.5 9.8	2	4	6 7	11	18 20
With surgery	735	11.8	3	5	8	17	24	5ingle diognosis	11,975 19,230	7.6 9.8	1 2	3 4	5 7	9 11	15 19
OISOROERS OF FUNCTION OF STOMACH	14,110	7.0	2	3	5	8	13	With surgery	5,555 25,650	14.9 7.7	3 2	5	11	19	29 14
(536)	2,690	6.8	1	2	5	8	13	FUNCTIONAL 0150R0ER5 OF INTESTINE (564)							
65 to 74 yeors	1,505	6.1	1		4	7	11	Total	5,910	6.7	1	3	5	8	12
75 to 84 years		7.6 8.2	2	2 3 3	5	8 9	15 15	65 to 74 years	3,545 1,980	6.0 7.6	1	3	4 5	7 9	11 15
Single diognosis		5.7 7.5	1 2	2 3	3 5	6 9	11 14	85 years and over	385 2,230	8.4 5.4	1	3	6	10	18
With surgery	180 2,510	9.9 6.6	3	4 2	7	13 8	20 12	Single diognosis	3,680	7.5	2	3	5	9	14
INGUINAL HERNIA WITHOUT MENTION OF OBSTRUCTION (550)								With surgery	655 5,255	9.1 6.4	2 1	3	6	7	17 12
Total	21,350	8.7	4	5	   7	10	13	CIRRHOSIS OF LIVER (571)	2.025	142	2	_	11	18	20
65 to 74 years	14,580 5,955	8.4 9.3	4	5 5	7 7	9 10	13 15	Total	3,925 2,770	14.2	3	6	11	17	30 28
85 yeors and over	14,100	10.6 7.8	4	5	7	12	16	75 to 84 years	1,025 130	15.9 13.6	2 2	5 7	12	21 15	33 29
Multiple diagnoses	7,250	10.4	4	6	8	12	17	5ingle diognosis	1,250 2,675	12.9 14.8	3 2	6	9 11	17 19	26 30
With surgery	19,305 2,045	8.7 8.5	1	5	6	10	13 16	With surgery	600 3,325	18.6 13.4	5 2	10 5	16 10	24 16	34 28
VENTRAL HERNIA WITHOUT MENTION OF 08STRUCTION (551.2)								CHOLELITHIA515 (574)							
Total		10.9	4	6	9	12	17	Total	27,920	13.1	3	7	11	17	23
65 to 74 years	1,070	10.6 11.8 10.2	4 2	6 4	9 9 9	12 14 12	16 23 18	65 to 74 yeors	17,735 8,560 1,625	12.7 13.8 14.5	3 3	7 6 6	11 11	16 18 20	22 25 29
5ingle diognosis		10.0 12.4	4	6 7	8 10	11 15	15 21	Single diognosis	14,090 13,830	12.6 13.7	3	7 6	11 11	16 18	21 25
With surgery	3,390 730	11.4 8.8	5	7	9	13 11	17 17	With surgery	16,430 11,490	16.0	8 2	10	13 6	19	26 18
OIAPHRAGMATIC HERNIA WITHOUT	/30	0.0	2	3	"		17	CHOLECYSTITIS AND CHOLANGITIS	11,470	/			J		
MENTION OF 085TRUCTION (551.3) Total	17,265	8.1	2	3	6	10	15	WITHOUT MENTION OF CALCULUS (575)							
65 to 74 years	10,770	7.7		3	5	9	15	Total	16,535 8,735	11.1 10.7	3	5	8	13	21
75 to 84 years	1,030	8.5 9.9	2 2 2	4	6 7	12	16	75 to 84 years	6,255 1,545	11.6 11.4	3	5	8	14	20 22 21
Single diognosis  Multiple diognoses		6.7 8.5	1   2	3	6	10	13 16	Single diognosis	8,090 8,445	10.0 12.2	2 3	4 5	8 9	12	19 23
With surgery		12.7 7.3	3 2	6 3	11 5	16 8	22 13	With surgery	4,495	16.5	8 2	10	14	20	27 16
								Without surgery	12,040	9.1	2	4	/	101	10

Table 5 SOUTH: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND DISCHARGE CHARACTERISTICS—Con.

Oiognosis And Oischorge	Number of	Averoge		Perce	entiles	doys)		Oiognosis And Oischorge	Number of	Averoge		Perce	ntiles (	doys)	
Chorocteristics (ICOA 8th Revision)	dischorges	(doys)	10th	25th	50th	75th	90th	Chorocteristics (ICOA 8th Revision)	dischorges	stoy (doys)	10th	25th	50th	75th	90th
OTHER DISEASES OF GALL BLAODER AND BILIARY DUCTS (576)								CY5TITI5 (595)						i	
Total	4,895	11.3	2	4	8	14	23	Total	11,390	8.8	2	3	6	10	17
65 to 74 yeors	2,665 1,785	10.9 11.6	2 2 3	4	8 8	14 15	22 24	65 to 74 yeors	5,825 4,160 1,405	7.8 9.5 10.7	2 2 2	3 4 4	6 7 8	9 11 14	14 18 21
85 years and over	2,330	12.1 10.6	3 2	5	9	15 13	25 22	Single diagnosis	3,870 7,520	6.7 9.9	1 2	3	5	8 12	. 13 19
Multiple diagnoses	2,565	11.9	3	5	8	15	24	With surgery	4,395	8.3	2	3	6	10	15
With surgery	1,250 3,645	18.2 8.9	8 2	11 3	16 6	22 10	32 17	OTHER DISEASES OF BLADDER (596)	6,995	9.1	2	4	7	11	17
OISEASES OF PANCREAS (577) . Totol	3,385	12.7	3	5	9	16	24	Total	4,510	10.8	2	5	8	13	22
65 to 74 years	2,020	12.7	3	5	10	15	23	65 to 74 yeors	2,370 1,705	10.2 11.5	2 3	4 5	8 9	12 14	21 22
75 to 84 yeors	1,090 275	13.3 12.1	3 2	6 5	8	19 13	26 23	85 years and over	435 1,675	11.6 9.6	2	4	8	13 11	25 19
Single diognosis	1,395 1,990	10.7 14.1	2 3	5 6	8 10	12 18	20 27	Multiple diagnoses	2,835	11.5	3	5	9	14	22
With surgery	495 2,890	20.7 11.3	9	12 5	20 8	26 13	33 21	With surgery	3,075 1,435	11.1 10.2	3 2	5 4	8 7	13 13	22 21
CHRONIC ANO UNQUALIFIEO NEPHRITIS (582, 583)								URETHRITIS AND STRICTURE OF URETHRA (597, 598)							
Totol	1,870	14.0	3	5	10	17	31	Total	6,410	7.7	1	3	5	9	14
65 to 74 years	1,040 650	13.1 15.4	3 3 2	5	9	17 19	28 35	65 to 74 yeors 75 to 84 yeors 85 yeors and over	4,005 2,005 400	7.2 8.3 9.2	2 2	2 3 4	5 6 7	10 11	14 15 18
85 years and over	180 435	14.2		4	10	15	29 24	Single diognosis	2,350 4,060	6.3 8.4	1 2	2	4	10	12 16
Multiple diognoses	1,435	14.5	3	5		19	32	With surgery	4,755	7.6	1	3	5	9	14
With surgery	250 1,620	22.3 12.7	5 2	10 5	18 9	32 15	40 26	Without surgery	1,655	7.8	2	3	6	10	14
INFECTIONS OF KIONEY (590) Total	17,320	10.4	3	5	8	12	19	ELSEWHERE CLASSIFIED (599.0) Totol	15,625	10.6	3	5	8	12	20
65 to 74 yeors	7,920	9.8	3	4	7	12	18	65 to 74 yeors	6,820	9.7	2	4	7	11	18
75 to 84 years	7,065 2,335	10.8	3	5 5	8	13 13	20 22	75 to 84 years	6,300 2,505	10.9 12.5	3	5	8 9	13 15	20 24
Single diognosis	6,100 11,220	8.5 11.4	3	4 5	6 8	10 14	15 21	Single diognosis	5,340 10,285	8.7 11.6	2 3	4 5	6 8	10 13	16 22
With surgery	1,515 15,805	13.6 10.1	3	7 5	10 7	17 12	26 18	With surgery Without surgery	2,575 13,050	11.6 10.4	3	5 5	9 7	14 12	23 19
CALCULUS OF KIONEY AND URETER (592)								HYPERPLASIA OF PROSTATE (600)							
Total	10,050	8.8	1	3	6	11	17	Total	40,665	12.0	3	6	10	14	21
65 to 74 years	7,605 2,150	8.5 9.5	1 2	3	6	11 12	17 19	75 to 84 yeors	23,445 14,005 3,215	11.2 12.8 14.7	3 4 3	6 7 7	9 10 11	14 15 18	19 22 27
85 years ond over	295 5,635	8.6 7.6	2	3	6	11	17 15	Single diagnasis	20,855 19,810	11.0 13.2	3	6	9 11	13 16	19 23
Multiple diagnoses	4,415	10.3	2	4	7	13	20	With surgery	32,695	12.6	5	7	10	15	22
With surgery	4,440 5,610	12.2 6.0	3	6 2	10	15 7	12	Without surgery	7,970	9.9	2	4		12	19
OTHER DISEASES OF KIONEY AND URETER (593)								Totol	3,445	8.3	2	3	6	10	16
Totol	4,725	10.5	1	3	8	14	22	65 to 74 yeors	2,100 1,115	7.7 9.2	2 2	3 4	5	9 11	14 19
65 to 74 yeors	2,915 1,495 315	10.3 10.6 12.0	2	3 4	7 8 9	13 14 15	22 21 24	85 years and over	1,320	10.2 7.6	3 2	3	7 5	14	19 16
Single diognosis	1,800	8.7 11.6	1 2	2	6 9	12 15	18 23	Multiple diognoses	2,125 1,250	8.8 9.9	2	3	6	11	16 21
With surgery	1,875	12.5	2	5	10	16	25	Withaut surgery	2,195	7.5	2	4	5	9	14
CALCULUS OF OTHER PARTS OF	2,850	9.2	1	3	6	12	18	CHRONIC CYSTIC DISEASE AND OTHER 015EA5E5 OF BREA5T (610, 611)				1			
URINARY SYSTEM (594)	1.025	0.0	2	3	7	12	17	Total	3,390 2,470	5.4 5.1	1	2	3	6	11 10
Total	1,935 1,325	9.2 8.4	1	3	6	11	16	75 to 84 years	820 100	6.2 7.3	i	2 2 2	4	5 7 11	10 12 17
75 to 84 years	525 85	11.0 11.4	3 2	4	8	13 15	23 24	Single diognasis	2,270 1,120	4.7 7.0	1 2	2 3	3 4	5 8	9 12
5ingle diognosis	895 1,040	7.3 10.9	1 3	3 5	5 8	10 14	15 21	With surgery	3,050	5.3	1	2 3	3	6	10
With surgery	1,220 715	10.8 6.6	3	5 2	9	14	19 14	Without surgery	340	6.8	21	31	41	61	13

Table 5 SOUTH: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND DISCHARGE CHARACTERISTICS—Con.

Oiagnosis And Oischarge	Number of	Average		Perce	entiles (	(days)		Oiagnasis And Oischarge	N b 6	Average		Perce	entiles (	(days)	
Characteristics (ICOA 8th Revision)	Number of discharges	stoy (days)	10th	25th	50th	75th	90th	Characteristics (ICOA 8th Revision)	Number of discharges	stay (days)	10th	25th	50th	75th	90th
UTEROVAGINAL PROLAPSE (623)								SPONOYLITIS OSTEOARTHRITICA (713.1)							
Tatal	10,215	11.4	6	8	10	13	17	Tatal	8,950	9.8	3	4	7	12	18
65 to 74 years 75 ta 84 years 85 years ond aver	7,495 2,530 190	11.1 12.4 10.6	6 6 4	8 8 6	10 10 9	13 14 13	16 20 16	65 to 74 years 75 ta 84 years 85 years and aver	5,250 3,010 690	9.4 10.4 10.0	2 3 2	4 5 5	7 8 8	11 13 11	17 19 22
Single diagnosis	5,390 4,825	10.7 12.2	6 5	7 8	9 10	12 14	16 20	Single diagnasis	2,325 6,625	8.5 10.2	2 3	4	6 8	10 12	16 18
With surgery	8,915 1,300	11.7 9.9	6 2	8 5	10 8	13 11	17 17	With surgery	685 8,265	16.4 9.2	3	8 4	14 7	20 11	30 17
Tatal	2,805	5.1	1	2	3	5	10	Tatal	8,965	10.2	2	4	7	12	20
65 to 74 years	2,055 670	4.9 5.6	1	2 2	3	5 7	10 12	65 ta 74 years	4,765 3,335	9.8 10.5	2	4 4	7 8	12	19 20
85 years and over	80	7.4	2	3	4	5	21	85 years and over	865	11.5	3 2	4	8	13	25
Single diagnosis	1,080		i	2 2	4	8	15	Single diagnasis	3,085 5,880	9.2 10.7	3	4	7 8	11	18 21
With surgery		5.0 6.0	1	2 2	3	5 7	10 13	With surgery	670 8,295	16.6 9.7	2	7	13 7	12	33 19
CELLULITIS ANO A85CES5 (681, 682)  Tatal	7,500	11.8	3	5	9	14	22	O5TEOPORO515 (723.0) Tatal	7,500	12.7	3	6	10	16	24
65 to 74 years	4,005	11.3	3	5	8	13	21	65 ta 74 years	3,175	12.1	3	5	9	15	24
75 ta 84 years	750	13.1	3	5	10	15 17	23 25	75 to 84 years	3,285 1,040	13.0 13.5	3	6	10 10	17	24 24
Single diagnosis		10.2 12.8	3 4	6	7 9	12 16	18 24	Single diagnosis	1,850 5,650	12.1 12.9	3 3	6	10 10		22 24
With surgery	1,410 6,090		3 3	6 5	12 8	21 13	29 20	With surgery	485 7,015	20.6 12.1	3	10 5	18 9	25 15	35 23
OERMATITIS AND ECZEMA (690, 692)								OISPLACEMENT OF INTERVERTEBRAL OISC (725)							
Totol			2		7	13	18	Tatal	5,970	13.2	3	6	10	16	25
65 to 74 years 75 ta 84 years 85 years ond over	670	10.3	2 3 3	5 6	7 8 12	11 13 18	16 21 39	65 to 74 years	4,425 1,370 175	13.0 13.5 15.8	4 3 3	6 6	10 10 10	16 16 16	24 27 33
Single diagnosis	780 1,160		1 3	3 5	6 8	12 13	15 21	Single diagnasis	2,795 3,175	13.1 13.3	4 3	7 6	11 10	16 16	24 25
With surgery			1 2	2 4	5 8	13 13	18 18	With surgery	1,360	19.9	8 3	12	17:	25	34 19
CHRONIC ULCER OF SKIN (707)								VERTEBROGENIC PAIN SYNOROME (728)	4,610	11.2	3	5	9	13	19
Totol			3			21	38	Total	4,375	11.0	3	5	8	13	20
65 to 74 years	1,805	18.1	3 3 3	6 7 7	11 13 14	20 23 24	35 39 36	65 to 74 years	2,760 1,355	10.4 12.1	3 3 3	5 5 5	8 9 8	13 15 14	19 23 22
Single diagnasis	2,215 2,445	15.6 18.9	3 3	5 7	10 14	19 23	35 40	85 years and over	260 2,015	11.0 11.2	3	5	8	13	21
With surgery	1,485 3,175		3 3	8 6	15 11	26 20	46 31	Multiple diagnases	2,360 495	10.8 17.3	3 5	10	15	13	19 31
RHEUMATOIO ARTHRITIS AND ALLIED CONDITIONS (712)								Without surgery	3,880	10.2	3	5	8	12	18
Tatol	6,405	13.3	3	5	10	16	26	TENOSYNOVITIS (731)	2.010	7.4	Ι,			9	14
65 to 74 years			3	5 5	10 10	16 16	26 25	65 to 74 years	3,910 2,755	7.4 6.9	1	2 2	5	8	14 14
85 years ond over	295		3	5	9	17 16	32 25	75 ta 84 years	1,000 155	8.3 11.0	2 2	3	5 7	12	15 16
Multiple diognoses	4,420	13.5	3	5	10	17	26	Single diagnasis	2,005 1,905	6.0 8.9	1 2	2 4	4 6	7 10	12 17
With surgery			3 3	5	14 9	25 15	42 23	With surgery	1,685 2,225	5.6 8.8	1 2	2 4	3	6 10	11 16
O5TEOARTHRITI5 (713.0)  Tatal	13,580	12.2	3	5	9	15	24	SYMPTOMS REFERABLE TO NERVOUS 5YSTEM AND SPECIAL SENSES (780,	10						
65 ta 74 years	7,180		3	5	8 9	15 16	23 25	781) Tatal	2,855	7.6	1	3	5	9	15
85 years and over	1,170	11.9	3 3		9	16 15	22	65 ta 74 years	1,925	7.1	1	2	4	8	14
Single diagnasis	9,360		3 3		10 8	18 14	26 22	75 to 84 years	765 165	9.0 7.1	1	3 2	5	10	17 16
With surgery			5		17 7	24 12	35 19	Single diagnosis	2,230 625	7.3 8.9	1 2		6	10	14 17
								With surgery	105 2,750	14.6 7.3	2	3 3	8 5	19	29 14

Table 5 SOUTH: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND DISCHARGE CHARACTERISTICS—Con.

Oiognosis And Oischorge Chorocteristics	Number of	Averoge stoy		Perce	entiles (	doys)		Diognosis And Dischorge Chorocteristics	Number of	Averoge stoy		Perce	ntiles (	doys)	
(ICOA 8th Revision)	dischorges	(doys)	10th	25th	50th	75th	90th	(ICOA 8th Revision)	dischorges	(doys)	10th	25th	50th	75th	90th
ACUTE HEART FAILURE, UNDEFINED (782.4)								FRACTURE OF VERTEBRAL COLUMN, OORSAL (THORACIC) AND LUMBAR, CLOSEO (805.2)							
Total		10.3	1	4	8	13	21	Total	6,565	15.0	4	7	12	19	27
65 to 74 years 75 to 84 years 85 years and over	655 750 305	10.7 10.5 9.0	1	4 2	8 7 6	14 13 12	21 22 18	65 to 74 yeors	2,935 2,790 840	14.6 15.3 16.0	4 5 4	7 7 8	12 12 13	18 20 19	27 28 28
Single diognosis	1,410 300	10.0 12.1	1 2	3	7 10	13 17	20 26	Single diognosis Multiple diognoses	3,045 3,520	13.9 16.0	4 5	7 8	11 13	18 20	26 29
With surgery	1,660	16.7 10.1	1	3	15 8	23 13	30 20	With surgery	155 6,410	17.8 15.0	5 4	8 7	13 12	22 19	35 27
SYNCOPE OR COLLAPSE (782.5)  Total	1,795	5.4	1	2	4	6	10	FRACTURE RI8(5), CLOSEO (807.0)							
65 to 74 years	1,040	5.2	1	2 2	3	6	11	Total	5,140	10.7	2	4	8	12	21
75 to 84 years	160	5.8 4.6	1	1	4 4	6	9	65 to 74 yeors	2,405 2,065 670	9.5 11.8 11.8	2 3 3	4 5 6	7 8 9	11 14 13	18 24 23
Single diagnosis	310	5.3 5.8	1	2 2	3 5	6 7	10	Single diognosis	1,525 3,615	8.3 11.7	2 2	4 5	6 8	10 14	15 23
With surgery	30 1,765	10.5 5.3	3	2	8	13 6	18 10	With surgery	290 4,850	18.2 10.3	3 2	8	13 7	24 12	37 20
Totol	2,075	5.5	1	2	4	6	10	CLOSEO FRACTURE OF PELVIS (808.0)							
65 to 74 years	1,225 670	5.5 5.7	1	2	4	6 7	10 10	Total	3,245 1,0 <b>8</b> 5	19.8 19.9	5	9	16	25 24	38
85 years and over	180	4.7 5.2	i 1	2 2 2	4	5	7 9	75 to 84 years	1,400 760	20.5 18.3	5	10	17 15	26 24	39 34
Multiple diagnoses	285 245	7.4 7.4	2	3	5	8	11	Single diognosis	1,700 1,545	17.6 22.2	5 5	8 10	14 18	22 29	33 42
Without surgery	1,830	5.2	ī	2	4	6	10	With surgery	140 3,105	28.6 19.4	7 5	13 9	24 15	40 25	52 37
Total	2,830	8.5	1	3	5	10	18	MULTIPLE ANO ILL-OEFINED FRACTURES OF TRUNK, CLO5EO (809.0)							
65 to 74 yeors	1,815 855	8.1 9.1	1	3 3	5 6	10 10	18 18	Total	1,665	20.7	3	8	17	28	43
85 years and over	160 2,465	10.4 8.6	1	3	6 5	9	18	65 to 74 yeors	805 645 215	20.5 21.1 19.8	3 3 1	9 8 8	17 17 17	27 29 26	42 44 35
Multiple diognoses	365 135	8.3 18.1	3	9	6 16	10 23	16 34	Single diognosis	850 815	19.5 21.9	3	8 9	15 18	27 30	38 46
A8DOMINAL PAIN (785.5)	2,695	8.1	1	3	5	9	17	With surgery	325 1,340	26.4 19.3	8 3	14 8	20 16	34 26	49 40
Total	4,815	6.9	1	2	5	8	14	FRACTURE OF UPPER END OR SHAFT OF HUMERUS, CLOSED (812.0, 812.2)							
65 to 74 yeors	2,850 1,540 425	6.3 7.7 7.6	1 1 1	2 3 2	4 5 6	7 9 10	12 15 13	Total	5,040	11.7	2	4	8	15	26
Single diognosis	4,175	6.6 8.5	1 2	2 4	4 6	8 10	13	65 to 74 yeors	2,065 2,290 685	11.0 12.0 13.0	2 2 2	4 4 4	8 8 9	14 16 17	24 26 29
With surgery	455 4,360	11.8 6.4	3	5 2	10	15	20	Single diognosis Multiple diognoses	3,145 1,895	10.1 14.4	1 3	3	7 7 11	12 19	22 29
RETENTION OF URINE (786.1)	4,300	0.4	·				12	With surgery	1,415 3,625	12.1 11.6	1 2	3	8	17 17 15	28 25
Totol		10.5	2	4	7	13	20	Without surgeryFRACTURE OF UPPER END OR	3,023	11.0	2	*		13	23
65 to 74 yeors	855 660 260	9.4 10.3 14.5	2 2 3	3 4 5	7 8 9	11 13 14	19 20 22	UNSPECIFIEO PART OF RADIUS AND ULNA, CLOSEO (813.0)							
Single diognosis	1,535	9.6	2	3	7 10	12 16	19 31	Total	1,530	7.9	1	2	5	10	18
Multiple diognoses	715	16.1	4	7	10	15	21	65 to 74 yeors	845 545 140	6.3 8.7 13.9	i	2 2 3	5	11 19	13 18 30
HEMATURIA (789.3)	1,060	9.2	ı '	3	5	10	20	Single diognosis	1,040 490	6.8 10.2	1	2	4 7	8 11	14 23
Total	2,275	7.0	1	2	5	8	14	With surgery	925 605	6.8 9.4	1	2 2	4	8 12	13 20
65 to 74 years	1,310 755 210	6.7 7.0 9.0	1 1 1	2 3 2	5 5 5	8 9 10	13 14 20	FRACTURE OF LOWER ENO OF RADIUS ANO ULNA, CLOSEO (813.4)							
Single diognosis	2,050	7.0 7.6	1 2	2	5	8 10	14 15	Total	2,740	6.1	1	2	3	6	13
With surgery	1,140	7.6	1	3 2	5	9	14 i	65 to 74 yeors	1,560 945 235	5.2 6.2 11.5	1	1 2 2	3 3 5	6 6 13	10 14 32
,	.,,031	0.51	. ,					Single diagnosis	1,875 865	4.8	1	1 2	3	5	8 19
								With surgery Without surgery	1,485 1,255	5.2 7.1	1	1 2	3 4	5 8	10 15

Table 5 SOUTH: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND DISCHARGE CHARACTERISTICS—Con.

Oiagnasis And Oischarge	Number af	Average		Perce	entiles (	(days)		Oiagnasis And Oischarge	Number of	Average		Perce	entiles (	(days)	
Characteristics (ICOA 8th Revision)	discharges	stay (days)	10th	25th	50th	75th	90th	Characteristics (ICOA 8th Revision)	Number of discharges	stay (days)	10th	25th	50th	75th	90th
FRACTURE OF INTERTROCHANTERIC								CONCUSSION (850)							
SECTION OF NECK OF FEMUR, CLOSED (820.2)								Tatal	1,550	8.1	1	2	5	9	16
Tatal	9,480 2,300	21.2	7 9	12	17	25 25	38	65 ta 74 years	905 485 160	7.5 7.9 12.1	1 1 2	2 2 4	5 6 6	9 10 14	15 14 18
75 to 84 years	4,710 2,470	21.6 19.9	, 7 5	12 11	17 17	25 24	39 36	Single diagnasis	395	5.8	1	2 3	4	7	12
Single diagnasis	5,885 3,595	20.0 23.2	7	12 12	17 19	23 29	34 43	Multiple diagnases	1,155	8.9 14.3	3	5	10	10	17 32
With surgery	7,775 1,705	21.1 21.7	9	13	17 16	24 29	35 48	Without surgery	1,415	7.5	1	2	5	9	14
FRACTURE OF OTHER AND UNSPECIFIED	1,700	2						OF HEAD, NECK, AND TRUNK (870-879)							
PART OF NECK OF FEMUR, CLOSEO (820.4)								Tatal	4,155	8.0	1	2	5	9	18
Tatal	24,195 6,765	20.5	5	11	17	25 25	37	65 ta 74 years	2,230 1,395 530	8.1 8.2 7.5	1 1	2 2 2	5 5 5	10 10 9	17 19 17
75 ta 84 years	11,495 5,935	20.6 20.1	6 5 5	11	17 17	25 25	38 36 37	Single diagnasis	1,145 3,010	6.5 8.6	1	1 2	3	7 10	13 19
Single diagnasis		19.0 23.5	4 6	11 13	16 19	23 29	34 44	With surgery	1,165	9.6	1	2 2	6	12	21
With surgery	17,090 7,105	21.2 18.6		13 5	18 14	25 24	35 42		2,990	7.4	'	2	4	٥	13
FRACTURE OF OTHER AND UNSPECIFIED PARTS OF FEMUR (821)								INTACT SKIN SURFACE (920-929)  Total	11,015	8.9	1	3	6	11	18
Total	3,555	24.0	3	10	18	31	52	65 ta 74 years	4,895 4,545	7.9 9.6	1 2	3	5 7	10 12	16 19
65 to 74 years	1,235 1,520	23.2 24.4	3 4 3	9 11	16 20	30 30	52 51	75 ta 84 years	1,575	10.1	1	3	6	13	19
85 years and over	2,295	24.7		10	17	31	54 48	Single diagnasis	3.160 7.855	7.4 9.5	2	2 3	5 7	12	15 19
Multiple diagnoses	1,260	26.6 23.4		11	19	36 28	58 45	With surgery	500 10,515	14.3 8.7	2	5 3	9 6	17 11	26 17
With surgery	1,610	24.7	1	6	16	37	60	AOVERSE EFFECT OF MEDICAL AGENTS (960-979)							
FRACTURE OF TIBIA AND FIBULA (823)  Total	2,230	15.4	2	6	11	18	32	Tatal	5,395	8.1	1	3	6	10	15
65 ta 74 years	1,440 625	14.6 18.4		5 7	10 13	17 22	31 37	65 to 74 years 75 ta 84 years 85 years and aver	2,940 1,980 475	7.8 8.6 8.3	1 2 2	3 3	5 6 6	10 10 10	15 15 15
85 years and aver	165	10.9		5	9	13	23 26	Single diagnasis	1,850 3,545	6.4 9.0	1 2	2 3	4 6	8 11	13 16
Single diagnosis	875	18.8	3	8	13	22	37	With surgery	160	17.2	6	8	12	21	29
With surgery	985 1,245	16.8 14.2		5	12	18   18	35 30	Without surgery	5,235	7.9	'	3	5	10	15
FRACTURE OF ANKLE (824)  Tatal	2,605	12.0	2	4	8	14	24	MECHANICAL NATURE FROM INTERNAL PROSTHETIC DEVICE (997.5)							
65 ta 74 years	1,645	11.7	2	4	8	14	23 28	Tatal		11.2 11.6	2	4	7	13 15	24 28
75 ta 84 years	820 140	12.6 11.1	2	4 5	8 9	14	22	65 ta 74 years	500	9.6	2 2	3 4	7 9	12 13	21 30
Single diagnosis	1,790 815	9.9 16.5		6	11	12 20	20 34	Single diagnasis	925 275	10.3 14.2	2	4 5	7 10	12 17	23 27
With surgery	1,505 1,100	12.3 11.5	3	5 3	7	14 13	24 24	With surgery	900 300	12.1 8.4	2 2	4 3	7 6	16 10	27 18
MULTIPLE FRACTURES INVOLVING 80TH LOWER LIM8S, LOWER WITH UPPER LIM8, AND LOWER LIM8 WITH RI8 AND STERNUM (828)								<b>3</b>				1			
Total	2,060	22.9	4	10	18	29	48								
65 ta 74 years	855 815 390	21.4 23.9 24.2	4 4	10 10 12	16 18 22	24 31 32	44 52 45								
Single diagnasis	1,190	20.2 26.6	4	9 11	16	24 35	41 51								
With surgery	1,145	25.1 20.2	8	12	20 15	31 26	47 48								
SPRAINS AND STRAINS OF BACK (846, 847)	,,,	10.2													
Tatal	7,585	9.8	2	4	8	12	18								
65 ta 74 years	2,340	9.3 10.1 13.2	2 2 3	4 4 5	7 8 9	12 13 17	16 19 27								
Single diagnasis Multiple diagnoses	2,825	8.7 10.5	2 3	4 5	7 8	11	16 19								
With surgery	250	17.0 9.6	6	7	13 7	20 12	29 17								

14,325 7,520

### Table 6 SOUTH: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED SURGICAL PROCEDURES, AND DISCHARGE CHARACTERISTICS

Surgical Pracedures And Oischarge Characteristics	Number of	Average stay		Perci	entiles	(uays)		Surgical Pracedures And Oischarge Characteristics	Number of	Average stay		Perce	entiles (	aays)	
(CPT 1st Edition)	discharges	(days)	10th	25th	50th	75th	90th	(CPŤ 1st Edition)	discharges	(days)	10th	25th	50th	75th	90tl
MASTECTOMY, COMPLETE, 5IMPLE (0457)								REPAIR OF VENTRAL HERNIA (3661)							
Tatal	2,925	11.3	3	5	9	13	19	Tatal	3,720	12.1	5	7	10	14	2
65 to 74 years 75 to 84 years 85 years and over	1,440 1,145 340	10.6 11.8 12.3	2 3 5	6 7	10 11	12 15 14	18 21 19	65 ta 74 years 75 to 84 years 85 years and over	2,675 965 80	11.7 12.8 16.2	5 5 6	7 8 9	10 10 14	13 15 17	1 2 2
Single diagnosis	1,815 1,110	9.6 14.0	2 4	8	8 11	11 18	16 24	5ingle diagnasis	2,275 1,445	10.7 14.3	5 6	7 9	9 12	12 16	1 2
MASTECTOMY, RAOICAL (0470) Total	3,640	13.3	7	9	11	15	20	PROSTATECTOMY, EXCEPT TRANSURETHRAL (4311-4313, 4316, 431X)							
65 to 74 years	2,470 1,080 90	12.9 14.3 12.2	7 7 6	9 9 8	11 11 12	14 16 15	20 24 18	Total	7,835 4,895	18.5 17.4	10 9	12 11		21 20	2
85 years and aver	2,315 1,325	12.2 12.5 14.6	7 7	9	11 12	14 16	19 25	65 ta 74 years 75 ta 84 years 85 years and over	2,540 400	19.9 21.5	10 11	13	15 16 19	22 26	3
REOUCTION OF FRACTURE OF HIP (0865-0868, 0872-0874)	1,323	14.0	ĺ		12	.0	23	Single diagnasis	3,965 3,870	16.5 20.4	9 10	11 13	14 17	19 23	3
Tatal	19,975	21.4	9	13	18	25	36	PROSTATECTOMY, TRANSURETHRAL (4321)							
65 ta 74 years	5,645 9,315	21.6 21.9	10 9	13 13	17 18	25 26	37 37	Tatal	29,725	12.8	6	7	10	14	2
85 years and over	5,015 12,840	20.4	8 9	12	18	26 25 23	34 33	65 to 74 years 75 ta 84 years 85 years and over	16,890 10,715 2,120	11.9 13.7 15.4	6 6 7	7 8 9	9 11 12	13 16 18	2 2 2
Multiple diagnoses	7,135	23.7	9	14	19	29	42	Single diagnasis	16,080	11.1	5	7 8	9 12	12 17	1
ANTHROPLASTY OF HIP (1150) Tatal	9,595	22.6	11	14	19	26	37	Multiple diagnases	13,645	14.9	0	8	12	- '/	2
65 ta 74 years	3,500 4,230	22.7 22.9 21.7	11 11 9	15 15	19 20 19	27 27 26	38 36 39	4501, 4505, 450X) Totol	3,765	11.6	6	7	10	13	1
Single diagnasis	6,460 3,135	21.7 21.2 25.5	)   	14	18 22	24 31	34 43	65 ta 74 years 75 ta 84 years 85 years and over	2,875 855 35	11.4 12.3 12.6	6 6 7	7 8 7	9 10 9	13 13 14	1 2 2
GASTRECTOMY (3112, 3114, 3115, 3118, 3119, 311X)								Single diagnasis	2,130 1,635	10.6 12.9	6	7 8	9 10	12 14	1 2
Tatal	3,635	21.2	10	14	18	26	34	HYSTERECTOMY, ABOOMINAL (INCLUDING PELVIC EXENTERATION)							
65 to 74 years	2,455 1,015 165	20.4 22.4 25.3	9 11 11	13 15 15	17 19 23	25 26 30	34 34 42	(4617, 4618, 4621, 4624-4627)  Tatal	3,515	13.3	7	9	11	15	2
Single diagnosis	1,745 1,890	19.6 22.6	10 11	12	17 20	24 27	30 37	65 ta 74 years	2,710 780 25	12.7 15.0	7 8	8 10	10 13	14 17	1
COLECTOMY (3178, 3180)								85 years and over	1,570	12.1	7	8	10	13	1
Total		Ì	11	ĺ	İ	26	37	Multiple diagnoses	1,945	14.3	7	9	12	16	ż
65 ta 74 years	4,895 2,755 560	20.8 24.8 25.9	10 12 11	15	18 20 21	24 29 30	33 44 46	HYSTERECTOMY, VAGINAL (4631) Total	4,445	12.4	7	8	11	14	1
Single diagnasis		20.3 24.1	11 11	13 15	17 20	23 29	32 41	65 to 74 years	3,315 1,080 50	12.0 13.4 13.7	7 8 8	8 9 11	10 12 13	13 15 16	1 1
HEMORRHOIOECTOMY (3375) Tatal	5,015	10.0	4	6	8	11	16	Single diagnasis	2,180 2,265	11.8 12.9	7	8 9	10 11	13 15	1
65 to 74 years	3,945 960	9.8 10.9	4 5	6	8 9	11 12	16 18	OILATION AND CURETTAGE UTERUS, OIAGNOSTIC (4647)	2,203	12.7	,	,		13	i
85 years and aver	110	13.1	5		10	16	26	Tatal	4,945	5.8	1	2	3	6	1
Single diagnasis	2,695 2,320	8.9 11.4	4	6	7	10 14	13 19	65 to 74 years	3,530 1,230 185	5.4 7.0 7.2	1 2 2	2 2 3	3 4 4	5 8 8	1 1 1
Total	18,530	16.0	8	10	13	19	25	Single diagnasis	2,965	4.6	1	2 2	3	5	
65 ta 74 years	13,010 4,930 590	15.1 17.8 20.2	8 9 7	10 11	13 15 19	18 21 25	23 28 36	Multiple diagnases	1,980	7.7	1	2	4	9	1
Single diagnasis	10,305 8,225	14.4 18.1	8 9	9	12 16	17 21	22 28	Tatal	49,680 25,725	7.2 7.1	3	4	6	8	1
REPAIR OF INGUINAL HERNIA, EXCEPT RECURRENT (3630-3632)	0,223	10.1	,	.,	.5	21	20	75 ta 84 years	20,620 3,335	7.4 7.8	3	5	6	8	1
Total	21,845	9.1	4	5	7	10	14	Single diagnasis	38,740 10,940	6.9 8.4	3	4 5	6	7 9	1
65 ta 74 years	14,610 6,185	8.7 9.8	4	5	7 8	9 11	13 15								

Table 7 WEST: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND DISCHARGE CHARACTERISTICS

IL.

Oiggnasis And Oischarge	Number of	Average		Perce	entiles	(days)		Oiagnasis And Oischarge	Number of	Average		Perce	entiles (	days)	
Characteristics (ICOA 8th Revision)	discharges	stay (days)	10th	25th	50th	75th	90th	Characteristics (ICDA 8th Revision)	discharges	stay (days)	10th	25th	50th	75th	90th
OIARRHEA (009.1)								MALIGNANT NEOPLASM OF ESOPHAGUS							
Tatal	1,055	7.6	2	3	5	10	15	(150) Tatal	780	13.6	1	4	9	17	27
65 ta 74 years	430	6.8 8.4 9.1	1 1 4	3 3 5	5 6 7	7 11 12	15 15 14	65 ta 74 years 75 ta 84 years 85 years and over	540 185 55	12.6 17.8 10.0	1 2 2	3 7 3	8 12 6	16 20 15	26 38 21
Single diagnasis		5.5 8.4	1 2	2 4	3 6	6 11	10 15	Single diagnasis Multiple diagnases	330 450	13.4 13.9	1 2	2	9	15	23
With surgery	60 995	13.3 7.3	2 2	8	9 5	15 10	23 14	With surgery	410 370	12.8 14.6	2	5	10 8	17 16	23 33
Tatal	8,325	6.5	. 1	2	4	7	13	MALIGNANT NEOPLA5M OF STOMACH (151)							
65 ta 74 years	4,030 3,165	5.9 6.9	1	2 2	4	7 8	11 13	Tatal	2,505	15.3	3	6	12	20	28
85 years and aver	1,130 3,020	7.4 5.1	2	3 2	5 3	9	15 10	65 ta 74 years 75 ta 84 years 85 years and over	1,095 1,180 230	16.6 14.9 11.3	3 2 3	7 5 6	13 12 10	22 20 15	31 28 22
Single diagnasis	5,305	7.3	2	3	5	9	14	5ingle diagnasis	745	13.5	2	6	12	18	24
With surgery	370 7,955	14.0 6.1	3 1	6 2	11 4	18 7	26 12	Multiple diagnases	1,760	16.1 18.1	3 8	12	13	22	30 28
PLEURISY WITH EFFUSION WITHOUT MENTION OF CAUSE (012.2)								With surgery	1,435	13.2	2	4	8	17	27
Tatal		12.5	2	4	8	16 13	27 23	MALIGNANT NEOPLA5M OF CECUM, APPENOIX AND ASCENDING COLON (153.0)							
75 ta 84 years	385	12.5	2 2 2	4 6	12	17 20	27 32	Tatal	1,600	16.8	4	9	14	20	31
Single diagnasis	190 600		2 2	3	6 9	12 17	20 28	65 ta 74 years	735 710 155	17.1 15.7 20.6	5 3 3	10 9 6	14 15 14	20 19 30	31 27 41
With surgery	160 630	14.8 11.9	2 2	3 4	11 8	22 14	31 23	Single diagnasis	530 1,070	15.4 17.5	3 4	9	14 14	19 20	27 33
SEPTICEMIA (038)								With surgery	1,065	18.0 14.4	8	11	15	20 18	30 32
Tatal		13.4	1	4	10	18	25	MALIGNANT NEOPLASM OF	333	14.4		J			31
65 ta 74 years	385	13.6 12.7 14.6	2 1 1	5 3 2	10 11 7	16 18 19	29 22 42	TRANSVERSE AND DECENDING COLON (153.1, 153.2)	970	17.4	5	10	,,	21	21
Single diagnasis	140 835	7.1 14.5	1	1 5	4 11	8 18	18 26	65 ta 74 years	870 415	17.6 19.0	5	10	14	21	31
With surgery	150 825	17.1 12.7	4	7	12 10	20 17	31 24	75 ta 84 years	340 115	16.1 17.2	6 1	10 8	13 15	18 23	27 28
Without surgery	023	12.7	'	•	10	"	24	Single diagnasis	305 565	16.2 18.4	6	11 10	14 14	17 23	26 34
Tatal	1,525	10.6	3	4	8	12	20	With surgery	620 250	18.5 15.4	9	11	15	20	29 35
65 ta 74 years 75 ta 84 years 85 years and aver	635 695 195	12.0	3 3 2	4 5 3	6 9 8	11 13 14	15 23 19	MALIGNANT NEOPLASM OF SIGMOIO COLON (153.3)	230	13.4		J			33
Single diagnasis		8.6 11.5	2	3 5	7 8	10 13	14 22	Tatal	1,640	17.7	5	9	14	21	32
With surgery	70 1,455		4 2	6	11 8	19 12	40 20	65 ta 74 years	850 670 120	16.4 18.7 20.5	6 5 5	9 10 12	13 15 17	20 23 26	30 32 36
OTHER VIRAL 015EASE5 (070-079)								Single diagnasis	630 1,010	14.9 19.3	5	9 10	12 17	18 24	26 35
Tatal			2	4	6	10	15	With surgery	1,220	17.4	8	10	15	21	30
65 ta 74 years		8.5 8.7 7.6	3 2 1	4 3 4	6 6	10 9 9	15 16 15	Without surgery	420	18.4	2	5	13	26	43
Single diagnasis		7.6 9.0	2 3	3 4	5 7	8 11	12 16	Tatal	3,310	14.9	2	5	11	18	32
With surgery	60 980	7.0 8.6	3 2	3	5 6	9 10	13 15	65 ta 74 years	1,735 1,350	14.3 15.7	2 2 2	5 5 5	10 12	18 19	30 34
MALIGNANT NEOPLASM OF 8UCCAL CAVITY ANO PHARYNX (140-149)					- 13			85 years and aver	960	14.6	1	4	13	18	32 28
Tatal	1,840	9.2	1	2	5	11	20	Multiple diagnases	2,350 1,265	15.4 19.4	2 7	10	11	19	34 35
65 ta 74 years	1,100 590 150	8.5 10.1 10.6	1 1 2	3	4 5 5	10 13 13	19 26 22	Without surgery	2,045	12.1	í	3	7	15	28
Single diagnasis		6.8 11.4	1 1	2	3 7	7 14	14 25	ANO RECTOSIGMOIO JUNCTION (154)  Tatal	3,110	16.6	3	7	14	21	31
With surgery	1,185	8.3	1	2		10	19 23	65 ta 74 years	1,570 1,305	16.4 17.0	3	8 7	14	21 22	30 32
Without surgery	655	10.8	11	31	61	13	23	75 ta 84 years	235 1,190	15.2	1	4	9	19	33 33
								Single diagnasis	1,920	17.2	2 3	6 7	14	22	31
								With surgery	1,980 1,130	17.9 14.3	4 2	10	16 9	22 19	31 30

Table 7 WEST: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND DISCHARGE CHARACTERISTICS—Con.

Oiagnasis And Oischarge Characteristics	Number of	Average stay		Perce	entiles (	(days)		Oiagnasis And Oischarge Characteristics	Number af	Average		Perce	entiles	days)	
(ICDA 8th Revision)	discharges	(days)	10th	25th	50th	75th	90th	(ICDA 8th Revision)	discharges	(days)	10th	25th	50th	75th	90th
MALIGNANT NEOPLASM OF PANCREAS (157)								MALIGNANT NEOPLASM OF OVARY (183.0)							
Tatal	1,845	15.6	2	6	12	21	29	Tatal	1,475	14.1	2	5	10	18	30
65 ta 74 years	1,100 610 135	15.2 16.8 12.6	2 2 4	5 6 5	12 13 9	21 21 19	29 34 25	65 ta 74 years 75 ta 84 years 85 years and aver	1,010 410 55	13.3 16.2 14.7	2 1 1	6 3 3	10 10 14	16 21 22	27 39 27
Single diagnosis	535 1,310	14.3 16.1	2	5 6	11 12	18 22	29 30	Single diagnasis	370 1,105	11.0 15.2	1 2	4 5	8 11	14 19	22 33
With surgery	765 1,080	19.1 13.1	7 1	11	17 8	23 18	31 28	With surgery	650 825	17.3 11.7	7 1	9	13 7	14	31 27
MALIGNANT NEOPLASM OF LARYNX (161)								MALIGNANT NEOPLASM OF PROSTATE (185)							
Total	775	10.2	1	1	5	14	23	Tatal	9,290	10.2	2	4	7	12	20
65 ta 74 years 75 ta 84 years 85 years and over	510 250 15	10.61 7.9	1	1	6	16 9 *	23 16	65 ta 74 years 75 to 84 years 85 years and aver	4,560 3,810 920	10.1 10.2 11.1	2 2 2	4 4 4	7 7 8	12 12 14	20 20 24
Single diagnasis	410 365	8.7 12.0	1	1 2	2 7	12 17	18 31	Single diagnasis Multiple diagnoses	3,760 5,530	8.5 11.4	2 2	4	6 8	10 14	17 23
With surgery	550 225	8.6 14.3	2	3	3 7	14 18	19 42	With surgery	5,615 3,675	10.1 10.5	2 2	3	7	12	19 22
Tatal	8,985	12.3	2	4	8	16	26	Total	5,860	9.0	1	3	5	10	19
65 ta 74 years	6,055 2,535 395	12.6 11.9 10.8	2 1 2	4 3 4	9 8 8	16 15 15	28 25 21	65 ta 74 years 75 to 84 years 85 years and aver	3,095 2,315 450	8.6 9.1 10.8	1 2 2	2 3 4	5 5 7	10 10 12	19 19 24
Single diagnasis		10.9	1 2	3 4	8 9	14	21 28	Single diagnosis Multiple diagnases	3,175 2,685	7.3 11.0	1 2	2 4	4 7	7	15 22
With surgery	3,575 5,410	12.8 12.0	2	4	11 7	16 15	25 27	With surgery	4,700 1,160	7.8 13.7	1 2	3	5	9	17 38
MALIGNANT NEOPLASM OF SKIN (172, 173)								MALIGNANT NEOPLASM OF KIONEY, EXCEPT PELVIS (189.0)							
Tatal	3,225	6.8	1	2	3	8	14	Tatal	1,000	14.1	2	5	10	18	28
65 to 74 years	1,615 1,240 370	6.7 6.8 7.5	1 1 1	2 2 2	3 3 4	8 8 10	14 13 16	65 ta 74 years 75 ta 84 years 85 years and aver	645 <b>30</b> 0 55	14.6 12.8 15.4	2 2 3	5 5 7	10 9 11	19 18 15	30 24 35
Single diagnasis	1,845 1,380	5.8 8.2	1	1 2	3 5	6 10	13 16	Single diagnasis	290 710	12.9 14.6	3 2	7 4	10 10	17 20	24 32
With surgery	2,540 685	5.8 10.5	1	2 3	3 7	6 12	12 21	With surgery	. 445 555	16.9 11.9	4	8	13 8	21 15	35 24
MALIGNANT NEOPLASM OF 8REAST (174)								LYMPHOSARCOMA ANO RETICULUM-CELL SARCOMA (200)							
Tatal	7,220	11.9	3	6	8	13	23	Tatal	1,425	13.1	2	4	9	18	28
65 ta 74 years	2,405		3 3 3	6 6 5	8 9 8	13 14 14	23 23 21		910 425 90	13.2 13.0 12.6	2 2 2	4 4 4	9 8 9	18 19 19	27 28 28
Single diagnosis	2,795 4,425		3 3	6	8 9	11 16	15 26	Single diagnasis	620 805	12.3 13.7	1 2	3 5	8 10	17 19	27 28
With surgery	4,360 2,860	10.9 13.4	4 3	6	8 9	12 18	18 28	With surgery	480 945	16.0 11.6	3 1	6	11 8	23 17	35 24
MALIGNANT NEOPLA5M OF CERVIX UTERI (180)								HOOGKIN'S DISEASE AND OTHER NEOPLASMS OF LYMPHOID TISSUE (201, 202)							
Tatal	1,485	8.5	1	2	4	10	17	Tatal	1,215	11.7	1	4	8	15	23
65 ta 74 years	965 455 65	7.7 9.2 15.6	1 1 3	2 3 5	4 5 9	9 10 28	16 17 33	65 ta 74 years	745 415	11.2 12.6	1 3 3	3 5 7	8 9	14 17	24 23 17
Single diagnasis	800 685	6.2 11.3	1 2	2 3	3 7	7 13	12 22	85 years and aver	55 530 685	9.2 13.5	1 2	2 6	10 6 11	14 12 17	17 21 23
With surgery	900 585	7.7 9.8	1	2	4 5	9 12	15 21	Multiple diagnases	395	11.9	2	3	9	16	24
MALIGNANT NEOPLASM OF UTERUS, EXCEPT CERVIX (182)								Without surgery	820	11.5	1	4	8	15	23
Tatal	2,350	9.0	2	3	7	10	17	Tatal	1,160	13 4	2	5	10	17	27
65 ta 74 years 75 to 84 years 85 years and over	1,635 580 135	8.2 11.1 10.9	2 2 3	3 3 4	7 7 7	10 13 13	14 22 27	65 ta 74 years	605 485 70	14.1 11.6 19.4	2 2 2	5 5 6	11 10 10	19 15 28	29 22 45
Single diagnasis	1,180 1,170	7.0 11.1	1 2	2	5 8	9 12	13 20	Single diagnasis	400 760	10.7 14.7	2 3	3	8 12	14 20	21 29
With surgery	1,765 585	8.2 11.5	2 2	3	7 7	10 13	15 26	With surgery	65. 1,095	21.0 12.9	9 2	12	17 10	23 17	25 27

Table 7 WEST: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND DISCHARGE CHARACTERISTICS—Con.

Oiognosis And Oischarge	Number of	Average		Perce	entiles (	days)		Diagnasis And Discharge	Number of	Average		Perce	entiles (	days)	
Choracteristics (ICOA 8th Revision)	discharges	stay (days)	10th	25th	50th	75th	90th	Characteristics (ICOA 8th Revision)	discharges	(days)	10th	25th	50†h	75th	90th
LEUKEMIA (204-207)						1		AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCY (260-269)							
Total	2,545	11.2	1	3	7	14	24	Total	1,530	10.6	2	4	8	14	22
65 ta 74 years 75 to 84 years 85 years and over	1,185 1,165 195	11.7 10.6 11.9	1 1 1	3 3 3	7 7 7	14 14 16	25 23 29	65 to 74 years	615 620	10.3 10.1	2 2	4	8 9	13	21 20
Single diagnosis	985 1,560	10.6 11.6	1	3	6 8	13 15	22 25	85 years and over	295 265	12.5 9.9	1	3	7	18	24
With surgery	180 2,365	15.6 10.9	3	5 3	8 7	21 14	34 23	Multiple diagnoses	1,265	10.8	7	10	17	22	21 37
8ENIGN NEOPLASMS OF LARGE INTESTINE, EXCEPT RECTUM (211.3)								GOUT (274)	1,435	10.0	2	4	8	13	20
Total	1,115	11.4	2	6	9	13	20	Total	1,195	9.4	2	4	7	11	16
65 to 74 years	320	11.3 12.3 6.0	3 1 2	7 6 3	9 11 4	12 16 6	19 23 12		600 510 85	8.6 10.1 10.5	2 2 4	4 4 6	6 7 9	9 12 15	17 15 17
Single diagnosis	545 570	9.9 12.8	1 3	5	9	12 14	17 26	Single diagnosis	305 890	7.2 10.1	2 2	3 4	6	8 12	14 18
With surgery	855 260	12.5 7.8	5 1	8 2	10 4	14 8	21 17	With surgery	110. 1.085	14.8 8.9	2 2	3 4	10 7	17 11	28 15
8ENIGN NEOPLASM5 OF RECTUM (211.4)								IRON OEFICIENCY ANEMIA5 (280)							
Tatal	800 430	7.2	1	2 2	4	9	16		2,100 930	9 6 9.9	2	4	7	11	17 17
75 to 84 years	305	6.4 7.3 11.5	1 2	2 5	10	9 17	18 18	75 to 84 years	855 315	8.9 10.3	2 2	4 3	6	10	17 26
Single diagnosis		5.8 9.1	1 2	2 3	3 6	7 11	13 17	Single diagnosis	415 1,685	6.8 10.2	2 2	3 4	5 7	12	11 19
With surgery	700 100	7.2 6.6	1	2 3	4	10 7	16 10		205 1,895	15.7 8.9	5 2	7	10	19	40 16
LIPOMA (214)								PERNICIOUS ANEMIA (281.0)							
Total		4.6	1	2	2	5	9		670 280	10.3	3	5	7	12	17 17
65 to 74 years 75 to 84 years 85 years and over	185	4.4 5.3	1	2	3 *	5 6 *			340 50	11.1 8.9	2	6	8	12 13 8	19 16
Single diagnosis	685 365	3.3 7.2	1 2	1 3	2 5	3 9	6 16		180 490	9.2 10.7	1 3	3 5	7 8	10 13	19 17
With surgery	1,000 50	4.6 4.7	1 1	2 1	3 2	5 5	9 11	With surgery	70 600	12 1 10 1	6 2	7 5	10 7	16	18 17
NEOPLASMS OF UNSPECIFIED NATURE OF 8LAOOER (237.6)								ALL OTHER AND UNSPECIFIED ANEMIAS (281.1-281.9, 282-285)							
Total	1,395	4.7	1	2	3	5	9	Tatal	5,000	8.5	1	2	5	10	17
65 to 74 years	495	4.0 4.9 8.6	1 1 2	1 2 3	2 3 5	4 5 11	7 9 21	65 to 74 years 75 to 84 years 85 years and over	2,020 2,205 775	8.1 8.3 10.3	1 1 1	2 2 3	5 5 6	10 10 11	17 17 20
5ingle diagnosis		3.9 6.4	1	2 2	2 4	4 8	6 14	Single diagnosis	1,230 3,770	5.7 9.4	1	1	3 6	7	13 20
With surgery	1,285 110	4.7 4.5	1	2	3 2	5 6	9 11	With surgery	385 4,615	16.4 7.9	4 1	8 2	12 5	22	33 16
DISEASES OF THYROIO GLANO (240-246)								AFFECTIVE P5YCHO5ES (296)							
Total	1,960	8.9	2	4	6	10	17	Tatal	1,330	15.4	3	6	12	21	31
65 to 74 years	1,440 455 65	8.1 11.6 9.0	2 3 2	3 4 4	5 6 9	12 10	17 18 16	75 to 84 years	920 380 30	15.3 15.2 19.8	3 3 5	6	11 13 7	20 21 24	31 28 49
Single diagnosis Multiple diagnoses	685 1,275	6.2 10.4	2 2	3,4	5	7 12	10 20	5ingle diagnasis Multiple diagnases	645 685	15.5 15.3	3	6	13 10	21 20	31 31
With surgery	925 1,035	6.8 10.8	3 2	4	5 7	7 13	11 20	With surgery	25 1,305	14.9	3	* 6	* 11	20	30
DIA8ETES MELLITUS (250)								ANXIETY NEUROSIS (300.0)							
Total	19,235	10.2	2	4	7	12	19	Tatal	1,495	6.1	1	2	4	7	14
65 to 74 years	11,115 6,760 1,360	9.8 10.3 12.3	2 2 2	4 4 4	7 7 8	11 12 13	19 20 27	65 to 74 years	1,080 360 55	6.5 5.2 5.3	1	2 2 2	4 3 4	7 7 7	15 10 8
Single diagnosis	3,640 15,595	8.7 10.5	2 2	4	6 7	11 12	16 20	Single diagnasis Multiple diagnases	500 995	6.1 6.2	1	2 2	3 4	6 7	14 14
With surgery	1,730 17,505	16.1 9.6	3 2	6	11 7	22 11	33 18	With surgery	5 1,490	6.1	1	2	4	7	14

Oiognosis And Oischorge	Number of	Averoge		Perce	ntiles (	days)		Oiognosis And Oischorge	Number of	Average		Perce	entiles (	doys)	
Chorocteristics (ICOA 8th Revision)	dischorges	stoy (doys)	10th	25th	50th	75th	90th	Chorocteristics (ICOA 8th Revision)	dischorges	stoy (doys)	10th	25th	50th	75th	90th
OEPRESSIVE NEURO515 (300.4)								NEURALGIA AND NEURITIS, UNSPECIFIEO							
Total	1,865	11.9	2	4	8	16	24	(355) Totol	1,065	8.2	2	3	5	9	16
65 to 74 yeors	1,285 550	11.4 12.7	2 3 9	4 4 10	7 9	16 18 18	23 26 27	65 to 74 yeors	655	7.5	1	3	5	9	15
85 years and over		17.3 12.1		3	15	17	27	75 to 84 yeors	305 105	9.6 8.0	1	3	6	10	18 16
Multiple diognoses	1,170	11.7	3	4	7	16	23	5ingle diognosis	430 635	6.5 9.2	1 2	2 4	4 7	7	13 18
With surgery		14.2 11.8	3 2	5 4	11	18 16	19 24	With surgery	150 915	12.4 7.5	2 2	3	8	18	30 15
ALCOHOLI5M (303)								CATARACT (374)							
Total	2,890 2,545	6.6	1	2	4	8	14	Total	28,625	5.9	3	4	5	6	8
75 to 84 years	330	8.1	į	3	5	10	17	65 to 74 years	13,340 12,750	5.7 6.0	3 3	4	5 5	6 6 7	8 9
Single diognosis	1,080	5.1 7.4	1	1 2	3 5	6	10 15	85 years and over	2,535 21,105	6.4 5.6	3	4	5		9
With surgery	45	13.3	1	4	10	18	26	Multiple diognoses	7,520	6.7	3	4	5	7	10
Without surgery MENTAL DISORDERS NOT SPECIFIED AS	2,845	6.4	'	2	4	8	14	With surgery	27,395 1,230	5.9 5.9	3 1	3	5	6 7	8 10
FSYCHOTIC, A550CIATEO WITH PHYSICAL CONDITIONS (309)								GLAUCOMA (375)							
Totol	3,950	9.9	1	3	6	12	19	Total	2,145 1,210	5.7 5.2	1	2	4	6	10
65 to 74 years	1,835	9.5 10.9	1	3 3	6 7	13 12	21 19	75 to 84 years	775 160	5.9 7.7	2	3	4 5	7 7	11 9
85 years and over		8.5 8.8	1	3	5	10	18 17	Single diognosis	1,165 980	5.0 6.4	1 2	2	4 5	6 7	8 13
Multiple diognoses	2,770	10.4	2	4	7	13	20	With surgery	1,745	5.4	2	3	4	6	9
With surgery		19.0 9.7	5 1	7 3	15 6	23 12	35 18	Without surgery	400	6.7	1	2	4	8	14
PARALYSI5 AGITANS (342)								Total	1,885	7.8	2	4	7	9	14
Total		13.0	3	5	9	15 15	24 24	65 to 74 yeors	1,300 495	7.7 7.9	1	4 3	7	9	14 14
75 to 84 years	875	12.6 13.5	3 2	5	9 10	15 13	24 30	85 years and over	90	9.7	5	6	7	10	15
Single diognosis	600	10.6 13.8	2	5	8	14 15	20 27	Single diognosis	1,370 515	7.6 8.4	1 2	4	7 8	10	13 15
With surgery	175	18.4	3	5	14 9	24	45	With surgery	1,665 220	8.1 5.6	2 1	4 2	7.	9	14 10
Without surgery	2,205	12.5	3	. 5	9	15	23	LA8YRINTHITIS (384.0)							
Totol	815	14.0	2	4	9	18	33	Total	1,625	6.1	1	2	4	7	12
65 to 74 years	465	12.3	2 2	4	.8	16 22	26 37	65 to 74 yeors	960 545 120	6.1 6.0 5.8	1 2 2	2 3 2	4 4	8 7	12 11 15
75 to 84 years	300 50	16.4 15.9	í	3	12 9	13	40	85 yeors ond over	500	5.1	1	2	3	6	10
Single diognosis		12.2 14.6	1 2	3 4	6	18 18	32 34	Multiple diognoses	1,125	6.5	1	2	13	8	13 21
With surgery	45 770	15.9 13.9	1 2	3	6	34 18	36 32	With surgery	1,585	5.9	i	2	4	15	11
FACIAL PARALYSIS AND TRIGEMINAL								CHRONIC RHEUMATIC HEART 015EASE (393-398)							
NEURALGIA (350, 351) Totol	820	7.5	1	3	6	10	14	Total	3,480	10.6	2	3	7	13	21
65 to 74 years	435	8.5	1	3	6	10	18	65 to 74 years	2,395 885	10.3 10.7	2 2 2	3 4	7 8 10	13 13 17	21 21
75 to 84 years	320 65	6.6 5.7		1	5 4	7	12 11	85 years and over	200 775	13.5	1	3	7	13	28 19
Single diognosis	430 390	6.5 8.6	1 2	2	5 6	11	12 16	Multiple diognoses	2,705	11.0	2	3	8	13	23
With surgery	235 585	7.7 7.4	1	2 3	5	10	14 14	With surgery	2,930	13.5 10.0	2	3	12	18	28 20
5CIATICA (353)								E55ENTIAL BENIGN HYPERTENSION (401)	5.5.0	7.0					10
Totol	710	11.8	3	5	9	14	23	Total	5,540 3,190	7.0 6.5	1	2	4	7	13
65 to 74 yeors	270	11.4 11.3	3	5	8	14	21 20	75 to 84 yeors	1,860 490	7.6 8.7	1	3	5	9 9	15 14
85 years and over	190	15.2 9.6	2	6	13	12	27 17	Single diognosis	1,550 3,990	5.8 7.5	1 2	2	4 5	7 9	11 14
Multiple diognoses	520	12.6	3	6	10	15	24	With surgery	350	10.0	3	4	7	12	19
With surgery		13.8 11.7	5	5	12	18	24 22	Without surgery	5,190	6.81	11	31	31	81	12

Table 7 WEST: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND DISCHARGE CHARACTERISTICS—Con.

dy

Oiagnosis And Oischarge	Number of	Average		Perce	entiles (	days)		Oiagnasis And Oischarge	Number of	Average		Perce	ntiles (	days)	
Characteristics (ICOA 8th Revision)	discharges	stay (days)	10th	25th	50th	75th	90th	Characteristics (ICOA 8th Revision)	discharges	stay (days)	10th	25th	50th	75th	90th
HYPERTENSIVE HEART DISEASE (402)								HEART BLOCK, AND CARDIAC ARREST							
Tatal	2,130	9.3	2	3	6	11	17	(427.2, 427.3) Total	3,315	8.9	,	2	6	11	19
65 to 74 years	955 920 255	8.8 9.0 12.6	2 2 2	3 4 4	6 6 7	11 11 12	17 17 16	65 to 74 years	1,300 1,475 540	8.2 8.8 10.8	1 1 2	2 2 4	5 6 7	10 11 13	19 18 23
Single diagnasis	540 1,590	9.7 9.2	1 2	3 4	5 7	10 11	14 17	Single diagnosis Multiple diagnases	1,415 1,900	7.5 9.9	1	2	5	9	16 21
With surgery	85 2,045	17.4 9.0	6 2	8	14 6	19 11	28 15	With surgery	1,230 2,085	10.4 8.0	2	4	8	13	21
HYPERTENSIVE RENAL, AND HEART AND RENAL DISEASE (403, 404)	840	11.0	2	4	8	14	22	ATRIAL FIBRILLATION OR FLUTTER AND OTHER UNSPECIFIED OISOROERS OF HEART RHYTHM (427.4, 427.9)	2,000	0.0		·			
Total	840 420	11.0	2	4	8	14	26	Total	4,955	7.7	1	3	5	9	16
75 ta 84 years	325 95	10.1 11.3	3 1	3	8 9	14 12	18 21	65 ta 74 years	2,625 1,815	7.2 8.0	1	2	5	8	15 16
Single diagnosis	175 665	9.9 11.3	1 2	3 4	7 9	11 15	17 23	85 years and aver	1.750	8.8 5.6	i	3	6	10 11	20
With surgery	90 750	17.0 10.3	7 2	9 4	15 8	18 13	32 19	Single diagnasis	3,205	8.8	2	3	6	7 10	17
ACUTE MYOCAROIAL INFARCTION (410)								With surgery	360 4,595	11.4 7.4	1	3	9 5	15	23 15
Total	26,460 14,440	13.7	1	5	13	19 19	25	OTHER MYOCAROIAL INSUFFICIENCY (428)							
75 to 84 years	9,935 2,085	14.1 13.3 12.1	1	6 4 2	13 12 9	19	25 25 26	Tatal	1,070	9.5	1	3	7	12	20
Single diognosis	11,720 14,740	12.8 14.4	] ]	. 4 5	12 13	18 20	23 27	65 to 74 years 75 to 84 years 85 years and over	460 415 195	8.8 10.4 9.4	2 2 1	3 4 3	6 8 8	10 14 12	19 20 20
With surgery	895 25,565	18.2 13.5	2 1	7 5	16 13	26 19	33 25	Single diagnosis	355 715	8.8 9.8	2 1	3 4	6 7	11 12	19 20
OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411)								With surgery	50 1,020	13.6 9.3	4 1	8	10 7	17 12	24 19
Total	4,555	8.9	2	3	6	11	18	ILL-OEFINED HEART 015EA5E (429)					_		
65 to 74 years	2,560 1,675 320	9.7	2 1 2	3 3 3		11 12 9	18 19 13	Total	2,730 1,005	10.1 9.7	2 2	3	7	13	20 19
Single diagnosis	2,130 2,425	7.5	1 2	3 4	5	9 13	16 19	75 ta 84 years	1,255 470	10.6 9.7	1	4	8 7	12 13	21 19
With surgery	80 4,475	16.3 8.7	4	8	10	23 11	31 17	Single diagnosis	880 1,850	8.5 10.9	2	3	6 8	10 14	16 22
CHRONIC ISCHEMIC HEART DISEASE (412)	.,							With surgery	145 2,585	16.3 9.8	2 2	7 4	13 7	23 12	31 19
Total	82,940	9.8	2	4	7	12	19	CEREBRAL HEMORRHAGE (431)	0.150	0.7			اً ا		00
65 to 74 years	36,125 35,670	9.5 10.1	2 2	4	7	12 12	19 20	Tatal	2,150 995	9.7	1	1	5	14	23 28
85 years and over	11,145 21,650		2	3	6	12	20	75 ta 84 years	840 315	9.4 8.6	1	2	5	13 12	22 18
Multiple diagnoses	61,290		2	7	7	13	20	Single diagnosis	950 1,200	8.3 10.8	1	1 1	4 6	11 16	20 28
With surgery	77,955	15.2 9.5	3 2	4	12	12	18	With surgery	220 1,930	19.4 8.6	1	9 1	14 4	26 12	42 21
ANGINA PECTORIS (413) Tatal	2,205	6.1	1.	2	4	7	12	OCCLUSION OF PRECEREBRAL ARTERIES (432)							
65 ta 74 years	1,365 695	6.1	1	2	4	7	11 12	Tatal	2,970	9.8	2	3	7	12	20
75 to 84 years	145	7.2	2	3	5	9	14	65 ta 74 years	1,865 990	9.4 10.6	1 2 2	3 4	6	11 13 11	18 21
Single diagnasis	1,130 1,075	5.3 6.9	1	3	3 5	8	11	85 years and over	115 1,410	9.1 8.6	1	3	6	10	15 17
With surgery	50 2,155	9.9 6.0	2 1	4 2	7 4	12 7	19 11	Multiple diagnases	1,560	10.8	2	6	8	13	24
CONGESTIVE HEART FAILURE (427.0)						,,	00	Without surgery	1,875	8.6	1	2	5	10	18
Tatal	12,410 4,890	10.0 9.6	2	4	7	12	20 18	CEREBRAL THROM80515 (433) Tatol	9,375	13.0	2	5	10	17	27
75 to 84 years	5,375 2,145	10.3 10.0	1	3	7 7	13 12	21 20	65 ta 74 years	3,720 4,175	13.0 13.3	2	5	9 10	16 17	28 27
Single diagnosis	4,340 8,070	8.7 10.7	1 2	3 4	6 8	11 13	17 21	85 years and over	1,480	12.3	2 2	5	9	16	23 27
With surgery	440 11,970	19.8 9.6	5	10 4	15	27 12	37 19	Single diagnasis	2,570 6,805	12.3	2 2	5	10	16	27
								With surgery	300   9,075	19.8 12.8	4 2	7 5	15	28 16	26

Table 7 WEST: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND DISCHARGE CHARACTERISTICS—Con.

Diagnasis And Oischarge	N-b	Average		Perce	entiles (	(days)		Oiagnasis And Oischarge	N	Average		Perce	entiles (	(days)	
Characteristics (ICOA 8th Revision)	Number of discharges	stay (days)	10th	25th	50th	75th	90th	Charocteristics (ICOA 8th Revisian)	Number of discharges	stay (days)	10th	25th	50th	75th	90th
5U8ARACHNOID HEMORRHAGE AND								ARTERIAL EMBOLISM AND THROMBOSIS							
CEREBRAL EMBOLISM (430, 434)  Total	1,075	13.0	1	2	7	17	30	(444) Tatal	2,930	12.0	1	3	9	15	24
65 to 74 years	590	14.5	1	2 3		21 17	37	65 ta 74 years	1,825	11.9	1	4 2	9	15	23
75 to 84 years		11.3 10.8	i	4	7	9	26 17	75 ta 84 yeors	895 210	12.0 13.0	i	3	9 8	15 17	24 26
Single diagnosis		11.0 13.8	1	3	5 8	16 17	28 31	Single diagnosis	1,195 1,735	9.8 13.6	1	2 4	8 10	12 17	20 29
With surgery	80 995	21.1 12.4	5 1	10 2	15 7	27 16	42 29	With surgery	1,580 1,350	15.2 8.3	4	8 1	12 4	18 10	29 18
TRANSIENT CEREBRAL ISCHEMIA (435)								GANGRENE (445)							
Tatal		6.4	1	2	4	8	13	Total	1,690	19.6	4	8	14	23	38
65 to 74 years	1,230		1	2 2 2	4 4	7 8 8	12 14 14	65 ta 74 years	815 575 300	20.2 20.3 16.8	4 5 2	/ 9 7	14 16 13	25 22 19	37 45 37
Single diagnasis	995 2,070	4.7 7.3	1	2 3	3 5	5	9 15	Single diagnosis	565 1,125	19.6 19.6	3	7 8	13 15	20 26	35 41
With surgery	145	15.0	4	7 2	10	20	28	With surgery	1,090	19.5	6	10	15	25 21	38
Without surgery	2,920	6.0	'	4	4	,	12	Without surgery  PULMONARY EM80LISM AND	600	19.8	3	3	11	21	41
CEREBROVA5CULAR 015EA5E (437) Tatal	12,050	8.9	2	3	6	10	18	INFARCTION (450) Tatal	3,165	14.1	3	7	11	17	26
65 ta 74 years	4,215	8.6		3	5	10	18	65 to 74 years	1,625	13.0	3	6	10	16	23
75 ta 84 years		9.0 9.1	2 2 2	3 4	6	11	18 19	75 to 84 years	1,290 250	15.5 14.4	4 2	8	13	19 18	29 24
Single diagnasis Multiple diagnases	3,155 8,895	6.8 9.6	1 2	2 4		8 11	13 20	Single diagnasis	820 2,345	11.3 15.1	2 4	5 8	9 13	14 19	20 28
With surgery	455 11,595	14.2 8.7	4 2	6 3	12 6	18 10	28 17	With surgery	290 2,875	17.4 13.8	4	5 7	13 11	22 17	37 25
ILL-OEFINEO CEREBROVASCULAR 015EA5E (436, 438)								PHLEBITIS AND THROMBOPHLEBITIS (451)							
Tatal	24,790	11.9	1	4	8	15	25	Tatal	5,400	10.9	4	5	9	13	19
65 ta 74 years	11,200	11.9 12.1	1	3 4		15 15	25 26	65 ta 74 years	3,305 1,785	10.8 11.4	4	5	8	13 13 12	19 19
85 years and aver		11.8	2	3	7	14	24 24	85 years ond over	310 1,965	9.9 9.2	3	5	7	11	19 16
Multiple diagnases	15,410	12.4 20.7	1 2 5	10	18	15 29	26 40	Multiple diagnases	3,435	11.9 15.9	3	6	10 12	14 21	21 31
Without surgery		11.7	i	4	8	15	24	Without surgery	5,015	10.5	4	5	8	13	18
ARTERIO5CLEROSI5 (440) Tatal	7,995	10.5	1	3	7	13	21	VARICOSE VEINS OF LOWER EXTREMITIES WITH ULCER (454.0)							
65 to 74 years	3,270	10.7	1	3	7	13	22	Total	1,020	15.8	4	7	13	20	30
75 to 84 years			2	3	6	12 12	22 18	65 ta 74 years	500 420 100	15.8 16.7 12.2	4 3	6 7 6	12 14 12	21 20 17	29 32 22
Single diagnasis		8.2 10.9	1 2	3	5 7	10 13	16 22	Single diagnosis	385 635	15.3 16.2	3	6	12 13	19 21	31 28
With surgery			4 1	7 3	12 6	18 10	32 18	With surgery	355	16.3	5	7	15	22	30
NONSYPHILITIC AORTIC AND OTHER ANEURYSM (441, 442)								Without surgeryVARICOSE VEINS OF LOWER	665	15.6	4	6	12	19	29
Tatal	3,575	10.0	1	2	8	14	20	EXTREMITIES WITHOUT ULCER (454.1, 454.9)							
65 to 74 years	1,300		1	3 1	9 6	15 14	21 20	Tatal	1,455	7.1	2	3	5	7	13
85 years and aver		6.5 8.5	1	1	7	10 13	16 18	65 ta 74 years	1,120 310 25	6.4 9.0	2 2 *	3	6	10	11 16
Multiple diagnoses	2,015		1	3	8	16	23	Single diagnasis Multiple diagnoses	860 595	5.7 9.1	2	3	4 6	6	9 17
With surgery		6.5	i	ì	3	8	16	With surgery	1,195	6.6	2	3	5	7	11
OTHER PERIPHERAL VASCULAR DISEASE (443)								Without surgery	260	9.3	1	3	5	12	22
Total		12.1	1	3	8	15	26	Tatal	3,125	7.0	3	4	6	8	11
65 ta 74 years	325	9.6 15.2 14.4	1 2 3	2 4 5	7 9 10	14 19 14	19 33 27	65 ta 74 years	2,310 730	6.6 8.5	3 2	4 5	5	8 10	10 17
Single diagnasis	260	9.2 13.4	1 2	2	4 9	11	19 27	85 years and aver	1,415	5.5 6.4	3	4	5	7	8 10
With surgery	285	16.0	6	8	13	19	29	Multiple diagnases	1,710	7.6	2	4	6	9	13
Without surgery	590	10.31	1	2	61	12	22	With surgery	2,570 555	7.3 5.8	3	2	6	8 7	11 11

Oiognosis And Oischorge		Averoge		Perce	entiles (	doys)		Oiognosis And Oischorge		Averoge		Perce	entiles (	doys)	
Chorocteristics (ICOA 8th Revision)	Number of dischorges	stoy (doys)	10th	25th	50th	75th	90th	Chorocteristics (ICOA 8th Revision)	Number of dischorges	stoy (doys)	10th	25th	50th	75th	90th
ACUTE UPPER RESPIRATORY INFECTIONS EXCEPT INFLUENZA (460-465)								OTHER OISEASES OF UPPER RESPIRATORY TRACT (500-508)							
Totol	3,545	7.3	2	3	5	9	13	Total	2,470	4.0	1	1	2	4	7
65 to 74 years	1,760 1,340	6.8 7.5	2 2	3	5	8	12 13	65 to 74 yeors	1,725 690	3.6	1	1 2	2 3 3	4 5	7
75 to 84 years	445	8.7	2	3	6	າຳ	16	85 years and over	55	4.6 8.1	i	2	3	าา	17
Single diagnosis	795 2,750	5.4 7.8	1 2	2 3	4 6	7 9	9 14	Single diognosis	1,265 1,205	3.1 4.9	1	1 2	2 3	3 5	5 9
With surgery	195 3,350	8.3 7.2	1 2	2 3	4 5	12 9	15 13	With surgery	1,960 510	3.4 6.1	1	1 2	2 4	3 7	6 12
ACUTE AND UNQUALIFIED BRONCHITIS AND BRONCHIOLITIS (466, 490)								PLEURISY (511)					:		
Totol	10,385	8.2	2	4	6	10	15	Total	740 400	7.7	2 2	3	6	10	13 15
65 to 74 years	5,980 3,610	8.0 8.4	2 2 3	4 4	6	9 10	14 15 18	65 to 74 yeors 75 to 84 yeors 85 yeors ond over	280 60	8.4 7.0 6.6	1 2	3 4 3	6 4	9	13 10
85 years and over	795 2,730	8.9 6.9	2	3	5	11	12	Single diognosis	200 540	6.2 8.3	1 2	2	5 7	7	10 15
Multiple diagnoses	7,655	8.7	3	4	7	10	15	With surgery	65	8.6	2	3	5	12	14
With surgery	405 9,980	12.1 8.0	2	3	8	18 9	26 14	Without surgery PULMONARY CONGESTION AND	675	7.6	2	3	6	9	13
INFLUEN ZA (470-474)  Totol	4,530	6.9	2	3	5	8	13	HYPO5TA5I5 (514) Total	1,850	8.9	1	3	6	11	18
65 to 74 yeors	2,455	6.3	2 2	3	5	7 8	11	65 to 74 years	750 825	8.3	1	3 3	6	11	17 18
85 years and over	1,675 400	7.4 8.1	2	3	6	12	14	75 to 84 yeors	275	8.8 10.6	i	ì	6	13	25
Single diognosis	1,425 3,105	5.3 7.7	1 2	2 3	4 6	6 9	9 15	Single diognosis	295 1,555	8.1 9.0	1	4 3	6 6	9	16 18
With surgery	60 4,470	15.1 6.8	3 2	8 3	12 5	18 8	29 13	With surgery	70 1,780	14.0 8.7	1	5 3	11 6	14 11	27 18
PNEUMONIA (480-486)								CHRONIC INTERSTITIAL PNEUMONIA (517)							
To tol	23,665	10.2	2	4	8	12	19	Totol	1,275	11.7	3	5	9	14	21
65 to 74 years	10,390 9,200 4,075	9.7 10.7 10.6	2 2 2	4 5 4	7 8 8	12 13 13	18 20 20	65 to 74 yeors	690 480	12.4 11.2	2 3	4 6	9 10	15 13	22 20
Single diognosis Multiple diognoses		8.3 11.0	2 2	4 5	6	10 13	15 21	85 years and over	105	9.0	3	6	8	10	16 18
With surgery	1,090	18.3	4	9	15	24	33	Single diognosis	1,095	11.7	3	5	9	14	22
Without surgery	22,575	9.8	2	4	8	12	18	With surgery	160 1,115	19.7 10.5	5 2	10 5	15 8	24 13	40 18
CHRONIC 8RONCHITIS (491) Totol	3,465	8.9	2	4	7	11	18	OISEASES OF ORAL CAVITY, SALIVARY GLANOS, ANO JAWS (520-529)							
65 to 74 years	2,220 1,090	8.9	2	4	6	11 11	18 17	Total	1,615	4.9	1	2	3	5	10
75 to 84 years	155	9.1 9.2	2	4	8	ii	17	65 to 74 years	880 630	4.2 5.5	1	2 2	3	4	9 13
Single diognosis	770 2,695	6.8 9.6	1 3	3 4	5 7	9 12	13 18	85 years and over	105	6.5	2	2	3	9	12
With surgery	410 3,055	7.9 9.1	1	3	5 7	11 11	16 18	Single diagnosis	680 935	3.8 5.6	i	2	3	6	12
EMPHY5EMA (492)	3,033	,.·		-			10	With surgery	1,115 500	4.2 6.3	1	2 2	2 4	4 8	8 13
Totol	9,165	9.8	2	4	7	12	19	OISEASES OF ESOPHAGUS (530)							
65 to 74 years	5,780 2,870	9.5 10.1	2 2	4	7 7	11 13	18 20	Total	2,505	8.9	1	2	6	11	18
85 years and over	515	11.4	2	4	7	14	24	65 to 74 yeors	1,315 955	8.2 9.1	1	2 2	5	10 11	17 20
Single diognosis		7.8 10.4	2	3	5 7	10 12	15 20	85 yeors and over	235 810	11.4 7.7	1	2	10	14	20 18
With surgery		16.5 9.4	2 2	6	13 7	21 11	34 18	Multiple diognoses	1,695	9.4	1	3	6	11	19
A5THMA (493)			9					With surgery	1,055 1,450	10.2 7.9	1	3	7 5	13	22 15
Totol		8.3	2	3	6	10	16	ULCER OF STOMACH (531)							
65 to 74 yeors	1,245	8.1 8.7 9.6	2 2 2	3 4 3	6 7 7	10 10 12	16 16 17	65 to 74 yeors	4,570 2,410	11.9	3	5	8	15	22
Single diognosis		6.7 9.1	2 2	3	5 6	8 11	12 17	75 to 84 yeors	1,795 365	13 3 11.0	3	5	10 8	16	24 23
With surgery	115	11.7 8.3	2	4 3	9	13 10	28 16	Single diognosis	1,415 3,155	10.3 12.7	2	6	8 9	13	18 24
								With surgery	1,415 3,155	15.9 10.2	6 3	9 5	14	20 12	26 18

Table 7 WEST: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND DISCHARGE CHARACTERISTICS—Con.

Diognosis And Dischorge		Averoge		Perce	ntiles (	(doys)		Diognosis And Dischorge		Averoge		Perce	ntiles (	doys)	
Chorocteristics (ICDA 8th Revision)	Number of dischorges	stoy (doys)	10th	25th	50th	75th	90th	Chorocteristics (ICDA 8th Revision)	Number of dischorges	stay (doys)	10th	25th	50th	75th	90th
ULCER OF DUODENUM (532)								HERNIA OF ABDOMINAL CAVITY WITH 085TRUCTION (552, 553)							
Totol	6,655	10.6	3	5	8	13	19	Total	2,775	10.0	2	5	7	12	18
65 to 74 yeors	4,030 2,225 400	10.1 11.3 12.4	2 3 4	4 5 6	7 9 10	12 14 15	18 21 24	65 to 74 years	1,210 1,130	9.8 10.1	2	4 5 5	7 8	11 12	16 19
Single diognosis Multiple diognoses	2,180 4,475	9.5 11.2	2	4 5	7 8	12 14	18 20	85 years ond over	1,320	10.4 8.3	3	4	7	14	19
With surgery	1,715 4,940	16.6 8.6	8 2	10 4	14 6	19 10	28 15	Multiple diognoses	1,455 2,215 560	11.5 10.3 8.9	3	5 5 2	9 8 5	15 12 11	22 18 18
PEPTIC ULCER, SITE UNSPECIFIED (533)  Totol	2,175	9.5	2	4	7	11	19	Without surgery  INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (560)	300	0.7			3	- ''	10
65 to 74 years	1,225	8.9		4	7	10	18	Total	8,165	10.6	1	3	7	14	23
75 to 84 years	765 185	10.3 9.7	2 3 2	4	7 7	13 13	19 19	65 to 74 yeors	3,685 3,165	10.9 10.4	1	3	7 7	14 13	24 21
Single diognosis Multiple diognoses	765 1,410	7.0 10.8	2 2	3 5	5 8	8 13	14 20	85 years and over	1,315	10.4	i	3	, 7 6	14	23
With surgery	280 1,895	16.7 8.4	6 2	8	13 6	21 10	37 15	Multiple diognoses	5,060	11.6	i	4	8	15	25 29
GASTRITIS AND OUODENITIS (535)								With surgery	2,665 5,500	16.6 7.8	6 1	2	14 5	9	16
Total	4,440 2,525	7.0	1	3	5	8	13	DIVERTICULA OF INTESTINE (562)	10 705	0.7	2	3	6	10	17
65 to 74 years 75 to 84 years 85 years and over	1,505 410	6.3 7.9 8.2	2	3 3	5	8 9 8	11 15 17		6,300	8.7 8.3 8.9	2 2 2 2	3	6 6	10	17
Single diognosis Multiple diognoses	1,255 3,185	5.5 7.6	1 2	2 3	4 5	6	10 14	75 to 84 years	5,020 1,405	9.8	2	3	6	11	18 18
With surgery	290 4,150	12.4 6.6	2 1	5 3	10 4	14 8	19 12	Single diognosis	4,285 8,440	7.2 9.4	2	3	5	11	15
OISORDERS OF FUNCTION OF STOMACH (536)								With surgery	2,430 10,295	15.6 7.1	2	8	13 5	19 8	27 13
Total	820	6.0	1	2	4	8	11	FUNCTIONAL DISORDERS OF INTESTINE (564)							
65 to 74 years	325	5.5 6.2 7.3	1 1 2	2 2 3	4 4 5	7 8 9	10 12 14	Total	2,375 1,150	5.8 5.6	1	2	4	7	11
Single diognosis		4.5 6.6	1 2	2 3	3 5	5	9	75 to 84 years	935 290	5.6 6.3	i 1	2 2	4	, 7 8	11
With surgery	50 770	12.2 5.6	2	6 2	9	16	21 10	Single diognosis	725 1,650	4.3 6.4	1 1	2 3	3 4	5 8	8 13
Without surgery	//0	3.0			-	, í	10	With surgery	180 2,195	8.7 5.5	2 1	2 2	7 4	13 7	18 10
Totol	14,060	6.6	3	4	5	7	10	CIRRHOSIS OF LIVER (571)	2 210	12.4	2		9	15	24
65 to 74 years	9,145 4,275	6.1 7.4	3 3 3	4	5 6	7 8	9 12	Total	1,725	12.4	2 2 3	5	8	14	26
85 years and over	9,280	5.9	3	5	5	10	15	85 years and over	530 55	14.2 16.5	5	6	10 16	17 20	27 30
Multiple diognoses	4,780		3	4	5	7	13	Single diognosis	600 1,710	11.8 12.6	3	5	8 9	14	23 26
Without surgery VENTRAL HERNIA WITHOUT MENTION OF	875		1	3	5	8	15	With surgery	290 2,020	17.4 11.7	6	10 4	14 8	21 14	31 24
OBSTRUCTION (551.2)	2,405	8.6	3	5	7	10	14	CHOLELITHIA515 (574)	13,775	11.8	4	7	9	14	21
Totol		8.2	3	5	7	9	14	65 to 74 yeors	8,375	11.0	4	6	9	13	18
75 to 84 years	580	9.0 13.2	3	5 5	7 10	11 14	16 23	75 to 84 yeors	4,500 900	13.1 13.0	3	7 5	- 11	16 18	24 24
Single diognosis	1,360 1,045		3	4 5	6 8	9 11	13 16	Single diagnosis	6,295 7,480	10.6 12.8	3	6	10	12	17 24
With surgery	2,150 255	8.7 7.1	3	5	7	10 9	14 16	With surgery	9,520 4,255	13.3 8.6	6 2	8	11	16	22 17
OIAPHRAGMATIC HERNIA WITHOUT MENTION OF OBSTRUCTION (551.3)								CHOLECYSTITIS AND CHOLANGITIS WITHOUT MENTION OF CALCULUS (575)							
Total	6,540	7.7	2	3	5	9	15	Totol	5,255	10.4	2	4	8	13	19
65 to 74 yeors	3,820 2,155 565	7.8 7.5 7.9	2 2 2	3 3 3	5 5 6	9 8 9	15 15 13	65 to 74 yeors	2,780 1,920	9.8 11.4	2 3 2	4 5	8	12 14 12	18 20
Single diognosis	1,245	6.2	1 2	3	4	7	12 16	85 yeors ond over	2,395	9.8	2	4	7	-11	16
With surgery	1,405	12.2	3 2	6	10	15 7	22 11	Multiple diognoses	2,860 2,020	11.5 13.9	7	5 8	12	14	21 22
	3,133	, 0.51	~ 1	- 01				Without surgery	3,235	8.2	2	3	6	10	16

Oiognosis And Oischorge	Number of	Averoge		Perc	entiles	(doys)		Oiognosis And Oischorge	Number of	Averoge		Perc	entiles (	doys)	
Chorocteristics (ICOA 8th Revision)	dischorges	stoy (doys)	10th	25th	*50th	75th	90th	Chorocteristics (ICOA 8th Revision)	dischorges	stoy (doys)	10th	25th	50th	75th	90th
OTHER OISEASES OF GALL BLAOOER AND BILIARY OUCTS (576)								CY5TITI5 (595)							
Totol	1,655	12.2	2	4	8	16	25	Total	4,205	7.2	1	3	5	9	14
65 to 74 years	825	12.0	2 2	4	8	16	24	65 to 74 yeors	2,035 1,600	6.5 7.8	1	2 3	5	8	13 16
75 to 84 yeors	640 190	12.8 11.6	3	4 5	8 9	17 16	26 22	Single diagnosis	1,210	7.9 4.7	2	4 2	6	9	15
Single diognosis	555 1,100	11.0 12.9	2 2	4 5	7 9	14 18	21 27	Multiple diagnoses	2,995	8.2	2	2 3	6	10	16
With surgery	515 1,140	17.4 9.9	8 2	11	15	21 10	27 22	With surgery	1,980 2,225	6.7 7.6	2	3	5	9	14
OISEASES OF PANCREAS (577)								OTHER DISEASES OF BLAODER (596)	0.075					,,	
Total	1,755	10.2	2	4	8	13	19	65 to 74 years	3,075 1,655	9.8 9.3	2 2	3	7 6	11	19
65 to 74 yeors	495	10.8	2	4 5	8	12 13	19 20	75 to 84 years	1,075 345	10.2 10.9	2 1	3	6 7	12 14	22 21
85 years and over		9.4	3 2	4	7	12	15	Single diognosis	1,005 2,070	7.7 10.8	1 2	2 4	5 7	9 13	14 21
Multiple diagnoses	1,120		3	5	8	13	20	With surgery	2,240	9.5	2	4	7	11	18
With surgery	1,510		8 2	11	15 7	22 11	28 16	Without surgery	835	10.7	'	3	6	13	22
CHRONIC AND UNQUALIFIED NEPHRITIS (582, 583)								URETHRA (597, 598)							
Total	560	12.2	2	4	9	18	25	Total	3,120 1,760	5.2	1	2 2	3	7	12
65 to 74 yeors	110	10.5	1 2	4	9 7	18 18	25 21	75 to 84 years	1,105 255	7.5 7.3	1 2	3	3 5 5	9 11	14 14
85 years and over			3	2	6	16	21	Single diognosis	1,105 2,015	4.9 6.9	1	2 2	3 4	5	10 13
Multiple diagnoses	470	12.9	1 2	5	9	18	23 25	With surgery	2,545	6.1	1	2	4	7	11
With surgery	80 480		2 1	4 4	12 8	17 18	25 25	URINARY TRACT INFECTION, NOT	575	6.6	1	2	4	8	13
INFECTIONS OF KIONEY (590)								ELSEWHERE CLASSIFIEO (599.0)							
Total		9.5	2		7	11	18	Total	4,200 1,765	9.2 8.2	2	3	7 6	11	18
75 to 84 years	1,475	9.3	2 2 3	4 5	7 8	11	17 20	75 to 84 years	1,780 655	10.0 9.8	2 2	4 5	7 8	13	20 18
Single diognosis	960 2,885		2	3 5	5 8	8 12	13 19	Single diognosis	960 3,240	7.0 9.9	1 2	3 4	5 7	8 12	15 19
With surgery	535	12.6	2 2		11	15	23	With surgery	725	10.5	2 2	3	8 7	15	22
CALCULUS OF KIONEY AND URETER	3,310	9.0	2	4	/	10	16	Without surgery	3,475	8.9	2	4	'	10	17
(592)							l 	Total	22,635	9.5	3	5	   7	11	   17
Totol			1	2 2	5	10	16	65 to 74 yeors	13,080 7,895	8.8 10.5	3	5 5	7 8	10 12	15 18
75 to 84 years	930	7.4	1 2	2 2	5 5	10	15 15	85 years and over	1,660	11.0	3	5	8 9	13	21
Single diagnosis	1,815 1,975		1	2 3	4 7	8 12	12 17	Single diagnosis	10,755 11,880	8.3 10.7	3	5 5	7 8	10 13	14 19
With surgery	1,725	11.2	3	5	9	14	20	With surgery	19,575 3,060	9.7 8.7	4 1	5 3	8 6	11 10	16 18
OTHER 015EASES OF KIONEY AND	2,065	4.8	1	2	3	6	10	PROSTATITIS (601)							
URETER (593)					_			Total	805	8.0	1	3	5	10	15
Totol			1	3	6	13	21 20	65 to 74 yeors	540 230 35	7.7 8.9 5.4	3 2	4 3	5 8 6	12 7	14 16 7
75 to 84 years	730	10.5	i 1	3 3	8	15	22 16	Single diognosis	250	5.4	1	2	4	7	10
Single diognosis	760 1,640		1	2 3	5 7	10 14	17 22	Multiple diognoses	555 375	9.1 7.8	2 2	3	6	11	16
With surgery	1,165	10.4	2	3	9	14	20	Without surgery	430	8.1	ĩ	3	5	9	14
CALCULUS OF OTHER PARTS OF	1,235	8.9	1	2	5	11	21	CHRONIC CYSTIC DISEASE AND OTHER DISEASES OF BREAST (610, 611)							
URINARY 5Y5TEM (594)								Totol	2,020	3.8	1	2	2	3	6
Total		1 1	1	3 2	6	10	17	65 to 74 yeors	1,455 505 60	3.5 4.5 5.0	1 1 2	1 2 2	2 2 3	3 5 5	5 8 13
65 to 74 years	255	6.8 10.2 8.6	1 5	4 5	4 9 7	12 8	19 13	Single diagnosis	1,395	3.5	1	1	2	3	5
Single diognosis	355	6.8	1	2	4 7	10	14	Multiple diognoses	1,890	4.3 3.6	1	2	i i	3	7
Multiple diognoses With surgery		9.2	2	3	7	11	18	With surgery			i	2	2 3	6	
Without surgery	245		i		3	5	ii								

Oiognosis And Oischorge	Number of	Averoge		Perce	entiles (	doys)		Oiognosis And Oischorge	Number of	Averoge		Perce	entiles (	doys)	
Chorocteristics (ICOA 8th Revision)	dischorges	stoy (doys)	10th	25th	50th	75th	90th	Chorocteristics (ICOA 8th Revision)	dischorges	stoy (doys)	10th	25th	50th	75th	90th
UTEROVAGINAL PROLAPSE (623)								SPONOYLITIS OSTEOARTHRITICA (713.1)							
Total	6,220	9.3	5	6	8	10	14	Total	3,680	9.3	2	4	7	12	17
65 to 74 yeors	4,385 1,665 170	9.0 10.0 11.7	5 5 3	6 7 7	8 8 9	10 11 13	13 15 19	65 to 74 years 75 to 84 years 85 years ond over	1,865 1,410 405	9.0 9.6 9.4	2 2 2	4 4	7 7 8	12 12 11	17 18 17
Single diognosis	3,125 3,095	8.6 10.1	5 5	6 7	8 8	9 11	12 15	Single diognosis	775 2,905	7.6 9.7	1 2	3 4	5 7	10 12	16 18
With surgery	5,780 440	9.4 8.2	5 1	6	8 7	10 10	14 16	With surgery	265 3,415	16.0 8.8	4 2	9	13 7	20 11	29 16
POSTMENOPAUSAL BLEEDING (626.7)								ARTHRITIS, UNSPECIFIEO (715)							
Totol	1,690	3.3	1	1	2	3	7	Total	2,435	11.6	2	4	7	13	23
65 to 74 yeors 75 to 84 yeors 85 years and over	1,240 410 40	3.2 3.1 5.6	1 2	1 2	2 2 3	3 3 5	7 6 13	65 to 74 yeors	1,045 1,020 370	11.4 11.8 12.1	2 3 2	4 4 3	6 7 6	13 13 13	23 23 18
Single diognosis Multiple diognoses	895 795	2.2 4.4	1 1	1 1	1 2	2 6	3 10	Single diognosis	710 1,725	9.1 12.7	2 3	3 4	6 7	11 14	21 25
With surgery	1,585 105	3.3 3.0	] ]	1 1	2 2	3 3	7 5	With surgery	330 2,105	18.7 10.5	3 2	6 4	18 6	24 12	35 19
CELLULITIS ANO A85CE55 (681, 682)								OSTEOPOROSI5 (723.0)							
Total	2,795	11.0	3	4	8	13	22	Total	4,185	12.2	3	6	10	15	22
65 to 74 yeors	1,050	10.6 11.2 12.4	2 3 3	4 5 5	7 8 9	13 13 13	23 19 27	65 to 74 yeors 75 to 84 yeors 85 yeors ond over	1,385 1,970 830	12.1 12.2 12.6	3 3 3	6 6 6	9 10 9	14 15 16	22 22 24
Single diognosis Multiple diognoses	945 1,850	8.9 12.1	2 3	4 5	6 9	11 15	18 25	Single diognosis	830 3,355	11.5 12.4	4 3	6 6	9 10	14 15	21 23
With surgery	635 2,160	12.4 10.6	2 3	4 4	8 8	15 12	28 20	With surgery	315 3,870	18.9 11.7	6 3	10 5	16 9	24 14	33 21
OERMATITIS ANO ECZEMA (690, 692)								OISPLACEMENT OF INTERVERTEBRAL 015C (725)							
Total	825	6.8	. 1	3	5	9	14	Total	3,595	12.0	3	5	9	15	24
65 to 74 yeors	420 285 120	6.1 7.6 7.3	1 2 1	2 3 4	4 5 5	8 11 10	11 15 13	65 to 74 yeors	2,540 945	12.2 11.7	3	5	9	15	24 23
Single diognosis Multiple diognoses	275 550	5.0 7.7	] ]	2 3	4 6	5 11	10 15	85 years and over	110 1,590 2,005	10.7 12.6 11.6	3 3	3 6 5	7 10 9	15 16 14	24 25 23
With surgery	70 755	7.6 6.7	] ]	2 3	4 5	11 9	18 13	Multiple diognoses	815	19.0	7	10	16	24	33
CHRONIC ULCER OF SKIN (707)								VERTERROGENIC PAIN SYNOROME (728)	2,780	10.0	2	4	8	12	18
Total	1,805	15.5	2	6	11	19	32	Total	2,275	9.5	2	4	7	12	18
65 to 74 yeors	760 775 270	13.7 17.0 16.4	2 3 2	5 6 8	10 13 12	17 21 20	26 37 35	65 to 74 years	1,360 735	9.7 9.4	2 2	4 4	7 7	12 12	19 18
Single diognosis	685 1,120	14.4 16.2	2 3	4 7	10 12	18 20	29 33	85 years and over	180 800	8.2 8.6	2	5 4	8	10	13 17
With surgery	690 1,115	17.7 14.1	3 2	9	14 10	23 17	35 29	Multiple diognoses	1,475 240	10.0 17.5	2 5	4 9	7 15	20	18 27
RHEUMATOIO ARTHRITIS AND ALLIEO CONDITION5 (712)								Without surgery	2,035	8.5	2	4	6	11	15
Totol	2,695	12.7	2	5	9	16	24	TENOSYNOVITIS (731) Total	2,110	6.6	1	2	3	8	15
65 to 74 yeors	715	12.6 12.6 16.9	2 3 2	5 5 8	8 9 17	16 15 22	23 27 31	65 to 74 yeors	1,460 535	5.6 8.4	1	2 2	3 5	6 9	13 20
Single diognosis Multiple diognoses	765	12.6 12.8	3 2	5	8	15	24 24	85 years and over	115	10.4	2	4	7 2	15	19
With surgery	620	13.3	2	4	9 8	17	26	Multiple diognoses	1,260	8.7	2	3	6 2	10	20
Without surgery	2,075	12.5	3	3	°	16	24	With surgery	850	5.2 8.8	2	3	6	10	13 19
Total	6,445	13.8	3	5	10	18	27	5YMPTOM5 REFERABLE TO NERVOUS 5Y5TEM AND SPECIAL SENSES (780, 781)							
65 to 74 yeors	3,275 2,585 585	14.5 13.3 11.8	3 3 2	6 5 4	12 9 7	19 17 15	27 26 25	Total	1,180	6.3	1	2	4	8	13
Single diognosis		15.7 12.5	3 3	7 4	14 8	20 16	28 26	65 to 74 yeors	695 425 60	5.6 7.4 5.7	1 1 1	2 3 2	3 5 3	7 9 7	11 15 10
With surgery		19.3 10.1	7 2	12	17 7	24 11	31 20	Single diognosis	880 300	5.7 8.1	1	2 2	4	7 10	10 17
								With surgery	40 1,140	10.9 6.1	1	2	9	14 7	24 12

Table 7 WEST: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND DISCHARGE CHARACTERISTICS—Con.

Oiognosis And Oischorge	Number of	Averoge		Perce	ntiles (	doys)		Diagnosis And Dischorge	Number of	Averoge		Perce	entiles (	days)	
Chorocteristics (ICOA 8th Revision)	dischorges	stoy (doys)	10th	25th	50th	75th	90th	Chorocteristics (ICOA 8th Revision)	dischorges	stoy (doys)	10th	25th	50th	75th	90th
ACUTE HEART FAILURE, UNOEFINEO (782.4)								FRACTURE OF VERTEBRAL COLUMN, OORSAL (THORACIC) AND LUMBAR, CLOSED (805.2)							
Totol	715	8.3 8.7	1	3	6	10 12	16 17	Total	3,575	12.2	3	6	10	15	21
75 to 84 years	320	8.0 8.2	i i	3 2	5	10	15 16	65 to 74 years	1,435 1,545	12.2 12.3	3	5 6 7	9 10	16 15	23 21
Single diognosis	445 270	8.0 8.7	1	3 3	6 6	11 10	15 20	85 yeors ond over  Single diognosis	1,265 2,310	11.9 11.3 12.7	3 3	5 6	10 9 10	14 14 16	20 19 23
With surgery	20 695	8.3	1	3	6	10	16	With surgery	95	18.9	4	10	12	15	41
SYNCOPE OR COLLAPSE (782.5)								FRACTURE RIB(5), CLOSEO (807.0)	3,480	12.0	3	٥	10	15	21
Totol		4.1 3.9	1	1	3	4	8	Total	2,670	9.5	2	4	7	12	19
75 to 84 years	345	4.2 4.2	i	1 2	3	4 5	8 6	65 to 74 years	1,225 1,025	8.8 10.3	1 2	3 4	7 8	12 13	18 20
Single diognosis	625 200	3.8 4.8	1	1 2	2	4 5	6 11	85 years and over	420 605	9.7 7.0	1	3 2	6	11	19 15
With surgery	25			,	* 2	. 4	. 7	Multiple diognoses	2,065	10.2	2	4 8	8	13	20 27
Without surgery	800	3.9	'	'	2	4	,	With surgery	125 2,545	15.8 9.2	2	3	14 7	12	18
Total	1,305	4.6	1	1	3	5	8	CLOSEO FRACTURE OF PELVIS (808.0)  Total	2,210	16.5	4	7	12	21	34
65 to 74 yeors	440	5.3 3.9	1	2	3 2	5 4	8	65 to 74 years	620	16.2	4	7	12	20	32
85 years and over	1,115	3.5	'   1	'	3	5	8	75 to 84 yeors	1,005 585	16.7 16.3	3 4	6	13 12	23 19	34 33
Multiple diagnoses		5.1 9.1	1	2 2	3	7	11	Single diognosis	900 1,310	13.7 18.3	3	6 8	10 14	17 24	28 37
Without surgery		4.0	i	ī	3	5	7	With surgery	45 2,165	32.7 16.1	12 3	12 7	35 12	44 21	50 32
PAIN IN CHEST (783.7)  Totol	645	4.7	1	2	3	5	9	MULTIPLE AND ILL-DEFINED FRACTURES OF TRUNK, CLOSED (809.0)							
65 to 74 years	425	4.4 5.7	1	1 2	3	5 8	9	Total	1,245	20.5	4	7	15	25	47
85 years ond over	35	3.7	i	i	3	5	6	65 to 74 years	455 585	22.3 21.1	4	6 7	14 17	30 26	53 42
Single diognosis	475 170	4.3 5.9	i	2	3 4	5 8	11	85 years and over	205 500	14.6 16.7	5	9	13	17 19	21 35
With surgery	20 625	4.7	1	2	3	5	9	Multiple diagnoses	745 325	23.0 25.0	5	11	17 18	30	50
A800MINAL PAIN (785.5)						,	,,	Without surgery	920	18.9	4	6	13	23	40
Totol		5.5	1	2	4	6	11	FRACTURE OF UPPER ENO OR 5HAFT OF HUMERUS, CLOSEO (812.0, 812.2)							
75 to 84 years	440	5.9 6.3	1	2 2	3 4	6 8	10 14	Total	2,780 1,025	8.9 8.7	1	3 2	6	11	18 19
Single diognosis		5.2 6.7	1 1	3	3 5	6 8	10 13	75 to 84 years	1,200	8.4 10.4	1 2	3 4	6	11	17 25
With surgery	135 1,475	10.6 5.0	2 1	4 2	9 3	15 6	19 9	Single diognosis	1,470 1,310	7.4 10.7	1 2	2 4	4 8	9	15 21
RETENTION OF URINE (786.1)				:				With surgery	520 2,260	10.2 8.6	1	3 3	6	13 11	20 18
Totol		7.0 6.5	1	2 2	5	8	14	FRACTURE OF UPPER END OR UNSPECIFIED PART OF RADIUS AND							
75 to 84 years	210	7.8 6.6	i 1	3 2	5	117	14 15	ULNA, CLOSEO (813.0)	/00	67	,			-	10
Single diognosis	490 145	6.9 7.2	1	2 3	4	8 8	14 13	Totol	620 310	5.7 6.0	1	1	3	7 8	12 11
With surgery	215	9.2 5.9	2	5	7	12 6	16 13	75 to 84 years	230 80	4.3 8.6	1	2 2	3 5	5 14	8 21
HEMATURIA (789.3)	420	3.7	·	'	3	Ů	13	Single diognosis		4.5 7.5	1	1 2	3 5	5 9	10 16
Totol		5.6	1	2	3	6	12	With surgery	430 190	5.8 5.4	1	1 2	3 4	7 6	12 10
65 to 74 yeors	215	5.2 6.4 5.6	1 1	1 2 2	3 3 4	6 6	9 17 12	FRACTURE OF LOWER END OF RAOIUS ANO ULNA, CLO5EO (813.4)							
Single diognosis	630 45	5.5 7.1	1	2 2	3	6 11	12 16	Total		4.4	1	1	2	5	8
With surgery	380	5.6		2	3	6	12	65 to 74 years 75 to 84 yeors 85 yeors ond over	605	4.1 4.5 5.4	1	1 1	2 3 4	4 5	8 8 11
Without surgery	1 295	5.61	1 1	1	3	3	14	Single diognosis	1,070	4.0	1	1	2	4	7
								Multiple diognoses	455 935	5.4 4.1	1	1	2	7 4 6	11 8
								Without surgery		5.0	i	1	3	6	9

Diagnasis And Discharge	Number af	Average		Perce	entiles (	days)		Diagnasis And Discharge	Number af	Average		Perce	ntiles (	days)	
Characteristics (ICDA 8th Revision)	discharges	stay (days)	10th	25th	50th	75th	90th	Characteristics (ICDA 8th Revision)	discharges	stay (days)	10th	25th	50th	75th	90th
FRACTURE OF INTERTROCHANTERIC SECTION OF NECK OF FEMUR, CLOSED								CONCUSSION (85D)							
(820.2)								Tatal	1,395	7.6	1	2	5	10	15
Tatal	5,810 1,320	20.1	8	12	16 16	23 23	35 34	65 ta 74 years	745 5D5 145	7.5 7.8 7.6	1	2 3 2	5 5 4	9 10 12	16 15 15
75 ta 84 years	2,675 1,815	20.4 19.1	6	12	16 16	23 23	36 33	Single diagnasis	295	4.3	1	1	2	6	9
Single diagnasis	3,D20 2,790	18.6 21.7	8 7	12 13	15 17	22 25	31 41	Multiple diagnases	1,100	8.5 16.6	3	3	6	22	17 32
With surgery	4,820 990	19.0	9	12	16 17	22 32	32 57	Without surgery	1,315	7.1	1	2	5	9	14
FRACTURE OF OTHER AND UNSPECIFIED PART OF NECK OF FEMUR, CLOSED (200.4)	770	25.2	2	8		32	37	LACERATION AND OPEN WOUND OF HEAD, NECK, AND TRUNK (870-879)	1,855	6.7	,	1	3	7	14
(820.4) Tatal	12,555	19.1	5	10	16	23	34	Tatal	885	6.7	1	1		7 7	14
65 ta 74 years	3,255 5,715	19.3 19.0		10 10	15 16	23 23	35 33	75 ta 84 years	640 330	7.0 6.4	1	2 2	3 3 4	7 8	16 12
75 ta 84 years	3,585	18.9	6 5 5	10	16	23	33	Single diagnasis	370 1,485	4.1 7.4	1	1 1	2	5	9 15
Single diagnasis	7,140 5,415	18.0 20.5	5 6	10 11	15 17	21 25	31 36	With surgery	450 1,405	9.0 6.0	1	2	5	10	19
With surgery	9,345 3,210	18.6 20.3	8 1	11 5	16 14	22 26	30 46	CONTUSION AND CRUSHING WITH	1,403	0.0				Ů	
FRACTURE OF OTHER AND UNSPECIFIED PARTS OF FEMUR (821)								INTACT SKIN SURFACE (920-929) Tatal	4,960	7.5	1	3	5	9	15
Tatal	1,740	26.2	4	10	18	32	54	65 ta 74 years	1,960	6.5	1		4	8	14
65 ta 74 years	575 780	28.1 26.8	4	9	16 20	31 34	66 53	75 ta 84 years	2,045 955	7.9 8.7	i	2 3 3	6	10	16 19
85 years and over	385	22.1	3 6	11	18	26	47	Single diagnasis	1,235 3,725	6.5 7.9	1 2	2 3	4 5	7 10	12 16
Single diagnasis	975 765	25.6 26.9	3 4	9 11	17 19	32 32	55 53	With surgery	255 4,705	12.0 7.3	2 1	4	7 5	13	18 15
With surgery	910 830	22.3 <sup>3</sup> 30.5	7 1	11 7	18 17	26 40	40 77	ADVERSE EFFECT OF MEDICAL AGENTS (960-979)							
FRACTURE OF TIBIA AND FIBULA (823)								Tatal	3,500	6.7	1	2	4	8	13
Tatal	1,180	13.2	2	5	9	17	27 27	65 ta 74 years	1,9D5 1,290	6.9 6.6	1	2 2 3	4	8	14 12
75 ta 84 years	395 90	13.2 14.2	2 2 2	4	9 8	16 20	26 26	85 years and over	305	6.6	2	3	5	8	11
Single diagnasis	635 545	11.3 15.3	2 2	4	8 10	14 20	22 31	Single diagnasis	965 2,535	4.4 7.6	1	3	5	5 9	9 14
With surgery	430	13.5	2 2	6	11	19	26	With surgery	120 3,380	12.9 6.5	2 1	6	9	19	24 12
Without surgery	750	13.0	2	4	8	16	28	IMPLANT AND COMPLICATIONS OF MECHANICAL NATURE FROM INTERNAL							
Tatal	1,500	9.1	2	4	7	11	18	PROSTHETIC OEVICE (997.5)  Tatal	1,D50	9.8	2	3		12	20
65 ta 74 years	985 415	7.8 11.2	2 2	3	6 9	9 14	14 20			9.3	1	3	6	12	22
75 ta 84 years	100 940	13.5 8.0	3	6	10	14 1D	27 14	65 ta 74 years	495 145	1D.1 9.9	3	3 4	5 7	12	23 21
Multiple diagnases	560	11.1	2	4	7	14	22	Single diagnasis	760 290	9.3 10.9	2 2	3	5 7	12 13	21 22
With surgery	960 540	9.8 8.1	2 1	5 3	7 5	12 10	18 18	With surgery	830 220	9.9 9.0	2	3	6	14 11	22 21
MULTIPLE FRACTURES INVOLVING BOTH LOWER LIMBS, LOWER WITH UPPER LIMB, AND LOWER LIMB WITH RIB AND STERNUM (828)															
Tatal	1,185	20.4	4	9	16	26	44								
65 ta 74 years	520 470	19.2 21.2	4 5	8 10	15 16	24 27	39 45								
85 years and aver	195 585	21.4 16.9	6	11	17 15	27	44 29								
Multiple diagnases	600	23.7	6	10	17	32	52								
With surgery	725 460	20.9 19.5	8	12 5	16 15	27 23	41 45								
SPRAINS AND STRAINS OF BACK (846, 847)															
Tatal	3,760	8.4	2	4	7	10	16								
65 ta 74 years	2,240 1,21D 310	8.2 8.9 8.0	2 2 2	4 4 5	6 7 7	10 11 10	15 17 15								
Single diagnasis	1,165 2,595	7.5 8.8	2 2	3	6	9	13 17								
With surgery	2,595	15.D	2 2 2	4	11	21	33 15								

## Table 8 WEST: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED SURGICAL PROCEDURES, AND DISCHARGE CHARACTERISTICS

INDI

Surgical Pracedures And Discharge Characteristics	Number of	Average stay	1	Perce	entiles (	days)		5urgical Pracedures And Discharge Characteristics	Number of	Average stay		Perce	entiles (	days)	
(CPT 1st Edition)	discharges	(days)	10th	25th	50th	75th	90th	(CPT 1st Edition)	discharges	(days)	10th	25th	50th	75th	90th
MASTECTOMY, COMPLETE, SIMPLE (0457)								REPAIR OF VENTRAL HERNIA (3661)							
Tatal	1,590	8.7	2	4	7	9	15	Tatal	2,325	9.2	4	5	7	11	15
65 ta 74 years	745 620 225	7.8 9.4 9.6	2 3 3	5 5	6 7 7	9 10 13	13 15 19	65 ta 74 years	1,660 580 85	8.8 9.7 14.5	4 3 4	5 6 6	7 8 11	10 11 16	14 17 26
Single diagnosis	870 720	7.9 9.6	2 3	4 5	6 7	9 11	14 16	Single diagnasis	1,305 1,020	8.0 10.8	3 4	5 6	7 9	9 13	12 18
MASTECTOMY, RADICAL (0470)	2,585	10.5	5	7	9	12	15	PRO5TATECTOMY, EXCEPT TRANSURETHRAL (4311-4313, 4316, 431X)							
65 to 74 years	1,785 750	10.0 11.7	5 6	7 7 8	8 10	11 13	14 17	Tatal	4,515	14.6	7	9	12	17	23
85 years and aver	1,515 1,070	9.4 12.2	8 5 6	7 7	11 8 10	15 10 14	23 13 20	65 ta 74 years 75 ta 84 years 85 years and aver	2,645 1,595 275	13.9 15.7 16.0	7 8 7	9 10 10	12 13 14	16 18 20	21 26 25
REDUCTION OF FRACTURE OF HIP (0865-0868, 0872-0874)								Single diagnasis	2,065 2,450	13.0 16.1	7 8	10	11	15 19	19 27
Tatal	11,500	19.3	8	12	16	22	32	(4321)							
65 ta 74 years	2,845 5,275	19.7 19.7	9 8 8	12 12 11	16 16 16	23 23 22	33 34	Tatal	18,775	9.9	4	5	7	11	17
85 years and aver	3,380 6,290	18.3 18.2	8	11	1	21	31 30	65 ta 74 years	10,700 6,725 1,350	9.0 10.7 12.6	4 4 5	5 6 7	8 10	10 12 15	15 18 22
ANTHROPLASTY OF HIP (1150)	5,210	20.6	8	12	15 17	24	35	Single diagnasis	9,035 9,740	8.2 11,4	4	5	7 9	9 13	13 20
Tatal	6,565	20.8	10	14	18	25	33	Multiple diagnoses	7,740	11,4	4	٥		13	20
65 to 74 years	2,500 2,765 1,300	21.3 20.9 19.4	10 10 8	14 14 12	19 18 18	25 25 23	34 32 29	4501, 4505, 450X) Tatal	2,605	9.0	5	6	8	10	13
Single diagnasis	3,715	20.0	10	13	18	23	31	65 ta 74 years	1,940 635	8.6 10.1	5 5 7	6 6 7	7 8	9 11	13 15
Multiple diagnases	2,850	21.8	10	14	19	26	34	85 years and aver  Single diagnasis Multiple diagnases	30 1,400 1,205	10.2 8.4 9.6	5 5	6	8 7 8	11 9 11	15 12 15
Tatal	2,320	17.6	8	11	15	21	29	HY5TERECTOMY, ABDOMINAL (INCLUDING PELVIC EXENTERATION)							
65 ta 74 years	1,510 720 90	16.7 19.6 15.6	8 9 8	10 12 10	14 16 14	20 24 18	29 31 25	(4617, 4618, 4621, 4624-4627)	2,545	10.4	6	7	8	11	15
Single diagnasis	815 1,505	16.0 18.4	8 8	10 11	14 15	18 23	25 32	65 ta 74 years	1,990 510 45	10.1 11.4 14.9	6 6 6	7 8 8	8 9 11	11 13 18	15 17 28
COLECTOMY (3178, 3180)			_					Single diagnosis	890	9.8	6	7	8	10	14
Tatal	5,350 2,965	18.9 18.6	9	11	16 15	22	31	Multiple diagnases	1,655	10.8	6	7	9	11	16
75 to 84 years	2,040 345	18.9 21.2	9 8	12 12	16 18	21 26	32 39	Tatal	2,505	9.9	6	7	8	11	14
Single diagnasis	1,995 3,355	16.9 20.1	9 9	11 11	14 16	19 23	27 35	65 ta 74 years	1,785 665	9.4 10.9	6	7	8 9	10 12	13
HEMORRHOIDECTOMY (3375)	5,000							85 years and over	55	16.0	7	8	12	20	24
Tatal	2,505	7.8	3	4	6	9	13	Single diagnasis	1,140 1,365	9.5 10.3	6	7	8	11	13 15
65 ta 74 years	1,950 500 55	7.3 9.8 8.9	3 5 4	4 6 5	6 8 6	8 11 12	11 17 18	DILATION AND CURETTAGE UTERUS, DIAGNOSTIC (4647)	2 255	2.4	1	1			
Single diagnasis	1,115 1,390	6.7 8.8	3	4 5	6 7	8 10	10 15	Tatal	3,355 2,425	3.6 3.2	1		2	2	6
CHOLECYSTECTOMY (3515)	,-							75 ta 84 years	855 75	4.6 5.1	1 2	1 2	2	5 4	10 13
Tatal	9,995	13.2	6	8	11	15	22	Single diagnasis	1,850 1,505	2.6 4.8	1	1	2 2	2	4 12
65 ta 74 years	6,725 2,905 365	12.3 15.1 16.4	6 7 6	8 9 10	10 13 14	14 18 21	20 25 27	EXTRACTION OF LENS (5611, 5612)			·				
Single diagnasis	5,010	11.1	6	7	9	12	17	Tatal	28,230	5.9	3	4	5	6	8
REPAIR OF INGUINAL HERNIA, EXCEPT	4,985	15.4	7	9	13	19	26	65 to 74 years	13,115 12,610 2,505	5.7 6.0 6.4	3 3 3	4 4 4	5 5 5	6 6 7	8 9 9
RECURRENT (3630-3632) Tatal	13,860	6.9	3	4	5	7	11	5ingle diagnasis	20,465 7,765	5.6 6.8	3 3	4	5 5	6 7	8 11
65 to 74 years	8,775 4,350 735	6.3 7.8 9.1	3 3	4 4 5	5 6 7	7 8	9 13 16							'	
Single diagnasis	9,130	6.0	3	4 5	5 7	7	10								

Table 9 NEW ENGLAND: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND DISCHARGE CHARACTERISTICS

Oiognosis And Oischorge Chorocteristics	Number of	Averoge ,		Perce	entiles (	doys)		Oiognosis And Oischorge Chorocteristics	Number of	Averoge stoy		Perce	entiles (	doys)	
(ICOA 8th Revision)	dischorges	(doys)	10th	25th	50th	75th	90th	(ICOA 8th Revision)	dischorges	(doys)	10th	25th	50th	75th	90th
01ARRHEA (009.1)								MALIGNANT NEOPLA5M OF E50PHAGU5 (150)							
Total	335	12.3	3	5	8	14	21	Total	475	17.1	2	7	12	22	37
65 to 74 years	160 140 35	11.7 13.7 10.1	3 4 1	4 6 1	7 9 4	12 15 12	19 21 23	65 to 74 yeors	285 135 55	15.3 19.2 21.4	2 6 2	6 10 5	10 16 10	21 23 25	31 38 53
Single diognosis	90 245	11.7 12.6	3	5 5	8 8	13 14	20 21	Single diognosis Multiple diognoses	305 170	15.5 19.9	1 3	6	12 13	19 30	31 42
With surgery	60 275	12.2 12.4	2 3	6 5	10 7	13 14	15 21	With surgery	260 215	16.6 17.7	6	9	14	22 23	32 45
GASTROENTERITIS AND COLITIS (009.2)								MALIGNANT NEOPLASM OF STOMACH	213	.,.,		J			
65 to 74 years	2,295 1,060	8.9 8.5	2	3	5	10	18 16	(151) Totol	1,055	19.7	3	7	16	27	38
75 to 84 years	925 310	9.3 8.9	2 2	3 4	6	11	21 17	65 to 74 yeors	475	19.9	2 3	6	15	27	39
Single diognosis	925 1,370	7.0 10.2	1 2	2	4 8	8 12	14 21	75 to 84 yeors	420 160	19.6 19.4	4	9	17 17	26 28	38 32
With surgery	220 2,075	15.8 8.1	2 2	5	12	21 10	31 16	Single diognosis	385 670	19.8 19.7	3 2	7 6	16 16	27 26	37 39
PLEURISY WITH EFFUSION WITHOUT MENTION OF CAUSE (012.2)	2,0,0		_	J	Ĭ			With surgery	465 590	25.8 14.9	10 2	15 4	22 10	32 21	45 28
Total	435	13.9	1	6	11	16	29	MALIGNANT NEOPLASM OF CECUM, APPENOIX AND ASCENDING COLON (153.0)							
65 to 74 years	220 165 50	11.1 16.5 17.8	1 2	6 7 4	9 14 12	13 20 24	21 32 38	Total	725	21.9	7	12	19	26	38
5ingle diognosis	140	12.5	2	6	9	14	26 30	65 to 74 yeors	315 325	20.0 23.5	8	11 13 11	18 21 21	22 27 30	34 43 39
Multiple diagnoses	95	14.6 21.2	8	13	12	18 27	36	85 yeors ond over	85 245	22.9 18.6	8	13	18	22	27
Without surgery	340	11.9	١.	5	9	15	23	Multiple diognoses	480 520	23.6 22.5	11	11 15	20 20	29	45 37
Totol	390	16.1	1	6	13	23	32	Without surgery	205	20.4	3	8	12	24	48
65 to 74 years	170	14.7 16.8 19.1	2 1 1	6 6 2	12 13 11	20 26 25	29 32 43	TRANSVERSE AND DECENDING COLON (153.1, 153.2)							
Single diognosis	120	12.1 17.8	2	6 7	11 15	14 27	21 35	Total	470 195	24.7 24.7	9	15 14	20 19	30	41 44
With surgery	85 305	24.9 13.6	6	13 4	24 11	33 19	42 27	75 to 84 years	230 45	26.4 16.0	11	17	22 12	32 21	42 28
Without surgery	303	13.0	'	4	''	19	21	Single diognosis	195 275	25.6 24.1	12 9	15 12	21 20	27 34	44 40
Total	495	10.8	3	5	9	13	20	With surgery	380 90	26.4 17.5	13 7	16	21 11	31 18	41 42
65 to 74 years	220	10.1 11.5 10.7	2 3 3	4 5 6	8 9 10	12 15 13	17 21 18	MALIGNANT NEOPLA5M OF SIGMOIO COLON (153.3)							
Single diognosis	235	10.0	2	4	6	12	20 20	Total	860	21.2	4	10	18	27	39
With surgery	15							65 to 74 yeors	465 345	19.9 23.1	3	9 10	17 19	25 30	38 40
OTHER VIRAL 015EA5E5 (070-079)	480	10.5	3	5	9	13	20	85 years and over	50 375	20.8 19.5	4	11	19	26	33 38
Total	320	11.7	3	5	8	15	23	Multiple diognoses	485	22.6	10	9	16 19	26 29 29	44
65 to 74 years	160	11.3 10.5	3 3	5 5	9 7	16 12	21 19	With surgery	575 285	25.2 13.2	10	4	22 8	18	45 33
85 years ond over	70	16.9 8.7	5 2	7 5	13 7 9	20 10	33 17	MALIGNANT NEOPLA5M OF UNSPECIFIED PART OF LARGE INTESTINE (153.8)							
Multiple diagnoses		12.5	3	5	9	16	27	Total	1,420 705	20.6 20.3	3 2	9	16	27 26	38 43
With surgery	300	10.8	3	5	8	13	20	75 to 84 yeors	610 105	20.9 21.4	5 3	11 8	17	28 27	37 38
MALIGNANT NEOPLA5M OF BUCCAL CAVITY AND PHARYNX (140-149)								Single diognosis	505 915	21.1 20.4	5 3	11 8	17 14	26 27	38 39
Totol	880 575	13.8	2	4	8	17 16	32	With surgery	660 760	23.9 17.7	11	14	19 11	30 24	38 39
75 to 84 years	265 40	12.8 7.4	2 2 1	4	9 8	19	37 27 10	MALIGNANT NEOPLA5M OF RECTUM AND RECTOSIGMOIO JUNCTION (154)	, 30	17.7	2				J,
Single diognosis	480 400	13.4 14.3	2 3	4 5	7 10	16 17	33 32	Total	1,660	22.1	4	10	19	28	40
With surgery	555 325	13.3 14.7	2 2	4	8 9	15 17	31 33	65 to 74 yeors	970 555 135	21.8 23.3 19.9	5 3 4	11 8 7	19 22 17	27 30 28	38 42 35
								Single diognosis	795 865	22.0 22.2	3 5	13 9	20	27 29	37 41
								With surgery	1,130	23.9 18.3	7		1	29 25	39

ES,

Characteristics (ICOA 8th Revision)  MALIGNANT NEOPLASM OF PANCREAS (157)  Total	720 405 280 35 275	stay (days)	10th	25th	50th	75th	90th	Characteristics (ICOA 8th Revision)	Number af discharges	stay (doys)	10th	25th	50th	75th	90th
(157) Total	405 280 35 275	18.2	2												
Total	405 280 35 275	18.2	2					MALIGNANT NEOPLA5M OF OVARY (183.0)							
75 to 84 years 85 years ond aver Single diagnasis Multiple diagnoses	280 35 275		2	6	16	25	33	Tatal	565	17.1	4	7	14	22	37
Multiple diagnoses		16.9 9.6	2 1 1	7 6 1	16 17 3	26 25 10	34 32 22	65 ta 74 years	370 165 30	15.4 19.9 21.2	3 5 3	6 9 4	13 17 23	19 28 30	32 41 35
	445	19.0 16.2	2 1	5 7	15 15	27 24	38 29	5ingle diagnasis	190 375	17.1 17.0	. 4 3	7 6	14 13	22 22	38 33
With surgery	350 370	22.1 12.7	9	15 2	21 7	26 18	35 32	With surgery	225 340	20.2 15.0	7 3	13 5	17 10	25 18	34 40
MALIGNANT NEOPLASM OF LARYNA (161)								MALIGNANT NEOPLASM OF PROSTATE (185)							
Tatal	375	12.2	1	2	7	19	25	Tatal	3,110	14.7	4	6	11	18	29
65 ta 74 years	280 55 40	13.5 11.5 3.9	1 1 2	2 1 2	9 3 3	20 16 5	32 21 6	65 ta 74 years	1,205 1,580 325	14.2 14.4 18.2	4 4 3	6 7 6	11 11 12	18 18 24	31 27 32
Single diagnosis	240 135	9.7 16.5	1 2	2 5	4 11	17 21	23 40	Single diagnasis	1,390 1,720	13.5 15.7	3 4	6 7	10 11	16 19	25 32
With surgery	230 145	11.9 12.7	1	2	8	18 20	25 27	With surgery	1,855 1,255	15.2 13.9	4	8 5	12 9	18 18	29 30
MALIGNANT NEOPLA5M OF TRACHEA, 8RONCHU5, ANO LUNG (162)								MALIGNANT NEOPLASM OF BLAODER (188)							
Tatal	3,190	15.8	2	6	12	21	32	Tatal	2,375	12.5	1	3	8	16	27
65 ta 74 years	2,145 950 95	15.9 16.0 12.9	3 2 3	6 6 4	12 12 9	20 22 18	32 33 25	65 ta 74 years	1,220 975 180	11.6 13.0 15.7	2	2 4 8	7 8 15	16 16 20	27 29 24
Single diagnasis	1,365 1,825	13.5 17.6	2 3	5 7	11 12	18 22	28 36	Single diognasis	1,380 995	10.2 15.6	1 2	3 5	6 12	13 20	24 32
With surgery	1,295 1,895	18.0 14.4	4 2	9 5	15 10	23 18	33 31	With surgery	1,900 475	11.8 15.2	1	3 4	7 13	15 20	27 32
MALIGNANT NEOPLASM OF 5KIN (172, 173)								MALIGNANT NEOPLA5M OF KIONEY, EXCEPT PELVI5 (189.0)							
Total	1,375	9.5	1	2	5	11	20	Total	430	21.3	4	9	15	27	44
65 to 74 years	555 630 190	7.9 11.6 7.3	1 1	2 2 2	4 6 4	9 13 11	18 25 15	65 ta 74 yeors	220 190 20	20.1 22.7	3 5	9 9 •	14 15	26 30	43 44
Single diagnosis	880 495	8.0 12.2	1 2	2 3	4 7	9 14	16 25	Single diognasis	165 265	18.7 22.9	3 6	6 11	12 17	26 29	40 48
With surgery	1,095 280	7.7 16.5	1	2 4	4 8	10 15	17 40	With surgery	185 245	23.1 19.9	10 2	14 6	18 11	30 23	45 43
MALIGNANT NEOPLASM OF BREAST (174)								LYMPHO5ARCOMA ANO RETICULUM-CELL 5ARCOMA (200)						İ	
Tatal	2,915	15.3	4	8	12	17	29	Total	395	14.6	2	6	11	20	29
65 to 74 years	1,685 1,005 225	15.1 15.9 13.4	4 4 5	8 8 8	12 12 11	18 18 14	29 29 26	65 ta 74 years	260 115 20	14.7 13.9	3 2 *	6 5 *	10	20 18	30 24 *
Single diagnosis	1,305 1,610	13.5 16.6	5	8	11 13	14 20	22 34	Single diagnasis	210 185	13.8 15.6	3 2	6 7	10 13	18 24	23 31
With surgery	1,745 1,170	14.0 17.1	6	9	11	16 21	25 34	With surgery	90 305	15.4 14.4	2 2	11 6	14 10	20 19	23 32
MALIGNANT NEOPLASM OF CERVIX UTERI (180)								HOOGKIN'S OISEASE AND OTHER NEOPLASMS OF LYMPHOID TISSUE							
Total	490	12.1	3	5	7	14	26	(201, 202) Tatal	530	15.3	3	6	11	18	33
65 to 74 years	345 120 25	12.1 12.4	3	5	7	13 16	26 24	65 to 74 yeors	260 240	15.7 14.5	3 2	7 6	12	18	36 25
Single diagnosis	305 185	10.0 15.5	3 4	4 5	6. 10	10 22	19 30	5ingle diagnasis	30 310	18.5 13.2	3	5 7	9	28	42 20
With surgery	325 165	11.8 12.6	3 4	4 5	7	13 16	26 26	Multiple diagnases	150	18.2 15.3	3	6 7	13	18	41 36
MALIGNANT NEOPLASM OF UTERUS, EXCEPT CERVIX (182)								Without surgery	380	15.3	2	6	11	18	28
Tatal	885	13.1	3	5	9	15	29	Tatal	540	16.3	3	6	12	20	35
65 ta 74 years	570 270 45	12.2 15.7 9.3	3 2 5	6	9 11 8	13 20 12	20 37 13	65 ta 74 years	360 160 20	12.8 22.7	3 7	5 12	11 16	17 30	24 44
Single diagnasis Multiple diagnases	485 400	8.9 18.3	3	5	8	11 26	14 40	Single diagnasis	220 320	15.2 17.1	3	6	11 13	19 21	33 37
With surgery	695 190	11.4 19.4	3 2	6	9	13 30	18 39	With surgery	40 500	18.4 16.1	4	6	15 12	21 19	32 35

Table 9 NEW ENGLAND: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND DISCHARGE CHARACTERISTICS—Con.

Oiagnosis And Oischarge		Average	l	Perce	entiles (	(days)		Oiagnasis And Discharge		Average		Perce	entiles (	days)	
Choracteristics (ICOA 8th Revision)	Number of discharges	stoy (doys)	10th	25th	50th	75th	90th	Characteristics (ICOA 8th Revision)	Number af discharges	stay (days)	10th	25th	50th	75th	90th
LEUKEMIA (204-207)								AVITAMINOSES AND OTHER							
Tatal	740	15.0	2	5	9	20	33	NUTRITIONAL OFFICIENCY (260-269)	5.00	10.0			,,		
65 ta 74 years	365 320	17.4 12.5	2 3	4 6	11	24 15	42 24	Tatal	540 235	18.3	2	6	15 12	24	39 37
85 years and aver	55	13.4	2	3	8	15 23	25	75 ta 84 years	220 85	20.4 18.5	2 2 1	5	15	24 25	40 35
Single diagnosis	315 425	14.0 15.7	2 2	4 5	8 10	17 21	31 34	Single diagnosis	120 420	26.3 16.0	4 2	6	20 14	37 22	42 32
With surgery	80 660	18.3 14.6		7 4	16 9	24 19	32 33	With surgery	50	22.0	5 2	9	18	30 24	41
8ENIGN NEOPLASMS OF LARGE INTESTINE, EXCEPT RECTUM (211.3)								Without surgery	490	17.9	2	6	14	24	38
Tatal	425	13.7	2	5	10	19	28	Tatal	370	10.8	3	6	8	14	18
65 to 74 years	95	12.3 18.9	1 3	5 9 *	10 12	14: 26	26 41	65 to 74 years	215 145 10	9.6 12.8	3 4	5 7 •	7 9 •	12 15	17 20
Single diagnosis	275 150	10.8 19.2		5 7	10 13	13 27	21 45	Single diagnasis Multiple diagnases	130 240	10.5 11.0	4 3	6 5	7 8	12 15	15 19
With surgery	315 110	15.8 7.9		8 2	12 6	21 10	29 13	With surgery	25 345	11.0	3	6	8	14	18
8ENIGN NEOPLA5M5 OF RECTUM (211.4)								IRON OEFICIENCY ANEMIAS (280)							
Total	415	8.3	1	2	4	10	15	Tatal	830	11.9	2	6	10	15	22
65 to 74 years	255 120 40	9.1 6.8 7.9	1 2 1	2 3 2	5 4 5	10 9 10	16 13 17	65 ta 74 years 75 ta 84 years 85 years and aver	290 455 85	12.7 12.0 8.8	2 3 2	5 6 3	12 10 7	17 15 14	25 22 16
Single diagnosis		8.2 8.5		2	4 6	7 11	14 17	Single diagnasis	245 585	9.5 13.0	1 3	5 6	8 11	14 16	17 25
With surgery	370 45	7.7 14.0	1	3 1	4 4	10 9	15 25	With surgery	120 710	13.9 11.6	5 2	7 5	12 10	17 15	25 22
LIPOMA (214)								PERNICIOUS ANEMIA (281.0)							
Total	325	4.8	1	2	3	6	9	Total	455	15.6	4	8	13	19	30
65 to 74 years		4.4 6.5		2 2 *	3 4 •	5 8 •	9 10	65 ta 74 years	175 195 85	15.3 16.3 14.8	4 4 3	7 9 8	11 14 12	17 20 18	31 29 26
Single diognosis		3.9 7.2		1 2	2 4	5 8	9 16	Single diagnosis	170 285	15.0 16.1	3 5	6 9	11 13	17 19	30 29
With surgery	285 40	4.4 7.5		2 1	3 2	5 9	9 20	With surgery	60 395	24.5 14.3	5 4	10 8	15 12	32 18	51 26
NEOPLASMS OF UNSPECIFIED NATURE OF 8LADDER (237.6)								ALL OTHER AND UNSPECIFIED ANEMIAS (281.1-281.9, 282-285)							
Total	930	6.0	1	1	3	7	14	Tatal	2,475	13.5	2	4	10	17	29
65 to 74 years	570 275 85	4.9 7.1 10.1	1 1 1	1 1 2	2 3 5	5 9 11	12 20 17	65 to 74 years	860 1,220 395	12.7 13.7 14.7	2 2 1	4 4 4	9 9 11	15 17 23	26 29 31
Single diagnasis	720 210	5.5 7.8		1 2	2 4	6 11	12 18	Single diagnosis	950 1,525	11.5 14.7	2 2	4 5	8 11	15 19	25 31
With surgery	855 75	6.1 5.1	1	1	3	7 5	14 11	With surgery	405 2,070	18.1 12.6	4 2	8	14 9	24 16	31 28
DISEASES OF THYROID GLAND (240-246)								AFFECTIVE PSYCHOSES (296)							
Total	875	12.2	3	5	9	15	25	Tatal	445	15.2	3	8	12	21	29
65 to 74 years	240	11.5 12.9	3 3	5 5 *	10 10	14 19	22 25	65 to 74 years	305 130 10	14.5 15.2	3	7 7 *	12 14	19 21	29 28
Single diagnosis	360 515	10.5 13.4	3	4	7 11	12 18	20 26	Single diagnasis	245 200	13.7 17.0	2 4	6 9	11 14	18 22	28 30
With surgery	200 675	11.3 12.5	3	6	9	15 15	21 26	With surgery	15 430	• 15.4	3	8	12	21	29
OIA8ETES MELLITUS (250)	0/3	12.3				,,,	2.0	ANXIETY NEUROSIS (300.0)	130				,-		
Total	9,515	13.8	3	6	10	17	27	Tatal	585	7.8	1	3	6	10	14
65 to 74 years	5,215 3,825	12.9 15.0	3 4 3	6	9 11	14 18 20	25 30 28	65 to 74 years	400 160 25	7.1 9.6	2 1	3	6 7	8 13	13 20
5ingle diagnosis	2,315	14.6 12.4	3	5	13 9 10	14 17	28 22 29	Single diagnasis Multiple diagnoses	210 375	6.6 8.4	1 2	3	5 7	7	11 15
Multiple diagnoses		14.3	6	10	19	31	46	With surgery	15	•					
Without surgery	8,145	12.3	3	10	ģ	15	23	Without surgery	570	7.5	1	3	61	91	14

Table 9 NEW ENGLAND: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND DISCHARGE CHARACTERISTICS—Con.

Diagramia And Directors		Avara		Perce	entiles	(dovs)		Diognosis And Oischorge		Avene		Perce	ntiles (	dovs)	
Diognosis And Dischorge Chorocteristics (ICDA 8th Revision)	Number of dischorges	Averoge stoy (doys)	10th	25th	50th	75th	90th	Chorocteristics (ICDA 8th Revision)	Number of dischorges	Averoge stoy (doys)	10th	25th	50th	75th	90th
								WELLOW AND WELLOWING WAS DESIGNED.							
OEPRESSIVE NEUROSIS (300.4)	1,150	15.1	3	6	11	19	30	NEURALGIA ANO NEURITIS, UNSPECIFIED (355)							
65 to 74 years	765	14.1	3	7	11	18	26	Total	250	11.3	2	4	7	15	27
75 to 84 yeors	350 35	17.4 15.1	4 2	7 4	12 12	24 23	35 30	65 to 74 yeors	120 115 15	11.6 11.0	2 3 *	4	6	18	28 25
Single diognosis	635 515	17.3 12.4	5 3	8 6	14 9	23 15	32 23	5ingle diognosis	115	11.3	2 2	4	6 7	12	26
With surgery	40 1,110	15.5 15.1	4 3	4 6	10 11	18 19	36 30	Multiple diognoses	135	11.4				16	26
ALCOHOLISM (303)								Without surgery	230	10.6	. 2	4	6	12	26
Total	565	9.9	1	3	6	13	22	Total	10,475	6.8	3	4	5	7	12
65 to 74 years	450 115 —	9.3 12.4 —	1	4	9	12 19 —	20 23 -	65 to 74 yeors	4,935 4,725	6.5 6.9	3	4	5	7 7 9	11 12
Single diognosis	215 350	8.2 11.0	1	3	6	12 15	14 25	85 yeors and over	815 8,120	8.2 6.3	3	4	6	7	14
With surgery	25			•		*		Multiple diognoses	2,355	8.8	3	5	6	10	15
MENTAL 0150R0ER5 NOT SPECIFIED AS	540	9.7		3	6	12	22	With surgery	9,925 550	6.8 7.8	3	3	5	7	12 14
FSYCHOTIC, A550CIATED WITH PHYSICAL CONDITIONS (309)								GLAUCOMA (375) Totol	1,120	7.1	2	3	5	8	12
Total	955	15.1	3	5	10	18	30	65 to 74 years	630	6.7	2	3	5	8	12
65 to 74 years	355 450 150	16.7 14.8 12.2	4 2 3	6 4 6	12 9 10	19 19 16	33 30 21	75 to 84 yeors	430 60	7.3 9.9	3	3	5 6	8 9	13 13
Single diognosis	265 690	12.6 16.0	2 4	3	8 11	15 19	26 30	Single diognosis	710 410	6.0 8.9	3	3	5 7	10	11 15
With surgery	70 885	18.8	1 3	9	15 10	25 18	34 28	With surgery	955 165	7.1 7.2	2 2	3	5 7	8 9	13 12
PARALY515 AGITAN5 (342)	663	14.0		,	10	10	26	DETACHMENT OF RETINA (376)							
Total	990	15.9	4	8	12	19	30	Total	575 435	9.1 8.8	4	6	8	10	16 13
65 to 74 years		16.0 15.4	4 5 7	8 7	13 11	18 18	35 29	75 to 84 yeors	135	9.8	3	5	8	10	19
85 years and over		19.0	4	13 7	19	21 17	25 24	Single diognosis	460 115	9.3 7.9	4 2	6 5	8	10 9	17 11
Multiple diognoses	580	16.8 22.3	5 8	8 12	13 15	21 27	35 44	With surgery	525 50	9.0 9.6	4	6	8 7	10 14	15 19
Without surgery		15.2	4	7	12	18	28	LA8YRINTHITI5 (384.0)							
CEREBRAL PARALY515 (344)	280	15.7	3	5	11	20	29	Total	460	8.4	2	3	6	10	18
65 to 74 years	115	14.3	2 3	4	9	16	24	65 to 74 years	275 165	7.6 9.2	2	3	6	9 10	15 20
75 to 84 years	140 25	17.2	3	6	12	22	30	85 years and over	20 200	6.9	1	3	5	9	10
Single diognosis	100 180	17.1 14.9	2	3 6	7 13	18 20	39 28	Multiple diognoses	260 25	9.5	3	4	6	12	20
With surgery	25 255	16.2	3	5	12	20	29	With surgery	435	8.2	2	3	5	9	17
FACIAL PARALYSIS AND TRIGEMINAL NEURALGIA (350, 351)								CHRONIC RHEUMATIC HEART DISEASE (393-398)							
Total	325	11.0	3	5	9	15	21	Total	1,240 825	14.6 15.3	3	6	10	19	30 31
65 to 74 years	165 130	11.4 10.9	2	4	9	15 15	21 23	75 to 84 yeors	350 65	13.4 11.5	4	6	10	18 15	24 27
85 years and over	30 190	9.8	6	5	8	10	15	Single diognosis	310 930	12.4 15.3	3	4	8 10	18 18	26 31
Multiple diognoses	135	11.1	3	5	10	13	20 27	With surgery	185 1,055	19.2 13.8	4 3	5	16 10	26 17	34 28
With surgery	215	12.6 10.2	3	5	8	12	16	ESSENTIAL BENIGN HYPERTENSION (401)	1,033	13.0	J	3		,,	20
5CIATICA (353) Totol	240	13.8	4	6	11	17	22	Total	2,390	9.3	2	4	7	- 11	18
65 to 74 years	160	14.5	5	6	10	18	25	65 to 74 yeors	1,530 730	8.8 9.9	2 2	3 4 7	6 7 9	11 12	16 20
75 to 84 years	5	12.3	3	5	12	17	21	85 years ond over	130 880	7.4	1	3	6	10	14
Single diognosis	115 125	12.5 15.0	3 4	6 7	11	19 17	23 22	Multiple diagnoses	1,510	10.4	2 2	3	7 7 7	13 18	23 27
With surgery	30 210	17.7 13.2	7 4	8 6	16 11	22 15	25 22	Without surgery	2,125	8.9	2	4	7	11	16

Table 9 NEW ENGLAND: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND DISCHARGE CHARACTERISTICS—Con.

Oiognosis And Oischorge Chorocteristics	Number of	Averoge stoy	· · · · · · · · · · · · · · · · · · ·	Perce	entiles (	(doys)		Oiognosis And Oischorge Chorocteristics	Number of	Averoge stoy		Perce	ntiles (	doys)	
(ICOA 8th Revision)	dischorges	(doys)	10th	25th	50th	75th	90th	(ICOA 8th Revision)	dischorges	(doys)	10th	25th	50th	75th	90th
HYPERTENSIVE HEART DISEASE (402)								HEART BLOCK, AND CARDIAC ARREST (427.2, 427.3)							
Totol	865	13.4	3	6	10	17	24	Total	1,200	11.4	1	4	9	15	21
65 to 74 yeors	355	12.8 13.0 16.7	3 3 6	5 7 9	10 14	17 16 20	24 23 27	65 to 74 yeors	500 535	10.6 11.6	1 2	3 5	8 10	14 15	22 20
Single diagnosis	310	13.0	4 3	6	9	17	24	85 yeors ond over	165	13.4	ī	4	10	17	28
Multiple diognoses		13.7		7 5	11 9	17 12	26 14	Single diognosis	630 570	10.1 12.8	1	5 4	9 10	13 17	18 25
Without surgery	825	13.6	2 3	6	10	17	25	With surgery	480 720	12.4 10.8	3 1	6 3	11 8	17 13	22 20
HYPERTENSIVE RENAL, AND HEART AND RENAL DISEASE (403, 404)								ATRIAL FIBRILLATION OR FLUTTER AND OTHER UNSPECIFIED DISORDERS OF							
Total	355	13.1	1	4	10	17	29	HEART RHYTHM (427.4, 427.9)							
65 to 74 yeors	125 170 60	14.2 13.7 9.2	2 1	5	11 8 7	21 17 15	29 33 18	Total	1,315	10.6 9.6	2	4	8	13	21 18
Single diognosis	90	10.2	1 2	2	9	14	19	75 to 84 yeors		12.0 9.1	2 2 2	4	8 7	15 10	23 20
Multiple diagnoses	265 35	14.1 19.4	4	7	10 15	18	31	Single diognosis	585 730	8.4 12.3	1 2	3 5	7 8	11	15 24
ACUTE MYOCAROIAL INFARCTION (410)	320	12.4	1	4	9	17	29	With surgery	125 1,190	14.8 10.1	4 2	8	11	18 12	28 20
Totol	11,630	16.8	1	7	16	23	30	OTHER MYOCAROIAL INSUFFICIENCY	1,190	10.1	2	4	,	12	20
65 to 74 yeors	6,345 4,335	18.0 15.5	2	9	18 14	24 22	30 28	(428) Totol	485	13.7	2	5	10	16	26
85 years and over	950	15.0	i	5 2	13	22	30	65 to 74 yeors	230	14.9	4	6	10	18	29
Single diognosis	6,070 5,560	16.0 17.7	1	7 7	16 17	22 24	28 32	75 to 84 years	170 85	13.6 10.4	2 1	3 2	10 7	15 15	22 24
With surgery	505 11,125	20.0 16.7	3 1	8 7	19 16	27 23	36 29	Single diognosis	135 350	10.6 14.9	1 2	3 6	6 11	12 17	24 27
OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411)								With surgery	20 465	* 13.5	2	* 5	* 10	16	* 27
Totol	2,510	12.6	2	5	10	17	23	ILL-OEFINEO HEART OISEASE (429)	405	13.3		,	10		2,
65 to 74 years	1,530 860	12.6 12.6	3 2	6	10 10	16 17	22 23	Total	855	14.4	3	5	9	17	25
85 years and over	120	12.5	1	1	12	19	27	65 to 74 years	350 365	11.0 16.8	2	6	9	15 20	20 29
Single diognosis	1,620 890	12.7 12.4	2	5 6	10 10	17 15	22 24	85 yeors and over	140	16.7 14.1	3	3	9	14	20 24
With surgery	65 2,445	17.6 12.4	6 2	9 5	13 10	22 16	32 23	Multiple diognoses	455	14.7	2	4	9	18	25
CHRONIC ISCHEMIC HEART DISEASE (412)								With surgery	65 790	37.1 12.5	4 2	15	21 8	33 16	59 22
Totol	33,640	13.0	3	5	10	16	25	CEREBRAL HEMORRHAGE (431)					اً ۔		
65 to 74 years	14,165 14,765	12.4 13.2	3	5	9 10	16 16	24 26	Total	1,070 425	11.7	1	1	5	16	31
85 years and over	4,710	14.1	3	6	10	18	28	75 to 84 years	470 175	11.4 11.9	1	1 2	5 8	16 16	30 25
Single diognosis	10,230 23,410	13.7	3	6	10	17	26	Single diognosis	510 560	10.1 13.2	1	1	3	12 19	28 34
With surgery	2,195 31,445	18.7 12.6	4 3	9 5	16 9	25 16	35 24	With surgery	90 980	13.6 11.5	1	2	13	20	28 31
ANGINA PECTORIS (413)								OCCLUSION OF PRECEREBRAL ARTERIES	960	11.5	'	'	3	13	31
Total	720 505	9.6	2	3	7	12	20	(432) Totol	720	14.5	3	6	12	19	28
65 to 74 yeors	195 20	8.6 12.5 *	2	4	8	15		65 to 74 years	395	15.3	3	6	13	20	29
Single diognosis	395	9.2	2 2	3	6	12 11	19 20	75 to 84 yeors	295 30	13.9 10.2	3	6	11	18 13	26 16
Multiple diognoses	325 20	10.1						Single diognosis	335 385	13.6 15.3	3	6 5	11 14	15 21	26 29
Without surgery	700	9.5	2	3	6	12	19	With surgery	185	17.7	4 2	9	15 11	23 18	29 27
Total	5,395	14.2	3	6	10	17	28	Without surgery	535	13.4	2	3	"	"	21
65 to 74 years	2,005	13.4	3	5	10 11	17 17	26 30	Total	4,075	17.5	3	7	13	23	35
75 to 84 years	2,580 810	15.1 13.3	3	5	10	18	26	65 to 74 yeors	1,465 1,940	17.5 18.0	3	7	13 14	23 25 21	34 37
Single diognosis	2,915 2,480	13.1 15.5	3	6	10	17 18	25 32	85 years and over	1,530	15.7	1	5 6	11	21	35 35
With surgery	250 5,145	25.6 13.6	9	14	23 10	34 17	47 26	Multiple diognoses	2,545	17.9	3	7	13	24	35
								With surgery	160 3,915	26.8 17.1	5	12	23 13	32 23	41 34

Table 9 NEW ENGLAND: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND DISCHARGE CHARACTERISTICS—Con.

-	Ojognosis And Oischorge		Averoge		Perce	entiles (	(days)		Oiognosis And Oischarge		Averoge		Perce	entiles (	doys)	—
	Chorocteristics (ICOA 8th Revision)	Number of discharges	stoy (doys)	10th	25th	50th	75th	90th	Chorocteristics (ICDA 8th Revision)	Number of dischorges	stoy (doys)	10th	25th	50th	75th	90th
	SUBARACHNOIO HEMORRHAGE ANO CEREBRAL EMBOLISM (430, 434)								ARTERIAL EM80LI5M AND THROM805IS							
	Totol	500	16.2	1	5	11	22	39	Totol	1,220	15.4	1	5	11	19	33
	65 to 74 years	260 210	17.8 13.4	1	5	9 11	25 17	40 29	65 ta 74 yeors	660	17.2 14.0	1		13	20 19	33 32 17
	75 to 84 years	30	21.2	3	5	14	32	44	75 to 84 years	455 105	9.7	i	5 5 2	10	14	17
	Single diognosis	190 310	14.9 17.0	1	4 5	8 11	17 26	33 40	Single diagnosis	585 635	12.8 17.7	1 2	3 6	11 12	17 21	25 37
	With surgery	45 455	22.0 15.6	1	6 5	13 10	25 22	45 39	With surgery	680 540	20.7 8.7	5 1	11 2	16 6	24 10	37 16
	TRANSIENT CEREBRAL ISCHEMIA (435)								GANGRENE (445)							
	Totol	820	8.6	2	4	6	11	15	Total	1,200	28.0	7	13	24	36	54
	65 to 74 yeors	360 365 95	9.9 7.5 7.6	2 1 3	3 4	7 6 7	12 10 9	16 13 11	65 to 74 yeors	410 560 230	26.2 30.6 24.8	5 9 6	12 16 11	23 28 21	35 38 31	50 54 53
	Single diognosis	375 445	7.3 9.7	2 2	3	6 7	10 11	13 18	Single diognosis	630 570	30.5 25.3	6 7	14 12	27 23	40 33	56 40
	With surgery	25 795	8.4	2	3	* 6	10	14	With surgery	855 345	27.9 28.2	10 5	16 8	25 17	35 39	47 61
	GENERALIZEO ISCHEMIC CEREBROVASCULAR OISEASE (437)								PULMONARY EM80LI5M AND INFARCTION (450)							
	Total	3,850	11.7	3	5	8	15	23	Total	1,460	16.0	2	8	12	19	32
	65 to 74 years	1,910	11.4 11.5 12.8	2 3 3	4 5 6	7 8 10	14 14 17	23 24 23	65 to 74 yeors 75 to 84 years 85 yeors ond over	705 625 130	15.6 16.5 15.3	4 2 1	9 7 5	13 11 10	18 22 21	28 34 34
	Single diognosis	1,170 2,680	9.9 12.5	2 3	4 5	7 9	12 16	19 25	Single diognosis	385 1,075	14.9 16.3	1 3	6	12 13	18 19	28 33
	With surgery	220 3,630	21.7 11.1	4 3	11 5	20 8	27 14	45 21	With surgery	200 1,260	20.7 15.2	6 2	10 7	17 12	27 18	39 31
	ILL-OEFINEO CEREBRO VASCULAR OISEASE (436, 438)								PHLEBITIS AND THROMBOPHLEBITIS (451)							
	Total	8,965	16.5	2	5	12	21	33	Totol	1,990	14.1	5	8	12	17	26
	65 to 74 yeors	4,180	16.4 16.9 15.7	2 2 1	6 6 4	12 12 10	21 21 23	34 33 33	65 to 74 years	1,145 725 120	14.3 13.2 17.1	4 5 5	8 8 9	12 11 14	17 17 20	27 22 36
	Single diognosis	4,565	15.4 17.6	1 3	4	10 13	20 23	33 34	Single diognosis	945 1,045	12.9 15.2	4 6	7 8	11	16 18	21 28
	With surgery	445 8,520	22.8 16.2	6 2	11 5	20 11	28 21	37 33	With surgery	215 1,775	18.7 13.5	5	12 8	16 11	23 17	30 23
	ARTERIOSCLEROSIS (440)								VARICOSE VEINS OF LOWER EXTREMITIES WITH ULCER (454.0)							
	Totol	2,445	15.3	3	5	10	19	31	Total	565	19.5	5	10	15	27	38
	65 to 74 yeors	825 1,130 490	17.2 15.2 12.4	2 3 3	5 5 5	11 10 8	22 19 16	34 29 25	65 to 74 yeors	315 190	16.5 21.5	3 7	8 12	13 17	25 27	29 41
	Single diagnosis	575	13.8		5	9	16	25	85 yeors and over	60	29.2	6	16	32	39	41
	Multiple diagnoses	1,870	15.8	6	11	11	20 27	32	Single diognosis	305 260	22.1 16.4	5	12	19 14	29 20	41 31
	Without surgery		13.8	2	4	9	17	27	With surgery	265 300	23.4 16.0	6 5	14 8	24 12	30 20	39 33
	NONSYPHILITIC AORTIC AND OTHER ANEURYSM (441, 442)	1 420	12.4		2		10	26	VARICOSE VEINS OF LOWER EXTREMITIES WITHOUT ULCER (454.1,							
	Total		12.4	1	3	9	18 19	27	454.9) Totol	710	8.9	3	4	6	10	17
	75 to 84 years	515	11.2	1	1	7	17 14	25 27	65 to 74 yeors	520 165	9.2 7.8	3	4	6	11 10	17 13
	Single diognosis		11.5 13.4	1	3	8 10	17 19	25 28	85 years and over	25 460	8.3	3	4	6	* 9	14
	With surgery		15.3 10.3	1	7 1	15 5	21 14	27 25	Multiple diognoses	250 530	10.0	3	4	7 6	16 9	18 15
	OTHER PERIPHERAL VASCULAR DISEASE (443)								With surgery Without surgery HEMORRHOIO5 (455)	180	11.1	2	5	8	17	21
	Total	645	17.5	3	7	14	22	36	Total	1,115	8.4	3	4	6	10	15
	65 to 74 yeors	280	15.8 18.9 20.9	2 3 8	5 8 9	13 16 14	20 23 27	34 39 39	65 to 74 yeors	725 350	7.9 9.1	3 3 2	4 5 5	6 8	9 11	15 16 21
	Single diognosis	220 425	13.2 19.7	1 5	4 8	10 15	18 26	24 43	85 years and over	40   595   520	7.0	3 3	4	8   6   7	11 8	11 20
	With surgery		22.3 13.4	7 2	12 5	18 9	28 18	48 26	Multiple diagnoses	520 905	10.0 8.9	3 2	5 5 3	6	13 10 8	17 11
									Without surgery	210	6.4	2	3	ı 31	01	"

Table 9 NEW ENGLAND: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND DISCHARGE CHARACTERISTICS—Con.

Diognasis And Discharge	Number of	Averoge		Perce	ntiles (	doys)		Diognosis And Dischorge	Number of	Averoge		Perce	ntiles (	doys)	
Chorocteristics (ICDA 8th Revision)	dischorges	stay (doys)	10th	25th	50th	75th	90th	Chorocteristics (ICDA 8th Revision)	dischorges	stoy (doys)	10th	25th	50th	75th	90th
ACUTE UPPER RESPIRATORY INFECTIONS EXCEPT INFLUENZA (460-465)								OTHER DISEASES OF UPPER RESPIRATORY TRACT (500-508)							
Tatal	850	9.3	3	4	7	12	17	Total	840	4.9	1	2	3	5	9
65 to 74 years	395 350 105	9.0 10.1 7.8	2 3 3	4 5 4	7 7 7	11 14 9	16 18 12	65 to 74 yeors	625 195 20	4.6 6.0	1	2 2 •	3 4	5 8 *	7 14
Single diognosis	235 615	7.6 9.9	2 4	3 5	4 8	10 12	14 18	Single diognasis	560 280	3.5 7.7	1 2	1	2 5	4 8	6 15
With surgery	75 775	10.9 9.1	2 3	2	67	13 11	27 17	With surgery	660 180	4.0 8.3	1 2	1 3	2 5	4 9	7 16
ACUTE AND UNQUALIFIED BRONCHITIS AND BRONCHIOLITIS (466, 490)								PLEURISY (511)							
Totol	3,320	10.7	3	5	8	13	19	Total	260	8.1	3	4	6	11	14
65 to 74 years	1,795 1,275 250	9.8 11.9 11.2	3 4 4	5 6 6	8 9 10	12 13 13	17 22 17	65 ta 74 years 75 to 84 yeors 85 yeors ond over	135 110 15	7.3 8.6	3	3 4 •	7	11	12
Single diagnasis	1,050 2,270	8.8 11.6	3 4	4	7 9	10 14	14 20	Single diagnasis	110 150	7.7 8.3	3	4	8	11	14
With surgery		16.3 10.4	4 3	6	13	20 12	30 18	With surgery	10 250	7.9	3	4	6	10	14
INFLUENZA (470-474)	5,100	10.4	J	J	Ů	,,,		PULMONARY CONGESTION AND HYPOSTASIS (514)							
Tatol	680	10.2	2	5	7	13	21	Total	1,260	12.2	1	4	9	16	24
65 to 74 yeors	310 270 100	9.1 10.5 12.8	2 2 3	4 5 6	6 7 10	12 13 14	17 22 21	65 ta 74 yeors	540 555 165	12.0 13.0 10.0	] ] ]	5 5 1	9 11 7	16 18 13	22 28 19
Single diognosis	225 455	8.9 10.9	3 2	4 5	7 7	11 14	14 22	Single diagnosis	510 750	10.6 13.3	1	3 5	8 10	15 17	22 27
With surgery	25 655	10.0	2	4	* 7	13	20	With surgery	65 1,195	22.5 11.6	5 1	9	14	31 16	53 23
PNEUMONIA (480-486)								CHRONIC INTERSTITIAL PNEUMONIA (517)							
Tatal	8,885	13.7	3	6	10	16	26	Total	345	12.4	3	5	9	16	27
65 ta 74 years	3,660 3,610 1,615	13.1 14.2 13.9	3 4 3	6 6 6	10 11 11	16 17 17	24 27 27	65 ta 74 yeors	225 100 20	10.6 16.5	3	5	. 12 *	13 25	22 35
Single diagnasis	2,935 5,950	11.2 14.9	3 4	5 7	9 11	14 18	20 29	Single diagnosis	100	9.6	3	5	7	9	21
With surgery	540 8,345	22.2 13.1	9 3	13 6	20 10	28 16	36 25	Multiple diagnases	245 85	13.5	3	5	9	12	30 23
CHRONIC BRONCHITIS (491)								DISEASES OF ORAL CAVITY, SALIVARY	260	12.5	3	5	8	16	29
Totol		11.4	3	5	8	13	22	GLANDS, AND JAWS (520-529)							
65 ta 74 yeors 75 ta 84 yeors 85 years and over	840 435 50	10.1 14.1 10.1	3 5 4	5 6 6	8 9 7	12 18 11	18 26 18	Tatol	990 660	5.3	1	1	2	5	10
Single diognosis		9.9 12.0	3 3	5 6	7 9	11 14	18 22		245 85	4.6 8.1	2	2	7	11	10 15
With surgery	195 1,130	12.6 11.2	2 3	5	8	18 13	28 21	Single diagnosis	535 455	3.6 7.4	i	ij	2	8	14
EMPHYSEMA (492)	1,130	11.2	3	J	Ü	,,	21	With surgery	665 325	5.1 5.8	1	1	2	3 9	9 13
Tatol	2,625	13.2	3	5	9	16	26	DISEASES OF ESOPHAGUS (530)							
65 ta 74 yeors	1,630 850 145	12.4 14.5 15.0	2 3 3	5 5 4	8 10 9	14 19 21	23 29 31	Total	975 490	9.7 9.5	2	3	6	12	21 21
Single diognosis	865 1,760	11.2 14.2	2	4 5	7 10	12 17	21 28	75 to 84 years	375 110	10.8 6.9	2	3	6	11 9	24
With surgery	230	16.5	2 3	7	13	22	33	Single diognosis	420 555	10.0 9.5	2 2	3 4	6	12 12	22 21
Without surgery	2,395	12.9	3	5	9	15	25	With surgery	490 485	12.3 7.1	2	3	8 5	16	28 13
Tatol	1,410	11.0	3	5	8	13	20	ULCER OF STOMACH (531)							
65 to 74 yeors	980 365	11.0 11.1	3 2	5	8 8	13 14	21 20	Total	1,740	15.5	4	7	12	19	29
85 years ond over	525	9.8 9.3	3 3	5	7 7 9	11	18 17	65 ta 74 yeors	900 700 140	15.0 15.6 18.6	5	8 7 7	12 12 15	19 19 23	29 28 41
Multiple diagnases	885 45	12.0 22.2	- 1	12	16	21	22 40	Single diognosis	690 1,050	13.6 16.8	3	7 8	12	17	23 35
Without surgery			9  3	51	81	13 /	20	With surgery	450 1,290	21.1	8	12	18	25 16	41 25

Table 9 NEW ENGLAND: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND DISCHARGE CHARACTERISTICS—Con.

SES

Oiognasis And Oischarge	Number af	Averoge		Perce	entiles (	(doys)		Oiognasis And Dischorge	Number af	Average		Perce	ntiles	doys)	
Chorocteristics (ICOA 8th Revision)	discharges	stoy (days)	10th	25th	50th	75th	90th	Chorocteristics (ICOA 8th Revision)	dischorges	stoy (days)	10th	25th	50th	75th	90th
ULCER OF OUO OENUM (532)								HERNIA OF A800MINAL CAVITY WITH 085TRUCTION (552, 553)							
Total	2,700	13.7	4	7	10	16	26	Total	1,165	12.4	5	7	9	16	23
65 to 74 years	1,600 950 150	12.9 14.5 16.9	4 4 3	6 8 8	9 11 12	16 17 18	23 26 38	65 to 74 yeors	525 460	11.8 13.1	4 5	6	9 10	15 16	22 27
Single diognosis	1,025 1,675	12.6 14.3	4	7 6	10 10	15 17	22 27	Single diognasis	180 640	12.4	5	7	10	17	18
With surgery	635 2,065	18.8 12.1	7 3	11 6	16 9	22 13	31 22	Multiple diagnases	525 955	14.3 12.9	5	7	11	19 16	26 23 19
PEPTIC ULCER, 5ITE UNSPECIFIEO (533)								Without Surgery	210	10.5	1	4.	8	14	19
Tatal	805 460	14.1	4	7	11	17 17	29	MENTION OF HERNIA (560) Total	2,510	14.6	2	5	10	18	31
75 ta 84 years	290 55	14.5 11.8	4 5	6 7 7	10	17 14	30 19	65 ta 74 yeors	1,050	13.6	3 2	5	9	17	25
Single diagnosis	405 400	12.8 15.4	4 4	7 6	10 12	16 18	23 32	75 to 84 yeors	1,130 330	15.5 14.2	2	5 4	12 11	20 17	32
With surgery	165 640	22.4 12.0	6	14 6	19 9	25 14	39 22	Single diagnosis	1,175 1,335	13.2 15.8	2 2	5	10 12	16 21	26 34
GASTRITIS AND DUODENITIS (535)								With surgery	920 1,590	19.8 11.5	6 2	11	16 7	25 14	37 24
Tatol	1,475 850	9.7 9.7	2	3	7	11	19 17	OIVERTICULA OF INTESTINE (562)	5 445	10.0	,		7	13	22
75 ta 84 yeors		9.7 9.7 9.4	2 2 2	4	6 7 8	10 13 13	20 16	65 ta 74 yeors	5,665 2,715	10.8	2 2 2	4	7	13 13	22
Single diagnasis	450 1,025	6.8 10.9	1 2	2	5 7	8 12	14 20	75 ta 84 yeors	2,445 505	10.9 9.2	3	4	6	11	22 18
With surgery	150 1,325	23.5 8.1	5 2	7	14	25 10	52 16	5ingle diagnasis	2.250 3.415	9.3 11.9	2	3 5	6 8	11 14	18 24
DISORDERS OF FUNCTION OF STOMACH (536)	,,				-			With surgery	1,420 4,245	16.5 8.9	3 2	6 4	13	22 10	32 16
Tatol	300	9.0	1	2	5	10	18	FUNCTIONAL 0150R0ER5 OF INTESTINE (564)							
65 ta 74 yeors	160 90	8.2 7.6	1 2 2	2 3 3	5 5 7	8 9	16 13		1,060	7.6	2	3	5	9	14
85 years and aver	50 95	14.0 8.5	1	1	4	12	19	65 to 74 years	545 445 70	7.3 7.6 9.9	2 2 1	3 3 2	5 5 3	9 9 10	13 14 27
Multiple diagnases	205	9.3 11.2	1 5	5 2	6	11	16	Single diagnosis	360 700	5.6 8.6	1 2	2 4	4	6 10	9 15
INGUINAL HERNIA WITHOUT MENTION	270	8.8	1	2	5	9	16	With surgery	240 820	8.9 7.2	2 2	2	5	10	19
OF OBSTRUCTION (550)	4,400	0.4			81	10	15	CIRRHOSIS OF LIVER (571)							
65 ta 74 years	2,850	9.6	4	5	7	10	14	Tatol	1,235	17.4	3	7	14	22	35
75 ta 84 years	1,355 195	10.3 12.6	4 5 5	5 6 7	9 10	12 14	21	65 to 74 yeors 75 to 84 yeors 85 years ond over	960 215 60	17.5 18.6 12.1	3 3 1	7 9 2	13 16 13	22 23 16	36 35 19
5ingle diagnasis	2,950 1,450	8.4 11.9	4 5	5 6	7 9	9 13	13 20	Single diognasis	350 885	16.0 18.0	3	6	11 15	20 23	38 32
With surgery	4,015 385	9.5 10.2	4 2	6 4	7 8	10 12	15 19	With surgery	255 980	19.4 16.9	3	7	17 13	22 22	36 33
VENTRAL HERNIA WITHOUT MENTION OF 085TRUCTION (551.2)								CHOLELITHIASIS (574)	,	10.7	3		13	22	33
Tatol	710	14.9	5	8	10	14	23	Total	5,220	15.6	5	8	12	19	27
65 ta 74 years	415 255 40	11.6 20.9 11.0	5 5 7	8 7 7	10 10 9	13 16 11	19 29 17	75 to 84 years	2,940 1,895 385	14.9 16.7 15.1	5 5 4	8 8 7	12 13 12	18 20 20	26 30 27
Single diagnosis	440 270	14.0 16.4	5	7	9 11	12 18	16 26	Single diognasis	2,720 2,500	14.1 17.2	5	8	12 14	17 21	24 32
With surgery	580 130	12.4 26.2	6	8	10	13 16	23 25	With surgery	3,465 1,755	17.6 11.6	8	10	15	21	29 21
OIAPHRAGMATIC HERNIA WITHOUT	130	20.2	J	O	0	10	23	CHOLECYSTITIS AND CHOLANGITIS	1,733	11.8	2	*	Ü	12	21
MENTION OF OBSTRUCTION (551.3)  Tatol	2,720	9.6	2	4	7	12	18	WITHOUT MENTION OF CALCULUS (575)							
65 ta 74 yeors	1,515 945	9.1 9.6	2 2	4	7	11 12	18 17	Total	2,415 1,220	14.1	4	7	11	17 17	26 25
85 years and aver	260	12.7	4 2	3	9	14	24	75 to 84 years	920 275	14.2 15.8	4	7	11 11	18 17	26 29
Multiple diognoses	1,965	10.2	2	4	7	12	20	5ingle diognosis	1,295 1,120	12.6 15.9	4 4	7 7	10 12	16 20	23 28
With surgery	615 2,105	13.1 8.6	3 2	7 4	11 6	16	26 16	With surgery	1,120 1,295	18.8 10.1	9	11	16	23 12	30 17

Table 9 NEW ENGLAND: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND DISCHARGE CHARACTERISTICS—Con.

Oiognosis And Oischorge Chorocteristics	Number of	Averoge stoy		Perce	entiles (	doys)		Oiognosis And Oischorge Charocteristics	Number of	Averoge stoy		Perce	entiles (	doys)	
(ICOA 8th Revision)	dischorges	(doys)	10th	25th	50th	75th	90th	(ICOA 8th Revision)	dischorges	(doys)	10th	25th	50th	75th	90th
OTHER DISEASES OF GALL BLADDER AND BILIARY DUCTS (576)								CY5TITI5 (595)							
Total	1,020	13.9	3	5	10	18	28	Total	1,495	10.9	2	4	7	12	20
65 to 74 years	520 385	13.1 13.8	2 3	4 5	10 11	18 17	28 28	65 to 74 years	700 610 185	7.6 14.4 11.9	3	3 5	6 8 8	10 14 13	14 25 20
85 years and over	115	17.3	3	7	14	22	36	Single diagnosis	520	8.7	1	3	5 8	10	15
Single diagnosis	565 455	12.9 15.1	2 4	4 6	10 11	19 18	27 31	Multiple diagnoses	975 790	12.1	2	3		13 12	21 20
With surgery	300 720	20.8 11.0	7 2	12 4	19 8	28 13	33 22	Without surgery	705	11.9	2	4	6 7	12	20
OISEASES OF PANCREAS (577)								OTHER DISEASES OF 8LADDER (596) Total	785	13.1	3	6	10	16	25
Total	625	15.2	4	7	12	17	30	65 to 74 years	420	12.7	2	5	y	16	25
65 to 74 years	355 200 70	13.6 17.8 15.8	4 3 2	6 7 9	12 13 14	16 24 20	25 36 24	75 to 84 years	285 80	13.1 15.0	3 6	5 8	10 11	18 16	25 31
Single diagnosis	280	14.0	3	5	12	17	30	Single diagnosis	320 465	11.8 13.9	2 4	4	9 10	16 17	25 26
Multiple diagnoses	345 145	16.1	13	15	13	20 32	29 49	With surgery	555 230	13:8 11.4	3	7	10	17 14	25 25
Without surgery	480	26.2 11.9	3	5	11	15	22	URETHRITIS AND STRICTURE OF	230	11.4	2	4		14	2.5
CHRONIC AND UNQUALIFIED NEPHRITIS (582, 583)								URETHRA (597, 598)	1.040	7.0	_				16
Total	310	13.6	2	5	9	20	31	Total	1,040 595	7.3 7.3	2	2	5	9	15
65 to 74 yeors		11.6 16.3	2 2	4 7	7 12	17 20	22 35	75 to 84 years	365 80	7.3 7.2	2	2	5 5 6	9 10	14 12
85 years and over	10	6.9	2	4	6	8	10	Single diagnosis	465 575	6.1 8.3	1 2	2	3 6	7	12 16
Multiple diagnoses	245	15.4	2 2		13	21	32	With surgery	840	7.3	2	2	5	9	15
With surgery	35 275	27.7 11.8	8 2	8 4	27 9	35 16	43 23	Without surgery  URINARY TRACT INFECTION, NOT	200	7.2	2	3	5	9	14
INFECTIONS OF KIONEY (590)								ELSEWHERE CLASSIFIEO (599.0)							
Totol	1,155	12.9	2	}	9 8	15 13	25	Total	1,410	12.8	3 2	5	10	15	26
75 to 84 years	430 135	13.2 19.2	4 3	7	10 14	14 25	20 37	75 to 84 years	625 190	13.7 14.4	3	5 5 6	11	15	23 27 29
Single diagnosis	385 770	9.8 14.4	2 3	4 6	8 10	13 17	17 27	Single diagnosis	345 1,065	10.1 13.7	2	3 6	6 11	13 16	23 28
With surgery	210	16.5	3	9	11	17	25	With surgery	335	15.0	3	8	12	18	28
CALCULUS OF KIONEY AND URETER	945	12.1	3	5	8	14	25	Without surgery	1,075	12.2	3	5	9	14	24
(592)								Total	7,555	14.1	4	7	12	18	25
Totol	1,300 965	9.7 9.2	1 1	3	6	12	20 19	65 to 74 years	4,205 2,820	12.5 15.6	3 6	7 9 10	10 13	16 19	22 27
75 to 84 years	320 15	10.8	2	4	8	15	24	85 years and over	530	17.7	6		15	24	30
Single diagnosis	775 525	8.4 11.7	1 2	3	5 8	11 17	17 23	Single diagnosis	3,975 3,580	12.9 15.4	4 4	7 8	10	16 20	22 28
With surgery	625	12.3	3	5	10	16	22	With surgery	6,455 1,100	14.2 13.0	5	8 4	12 9	18 17	24 29
OTHER DISEASES OF KIONEY AND	675	7.3	1	2	4	8	17	PROSTATITIS (601)							
URETER (593)				_				Total	305	10.5	2	4	6	14	22
Totol	855 515	13.6	2	3	9	19	29 29	65 to 74 years	200 85 20	9.2 12.7	2 2	3	9	20	18 23
75 to 84 years	270 70	15.7 10.0	2 2	5 4	14	23 13	30 18	Single diagnosis	105	10.7	2 2	4	7	13	22
Single diagnosis	285 570	12.4 14.2	1 2	3	9	16 23	26 30	Multiple diagnoses	200 175	10.3		4	5	15	21
With surgery	295	16.6	2	6	13	24	29	Without surgery	130	8.8	2 2	4	6	iĭ	30 19
CALCULUS OF OTHER PARTS OF	560	12.1	1	3	7	17	29	CHRONIC CYSTIC OISEASE AND OTHER OISEASES OF BREAST (610, 611)							
URINARY SYSTEM (594)								Total	605	5.8	1	2	4	6	11
Totol	465 300	9.8 9.1	2	4	8	13 12	19	65 to 74 years	425 150 30	5.2 7.6 5.7	1 2	2 3 2	4 4 5	6 8 8	11 21 10
75 to 84 years	300 130 35	9.1 11.3 10.9	2 2 2	5	7 10	14 15	16 24 19	Single diagnosis	420	4.9	1	2 3	3	5	9
Single diagnosis	250	7.8	2 2	3	6	10	14	Multiple diagnoses	185	7.9	2	ĺ	5	10	14
Multiple diagnoses	215 350	12.2	3 2		10	16	22 20	With surgery	545 60	5.8 6.4	2	2	3	61	12

Table 9 NEW ENGLAND: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND DISCHARGE CHARACTERISTICS—Con.

Oiognosis And Oischarge	Number of	Averoge		Perce	entiles (	doys)		Diognosis And Oischorge	Number of	Averoge		Perce	entiles (	doys)	
Characteristics (ICOA 8th Revision)	dischorges	stoy (doys)	10th	25th	50th	75th	90th	Characteristics (ICOA 8th Revision)	discharges	stoy (doys)	10th	25th	50th	75th	90th
UTEROVAGINAL PROLAPSE (623)								5PONOYLITIS OSTEOARTHRITICA (713.1)							
Totol	2,385	11.3	5	7	10	13	17	Total	920	11.6	3	5	9	14	21
65 to 74 yeors	1,705 615 65	10.9 12.3 12.5	6 4 4	7 7 7	9 11 10	12 14 17	16 19 21	65 to 74 yeors 75 to 84 yeors 85 yeors ond over	485 380 55	11.5 11.7 11.6	2 3 5	5 6 6	10 8	13 15 16	22 20 20
5ingle diognosis	1,500 885	10.8 12.1	6 5	7 7	9 10	12 14	16 20	Single diagnosis	240 680	8.9 12.5	2 3	3 6	7 10	12 15	18 24
With surgery Without surgery	2,150 235	11.4 10.3	6 2	8 3	10 7	13 14	17 21	With surgery	55 865	24.4 10.8	4 3	10 5	17 9	31 13	36 19
POSTMENOPAUSAL BLEEDING (626.7) Total	455	5.7	1	2	3	7	13	ARTHRITIS, UNSPECIFIEO (715) Total	1,065	11.7	2	4	8	16	23
65 to 74 years	345	5.6	1	2	3	7	13	65 to 74 years	495	11.7	2	4	9	17	23
75 to 84 yeors	90 20	5.4	!	2	3	5	14	75 to 84 years	455 115	11.3 13.2	3	5 5	8 9	14 12	23 26
Single diagnosis	225 230	4.8 6.7	1 1	2 2	2	5 10	11 13	Single diagnosis	410 655	10.7 12.3	1 3	3 5	7 9	16 16	23 23
With surgery	405 50	5.5 8.1	1 2	2 3	3 4	7 10	13 17	With surgery	115 950	16.0 11.2	3	5 4	19 8	22 14	24 23
CELLULITIS AND A85CESS (681, 682)								O5TEOPORO515 (723.0)							
Total	1,395	14.3	4	6	10	17	27	Total	1,255	14.9	4	7	12	20	30
65 to 74 years	695 515 185	15.2 12.9 14.9	4 3 5	6 6 8	10 9 12	18 14 19	28 23 27	65 to 74 years 75 to 84 years 85 years and over	510 555 190	15.4 13.3 18.3	4 3 5	7 6 8	11 11 15	18 18 25	31 25 38
Single diognosis		12.5 15.4	3 4	5 7	8 11	14 18	25 28	Single diognosis	365 890	14.8 14.9	4	6 7	13 11	20 20	31 28
With surgery	320 1,075	17.9 13.3	3 3	6 6	14 9	23 15	35 25	With surgery	70 1,185	17.2 14.8	3 4	6	10 12	20 20	43 28
OERMATITIS AND ECZEMA (690, 692)								OISPLACEMENT OF INTERVERTEBRAL OISC (725)							
Total	355	10.0	3	4	7	14	21	Total	1,065	16.6	5	8	13	21	31
65 to 74 years	145	10.2 9.6 10.5	2 3 2	4 4	7 7 7	15 13 13	19 18 24	65 to 74 yeors	855 190 20	15.4 21.9	4	8 9	13 19	19	28 44
Single diognosis	145 210	9.6 10.3	2 3	3 5	7 7	11 15	23 18	Single diagnosis Multiple diagnoses	555 510	16.2 17.1	6	9 7	14 12	20 22	27 35
With surgery	35 320	4.1 10.6	1 3	2 4	4 8	5 14	6 23	With surgery	360 705	22.5	10	13	18	26 17	41 26
CHRONIC ULCER OF 5KIN (707)								Without surgery	705	13.6	4	,	10	17	20
Total		23.3	6	10	18	29	43	Total	685	12.4	3	4	10	15	23
65 to 74 years	485 475 145	25.6 22.1 19.6	5 6 6	10 10 12	20 17 17	32 28 21	53 39 32	65 to 74 years	365 265 55	12.0 12.8 12.5	3 3 3	4 5 5	8 10 13	14 16 15	24 23 19
Single diognosis	455 650	20.8 25.1	5 7	9 11	17 19	27 29	38 50	85 years and over	255	10.6	3	4	7	13	21
With surgery	385 720			12 10	24 16	37 26	51 36	Multiple diognoses	430 80	13.4 19.7	3 5	5	11	16 27	25 36
RHEUMATOIO ARTHRITIS AND ALLIED CONDITIONS (712)								Without surgery	605	11.4	3	4	9	14	21
Totol	1,260	15.6	4	7	11	19	32	TENOSYNOVITIS (731)							
65 to 74 years		16.4	3	7	12 11	19 19	33 27	Total	770 515	7.2 6.7	1	2	5	9	16 15
75 to 84 years	45	14.6 12.1	6	6	10	14	17	65 to 74 yeors 75 to 84 years 85 yeors and over	220 35	8.0 10.4	2 3	3	5 10	15	16 16
Single diognosis	465 795	15.4 15.8	3 4	6 7	10 12	18 19	31 32	Single diagnosis	465 305	5.7 9.5	1 3	2 4	4 8	7	13 18
With surgery	295 965	20.5 14.2	5 3	8 7	13 11	25 18	33 28	With surgery	420 350	5.8 8.9	1	2	3 8	6	14
OSTEOARTHRITIS (713.0)	2,095	17.3	2	4	11	24	35	Without surgery	330	0.9	2	4	0	12	16
65 to 74 years	995	19.9	3	5	12	27	38 31	781)	445	11.4	,	3	4	11	26
75 to 84 years		14.9 14.9	3	6 5	10	21 20	28	Total	260	9.2	1	3	5	9	15
Single diagnosis	1,275	19.3 15.9	3	5	12 10	27 21	36 34	75 to 84 years	150 35	14.1 15.7	3 2	5 2	8 7	18	35 34
With surgery		27.6 12.9	8   3	17   5	25   8	35   15	46 26		335 110	8.8 19.2	1 2	3 6	13	23	17 40
								With surgery Without surgery	30 415	18.3 10.9	3 1	7	14 6	27 10	33 24

Table 9 NEW ENGLAND: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND DISCHARGE CHARACTERISTICS—Con.

Diagnosis And Dischorge	Number of	Average		Perce	entiles (	days)		Diagnasis And Discharge Characteristics	Number of	Average		Perce	entiles (	(days)	
Characteristics (ICDA 8th Revision)	discharges	stay (days)	10th	25th	50th	75th	9Dth	(ICDA 8th Revision)	discharges	(days)	1Dth	25th	50th	75th	90th
ACUTE HEART FAILURE, UNDEFINED (782.4)								FRACTURE OF VERTEBRAL COLUMN, DORSAL (THORACIC) AND LUMBAR, CLOSED (805.2)							
Total	385	12.8	1	4	11	16	25	Tatal	1,265	15.5	6	8	11	19	30
65 ta 74 years	185	13.1 11.8 14.9	2 2 1	4 4 1	12 8 10	15 16 20	23 25 38	65 to 74 years	495 625 145	15.5 15.7 14.5	5 6 5	8 8 8	11 12 12	20 19 16	3: 3: 2:
Single diagnasis	340 45	13.1 10.9	2 1	4 1	12 3	16 13	25 26	Single diagnasis	535 730	12.8 17.4	5	7 9	10 12	16 23	2 3
With surgery	1D 375	13.0	1	4	11	* 16	* 26		50 1,215	18.9 15.3	2 6	8 8	12 11	22	3
SYNCOPE OR COLLAPSE (782.5)	3DD		1	2		7		FRACTURE RIB(S), CLOSED (807.D)							
Tatal	185	5.1 5.3	,		4	7	8	Tatal	87D	11.7	3	5	8	15	2
75 ta 84 years	95 20	4.6	į	2 2 *		6	8	65 ta 74 years 75 ta 84 years 85 years and over	380 355 135	8.8 14.5 12.6	2 3 3	4 6 4	6 1D 11	11 20 16	1 2 2
Single diagnosis	26D 40	4.9 6.4	1 4	2 5	3 6	7	9 8	Single diagnasis	235 635	8.1 13.1	2 3	4 5	6 10	10 18	1 2
With surgery	5 295	5.1	1	2	4	7	8	With surgery	60 810	15.1 11.5	3	7 4	14 8	19 14	2
EPISTAXI\$ (783.0) Total	505	5.5	1	2	4	6	10	CLOSED FRACTURE OF PELVIS (808.0)							
65 to 74 years	255	5.3	2		5	6	7	Tatal	820	21.2	6	11	18	27	41
75 to 84 years		6.D 4.4	1	3 2 2	3	7 4	10 7	65 to 74 years	210 395 215	21.9 2D.2 22.3	5 5 7	13 10 13	19 17 17	30 25 30	40 35 45
Single diagnosis	70	5.1 7.9	1 2	2		6 7	17	Single diagnasis	415 405	19.1 23.2	5	11 12	15 21	26 31	3.
With surgery	70 435	6.7 5.3	2 1	3 2	4	7 6	13 9	With surgery	45 775	26.3 20.9	1 6	17 11	28 17	34 27	3
PAIN IN CHEST (783.7)  Total	250	6.7	2	3	5	8	12	MULTIPLE AND ILL-DEFINED FRACTURES OF TRUNK, CLOSED (809.0)							
65 to 74 years		6.8 5.8	2 1	3 2 *	5 4	8 7	12 12	Total	330	21.4	5	7	14	28	4
85 years and over	20	3.0	•		*	*	·*	65 ta 74 years	135 115	22.7 16.8	3 5	6 8	15 12	32 22 31	4 2
Single diagnasis Multiple diagnoses	195 55	6.5 7.2	2 2	3	4 5	8 9	12 11	85 years and over	155	25.8 15.6	4	10	19	20	5 3: 5:
With surgery	250	6.7	2	3	5	8	12	Multiple diagnoses	175 85	26.5 29.5	5	12	19 21	33 45	5
A8DOMINAL PAIN (785.5)	540	7.0	,	,		10	10	FRACTURE OF UPPER END OR SHAFT OF	245	18.6	5	7	13	25	3
65 to 74 years	560 34D	7.9	,	3	5	1D 9	18	HUMERUS, CLOSED (812.D, 812.2)							
75 to 84 years	190 3D	9.4 5.8	i I	3 2	7 4	11 8	2D 10	Total	1,160 475	13.3 12.3	2	4	9	16	2
Single diagnosis	485 75	7.9 8.1	1	3 2	6 7	9 1D	16 18		555 130	14.3 12.8	2 3 2	5 3	9 9	17	3
With surgery	12D 44D	12.4 6.7	1	3	10 5	19 8	24 11	Single diagnosis	605 555	11.1 15.8	2	4 6	8 11	13 2D	2
RETENTION OF URINE (786.1)								With surgery	260 900	17.4 12.1	4 2	7	12 8	20 14	3 2
Total	530 255 185	12.7 11.3 13.3	3 2 3 7	5 6	11 1D 12	16 14 18	24 22 25	FRACTURE OF UPPER END OR UNSPECIFIED PART OF RADIUS AND ULNA, CLOSED (813.0)			:				
85 years and over		15.5	7	9	า่า	16	24	Tatal	180	8.2	2	4	6	10	1
Single diagnasis	48D 50	13.1 9.2	3	6	11 1D	16 12	24 16	65 ta 74 years	100	8.2	1	3	6	10	1.
With surgery	325 2D5	13.5 11.5	5	8 2	12 8	17 14	22 25	75 ta 84 years	55 25	7.5	3	5	7	9	1
HEMATURIA (789.3)								Single diagnasis	120 60	7.1 1D.3	1	4	8	13	1: }*
Total	450	8.2	2	3	6	1D 9	16	With surgery	135 45	7.9 9.1	3	3	9	13	1: 1:
65 ta 74 years 75 ta 84 years 85 years and aver	2D0 205 45	6.7 8.7 12.6	2 6	3 7	5 5 9	11	14 17 23	FRACTURE OF LOWER END OF RADIUS AND ULNA. CLOSED (813.4)							
Single diagnasis	430 20	8.3	1	3	6	ID.	16	Tatal	500	5.3	1	1	3	6	1
With surgery	275	8.2 8.2	2	3	7	1D 1D	16 14		290 170 40	5.2 5.6 5.D	1	1 2 1	3 3 3	5 7 6	13 10
								Single diagnasis	320 180	4.4 7.0	1	1 2	2 5	4 9	15
								With surgery	350 150	4.5 7.3	1	1 3	2	5 9	8 17

Table 9 NEW ENGLAND: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND DISCHARGE CHARACTERISTICS—Con.

ES, ¿

Diognosis And Dischorge	Number of	Averoge		Perce	entiles (	(doys)		Diognosis And Oischorge	Number of	Averoge		Perce	entiles (	(doys)	
Chorocteristics (ICDA 8th Revision)	dischorges	stoy (doys)	10th	25th	50th	75th	90th	Chorocteristics (ICDA 8th Revision)	Number of discharges	stoy (days)	10th	25th	50th	75th	90th
FRACTURE OF INTERTROCHANTERIC SECTION OF NECK OF FEMUR, CLOSED								CONCUSSION (850)							
(820.2)								Total	645	9.8	1	3	6	11	17
Totol	1,540 300	25.0 22.6	11	16 16	22	31 29	40 32	65 to 74 yeors	280 270 95	10.8 8.7 9.9	1 1 2	3 4	6 7	11 10 13	18 14 18
75 to 84 years 85 years and over	695 545	26.6 24.2	10 11	17 15	23 22	32 30	43 41	Single diagnosis Multiple diagnoses	195 450	7.6 10.7	1	2	4 6	7	12 17
Single diognosis	805 735	23.3 26.7	11 10	15 17	21 25	28 32	38 40	With surgery	65	20.4	2	4	10	15	36
With surgery	1,240 300	24.4 27.1	12 1	16 12	22 26	30 35	37 51	Without surgery	580	8.6	'	3	6	10	16
FRACTURE OF OTHER AND UNSPECIFIED PART OF NECK OF FEMUR, CLOSED (820.4)								OF HEAD, NECK, AND TRUNK (870-879) Totol	655	7.3	1	2	5	7	15
Total	5,555	24.5	6	14	20	29	45	65 to 74 years	310 225	6.6	1	2	4 5	7 10	15
65 to 74 yeors	1,520 2,655	23.8 24.9	7	14 14	20 21	28 30	44 43	75 to 84 years	120	8.4 7.1	2	3	6	8	14
85 years and over	1,380 3,425	24.4 22.6	5	12	20 19	30	48 39	Single diognosis	160 495	5.1 8.0	i	2	3 5	8	9 15
Multiple diagnoses	2,130 3,885	27.5 23.5	8	14 15	23 21	33 28	51 39	With surgery	165 490	9.4 6.6	1	2 2	5 5	9 7	19 13
Without surgery	1,670	26.7	2	8	19	36	56	CONTUSION AND CRUSHING WITH INTACT 5KIN SURFACE (920-929)							
FRACTURE OF OTHER AND UNSPECIFIED PARTS OF FEMUR (821)								Total	1,810	11.4	2	4	8	14	21
Total	800	32.0	7	15	24	41	67	65 to 74 years 75 to 84 years 85 years and over	615 900	10.8 11.1	2 2	3 4	8	11	19 20
65 to 74 years	330 340 130	35.1 30.9 27.0	7 6 5	16 15 12	29 23 22	48 40 30	74 66 52	Single diagnosis	295 550	13.2 11.7	2	3	11 7	19	25 21
Single diognosis	510 290	30.0 35.5	5 8	16 13	24 24	40 47	63 81	Multiple diognoses	1,260	11.2	2	6	8 9	15	21 18
With surgery	410 390	25.9 38.3	7 5	15 16	22	32 56	44 78	Without surgery	1,675	11.3	2	3	8	14	21
FRACTURE OF TIBIA AND FIBULA (823)	370	36.3	,	10	30	30	/0	(950-979)					_		
Total	495	15.6	3	7	13	21	30	Total	995 515	9.5 9.4	2	3	7	13	19 19
65 to 74 years	300 165	15.7 16.1	3	7 6	14 14 11	21 23	28 31	75 to 84 years 85 years and over	375 105	9.8 9.0	2 2	3 5	7 7	14	20 15
85 years ond over	30 315	12.0 15.2	5	6	13	13 21	20 29	Single diagnosis Multiple diagnoses	320 675	6.7 10.8	1 3	2 5	4 9	8	17 20
Multiple diagnoses	180	16.5 18.3	6	8	14 17	21	32	With surgery	50 945	16.9 9.1	2 2	7 3	10	19	40 19
Without surgery	325	14.3	2	6	12	20	31	IMPLANT AND COMPLICATIONS OF							
FRACTURE OF ANKLE (824) Total	730	11.6	2	4	9	15	22	MECHANICAL NATURE FROM INTERNAL PROSTHETIC DEVICE (997.5)							
65 to 74 years	465 220	10.8 13.5	2	4 5	8	15 16	21 25	Total	355 150	13.0	2	3	7	13	25 41
85 years and over	45	11.3	3	5	9	12	22	75 to 84 years	155	10.7	1 6	3 7	7 7 9	11	24 24
Single diognosis	545 185	10.6 14.5	2	5	12	12 20	20 28	Single diagnosis	240 115	12.6 13.9	2	4 5	7	11 17	23 34
With surgery	440 290	12.6 10.2	3 2	5 4	10 8	17 11	24 17	With surgery	265 90	12.5 14.6	2	4 2	7	13 12	24 45
MULTIPLE FRACTURES INVOLVING 80TH LOWER LIM85, LOWER WITH UPPER LIM8, ANO LOWER LIM8 WITH RI8 AND STERNUM (828)								<b>3</b> ,							
Total	385	23.5	3	8	19	30	49								
65 to 74 years	150 175 60	29.4 21.5 14.6	3 3 3	8 8 6	20 21 13	41 27 21	61 44 24								
Single diognosis	245 140	22.0 26.1	2	7 10	20 19	30 30	47 50								
With surgery	215 170	29.2 16.4	11	17	24	39 22	51 29								
SPRAINS AND STRAINS OF 8ACK (846, 847)															
Total	990	11.7	3	5	9	14	22								
65 to 74 years 75 to 84 years 85 years and over	505 410 75	10.6 13.2 11.2	3 4 2	5 6 3	8 11 7	13 15 17	19 23 24								
Single diognosis	335 655	9.0 13.1	2 4	5	7	12 15	17 25								
With surgery	50 940	16.6 11.5	5	7 5	15 9	22 14	24 21								

Table 10 NEW ENGLAND: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OFSTAY FOR SELECTED SURGICAL PROCEDURES, AND DISCHARGE CHARACTERISTICS

Surgicol Procedures And Oischarge Chorocteristics	Number of	Averoge stoy		Perce	entiles (	doys)		Surgical Procedures And Oischarge Characteristics	Number of	Averoge stoy		Perce	entiles (	(doys)	
Oischarge Chorocteristics (CPT 1st Edition)	dischorges	(doys)	10th	2Sth	50th	7Sth	90th	Oischarge Characteristics (CPT 1st Edition)	dischorges	(doys)	10th	2Sth	50th	75th	90th
MASTECTOMY, COMPLETE, SIMPLE (04\$7)								REPAIR OF VENTRAL HERNIA (3661)							
Total	730	13.3	4	7	11	15	24	Total	645	13.0	6	8	11	15	22
65 to 74 years	345 295 90	14.3 12.6 11.4	4 4 5	6 8 9	11 11 10	16 15 12	26 21 16	65 to 74 yeors 75 to 84 yeors 8S years ond over	420 185 40	12.S 14.3 12.5	6 6 3	8 8 7	10 11 10	14 16 16	21 2S 21
Single diognosis	48S 245	11.\$ 16.7	4 5	6	10 14	13 19	19 27	Single diognosis	385 260	11.5 15.3	5	8.	10 12	13 19	17 24
Multiple diognoses	243	10.7	,	,	14	17	21	Multiple diognoses	200	15.5		7	12	17	24
Total	8\$5	13.3	7	9	11	1\$	20	TRANSURETHRAL (4311-4313, 4316, 431X)							
65 to 74 yeors	555 258 45	12.8 13.9 14.9	7 7	9 10 8	11 12 10	15 14 16	19 18 25	Total	2,19\$ 1,215	19.7 18.6	10 10	13 12	17 16	23 22	30 29
Single diagnosis	\$3\$	12.1	7	9	11	13	17	75 to 84 years	865 118	21.0 21.4	11 12	14 15	18 20	24 24	32 32
REOUCTION OF FRACTURE OF HIP	320	15.2	8	10	13	17	24	Single diognosis	1,190 1,00S	17.9 21.8	10 11	12 14	16 20	21 25	27 33
(0865-0868, 0872-0874) Total	4,04\$	24.0	11	15	21	29	39	PROSTATECTOMY, TRANSURETHRAL (4321)							
6S to 74 years	1,045	24.6	12	16	22	28 30	39	Totol	5,430	14.9	6	8	11	17	26
7S to 84 years	1,88S 1,115	24.1 23.3	11 10	15 1\$	21 20	28	40 40	65 to 74 yeors	2,785 2,24\$	13.0 16.0	6 7	7 9	10 13	15 19	22 28
Single diognosis	2,410 1,63S	23.1 28.3	11 11	15 15	20 22	28 31	38 42	85 yeors and over	400 2,930	21.9 12.8	8	11	16 10	24 14	36 21
ANTHROPLASTY OF HIP (1150)								Multiple diognoses	2,500	17.4	7	7 9	13	20	30
Total	2,080 795	26.4 27.3	14	18 17	23	31	42	COLPORRHAPHY (4481-4495, 449X, 4501, 4SOS, 450X)							
7S to 84 years	89S 390	2\$.8 25.7	14 12	18 18	23 23	31 31	40 39	Totol	1,055	11.3	6	8	10	13	17
Single diognosis	1,240 840	25.2 28.1	14 14	17 19	23 25	29 34	40 48	65 to 74 yeors	80S 235 15	11.1 12.3	6 5 *	7 8 •	10	12 15	16 20
GASTRECTOMY (3112, 3114, 3115, 3118, 3119, 311X)								Single diognosis	610 445	10.2 12.8	6	7 8	9	12 15	15 21
Total	890	23.6	11	1\$	20	30	39	HYSTERECTOMY, A800MINAL (INCLUDING PELVIC EXENTERATION)							
6\$ to 74 yeors	535 29\$	22.8 23.7	12 10	15 18	20 20	29 27	36 41	(4617, 4618, 4621, 4624-4627)							
8S years and over	60 385	29.9 22.4	17 12	19 16	32 20	36 27	40 35	6\$ to 74 years	770 590	15.0 14.6	8 7	9	12	16 16	25 25
Multiple diognoses	505	24.5	11	15	20	31	41	75 to 84 years	170 10	16.4	10	12	14	16	2\$
Total	2,495	23.7	11	15	21	28	37	Single diognosis	40S 36S	12.4 17.9	7 9	8 11	11	13 21	17 30
6\$ to 74 years	1,270 1,080	22.3 2\$.4	11 13	14 17	20 22	27 29	35 39								
85 years and over	175	24.8 21.9	9	14 14	20 19	28 26	37	Total	890 600	12.8 11.8	7	8	11	14	20 17
Multiple diognoses					22	30	43		280 10	14.7	7 7 *	9	12	16	23
HEMORRHOIOECTOMY (337S)  Total	918	9.\$	4	5	7	11	19	Single diognosis	585 305	12.2 14.0	7 7	8 9	10 13	13 16	18 21
65 to 74 years	635 260	8.8 10.9	4 4	5	6	10 14	18 19	OILATION ANO CURETTAGE UTERUS, OIAGNOSTIC (4647)							
85 years and over	20 510	•	•	5	*	8	11	Total	1,055	6.9	1	2	4	9	14
Single diognosis	405	7.4 12.2	3 5	6	9	17	22	6\$ to 74 years	765 258	6.5 7.5 9.7	1	2 2	3 5 7	8 9	13 16
CHOLECYSTECTOMY (3515) Totol	4,020	17.5	8	10	14	21	29	85 yeors and over	35 500		4	5	3	11	17 11
6S to 74 years	2,575	16.1		10	13	19	27	Multiple diagnoses	\$55	5.6 8.0	i	2	4	ıí	19
75 to 84 years	1,270 175	20.1 20.9	8 9 8	12 12	17 19	23 25	34 34	EXTRACTION OF LEN5 (5611, 5612)  Total	10,295	7.0	3	4	5	7	12
Single diognosis	2,410 1,610	15.6 20.5	8 9	10 12	13 18	18 25	25 34	6S to 74 years	4,875 4,610	6.6 7.2 8.2	3	4	5	7 8	11 13
REPAIR OF INGUINAL HERNIA, EXCEPT RECURRENT (3630-3632)								75 to 84 years	810		3	5	6	9	14
Totol	4,550	10.0	4	6	8	11	16	Single diagnosis	7,760 2,535	6.3 9.4	3	5	7	11	10
65 to 74 years	2,810	9.S 10.6	4 5	6	7 9	10 12	16 16								

Table 11 MIDDLE ATLANTIC: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND DISCHARGE CHARACTERISTICS

41

Oiagnosis And Discharge	Number of	Average		Perce	entiles	(days)		Diagnasis And Discharge	Number of	Average		Perce	ntiles (	days)	
Characteristics (ICOA 8th Revision)	discharges	stay (days)	10th	25th	50th	75th	90th	Characteristics (ICDA 8th Revision)	discharges	stay (days)	10th	25th	50th	75th	90th
OIARRHEA (009.1)								MALIGNANT NEOPLASM OF ESOPHAGUS (150)							
Tatol	540	14.6	3	5	9	16	31	(130) Tatal	1,195	19.9	2	6	15	27	39
65 ta 74 years	215 260 65	10.9 17.2 16.7	3 4 1	6 3	10 15	12 16 21	22 32 36	65 ta 74 years	720 400 75	19.9 20.2 18.4	2 2 6	6 6 9	15 17 11	27 28 24	39 39 39
Single diagnasis	200 340	13.3 15.4	2 3	4 5	8 10	16 17	36 29	Single diagnasis	710	16.5	2	5	14	24	33
With surgery	70 470	14.9 14.6	3	6 5	10 9	18 16	23 32	Multiple diagnases	485 685 510	24.9 21.1 18.4	3 4 1	8 8 4	18 18 13	33 28 26	58 38 45
GASTROENTERITIS AND COLITIS (009.2)  Tatal	4,855	10.6	2	4	7	13	20	MALIGNANT NEOPLASM OF STOMACH							
65 ta 74 years	2,495 1,850	9.6 10.9	2 2 2	4	7 8	11 13	18 21	Tatal	3,785	20.5	4	9	17	28	40
85 years and aver	510	14.0			10	17	26	65 ta 74 years	1,840 1,620	20.0 21.0	4	9	17 17	27 29	37 43
Single diagnasis	1,630 3,225	8.5 11.6	3	3 5	5 8	10 14	17 22	85 years and aver	325 1,450	20.7	5	8 9	17 17	27 26	39 38
With surgery	490 4,365	15.6 10.0	5 2	8	13 7	19 12	29 19	Multiple diagnases	2,335 1,785	20.8 24.4	9	8 15	17 21	29 30	40 40
PLEURISY WITH EFFUSION WITHOUT MENTION OF CAUSE (012.2)								Without surgery	2,000	17.0	2	6	12	23	39
Total	1,260	16.8	4	7	13	21	33	MALIGNANT NEOPLASM OF CECUM, APPENOIX AND ASCENDING COLON (153.0)							
65 ta 74 years	680 455 125	15.8 19.3 13.2	4 4 1	7 8 5	13 15 9	21 23 15	28 41 27	Total	1,800	22.4	9	14	20	27	37
Single diagnasis	455 805	16.1 17.2	3	7 7	13 13	20 22	31 34	65 ta 74 years	855 795 150	22.5 22.2 23.2	10 7 9	14 14 18	20 19 21	26 27 27	37 37 35
With surgery	320 940	20.2 15.7	6	9 7	16 12	24 20	35 32	Single diagnasis	590 1,210	21.8 22.7	9	14 14	19 20	25 28	33 37
SEPTICEMIA (038)				ĺ				With surgery	1,340 460	23.7	12	16	20	27 23	37 37
Tatal		19.0	1	5	13	24	43	Without surgery	400	10.7	4	,	13	23	37
65 ta 74 years	495 510 145	21.7 16.3 19.3	3 1 1	9 5 2	18 12 6	29 20 21	43 36 60	TRANSVERSE AND DECENDING COLON (153.1, 153.2)  Total	1,320	24.7	10	14	20	31	45
Single diagnosis	215 935	15.7 19.8	1	5 5	12 14	19 25	38 45	65 ta 74 years	680	23.5	10	14:	19	29	43
With surgery	185 965	24.9 17.9	4	9	20 13	30 23	59 40	75 ta 84 years	520 120	26.2 25.5	10 2	16 13	24 19	33 34	46 50
HERPES ZOSTER (053)								Single diagnasis	360 960	20.7 26.3	11 10	14 14	17 22	25 33	33 49
Total		13.9	4	İ			27	With surgery	1,000 320	25.8 21.5	12 3	15 10	21 18	32 28	46 38
65 ta 74 years 75 to 84 years 85 years and aver	565 435 100	12.8 14.5 17.2	3 4 5	7	9 11 13	15 19 21	23 28 34	MALIGNANT NEOPLA5M OF SIGMOIO COLON (153.3)							
Single diagnosis	345 755	11.8 14.8	2 4	6 7	9 11	14 18	23 29	Tatal	2,400	24.3	7	13 14	20	29 29	43
With surgery	85 1,015	15.2 13.8	6	8 6	13 10	19 16	25 27	65 ta 74 years	1,270 995 135	24.5 23.1 31.2	8 7 3	13	20 20 20	28 36	42 38 79
OTHER VIRAL 015EA5E5 (070-079)								Single diagnasis	1,025 1,375	23.4 24.9	8	13 14	19 21	27 31	40 47
Tatal	765 450	11.7	3	5	8	15 14	21 20	With surgery	1,850 550	25.5 20.2	12	15	21 11	29 28	41 51
65 ta 74 years 75 ta 84 years 85 years and aver	245 70	11.4 12.4 10.7	3	6 7	8 9	17 12	22 19	MALIGNANT NEOPLASM OF UNSPECIFIED PART OF LARGE INTESTINE (153.8)	330	20.2				20	51
Single diagnasis	170 595	10.8 11.9	2 3	4 6	8	17 14	23 20	Tatal	4,290	20.8	4	8	17	27	40
With surgery	115 650	12.6 11.5	2	4 5	6 8	16 14	32 20	65 ta 74 years	2,335 1,660	20.9 20.3	4 4	9 8 8	17 17	27 27 29	41 38
MALIGNANT NEOPLA5M OF 8UCCAL CAVITY ANO PHARYNX (140-149)								85 years and aver	1,615	21.9 19.7	4	9	14	26	46 35
Total	2,150	17.8	2	5	11	23	42	Multiple diagnases	2,675 1,820	21.4 25.2	9	14	17 21	28 31	42 42
65 ta 74 years 75 to 84 years 85 years and aver	790	17.3 18.7 17.1	2 2 2	4 6 4	11 12 10	22 24 21	41 45 41	Without surgery  MALIGNANT NEOPLASM OF RECTUM AND RECTOSIGMOIO JUNCTION (154)	2,470	17.5	2	6	12	23	37
Single diagnosis	1,170 980	15.3 20.8	2	3 6	10 14	20 27	37 48	Tatal	4,620	24.5	5	11	21	31	45
With surgery	1,315 835	17.3 18.5	2 1	5 4	11 12	22 24	43 41	65 to 74 years	2,450 1,825	24.5 25.8 18.6	6 5 3	13 11 8	21 22 15	32 31 22	45 45 41
								85 years and aver	2,150	22.6	5	11	20	29	39
								Multiple diagnoses	2,470 3,185	26.3 25.4	5 8	11	21	34	48
								Without surgery	1,435	22.7	3	6	15	28	46

Table 11 MIDDLE ATLANTIC: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND DISCHARGE CHARACTERISTICS—Con.

Oiognosis And Oischorge Chorocteristics	Number of	Averoge stoy		Perce	entiles (	(doys)		Diognosis And Oischorge Chorocteristics	Number of	Averoge stoy		Perce	entiles	doys)	
(ICOA 8th Revision)	dischorges	(doys)	10th	25th	50th	75th	90th	(ICOA 8th Revision)	dischorges	(doys)	10th	25th	50th	75th	90th
MALIGNANT NEOPLASM OF PANCREAS (157)								MALIGNANT NEOPLASM OF OVARY (183.0)							
Total	2,360	23.6	3	10	19	30	43	Total	1,395	20.2	4	10	16	25	40
65 to 74 years	1,240 915 205	23.8 23.6 22.5	4 3 3	10 10 8	19 18 18	30 28 32	41 44 40	65 to 74 yeors 75 to 84 yeors 85 yeors ond over	925 405 65	19.6 18.5 39.7	5 3 13	10 7 18	16 16 22	25 25 40	41 34 77
Single diognosis	935 1,425	25.3 22.5	3	9 10	18 19	30 30	45 40	Single diognosis	400 995	18.6 20.8	4 4	8 10	14 17	27 24	40 40
With surgery	1,045 1,315	27.9 20.2	13 2	18 5	24 12	32 23	42 43	With surgery	730 665	21.9 18.4	7 2	13 7	19 13	26 24	40 40
MALIGNANT NEOPLASM OF LARYNX (161)								MALIGNANT NEOPLASM OF PROSTATE (185)							
Totol	1,060	18.4	1	3	12	23	43	Total	8,855	16.5	4	7	13	20	32
65 to 74 years	730 290 40	17.7 21.1 11.9	2 1 2	4 3 3	12 14 11	23 23 17	39 52 21	65 to 74 yeors	4,110 3,850 895	15.4 17.5 17.2	3 4 4	7 8 8	12 14 12	19 21 21	30 34 30
Single diognosis	605 455	16.2 21.4	1 2	2 7	9 15	21 28	31 49	Single diognosis	3,805 5,050	14.0 18.3	3 4	7 8	11 14	18 22	25 36
With surgery	790 270	17.3 21.7	1	3 5	12 13	23 27	34 50	With surgery	5,560 3,295	17.0 15.7	5 2	9 5	14 10	20 19	30 34
MALIGNANT NEOPLASM OF TRACHEA, 8RONCHUS, ANO LUNG (162)								MALIGNANT NEOPLASM OF BLAODER (188)							
Total	9,460	17.9	3	7	14	23	36	Total	7,405	13.8	2	3	9	17	30
65 to 74 years	2,720	17.7 18.6 16.8	3 2 2	7 7 5	14 13 12	24 24 21	35 38 37	65 to 74 yeors	3,915 2,900 590	12.4 14.4 20.1	1 2 2	3 4 6	8 9 13	16 17 22	28 32 33
Single diagnosis	3,990 5,470	15.8 19.5	2 3	6 7	13 14	22 25	32 39	Single diognosis	4,305 3,100	11.3 17.3	1 2	3 6	7 11	15 21	26 36
With surgery	4,025 5,435		5 1	10 5	17 11	26 22	37 <b>3</b> 5	With surgery	5,765 1,640	12.4 18.5	2 2	3 4	8 10	16 22	28 40
MALIGNANT NEOPLASM OF SKIN (172, 173)								MALIGNANT NEOPLASM OF KIONEY, EXCEPT PELVIS (189.0)							
Total	4,210	10.5	1	2	5	11	23	Total	965	18.9	4	9	15	26	34
65 to 74 years 75 to 84 years 85 years and over	1,500	10.6	1 1 2	2 2 3	4 5 8	10 11 18	20 25 34	65 to 74 yeors	640 295 30	17.6 22.0 16.7	4 5 8	9 10 8	15 17 12	24 31 18	31 38 31
Single diognosis	2,665 1,545	7.7 15.4	1	2 3	4 7	9 18	17 35	Single diognosis	260 705	16.7 19.7	4	10 9	14 16	22 26	28 35
With surgery	3,510 700	8.9 18.6	1 2	2	4 10	9 23	18 40	With surgery	465 500	19.9 18.0	9	12 6	17 12	25 27	32 35
MALIGNANT NEOPLASM OF 8REAST (174)								LYMPHO5ARCOMA ANO RETICULUM-CELL 5ARCOMA (200)							
Total	8,485	16.9	4	8	12	19	32	Total	1,335	18.6	3	7	14	22	38
65 to 74 years	4,975 3,025 485	17.5	5 4 3		12 12 11	20 20 16	32 36 24	65 to 74 yeors 75 to 84 yeors 85 yeors ond over	845 450 40	17.3 21.0 18.5	2 5 5	6 11 8	13 16 10	21 23 22	35 44 40
Single diognosis			5 4	8	11 13	16 23	23 38	Single diognosis	715 620	17.5 19.8	3 4	7 9	12 17	19 26	38 38
With surgery		15.2 19.8	6	9 7	12 14	17 <b>2</b> 5	26 44	With surgery	485 850	19.2 18.2	5 2	8 7	14 14	22 22	37 38
MALIGNANT NEOPLASM OF CERVIX UTERI (180)	·							HOOGKIN'S DISEASE AND OTHER NEOPLASMS OF LYMPHOIO TISSUE							
Total	1,475	14.2	3	5	9	18	28	(201, 202)	1,325	18.1	3	7	13	24	36
65 to 74 yeors	445	14.3 14.0 13.8	2 3 3	6	8 10	18 18 13	30 23 22	65 to 74 yeors	805 440	17.5 17.0	3 2	6	13	22	32 34
85 years ond over	795	11.3	3	4 6	7 13	12 20	23 38	85 years and over	80 700	30.2 14.9	6	10 5	24	23 37 19	62 31
Multiple diagnoses	915		3	4	8	15	22	Multiple diagnoses	625	21.7	5	10	18	28	42
Without surgery	560	16.7	2	5	11	22	34	With surgery Without surgery  MULTIPLE MYELOMA (203)	500 825	18.3 18.0	3	7	14 13	23 25	32 <b>36</b>
Total	3,240	13.3	3	6	10	15	27	Total	1,525	21.7	3	8	. 16	29	45
65 to 74 years	1,990	13.0	3	6	10	14	25 28	65 to 74 yeors	950 510	21.7 22.1	2	7	15	29 28	48 42
75 to 84 years	90		3	5	10	14	18	85 years and over	65	18.5	3	6	15	24	31
Single diognosis	1,580	11.2 15.6	3 4	8	11	13 18	19 31	Single diognosis	555 970	20.4 22.4	3	8	16 17	26 29 38	42 45 59
With surgery	2,385 855	12.3 16.3	3	6 5	10	20	21 37	With surgery	180 1,345	31.0 20.4	10	16	27 15	27	44

Table 11 MIDDLE ATLANTIC: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND DISCHARGE CHARACTERISTICS—Con.

Diognosis And Dischorge Chorocteristics	Number of discharges	Average	10::		entiles (		00:1	Diognosis And Dischorge Choracteristics	Number of discharges	Averoge	10.1		entiles (		
(ICDA 8th Revision)	alsonor ges	(doys)	10th	25th	50th	75th	90th	(ICDA 8th Revision)	dischorges	(doys)	10th	25th	50th	75th	9
LEUKEMIA (204-207)								AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCY (260-269)	•						
Total	2,705 1,365	17.4 17.2	2	6	12	22	38 36	Total	1,295	18.4	2	7	13	22	
to 74 years	1,140 200	17.0 20.8	2 2 3	6	11	22 24	40 50	65 to 74 yeors	480 595	18.1 17.8	1	7	12 13	20 21	
ngle diognosis	1,115 1,590	16.8 17.8	2	5 6	11 13	22 22	39 38	85 yeors and over	220 270	20.6 16.1	1	3	16	27 18	
ith surgeryithout surgery	360 2,345	23.9 16.4	5 2	12 5	17 11	29 20	50 35	Multiple diognoses	1,025	19.0 31.7	11	20	14 27	22 40	1
8ENIGN NEOPLASMS OF LARGE INTESTINE, EXCEPT RECTUM (211.3)	2,010			J				Without surgery	1,195	17.3	2	7	12	20	
Total	1,315	15.7	4	9	13	19	28	Total	800	14.8	4	6	10	16	
to 74 years	970 325	15.5 16.6	4 2	10 7	14 12	19 23	26 31	ó5 to 74 yeors	480 280	15.5 12.5	4 5	6	10 10	16 16	1
years ond over	705	13.8	3 5	8	12	17	23	85 years and over	170	22.0 11.7	2	5	14	29 12	
ultiple diognosesith surgery	610 1,085	18.0 16.5		11	16 14	23 20	30 28	Multiple diagnoses	630	15.6	8	7	11	17 17	
ithout surgery	230	12.0	5 2	4	. 7	14	21	Without surgery	735	14.9	4	6	10	16	
Total	1,250	9.3	2	3	6	12	19	Totol	2,230	14.5	4	7	12	17	
to 74 yeorsto 84 years	825 365	8.6 9.6	2 2 3	3 4	6	10 12	19 18	65 to 74 yeors	950 1,035	14.2 14.2	5	7 6	12 11	17 17	1
yeors and over	60 740	16.9 7.5	3	5	12	18	22 16	85 years and over	245 495	16.8 12.0	5	6	13	19 16	
ultiple diognoses	510 1,085	11.9 9.4	3 2	2 5 3	8	16 12	22 20	Multiple diognoses	1,735	15.1 20.0	4 8	8	12	18 23	ı
ithout surgery	165	8.5	โ	3	6	9	15	Without surgery	1,815	13.2	4	7	11	17	
LIPOMA (214)	1,295	6.2	1	2	3	7	13	PERNICIOUS ANEMIA (281.0)  Total	925	19.9	6	9	15	23	
to 74 years	980 275	5.5 8.8	1 2	2	3 5	6 11	12 15		400 400	21.2 16.5	6	9 9	14 13	24 19	1
years and over	40 930	4.9 5.4	2 3	3	3	5 6	7	85 years and over	125 305	26.9 15.6	11	17 8	22 13	33 18	1
ultiple diognoses	365	8.2	2	2 3 2	6	11	14		620 105	22.1 28.7	6	10	16 22	25 36	
ith surgeryithout surgery	120	6.3 5.5	i	2	3	7	12	Without surgery	820	18.8	6	9	14	22	
EOPLASMS OF UNSPECIFIED NATURE OF 8LADDER (237.6)								ALL OTHER AND UNSPECIFIED ANEMIAS (281.1-281.9, 282-285)							
Totol	2,560 1,525	9.6	1	3	5	10	20	Total	6,110 2,445	15.6 15.5	3	6	11	20	
to 74 years	885 150	8.0 11.9 12.6	2	2 3 4	7 8	13 16	16 23 25	75 to 84 years	2,720 945	16.0 14.5	2 2	6 4	ii 8	21 16	1
ngle diognosis	2,015 545	9.2 11.2	1 2	2 3	5 7	9 13	19 22	Single diognosis	1,920 4,190	12.5 17.0	1 3	5 6	9 12	15 22	
ith surgeryithout surgery	2,330 230	9.5 10.4	1 2	3	5 6	10 15	20 24	With surgery	865 5,245	23.8 14.2	6 2	11 5	19 10	32 17	
SEASES OF THYROID GLAND (240-246)								AFFECTIVE P5YCHOSES (296)							
Totol	2,270	14.9	5	6	10	17	28		1,490	22.7	6	12	19	28 27	
to 74 years	1,630 560 80	13.3 19.3 16.1	4 5 2	6 7 7	12 13	16 21 22	26 37 30	75 to 84 years	1,115 350 25	22.4	6 7 *	13	19 19	31	
ngle diognosis	940 1,330	12.1 16.8	4 5	6 7	8 12	15 20	23 33	Single diognosis	920 570	22.1 23.6	7 6	13 10	20 17	28 29	
ith surgery	820	11.8	5	6 7	9	13 21	21 33	With surgery	40 1,450	22.9 22.7	11 6	11 12	15 19	24 29	
OTABETES MELLITUS (250)	1,450	16.6	4	1	12	21	33	ANXIETY NEUROSIS (300.0)	.,						
Totol	29,395	17.1	4	7	12	20	33	Total		11.0	2	4	8	13	ł
to 74 years	16,925 10,880 1,590	16.8 17.2 19.3	4 4 4	7 7 8	12 12 14	19 21 23	32 33 42	65 to 74 yeors	720 285 25	11.6 8.8	2 2 *	4	8 7 *	14 11	
ngle diagnosis	6,400	16.4 17.3	4 4	6 7	11	19 20	32 33	Single diagnosis	300 730	11.1 11.0	2 2	3 5	7 8	15 13	
ultiple diognoses	22,995	17.3	4	10 7	12	32	49	With surgery	730	14.2	5 2	İ	°   11	18	İ

Table 11 MIDDLE ATLANTIC: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND DISCHARGE CHARACTERISTICS—Con.

Oiagnasis And Oischarge Characteristics (ICOA 8th Revision)  OEPRESSIVE NEUROSIS (300.4)	Number of discharges	Average stay (days)	10th	25th	entiles (	uoy 3)		Oiagnosis And Oischarge Characteristics	Number of	Average		1 61 66	ntiles (d	Juysi	
OEPRESSIVE NEUROSIS (300.4)		(33)			50th	75th	90th	(ICOA 8th Revision)	discharges	(days)	10th	25th	50th	75th	90th
				23	30111	/3111	70111	(ICOX OIII REVISION)		(ddys)	10111	23111	30111	/3/11	70111
								NEURALGIA ANO NEURITIS, UNSPECIFIEO (355)							
Total	2,705	21.4	5	10	18	28	37 37	Tatal	620	13.4	4	6	10	17	27
65 ta 74 years	1,890 770 45	20.4 23.5 26.3	5 6 4	13	17 19 17	27 29 32	37 43	65 ta 74 years	370 215	13.4 12.7	3	6 7 9	10 10	17 15	28 24
Single diagnosis	1,625	21.8	7	12	20	28	37	85 years and aver	35	17.0	7		13	18	26
Multiple diagnases	1,080	20.8	5 6	8	16 16	27	37 42	Single diagnasis	235 385	12.4 14.0	4	6 7	11	14	24 27
Without surgery	2,580	21.4	5	10	18	28	37	With surgery	110 510	20.2 11.9	5 3	9 6	13 10	32 15	41 21
ALCOHOLISM (303) Total	1,375	10.8	2	4	7	12	21	CATARACT (374)							
65 ta 74 yeors	1,175	9.9	2	4	6	11	21	Tatal	36,765	7.9	4	5	6	8	12
75 ta 84 years	190 10	16.0	2	4	9	17	22	65 ta 74 years	18,160 15,960 2,645	7.6 8.1 9.1	4	5 5 5	6 6 7	8 8 10	11 13 15
Single diagnasis	610 765	7.1 13.7	1	3 5	5 8	8 16	14 25	Single diagnosis	28,090	7.5	4	5	6	8	11
With surgery	90 1,285	30.4 9.4	3	14	21 6	33 11	63 19	Multiple diagnoses	8,675 35,055	9.2 7.9	4	5	7	9	16 12
MENTAL DISORDERS NOT SPECIFIED AS	1,203	7.4		4	8	"	19	Without surgery	1,710	8.5	i	3	6	9	17
FSYCHOTIC, ASSOCIATEO WITH PHYSICAL CONDITIONS (309)								GLAUCOMA (375) Tatal	3,310	8.6	3	4	6	9	14
Total	3,170	23.1	4	8	15	26	50	65 to 74 years	1,915	8.7	3	4	6	9	14
65 ta 74 years	1,235 1,465 470	20.5 24.0	4 4 3	8	14 15	23 27	43 55 68	75 to 84 years	1,225 170	8.4 8.9	2 2	4	6 7	12	15 15
Single diagnasis	1,035	27.1	3	6	15 14	32 25	49	Single diagnasis	2,180 1,130	7.5 10.8	2 3	4 5	6 7	8 11	13 16
Multiple diagnases	2,135	23.8	4	8	15	26	51	With surgery	2,695	8.2	3	4	6	9	14
With surgery	195 2,975	38.6 22.1	11 4	17 8	24 14	57 24	68 47	Without surgery	615	10.7	2	3	5	9	17
PARALYSIS AGITANS (342)		41.5						Tatal	1,855	10.1	3	6	9	12	17
Tatal	2,825 1,655	21.5 21.4	5 6	9	16	26 26	42	65 to 74 years	1,395 435	9.8 10.8	3 4	6 7	8 10	11 14	16 17
75 ta 84 years	1,070 100	21.9 19.8	5 6	9	16 12	26 29	44 40	85 years and aver	25	•		*	•	•	•
Single diagnasis	1,060 1,765	20.9 21.9	6 5	10 8	16 15	26 26	37 44	Single diagnasis	1,580	9.9	3 5	6 7	10	12	17 17
With surgery	295 2,530	27.2 20.9	6 5	13 9	20 15	34 26	53 41	With surgery	1,770	10.2 7.2	1	7 2	3	12 10	16 19
CEREBRAL PARALYSIS (344)								LA8YRINTHITI5 (384.0)	455	0.4				,,,	10
Tatal	1,025	21.9	3	7	13	27	52	Total	655 415	9.6	3	4	8	12	19 21
65 to 74 years	520 410	23.3 20.1	4	7	13 14 13	27 27	46 46	75 to 84 years	205 35	7.0 13.1	3 2 7	5 3 7	5 10	10	13 22
85 years and over	95 3 <u>5</u> 5	22.1	2	6	12	24	62 44	Single diagnasis	235 420	8.4 10.3	2 3	3	6 7	11 12	17 20
Multiple diagnoses	100	22.9 14.6	4	7	14	26 17	57 28	With surgery	20 635	9.5	* 2	4	7	12	18
Without surgery	925	22.7	5 3	6	14	28	56	CHRONIC RHEUMATIC HEART DISEASE	555	,,,					
FACIAL PARALYSIS ANO TRIGEMINAL NEURALGIA (350, 351)								(393-398) Tatal	3,065	15.5	3	6	10	19	32
Total	730	12.7	3	5	9	15	23	65 ta 74 years	2,280	15.4	3	6	10	20	32
65 ta 74 years	405 250 75	11.4 13.0 18.3	3 3 2	5 6 5	8 11 10	14 14 23	20 23 44	75 ta 84 years	680 105	15.3 21.3	3	6	11	17 25	29 52
Single diagnosis	390 340	10.3	3	4 8	7	13 17	18 31	5ingle diagnasis	845 2,220	15.5 15.6	3	5 6	11	19 19	29 32
Multiple diagnases	205	15.4 11.9	2	4	9	16	22	With surgery	480 2,585	21.1 14.5	3	8 6	17 10	29 17	44 29
Without surgery	525	13.0	3	6	9	15	24	ESSENTIAL BENIGN HYPERTENSION (401)							
Tatal	760	15.0	5	9	13	18	26	Tatal	5,715	11.2	2	4	8	13	22
65 to 74 years	460 250	15.5 14.6	6	9	13 12	19 17	27 25	65 ta 74 years	3,550 1,865 300	10.8 11.4 14.3	3 2 2	5 4 4	7 8 10	13 14 20	21 23 31
85 years and over	50	11.7	6	7	10	15	18	Single diagnasis	1,960	10.2	2 3	4	7	12	20
Single diagnasis	335 425	14.0 15.7	6	8 9	12	17	23 26	Multiple diagnases	3,755 535	11.7	1	5 7	12	14	23 27
With surgery	55 705	23.7 14.3	5	8	22 12	37 17	40 24	Without surgery	5,180	10.8	3	4	71	isl	21

Or and And Discharge		A		Perce	entiles (	(days)		Oiin And Direktory				Perce	entiles (	(days)	
Oiagnosis And Discharge Characteristics (ICDA 8th Revision)	Number of discharges	Average stay (days)	10th	25th	50th	75th	90th	Oiagnasis And Discharge Characteristics (ICDA 8th Revisian)	Number af discharges	Average stay (days)	10th	25th	50th	75th	90th
INVESTIGATION OF A CONTRACT (400)								HEADT DIOCK AND CADDIAG ADDICT							
HYPERTENSIVE HEART DISEASE (402)	2,360	14.4	3	6	10	17	30	HEART BLOCK, AND CARDIAC ARREST (427.2, 427.3)							
65 ta 74 years	1,250 950	13.9	3	6	10 10	16 18	29 28	Tatal	3,845 1,380	14.3 13.B	1	3	10	18 18	30 28
75 ta 84 years	160	14.6 16.5		В	11	19	37	75 ta 84 years	1,900 565	14.4	i 1	4	10	1B 17	31 31
Single diagnosis	775 1,585	11.9 15.6	3	6	11	13 20	23 31	Single diagnasis	1,B30 2,015	12.3 16.1	1	3	9	16 21	25 34
With surgery	165 2,195	25.1 13.5	6 3	11 6	22 10	32 16	43 27	With surgery	1,505	16.0 13.2	3	7	11 B	20	31 30
HYPERTENSIVE RENAL, AND HEART AND RENAL OISEASE (403, 404)								ATRIAL FIBRILLATION OR FLUTTER AND	2,340	13.2		2	В	'/	30
Tatal	1,010	18.0	2	6	13	23	37	OTHER UNSPECIFIED DISORDERS OF HEART RHYTHM (427.4, 427.9)							
65 ta 74 years	475 410 125	16.3 19.6 18.9	2 3 2	6 B 4	12 15 8	23 23 20	33 40 40	Total	3,365 1,785	13.0 11.6	2	4	9 B	16 14	25 22
Single diagnasis	225	22.9	1	5	12	23	43	75 to 84 years	1,305 275	14.6 14.4	3 2	5	10 10	17 16	27 29
Multiple diagnoses	785 150	16.6 19.4	3 6 2	6 13	14 19	24 25	33	Single diagnasis	1,615 1,7 <b>5</b> 0	11.4 14.5	2 2	4 5	8 10	14 17	22 28
Without surgery	B60	17.7	2	5	12	22	39	With surgery	305 3,060	20.3 12.2	6 2	10	16 B	26 14	3B 24
Tatal	35,905	17.7	1	7	17	24	32	OTHER MYOCAROIAL INSUFFICIENCY (42B)	0,000						
65 to 74 years	20,105 13,360	1B.1 17.3	1	8 6 2	1B 16	24 24	32 33	(42b) Tatal	1,105	13.0	2	5	10	16	25
85 years and aver	2,440 17,540	16.3	1		13	23	34	65 ta 74 years	540 375	11.8 15.2	2	4 6	9 11	16 18	22 30
Multiple diagnoses	18,365 1,645	18.8 23.B	1 4	6 7 10	1B 20	25 32	34 44	B5 years and over	190 325	11.8 11.6	1	3 5	7 10	17 16	24 22
With surgery	34,260	17.4	1	6	17	24	31	Single diagnasis	780	13.5	2	5	10	17	27
OF ISCHEMIC HEART DISEASE (411)								With surgery	1,060	18.4 12.7	3 2	7 5	11 10	26 16	34 24
Total	8,445 5,020	14.4 13.6	3	6	11	1B 18	27 25	ILL-OEFINEO HEART OISEASE (429)	2,785	17.9	3	6	12	21	37
65 ta 74 years	2,975 450	16.0 13.1	3 3 2	6 6 5	12	20 17	31 26	65 to 74 years	1,220	16.0	2	6	12	21	37
Single diagnosis	5,185 3,260	14.3 14.5	3 4	6 7	11 12	1B 19	28 27	75 ta 84 years	1,190 375	20.3 16.3	3 2	6	12 12	23 20	40 35
With surgery	355 B,090	20.5 14.1	4 3	12	16 11	26 18	36 27	Single diagnasis	1,335 1,450	17.9 17.B	3	6	11 13	23 20	42 33
CHRONIC ISCHEMIC HEART OISEASE (412)	-,							With surgery	220 2,565	27.1 17.1	10 3	14 6	20 11	33 20	54 36
Tatal	105,990	15.4	3	7	11	19	29	CEREBRAL HEMORRHAGE (431)							
65 to 74 years	46,080 46,895	14.5 16.1	4 3	7	11 12	18 20	27 31	Tatal	2,995 1,335	13.0 12.6	1	1	5	17 15	32 29
85 years and over	13,015 30,680	16.3	3 3	6	11	20 17	33	75 to 84 years	1,285 375	13.3 13.6	1	1 3	7 9	19 1B	37 33
Multiple diagnases	75,310	16.3	4	7	12	20	31	Single diagnasis	1,160 1,835	12.9 13.1	1	1	5	16 1B	31 33
With surgery	8,890 97,100	21.6 14.9	6 3	10	17 11	27 18	42 2B	With surgery	180 2,815	19.4 12.6	1	2 1	15 5	24 16	34 32
ANGINA PECTORIS (413) Tatal	1,200	11.0	2	4	7	13	22	OCCLUSION OF PRECEREBRAL ARTERIES (432)							
65 to 74 years	755 405	11.0 10.9	2 3 3	4 5	7 B	12	23 21	Tatal	2,065	15.7	3	6	-11	18	29
75 to 84 years	40	11.1		6	7	9	22	75 to 84 years	1,285 660	15.6 16.0	3	6	11 10	17 20	26 30
Single diagnasis	615 585	9.B 12.3	2 2	5	7 B	12 15	19 24	B5 years and aver	120 775	14.7 12.9	3	5	11	20 16	27 22
With surgery	40 1,160	14.7 10.9	B 2	9	11 7	19 13	22 23	Multiple diagnases	1,290 410	17.4 17.7	6	11	11	19 19	31 26
CONGESTIVE HEART FAILURE (427.0)	1, 7,0	16.7			,,,			Without surgery	1,655	15.2	3	6	10	16	29
Tatal	16,740 6,895	15.7 15.8	3	6 7	12 12	20 19	30	CEREBRAL THROMBOSIS (433) Tatal	11,685	20.5	3	7	15	27	43
75 to 84 years	7,560 2,285	15.5 16.4	3 2 1	6 5	12 11	20 22	30 33	65 ta 74 years	4,710 5,395	21.1 20.7	4 3	B 7	15 15	27 27	42 43
Single diagnasis	B,900 7,840	15.0 16.6	2 3	6 7	11 13	19 21	29 32	85 years and aver	1,580 3,440	1B.2	2	6	13	25	39 38
With surgery	B80 15,B60	24.0 15.3	8 2	13 6	20 11	31 19	45 29	Multiple diagnases	B,245	21.5	3	В	16	2B	44
								With surgery	630 11,055	29.B 20.0	B 3	14	25 15	39 26	54 42

Table 11 MIDDLE ATLANTIC: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND DISCHARGE CHARACTERISTICS—Con.

				D	-41 /	( 4 )							-41 (	4	
Oiagnasis And Oischorge Characteristics (ICOA 8th Revision)	Number of discharges	Average stay (days)	10th	25th	ontiles (	75th	90th	Oiagnosis And Oischarge Characteristics (ICOA 8th Revisian)	Number of discharges	Average stay (days)	10th	25th	ontiles (c	75th	90th
(ICON OIL ICONSON)		(00)0)		25	50	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	70	(ICOV SW INVIOLITY		(33)0)		25	30	75	
SU8ARACHNOIO HEMORRHAGE AND CERE8RAL EM8OLISM (430, 434)								ARTERIAL EM80LI5M AND THROM805I5 (444)					Ì		
Total	1,205	19.0	1	4	12	27	40	Tatal	2,915	19.1	1	7	14	24	39
65 ta 74 years 75 ta 84 years 85 years and aver	730 360 115	18.4 21.2 15.3	1 1 2	3 5 4	12 13 7	26 30 18	40 45 35	65 to 74 years 75 ta 84 years 85 years and aver	1,725 960 230	19.7 17.5 21.3	2 1 1	. 8 5 4	14 13 10	24 23 20	39 38 37
Single diagnosis	350 855	19.3 18.8	1	4	12 12	28 26	40 40	Single diagnasis	1,390 1,525	15.5 22.4	1 2	6 7	12 15	21 28	31 48
With surgery	135 1,070	25.1 18.2	4 1	12 4	21 11	32 26	37 40	With surgery	1,645 1,270	21.8 15.6	5 1	11 2	18 8	27 17	40 36
TRANSIENT CEREBRAL ISCHEMIA (435)								GANGRENE (445)							
Tatal	2,370	10.2	2	4	7	13	18	Tatal	2,860	31.4	7	13	23	40	64
65 ta 74 years 75 ta 84 years 85 years and aver	1,025 1,065 280	10.0 10.3 10.4	2 2 2	5	8 7 8	13 13 12	18 19 17	65 ta 74 years 75 to 84 years 85 years and over	1,095 1,270 495	33.5 29.4 32.0	10 <sup>7</sup> 7	14 11 12	27 22 22	37 38	64 64 60
Single diagnasis	785 1,585	8.9 10.8	1 3	3 5	6 8	11 13	16 20	Single diagnasis	1,370 1,490	29.1 33.5	7 9	12 13	21 24	37 43	54 68
With surgery	105 2,265	17.3 9.9	6 2	10 4	15 7	20 12	30 18	With surgery	1,935 925	32.6 28.9	10 5	15 9	26 16	41 37	65 61
GENERALIZEO ISCHEMIC CEREBROVASCULAR DISEASE (437)	:							PULMONARY EMBOLISM AND INFARCTION (450)							
Tatal	11,265	15.8	3	6	10	18	30	Total	4,620	19.2	2	8	15	24	37
65 ta 74 years	4,300 5,140 1,825	14.0 16.7 17.7	3 4 3	6 7 6	9 11 12	15 20 22	25 32 36	65 ta 74 years	2,520 1,765 335	18.4 19.6 23.0	2 2 2	8 8 6	15 15 14	24 25 30	35 40 58
Single diagnasis		16.0 15.7	3 4	5 7	9 11	16 19	28 31	Single diagnasis	1,230 3,390	16.3 20.2	2 2	7 9	12 16	19 26	31 38
With surgery	720 10,545	22.9 15.3	7	10 6	17 10	27 17	48 29	With surgery	650 3,970	24.7 18.3	6 2	11 7	21 14	30 23	43 36
ILL-DEFINED CEREBROVASCULAR 015EASE (436, 438)								PHLEBITIS AND THROMBOPHLEBITIS (451)							
Tatal	26,015	20.0	2	6	13	25	43	Total	5,395	15.6	6	9	12	18	27
65 ta 74 years	10,360 11,975	19.9 20.4	2 2	6	13 14	25 26	43 44	65 ta 74 years	3,215 1,905	15.4 16.0	6	8 9	12 13	18 19	27 27
85 years and over	3,680	19.5 19.7	1	5	13	24	41 42	85 years and over	275 2,245	14.2 13.3	5	9 8 7	12	17 16	26 22
Multiple diagnases  With surgery	13,615	20.4	2 5	7 13	14	26 36	43 57	Multiple diagnases	3,150	17.2	7	10	14	21	29 44
Without surgery	24,835	19.6	2	6	13	24	42	Without surgery	4,910	14.9	6	8	12	18	26
ARTERIOSCLEROSIS (440)	6,725	18.8	3	6	12	22	38	VARICOSE VEINS OF LOWER EXTREMITIES WITH ULCER (454.0)							
65 to 74 years	2,465	17.8	2 3	6	11	21	36	Tatal	1,240	25.6	8	13	21	33	43
75 to 84 years	2,865 1,395	19.5 19.1	3 2	6 5	12 11	22 22	42 34	65 ta 74 years	600 570 70	22.4 28.0 33.3	8 8 12	12 13 24	19 23 31	30 35 41	40 54 48
Single diagnosis	1,450 5,275	17.4 19.2	3	6	13	18 22	35 38	Single diagnasis	530 710	25.8 25.4	7	12 13	22 21	33 33	46 43
With surgery	1,355 5,370	23.8 17.5	7 2	11 5	17 10	29 20	48 35	With surgery	470	26.8	11	16	24	33	42
NONSYPHILITIC AORTIC AND OTHER ANEURYSM (441, 442)								VARICOSE VEINS OF LOWER	770	24.8	7	11	19	33	45
Tatal	3,345	14.2	1	3	11	19	31	EXTREMITIES WITHOUT ULCER (454.1, 454.9)							
65 ta 74 years	1,155	14.7 14.0 11.9	1 1 1	3 3 2	12 11 8	19 19 17	31 31 24	Tatal	1,465 1,060	11.1	3	5	8	13	21 19
Single diagnasis	1,735	12.9 15.6	1 1	2	11 11	17 20	27 33	75 ta 84 years	350 55	13.5 9.7	5 2	6 3	10	17 12	27 17
With surgery		17.5 10.9	1	8 2	15	24 13	32 24	Single diagnasis	905 560	8.8 15.0	3	5 7	11	10 19	15 28
OTHER PERIPHERAL VASCULAR 015EASE (443)								With surgery	1,075 390	10.4 13.1	3	5 6	10	11 17	20 24
Total	1,290	22.7	4	8	15	27	47	HEMORRHOIO5 (455)	0.000	0.7				,,	, 7
65 ta 74 years	690 470	18.9 25.8	4 5	7 10	13 16	23 28	40 52	Tatal	3,290 2,430	9.7 8.8	3	5	7	11	17 15
85 years and aver	130	32.2 16.6	2	10 17 7	16 24 14	40 20	74 31	75 ta 84 years	715 145	12.3 13.1	3 5 5	6 7	10	16 17	22 21
Multiple diagnases	845 580	26.0	3 5 9	9 14	17	31	55	Single diagnasis	1,665 1,625	8.6 11.0	4 3	5	7 8	10 13	14 21
Without surgery		20.1	2	6	111	23	44	With surgery	2,745 545	9.8 9.7	4 2	5	7 7	11	17 16

	Oiagnasis And Oischarge	Number of	Averoge		Perce	entiles (	(days)		Oiagnasis And Oischarge	Number of	Average		Perce	entiles (	days)	
	Characteristics (ICOA 8th Revision)	Number of discharges	stay (days)	10th	25th	50th	75th	90th	Characteristics (ICOA 8th Revision)	Number of discharges	stay (days)	10th	25th	50th	75th	90th
	ACUTE UPPER RESPIRATORY INFECTIONS EXCEPT INFLUENZA (460-465)								OTHER DISEASES OF UPPER RESPIRATORY TRACT (500-508)							
1	Tatal	1,865	10.8	3	5	8	13	21	Tatol	2,810	6.0	1	2	3	6	12
1	65 ta 74 years	950 650 265	10.4 11.0 12.1	3 3 3	5 5 4	8 8 7	13 13 14	20 23 20	65 ta 74 years	2,075 650 85	5.1 8.2 10.9	1 1 1	1 2 2	2 4 5	5 10 11	8 20 19
1	Single diagnasis	425 1,440	8.8 11.4	2 3	3 5	6 8	12 13	18 21	Single diagnasis	1,760 1,050	4.4 8.8	1	1 2	2 5	4 9	8 20
	With surgery	160 1, <b>7</b> 05	10.7 10.8	1 3	2 5	4 8	13 13	25 20	With surgery	2,265 545	5.6 7.9	1	1 2	2 5	5 9	10 16
	ACUTE AND UNQUALIFIED BRONCHITIS AND BRONCHIOLITIS (466, 490)								PLEURISY (511)	585	14.0	4	7	10	17	28
	Tatal	6,015	12.0	4	6	9	14	21	65 ta 74 years	320	12.5	3	6	9	16	19
	65 ta 74 years	3,310 2,265 440	11.2 12.9 13.4	4 4 4	6 6 7	9 10 10	14 15 16	19 23 25	75 ta 84 years	245 20	15.6	6	8 *	11	18	30
	Single diagnosis	1,515 4,500	10.1 12.7	3 4	5 6	8 10	13 15	17 22	Single diagnasis Multiple diagnases  With surgery	215 370 70	12.6 14.8 24.9	5	6 7 12	10 11 18	16 17 40	22 29 49
	With surgery	450 5,565	15.7 11.7	4 4	6 6	12 9	21 14	29 20	Without surgery	515	12.5	4	7	10	15	20
	INFLUENZA (470-474)  Total	885	10.5	3	5	8	13	19	HYPO5TASI5 (514)  Tatal	4,385	13.8	1	5	10	18	27
	65 to 74 yeors	445 345 95	9.1 11.5	3 4 5	4 5 7	7 8 13	12 13	17 21	65 to 74 years	1,845 2,020	13.8 14.1	1	5 5 3	11 10 9	18 18 18	26 29 26
	85 years and over  Single diagnosis  Multiple diagnoses	300	9.0 11.3	3 3	4 5	7 8	16 11 13	18 22	Single diagnosis Multiple diagnases	520 1,760 2,625	12.7 14.3 13.5	1	5 5	11 10	19	28 27
	With surgery	20 865	10.4	3	* 5	* 7	13	19	With surgery	225 4,160	24.5 13.2	7	13 5	19 10	30 17	46 26
	PNEUMONIA (480-486)								CHRONIC INTERSTITIAL PNEUMONIA (517)							
	Total	21,645 8,890	16.4 15.4	3	7	12	19 18	31 28	Total	1,075	15.3	4	7	11	20	30
	75 to 84 years	9,120 3,635	16.8 17.7	4 2	7 6	12 13	20 21	32 36	65 ta 74 years	670 360 45	15.7 14.4 17.1	2 3	7 7 9	11 11 14	20 19 24	30 27 30
	Single diagnosis		14.7 17.0	3	6 7	10 13	17 21	26 33	Single diognosis	140 935	12.0 15.8	1 4	4 7	9 11	19 20	23 31
	With surgery Without surgery CHRONIC 8RONCHITIS (491)	1,700 19,945	26.8 15.5	8	13	21 11	32 18	51 29	With surgery	175 900	19.5 14.5	6 3	8 6	17 10	21 18	37 30
	Total	2,905	13.6	4	6	10	16	27	OISEASES OF ORAL CAVITY, SALIVARY GLANOS, ANO JAWS (520-529)							
	65 to 74 yeors	1,775 980	13.0 14.5	4 3	6 7	10 10	15 17	23 31	Tatal	2,225	6.5	1	2	3	7	12
	85 years ond over	710	15.8	5 3	8	13 8	17 12	19	65 to 74 yeors	1,470 660 95	6.1 7.0 8.5	1 1 1	2 2 2	3 3 4	7 6 10	12 13 17
	Multiple diagnoses	565	14.1	3	7 6	11 11	17 18	29 29	Single diagnosis	1,020 1,205	5.1 7.7	1 1	2	3	5	9 15
	Without surgery  EMPHY5EMA (492)	2,340	13.5	4	6	10	15	26	With surgery	1,700 525	6.1 7.8	1	2 2	3 5	6 9	11 15
	Tatal	7,590	14.3	3	6	10	17	27	OISEASES OF ESOPHAGUS (530)							
	65 ta 74 yeors	4,735 2,435	14.1 14.6	3	6	10 10	17 17	26 27	Tatal	2,545	11.4	2	3	8	14	25
	85 years ond over		14.8	2	5	11 9	17 14	30 24	65 to 74 years	1,385 985 175	11.2 11.9 10.7	2 2 1	3 4 3	7 8 8	14 13 14	24 26 18
	Multiple diognoses	5,590 825	15.3	3 5	9	11	18	28	Single diagnosis	1,070 1,475	9.1 13.1	1 2	2	6 9	11	19 26
	Without surgery	6,765	13.6	3	6	10	16	26	With surgery	1,175 1,370	13.2 9.9	2 2	3	9 7	18 12	28 19
	Total	3,325	13.6	4	7	10	16	25	ULCER OF STOMACH (531)							
	65 ta 74 yeors	1,015	13.2 13.9 19.3	4 4 4	6 7 6	10 10 12	16 16 20	25 25 53	Tatal	3,845 2,305	16.5 16.3	5	8	13 13	21	32 32
	Single diagnosis	1,160	11.3 14.8	3 4	6 7	11	14 17	21 28	75 to 84 years	1,285 255 1,400	16.9 16.8	3	7	14 12 13	22 23 20	31 38 30
	With surgery		23.8 13.0	9	12	17 10	29 16	49 24	Single diagnasis	1,400 2,445 1,405	15.7 17.0 20.5	7	8 11	13	20 22 26	30 32 38
									With surgery	2,440	14.3	4	'5	12	18	27

Table 11 MIDDLE ATLANTIC: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND DISCHARGE CHARACTERISTICS—Con.

Oiognosis And Oischorge	Number of	Averoge		Perce	entiles (	doys)		Oiagnosis And Oischorge	Number of	Average		Perce	ntiles (	doys)	
Chorocteristics (ICOA 8th Revision)	dischorges	stoy (doys)	10th	25th	50th	75th	90th	Chorocteristics (ICOA 8th Revision)	dischorges	stoy (doys)	10th	25th	50th	75th	90th
ULCER OF OUOOENUM (532)								HERNIA OF A800MINAL CAVITY WITH 08STRUCTION (552, 553)							
Total	6,645	14.3	5	7	11	17	27	Total	3,875	13.3	4	7	10	15	23
65 to 74 years	4,025 2,220 400	13.6 14.9 18.7	4 5 6	7 8 10	11 12 15	16 18 25	26 27 38	65 to 74 years	1,640 1,730	13.0 12.9	4	6	10 10 12	15 15 17	23 23
Single diagnosis	2,355 4,290	12.4 15.3	4 5	6 8	10 12	15 19	22 29	85 years and over	2,080	15.8	4	6	9	13 17	25 20
With surgery	1,750 4,895	20.4 12.1	7 4	12 7	17 10	26 14	35 21	Multiple diognoses	1,795 3,235	14.8	5	7	11 10 8	15	26 23 24
PEPTIC ULCER, 5ITE UN5PECIFIEO (533)	0.105	147		7	,,		24	INTESTINAL OBSTRUCTION WITHOUT	640	12.2		4	8	14	24
Total	2,125 1,195	14.6 15.0	4	7	11	17 18	26 27	MENTION OF HERNIA (560) Total	7,465	16.1	3	6	12	20	32
75 to 84 years	700	14.3 13.4	5	7 6	11	17 15	23 29	65 to 74 yeors	3,280 3,035	16.5 15.7	3	6	11	20 20	35 30
Single diognosis	870 1,255	13.9 15.1	4 4	7 7	11	16 18	24 27	85 years and over	1,150 3,675	16.3 15.5	3	6	11 11	19	31
With surgery	515 1,610	18.9 13.2	6 4	11 6	16 10	24 15	32 23	Multiple diognoses	3,790	16.8	3	7	12	21	34
GASTRITIS AND OUODENITIS (535)								With surgery	3,075 4,390	20.9 12.8	2	11 4	17 8	25 14	38 25
Total	3,440 1,955	10.6 9.7	2	5	8	13 12	19 17	OIVERTICULA OF INTESTINE (562)  Total	13,730	12.9	3	5	9	15	25
75 to 84 years	1,220	11.7 12.1	2 3 3	5	9 8	15 17	21 27	65 to 74 years	6,790	12.1	3 3	5 6	9 10	14	24 28
Single diognosis		8.7 11.4	2 3	4 5	6 9	10 14	18 20	75 to 84 years	5,825 1,115	14.0 12.5	4	6	9	16 15	24
With surgery		16.6 9.7	6 2	9 4	13 7	19 12	32 17	Single diognosis	4,750 8,980	11.2 13.9	4	5 6	10	13 16	21 27
OISOROERS OF FUNCTION OF STOMACH (536)								With surgery	4,135 9,595	18.5 10.5	5 3	8 5	14 8	12	35 19
Total	420	17.0	2	5	7	17	34	FUNCTIONAL OISOROERS OF INTESTINE (564)							
65 to 74 years	145	11.7 16.7 33.3	3 1 2	5 4 6	7 7 12	12 19 25	27 63 80	Total	1,735 900	9.3 8.0	2	4	6	10 10	17 14
85 years and over	135	11.0	1 3	3 5	7	11 21	19	65 to 74 years	645 190	10.1 12.5	2 2	4 3	7	12	20 23
Multiple diagnoses	60	19.9 25.0	6	9	12	30	46 63	Single diognosis	485 1,250	6.9 10.2	1 3	2 4	5 7	8 12	11 19
Without surgery	360	15.7	1	4		14	28	With surgery	290 1,445	12.7 8.6	3 2	5	8 6	14 10	21 16
OF O85TRUCTION (550) Total	13,615	10.6	5	6	8	11	16	CIRRHO5I5 OF LIVER (571)							
65 to 74 years	9,130	9.7	5 5	6	8	10	15	Total	3,305	18.5	3	7	14	23	36
75 to 84 years	675	11.7 16.4	4	7	10	13 15	19 27	65 to 74 yeors	2,420 820 65	17.9 19.2 32.4	2	8 7 4	14 14 11	23 22 35	35 39 60
Single diognosis	4,985	9.2 12.9	5	6 7	8 9	10 14	14 21	Single diognosis	1,145 2,160	17.4 19.0	2 4	6 8	13 14	21 24	34 37
With surgery		10.4 12.8	5 2	6 5	8	11 14	16 24	With surgery	685 2,620	24.9 16.8	6	12 7	20 13	31 20	48 33
VENTRAL HERNIA WITHOUT MENTION OF OBSTRUCTION (551.2)								CHOLELITHIA5I5 (574)	·						
Total		13.4	5	7	- 11	15	23	Total	12,345	16.7	6	9	13	20	29
65 to 74 years	525	13.0 13.6 19.9	5 5 1	7 7 5	11 11 13	15 16 26	21 23 48	65 to 74 yeors	7,350 4,140 855	15.6 17.8 19.9	6 5 5	9 9 9	13 14 15	19 22 23	27 32 41
Single diagnosis	1,160 1,045	11.0 16.1	5 5	7 8	10 13	12 19	17 27	Single diognosis	5,470 6,875	15.5 17.6	6	9	13 14	18 22	25 32
With surgery	1,820	13.6 12.7	6 2	8 5	11 9	15 15	23 25	With surgery	8,270 4,075	18.7 12.6	9	11	16 9	22 14	31 23
OIAPHRAGMATIC HERNIA WITHOUT MENTION OF OBSTRUCTION (551.3)								CHOLECYSTITIS AND CHOLANGITIS WITHOUT MENTION OF CALCULUS							
Total	5,620	12.0	3	5	9	14	22	(575)	6,125	15.4	4	7	12	19	29
65 to 74 years	3,255 1,970	11.5 12.5	3	5	9	14 15	21 24	65 to 74 years	3,315	15.4	5	8	12	19	29
85 years ond over	1,135	13.6 10.7	2	6 4	7	16 13	23 21	75 to 84 years	2,340 470	15.6 13.8	4	7	12 12	19	30 23
Multiple diognoses	4,485 1,285	12.3 16.8	4 5	6 9	9	15 20	23 30	Single diagnosis	2,950 3,175	14.7 16.0	4	8 7	12 12	17 20	25 32
Without surgery	4,335	10.6		5	8	12	19	With surgery	2,685 3,440	20.0 11.8	8	11	16 9	24 14	36 21

1	Diagnosis And Discharge		Average		Perce	entiles (	days)		Diagnosis And Discharge		Average		Perce	entiles (d	days)	
1 = 1	Diagnosis And Oischarge Characteristics (ICOA 8th Revision)	Number af discharges	stay (days)	10th	25th	50th	75th	90th	Characteristics (ICOA 8th Revision)	Number af discharges	stay (days)	10th	25th		75th	90th
	OTHER DISEASES OF GALL BLADDER AND BILIARY DUCTS (576)								CY5TITI5 (595)							
3	Tatal	2,335	16.7	4	7	13	22	32	Tatal	4,860	10.9	2	4	7	13	20
333	65 ta 74 years	1,285 855 195	16.1 18.2 14.3	4 5 2	8 7 6	13 14 14	21 24 19	30 40 22	65 ta 74 years 75 ta 84 years 85 years and aver	2,430 1,925 505	9.4 11.5 15.4	2 2 3	3 4 6	6 9 11	11 14 19	17 21 28
-	Single diagnosis	1,180 1,155	16.1 17.3	4	7	13 14	21 22	32 34	Single diagnosis Multiple diagnases	1,640 3,220	8.2 12.2	2 2	3 4	6	10 14	17 23
	With surgery	960 1,375	21.5 13.4	9	12 6	18 10	27 16	39 25	With surgery	3,170 1,690	10.6 11.4	3	3 5	7	13 14	20 21
	OISEASES OF PANCREAS (577)								OTHER DISEASES OF BLADDER (596)  Tatal	2,440	16.1	3	6	11	20	33
	Tatal	1,685	16.2	4	7	12	19	34	65 to 74 years	1,290	16.1	2	6	11	19	29
	65 ta 74 years	890 665 130	16.6. 16.2 13.7	5 4 4	7 7 7	11 13 11	19 20 14	37 30 26	75 to 84 years	965 185	16.0 17.1	3 5	6 7	11	20 21	35 32
	Single diagnasis	630 1,055	13.1 18.0	4 5	7 8	11 13	15 22	24 38	Single diagnosis Multiple diagnases	945 1,495 1,905	13.7 17.7	3	5 7	13	17 20 20	26 36 32
	With surgery	365 1,320	26.4 13.4	10 4	15 7	22 10	36 15	43 24	With surgery	535	15.8 17.3	2	5	12 11	17	42
	CHRONIC ANO UNQUALIFIEO NEPHRITIS (582, 583)								URETHRITIS AND STRICTURE OF URETHRA (597, 598)							
	Total	935	16.5	1	4	10	21	35	Tatal	3,300	10.1	2	3	7	13	21
	65 ta 74 years	350	14.9 19.3 12.9	1 2 2	3 6 3	10 11 7	20 24 15	32 38 26	65 ta 74 years 75 to 84 years 85 years and aver	1,895 1,225 180	9.5 10.4 14.2	2 2 3	3 3 5	6 7 11	12 13 19	19 23 25
	Single diagnasis	255	13.5 17.6	1 2	2 5	10 11	16 23	24 40	Single diagnasis	1,285 2,015	7.4 11.8	1 2	2 4	4 8	9 15	15 24
	With surgery		28.6 14.6	6	11	21	39 20	48 33	With surgery	2,670 630	9.7 11.5	2 2	3	6 7	12 15	20 25
	INFECTIONS OF KIONEY (590)	010	14.0	'	,	,	20	35	URINARY TRACT INFECTION, NOT ELSEWHERE CLASSIFIED (599.0)							
	Tatal	3,620	15.2	4	7	11	18	28	Tatal	3,350	14.5	3	6	11	17	29
	65 to 74 years	1,475	14.3 16.0 16.3	4 4 2	6 8 5	10 12 13	17 18 25	25 29 32	65 ta 74 years	1,560 1,385 405	13.8 14.4 17.7	3 4 3	6 6 6	10 11 12	16 18 23	27 27 40
	Single diagnosis		12.7 16.2	3 4	6 7	9 12	15 19	22 31	Single diagnasis	1,005 2,345	12.0 15.6	2 4	4 7	8 12	15 18	26 29
ŀ	With surgery	970 2,650	17.0 14.5	4	8	14 10	21 17	28 29	With surgery	1,195 2,155	13.3 15.2	3	5 6	11 10	18 17	26 30
	CALCULUS OF KIONEY AND URETER (592)								HYPERPLASIA OF PROSTATE (600)	05.100	14.0			12	00	
	Total	3,550	11.0	2	4	7	14	23	Tatal	25,190 14,475	16.0 15.0	5	9	13	20 18	28 26
	65 ta 74 years	2,645 800 105	10.4 12.5 16.0	2 2 3	4 4 4	7 9 10	13 16 22	22 27 30	75 ta 84 years	9,160 1,555	17.2 18.1	5 6	9	14	21 23	31 32
	Single diagnosis	1,695	9.0 12.8		3	6 9	11 16	18 27	Single diagnasis Multiple diagnases	13,600 11,590	14.4 17.9	6	8 10	12 15	18 22	25 31
	With surgery	2,105 1,445	13.0 8.1	3 2	5	10 5	17 9	26 16	With surgery	22,085 3,105	16.1 15.1	6 2	9	14 9	20 18	27 32
	OTHER DISEASES OF KIONEY AND URETER (593)	,							PROSTATITIS (601) Tatal	650	11.4	2	5	9	15	20
	Total	2,440	14.7	2	4	11	19	31	65 ta 74 years	210	10.6 13.4	2 2	4 5	8 10	13 17	19 27
	65 to 74 years	925	13.7 15.6 17.8	2 2 1	4 4 7	10 11 14	18 20 20	28 37 32	85 years and aver	40 280	9.7 10.6	1 2	5	8	15	17 19
	Single diagnasis		12.1. 16.2	1 2	3	8 13	16 20	28 35	Multiple diagnases	370 425	12.1 12.8	2 2	5	10	16 17	24 26
	With surgery		16.9 12.9	3 1	7 3	14 8	21 17	34 29	CHRONIC CYSTIC DISEASE AND OTHER	225	8.8	2	5	8	11	16
	CALCULUS OF OTHER PARTS OF URINARY SYSTEM (594)								DISEASES OF 8REAST (610, 611)  Tatal	1,700	7.1	2	3	4	9	14
	Tatal	1,345	14.0	2	5	10	19	28	65 ta 74 years	1,210 425	6.5 8.8	2 2	2	4 7	7 10	13 16
	65 to 74 years	840 420 85	12.7 15.6 18.9	2 3 2	5 6 4	9 13 18	17 21 27	25 31 35	85 years and aver	1,195	7.3 6.3	2	3 2 3	5	10 7	12 12
	Single diagnosis	540 805	10.4 16.4	2 4	4 8	7 13	13 20	22 30	Multiple diagnases	1,555	9.1 7.2	2	3	6	11	21 14
	With surgery	1,075 270	14.6 11.5	3	6	11 8	19 16	28 30	Without surgery	145	6.3	1	2	4	81	14

Table 11 MIDDLE ATLANTIC: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND DISCHARGE CHARACTERISTICS—Con.

Oiagnasis And Oischarge Characteristics	Number of	Average stay		Perce	entiles	(days)		Oiagnasis And Oischarge Characteristics	Number of	Average stoy		Perce	ntiles (	doys)	
(ICOA 8th Revision)	discharges	(days)	10th	25th	50th	75th	90th	(ICOA 8th Revision)	discharges	(days)	10th	25th	50th	75th	90
UTEROVAGINAL PROLAPSE (623)								5PONOYLITIS OSTEOARTHRITICA (713.1)							
Tatal	6,180	12.5	6	8	11	14	19	Total	3,390	14.5	4	7	12	17	
65 ta 74 years	4,485 1,585 110	11.9 14.0 14.5	6 7 4	8 9 9	10 11 12	13 16 16	18 23 23	65 ta 74 years	1,980 1,160 250	14.0 15.3 14.4	4 5 4	7 7 6	11 13 10	17 18 18	
Single diagnasis	3,445 2,735	11.8 13.3	6	8	10 11	13 15	18 21	Single diagnasis	850 2,540	14.3 14.5	5 4	7 7	11 12	17 18	
Nith surgery	5,650 530	12.6 11.2	7 2	8 5	11 10	14 14	19 22	With surgery	420 2,970	22.8 13.3	7 4	12 7	17 11	26 16	
POSTMENOPAUSAL BLEEDING (626.7)								ARTHRITIS, UNSPECIFIEO (715)							
Tatal	1,720	6.3	1	2	3	6	14	Tatal	2,350	15.7	4	6	11	19	
5 to 74 years	1,235 470 15	6.1 6.9 *	1 1	2 2 *	3 4 *	6 6 *	14 14	65 ta 74 years 75 to 84 years 85 years and over	1,275 900 175	15.7 15.5 16.1	4 4 2	6 6 4	11 12 10	19 19 16	
ingle diagnasis	1,100 620	5.7 7.3	1 2	2 2	3	5 10	12 16	Single diagnasis	880 1,470	15.5 15.8	3 4	6 6	11 11	20 19	
Vith surgeryVithaut surgery	1,600	6.3 6.2	1	2 2	3	6	14 15	With surgery	405 1,945	19.5 14.9	5 4	8	13 10	26 18	
CELLULITIS AND A85CESS (681, 682)								OSTEOPORO515 (723.0)							
Tatal	3,280	15.6	4	7	12	19	30	Tatal	2,870	18.6	5	8	14	22	
5 ta 74 years	1,595 1,410 275	15.0 16.5 14.6	3 4 5	6 7 8	11 12 12	17 21 18	28 32 26	65 to 74 years	1,090 1,290 490	19.8 17.5 18.6	6 5 4	8 8 8	14 14 14	22 20 23	
ingle diagnasis		14.8 16.1	3	6	11 12	18 20	28 32	Single diagnasis	645 2,225	18.7 18.6	6	8	15 14	23 21	
/ith surgery/ithaut surgery	920 2,360	17.8 14.7	3	7	14	22 18	38 26	With surgery	250 2,620	27.8 17.7	10	13	20 13	37 21	
OERMATITIS ANO ECZEMA (690, 692)	2,500	17./		ĺ			20	OISPLACEMENT OF INTERVERTEBRAL	2,020	17.7		Ĭ	10	- 1	
Total	600	11.4	4	6	9	14	21	015C (725) Tatal	2,620	17.5	5	9	14	21	
5 ta 74 years 5 ta 84 years 5 years and over	270 260 70	11.4 11.5 11.2	3 4 2	5 7 5	9 10 8	14 14 16	21 21 23	65 ta 74 years	1,985 570	17.3 17.3 18.2	6 4	9	14 14	21 20 29	
ngle diagnasis		9.9 12.5	2	5 7	8 10	13 16	17 24	85 years and aver	1,420	20.2 17.9	5	5	12 14	29 21	
/ith surgery	90 510	12.4 11.3	2	5	10	16	24 21	Multiple diagnases	1,200	17.1 22.6	6	9	14 20	21 26	
Vithaut surgery	310	11.3	•		,	"	21	With surgery	1,940	15.8	5	8	12	18	
Tatal	2,760	26.6	6	11	19	32	53	VERTEBROGENIC PAIN 5YNOROME (728)	1,455	15.3	4	7	12	18	
5 ta 74 years		24.3 29.2 27.9	6 6	10 11 14	17 19 24	30 35 33	51 59 44	Tatal	910 455	15.3 15.4	5	8 7	12	19	
ingle diagnasis	1,200	24.5	6	10	18	28	44	85 years and aver	90	15.7	3 2	7	8	16 17	
Aultiple diognases	1,560 955	28.3	8	11	20	35 36	59 54	Single diagnasis	645 810	15.5 15.2	4 4	7 7	12 12	19 18	
Vithaut surgery	1,805	25.2	6	10	18	29	52	With surgery	210 1,245	19.4 14.7	8	12	17 11	26 17	
RHEUMATOIO ARTHRITI5 ANO ALLIEO CONOITION5 (712)								5YNOVITIS, 8URSITI5, ANO TENOSYNOVITI5 (731)							
Tatal	2,380	19.0	5	9	14	22	34	Total	1,960	8.8	1	2	5	10	
5 to 74 years		18.9 20.1 11.1	5 6 3	9 9 5	15 14 8	22 24 14	31 41 22	65 ta 74 years	1,445 450 65	7.4 13.0 12.5	1 2	2 4 6	4 8 9	9 15 16	
ingle diagnasis	650 1,730	20.2 18.6	5 6	8 9	13 15	21 23	34 34	85 years and over  Single diagnasis  Multiple diagnases	1,150 810	6.7 11.8	1 2	2	3 8	7	
/ith surgery/ithaut surgery	435 1,945	20.4 18.7	5	9 8	16 14	27 21	42 31	With surgery	1,245	6.9	1	2	3	7	
OSTEOARTHRITIS (713.0)	,,,,,							Without surgery	715	12.2	3	5	9	14	
Tatal	5,350	18.2	4	8	13	22	34	5Y5TEM ANO SPECIAL SENSES (780, 781)						İ	
55 to 74 years	2,925 1,940 485	18.9 17.5 16.9	4 5 3	8 8 6	15 13 12	23 21 20	35 32 29	Tatal	1,120	12.8	2	4	8	14	
iingle diagnasis		19.5 17.4	5 4	8 7	16 12	25 20	37 31	65 ta 74 years	695 350 75	12.4 12.3 17.8	2 2 3	5 4 5	8 9 11	14 14 19	
Nith surgery	1.455	23.7	8	13	21	30	42 28	Single diagnosis	820 300	12.4 13.6	2	4	7	14 18	
Trimour surgery	3,075	10.11	4	′		101	20	With surgery	110	23.1	4	9	17	21	

Table 11 MIDDLE ATLANTIC: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND DISCHARGE CHARACTERISTICS—Con.

	Oiagnasis And Oischarge		Average		Perce	entiles (	(days)		Oiagnasis And Oischarge		Average		Perce	entiles (	days)	
	Characteristics (ICOA 8th Revision)	Number of dischorges	stay (days)	10th	25th	50th	75th	90th	Characteristics (ICOA 8th Revision)	Number af discharges	stay (days)	10th	25th	50th	75th	90th
	ACUTE HEART FAILURE, UNOEFINEO (782.4)								FRACTURE OF VERTEBRAL COLUMN, OORSAL (THORACIC) AND LUMBAR,							
	Tatal	1,545	15.3	1	5	11	20	30	CLOSEO (805.2) Tatol	2,815	16.9	5	8	13	21	30
	ta 74 years	625 700	15.0 14.5	2	6	11 10	21 18	29 30	65 ta 74 years	1,170	15.8	5	8	13	20	28
	years and aver	220	18.8	1	2	13	22	44	75 ta 84 years	1,235 410	16.9 20.1	6 5	9 10	13 16	21 25	31 33
Mu	ngle diagnasis	1,265 280	15.5 14.5	2	5	10	20 20	30 34	Single diagnasis	1,300 1,515	14.8 18.7	5	7 10	12 15	19 24	26 33
Wi Wi	th surgerythout surgery	110 1,435	18.8 15.0	4 1	7 5	11 11	27 19	35 29	With surgery	150	25.5	10	14	21	31	42 30
	SYNCOPE OR COLLAPSE (782.5)								FRACTURE RI8(5), CLOSEO (807.0)	2,665	16.4	5	٥	13	21	30
15	Total	690	8.4	2	3	6	10	16	Tatal	2,185	13.5	3	5	9	15	25
75	to 74 years	425 215 50	7.5 9.5 11.5	2 2	4	5 7 7	8 12 14	17 24	65 ta 74 years	1,050 805	11.3 14.5	2	5 6	8 9	14 16	23 25
Sin	igle diagnosis	530 160	7.6 11.1	1	3	5	9 13	15 21	85 years and over	330 580	18.3	3	6	11	19	32 15
Wi	th surgery	40	16.4	5	7	9	15	37	Multiple diagnoses	1,605	15.1	3	6	10	17	27
Wi	thaut surgery	650	7.9	2	3	6	9	16	With surgery	145 2,040	21.2 13.0	3	7 5	12	29 14	55 23
	Total	1,025	6.2	1	3	5	7	11	CLOSEO FRACTURE OF PELVIS (808.0)	0.405	00.7		10	10	00	
	ta 74 years	580 385	6.5 5.8	2	3 2	5	7 6	12 10	Tatal	2,405	23.7	6 7	12 10	19	29	44
85	years and over	60	6.6	2	2	5	8	11	75 ta 84 years	1,150 570	22.6 26.1	6 5	12 11	20 18	28 31	40 51
Mu	igle diagnasis	835 190	5.8 8.2	2	3	5	10	10 16	Single diagnasis	1,250 1,155	21.9 25.6	6 7	10 13	18 21	27 31	43 46
Wi	th surgerythaut surgery	125 900	7.7 6.0	2 1	3	5	11 6	15 10	With surgery	160 2,245	33.3 23.0	11	15 11	27 19	42	67 42
	PAIN IN CHEST (783.7)								MULTIPLE AND ILL-DEFINED FRACTURES	2,243	23.0		"	17	20	42
65	Tatalto 74 years	345 240	11.2 10.4	2	4	8	14	22 17	OF TRUNK, CLOSEO (809.0)  Total	1,145	25.8	4	9	20	35	51
75	ta 84 years	90 15	14.1	4	3 7	12	19	27	65 to 74 years	525	27.8	5	10	20	35	51
5in	igle diagnosis	315 30	10.4 19.0	2	4	7 13	13 26	17 39	75 ta 84 years	485 135	23.3 27.2	3 4	11	18 23	32 39	47 53
Wi	th surgery	_ 345	_ 11.2	_ 2	_ 4	- 8	_ 14	_ 22	Single diagnasis	575 570	25.3 26.3	3 5	13	17 22	32 36	56 50
441	A800MINAL PAIN (785.5)	343	11.2	2	4	0	14	22	With surgery	250 895	36.6 22.8	7 3	17	26 18	45 31	68 47
	Tatal	940	11.9	2	4	8	13	24	FRACTURE OF UPPER ENO OR SHAFT OF HUMERUS, CLOSEO (812.0, 812.2)							
75	to 74 years	525 335 80	11.3 12.3 14.8	3 2	5 4 3	8 7 6	13 13 12	21 22 30	Total	3,290	12.9	2	4	8	16	30
Sin	years and aver	765	10.9	2	4	7.	13	19	65 ta 74 years	1,275 1,415	11.2 13.1	1 2	3	7 8	13 16	23 33
	ultiple diagnoses	175 205	16.5	5	7	15	19 20	27	85 years and over	1,815	16.2	1	3	12 7	13	36 24
Wi	thout surgery	735	9.9	2	4	6	10	18	Multiple diagnases	1,475 1,035	15.4 13.4	2	5	11	19	35 34
	RETENTION OF URINE (786.1) Total	1,520	15.9	3	7	13	19	30	With surgery	2,255	12.7	2	4	8	15	29
75	ta 74 years	725 625	14.9 16.9	3 4	6	12	19 20	27 31	FRACTURE OF UPPER ENO OR UNSPECIFIEO PART OF RADIUS ANO ULNA, CLOSEO (813.0)							
	years and aver	1,325	16.3 15.6	1 3	7	10 13	20 19	33	Tatal	915	8.7	1	2	4	10	19
Mu	ultiple diagnases	195	17.5	4	6	12	21	34	65 ta 74 years	515 295	7.3 10.2	1	2 3	4 5 5	7 13	15 22
Wi	ith surgery	915 605	17.6 13.2	6 2	10	15 7	21 15	31 29	85 years and aver	105 645	11.1	1	3	4	16 7	26 16
	HEMATURIA (789.3)					_		00	Multiple diagnases	270	12.9	2	3	6	14	29
65	Totalta 74 years		11.4	2	4	7	14	23	With surgery	635 280	7.9 10.3	1	2	6	14	16 25
75	ta 84 years	590 100	10.9 12.2	2	4	7	13 14	21 33	FRACTURE OF LOWER ENO OF RADIUS AND ULNA, CLOSEO (813.4)							
5ir Mı	ngle diagnasis	1,465 150	11.0 14.7	2 2	4 5	7 9	13 20	22 35	Tatal	1,650	7.0	1	2	3	8	15
W	ith surgery		12.2 9.8	3 1	5	9	15 10	23 21	65 to 74 years	940 545 165	5.3 8.0 13.6	1	2 2	3 4 4	11 12	12 16 23
									Single diagnasis	1,125 525	4.7 11.9	1	1 3	2 7	5 12	11 23
									With surgery	1,290 360	5.8 11.4	1	1 2	3 6	6	12 24

Table 11 MIDDLE ATLANTIC: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED TO DIAGNOSES, AND DISCHARGE CHARACTERISTICS—Con.

				Perce	entiles (	dovs)		A				Porce	ntiles (	dove)	
Oiognosis And Oischorge Chorocteristics (ICOA 8th Revision)	Number of dischorges	Averoge stoy (doys)	10th	25th	50th	75th	90th	Oiagnosis And Discharge Chorocteristics (ICOA 8th Revision)	Number of dischorges	Averoge stoy (doys)	10th	25th	50th	75th	90th
FRACTURE OF INTERTROCHANTERIC								CONCUSSION (850)							
SECTION OF NECK OF FEMUR, CLOSEO (820.2)								Total	1,985	11.9	1	3	7	13	27
Total	4,800 1,060	28.6 28.3	10 10	16	23 23	34 33	53 51	65 to 74 yeors	980 835 170	9.9. 14.7 9.8	1 2 2	3	6 8 7	11 17 11	16 32 22
65 to 74 years	2,265 1,475	28.5 29.1	10 10	16 15 16	22 23	35 36	53 56	Single diognosis	450	11.3	1	2	5 7	10	14
Single diognosis	2,390 2,410	27.1 30.2	10 10	15 16	22 23	32 39	48 56	Multiple diognoses	1,535	12.1 18.6	2	3	11	14 25	29 41
With surgery	3,960 840	27.0 36.6	10	16 15	22 28	32 46	48 81	Without surgery	1,815	11.3	1	3	7	12	24
FRACTURE OF OTHER AND UNSPECIFIED PART OF NECK OF FEMUR, CLOSEO	0.0	55.5		.5	10		0.	OF HEAD, NECK, AND TRUNK (870-879)							
(820.4)								Total	1,955	9.7	1	3	6	12	20
Totol	14,400 3,835	29.1 28.7	8	14 15	22 22	35 35	56	65 to 74 yeors	945 710 300	8.6 10.1 12.2	] ] ]	3 3	5 7 7	10 15 13	16 20 28
75 to 84 yeors	6,765 3,800	30.1 27.6	9	15 12	22 21	35 36 34	58 55	Single diognosis	500 1,455	6.5 10.8	]	2	4 7	8	13 20
Single diagnosis	8,850 5,550	27.5 31.6	8 9	14 15	21 24	33 38	53 62	With surgery	535	11.0	!	3	8	12	24
With surgery	10,545 3,855	27.8 32.7	11 3	15 10	22 22	33 43	51 73	CONTUSION AND CRUSHING WITH	1,420	9.2	'	3	6	12	19
FRACTURE OF OTHER AND UNSPECIFIED PARTS OF FEMUR (821)								INTACT SKIN SURFACE (920-929)  Total	4,160	11.8	2	4	8	14	24
Totol	2,030	36.0	8	14	25	51	79	65 to 74 yeors	1,635 1,795	10.6 11.8	2 2	4	8 9	13	20
65 to 74 yeors	710 885	37.0 36.9	6	15 13	27 26 20	50 55	82 77	85 years and over	730	14.6	2	5		18	24 32
85 yeors ond over	1,205	32.5 34.3	8	13	20	45 49	71 76	Single diognosis	1,125 3,035	9.5 12.7	2	3 5	6 9	12 15	19 26
Multiple diognoses	825	38.4 34.2	8 7 11	14	28 25	55 45	83 69	With surgery	380 3,780	16.1 11.4	3 2	5 4	12 8	20 13	34 22
With surgery	1,175 855	38.5	4	11	25	57	87	AOVERSE EFFECT OF MEDICAL AGENTS (960-979)							
FRACTURE OF TIBIA AND FIBULA (823)  Totol	1,645	20.7	4	7	13	24	43	Total	2,230	11.1	2	4	8	14	22
65 to 74 yeors	965 525	20.3 23.1	3	7	13 13	24 30	41 55	65 to 74 yeors	1,160 855 215	9.9 11.5 16.2	1 2 4	3 4 6	7 9 10	13 14 15	20 22 34
85 years and over	155	14.9	3	6	9	15	37	Single diognosis	725	9.0	1	2 5	6 9	11	18
Single diognosis	995 650	19.4 22.6	3 4	7	12 15	22 29	40 52	Multiple diognoses	1,505	12.1	2 6	11		15	24 31
With surgery	660 985	24.1 18.3	5	9 6	15 12	26 23	60 40	Without surgery	2,095	10.6	2	4	15 7	13	20
FRACTURE OF ANKLE (824)								MECHANICAL NATURE FROM INTERNAL PROSTHETIC DEVICE (997.5)							
Totol	1,890	16.8	3	6	11	19	36 29	Total	1,250	13.3	3	5	9	15	27
75 to 84 years	540 150	17.8 21.9		6 5		23 38	35 52	65 to 74 yeors	485 660 105	13.2 13.5 12.6	2 3	5 5 6	9 9	16 15 15	29 27 22
Single diognosis	1,295 595	14.0 22.9	3 5	5 8	10 14	17 27	27 49	Single diognosis	935	12.1	3	5	8	14	26
With surgery	1,135 755	16.6 17.1	4 2	6 5	11 10	19 18	35 38	Multiple diognoses	315 950	16.9 13.8	3	6 6 3	11	16	35 27
MULTIPLE FRACTURES INVOLVING 80TH LOWER LIM85, LOWER WITH UPPER LIMB, ANO LOWER LIM8 WITH RI8 ANO STERNUM (828)								Without surgery	300	11.8	1]	3	8	14	31
Total	1,260	30.2	6	12	23	37	60								
65 to 74 yeors	530 495	26.3 32.5	6	10 15	19 26 22	34 38 34	57 63								
85 yeors and over		33.8 27.4	5	12 12	20	34	73 56								
Multiple diognoses	565 725	33.6 31.1	7	13 15	25 24	41 38	70 59								
Without surgery	535	28.9	4	9	19	34	67								
847)	1 000	, .			,,,	,,,									
Totol		12.4	4	6	10	15	22								
75 to 84 yeors	635 90	13.4 11.9	3 4	6	10 10	16 14	25 19								
Single diognosis	575 1,360	11.5 12.9	3 4	5	9 10	14 15	24 22								
With surgery	85 1,850	21.4 12.0	8	13 61	15	27 15	34 21								

#### Table 12 MIDDLE ATLANTIC: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED SURGICAL PROCEDURES, AND DISCHARGE CHARACTERISTICS

Surgical Procedures And		Average		Perce	entiles (	(days)		Surgical Pracedures And		Average	-	Perce	entiles (c	lays)	
Oischarge Characteristics (CPT 1st Edition)	Number of discharges	stay (days)	10th	25th	50th	75th	90th	Oischarge Characteristics (CPT 1st Edition)	Number of discharges	stay (days)	10th	25th	50th	75th	90th
MASTECTOMY, COMPLETE, SIMPLE								REPAIR OF VENTRAL HERNIA (3661)							
(0457) Tatal	2,270	13.2	4	7	10	15	23	Total	2,115	14.3	6	8	11	16	24
65 ta 74 years	1,035 1,020 215	12.7 13.8 12.7	4 5 4	7 8 7	10 11 11	15 15 15	22 23 24	65 ta 74 years 75 ta 84 years 85 years and aver	1,520 540 55	13.8 15.2 19.5	6 6 3	8 9 8	11 12 13	16 17 23	24 25 26
Single diagnosis	1,440 830	11.5 16.2	4	7 9	10 13	13 19	19 30	Single diagnosis	1,175 940	11.8 17.5	5 7	7 10	10 13	13	19 32
MASTECTOMY, RAOICAL (0470)	2,625	15.6	8	10	13	17	24	PROSTATECTOMY, EXCEPT TRANSURETHRAL (4311-4313, 4316, 431X)							
65 ta 74 years	1,835	15.2	8	10	12	17	23	Tatal	7,930	21.5	11	14	18	24	34
75 ta 84 years	745 45	15.6 30.4	8	10 11	13 15	17 33	24 67	65 to 74 years	4.740 2,920	19.9 23.6	11	13 14	17 20	23 27	30 38
Single diagnasis	1,635 990	14.3 17.7	8 9	9 11	12 13	16 18	21 28	85 years and aver	270	27.0	10	17	20	29	41
REOUCTION OF FRACTURE OF HIP (0865-0868, 0872-0874)								Single diagnasis	4,270 3,660	19.3 24.0	11	13 15	17 20	22 27	29 39
Tatal	12,220	28.6	10	16	23	34	53	PROSTATECTOMY, TRANSURETHRAL (4321)							
65 ta 74 years	3,240 5,705	29.8 28.8	12 10 9	16 16	23 23 21	34 35	52 54	Tatal	17,075	17.0	7	9	13	20	29
85 years and over	3,275 7,035	27.2	9			33	51 50	65 ta 74 years	9,315 6,595 1,165	15.9 18.0 20.8	7 8 9	9 10 11	13 14 17	18 21 25	27 30 34
Multiple diagnoses	5,185	30.5	ii	15 16	22 24	33 37	58	Single diagnasis	8,960	14.6	7	9	12	17	24
ANTHROPLASTY OF HIP (1150)	£ 20£	20.4	,,,	17	24	24	40	Multiple diagnases	8,115	19.7	8	11	15	23	33
65 to 74 years	5,395 1,990	28.4	12	17	24	34	49 50	4501, 4505, 450X)							
75 ta 84 years	2,415 990	28.7 26.7	13 13 11	17 15	24 22	36 33 32	48 45	Tatal	2,540	12.7	6	8	11	14	19
Single diagnosis	3,210 2,185	26.6 31.1	12 13	16 18	22 26	31 36	46 55	65 ta 74 years 75 ta 84 years 85 years and aver	1,930 590 20	12.5 13.6	6 7 •	8	10	14	19 22
GASTRECTOMY (3112, 3114, 3115, 3118, 3119, 311X)								Single diagnasis Multiple diagnases	1,470 1,070	11.9 13.9	6	8 9	10 11	13 16	18 23
Tatal	2,815	25.5	11	16	23	31	42	HY5TERECTOMY, A8DOMINAL (INCLUOING PELVIC EXENTERATION)							
65 ta 74 years	1,885 770 160	24.7 26.6 28.6	11 10 14	16 17 20	22 24 26	30 32 33	41 46 42	(4617, 4618, 4621, 4624-4627) Total	2,350	15.6	8	10	12	17	27
Single diagnasis	1,265 1,550	25.0 25.9	12 10	16 16	22 24	29 32	41 42	65 ta 74 years	1,740 590	14.8 17.9	8 9	10 11	12 14	16 21	23 31
COLECTOMY (3178, 3180)								85 years and over	1,090	14.9	8	10	12	16	22
Total	7,025	25.6	12	16	22	30	43	Single diagnasis	1,260	16.2	8	10	13	19	22 27
65 ta 74 years	4.075 2,585	24.9 26.1	12 12	15 16	21 22 26	29 31	40 47	HYSTERECTOMY, VAGINAL (4631)	2 200	12.0	7	9	,,	15	10
5ingle diagnosis		30.7 23.5	11	18		36 27	58 37	Tatal	2,280 1,665	13.2	7	9	11	15	19 17
Multiple diagnases	3,055 3,970	27.3	12	17	20 23	32	47	75 to 84 years	580 35	16.3 11.9	8	9	13	19 14	27 15
Total	2,695	10.8	4	5	8	12	19	Single diagnasis	1,145 1,135	12.5 14.0	7 8	8 9	11	14 16	18 20
65 ta 74 years	2,045 575	9.6 14.3	4 5	5	7 11	11 17	16 25	OILATION AND CURETTAGE UTERUS, OIAGNOSTIC (4647)							
85 years and over	75	15.7	4	8	12	18	23	Tatal	3,860	8.2	2	2	5	10	17
Single diagnasis	1,385 1,310	8.9 12.7	4 4	5	7 9	11	15 23	65 ta 74 years	2,580 1,165	7.6 9.0	1 2	2	4 6	9	16 20
CHOLECYSTECTOMY (3515)								85 years and aver	115	12.6	3	6	11	15	22
Tatal	9,795 6,645	18.4 17.1	9	11	15	22	31 28	Single diagnasis	2,175 1,685	6.7 10.1	1 2	3	7	13	13 21
75 to 84 years	2,740 410	20.9 23.0	10 11	13	17	24 28	36 40	EXTRACTION OF LEN5 (5611, 5612)	25.005	2.0			,		10
Single diagnasis	5,210 4,585	16.3 20.8	8	10	13 18	19	26 35	Total	35,835 17,805	7.8	4	5	6	8	12
REPAIR OF INGUINAL HERNIA, EXCEPT RECURRENT (3630-3632)	4,363	20.0	,	13	10	23	33	75 to 84 years	15,535 2,495	8.3 10.0	4	5	6 7	10	13 15
Tatol	14,600	11.2	5	6	9	12	18	5ingle diagnasis	26,875 8,960	7.6 9.9	4	5 5	6 7	8 9	11
65 to 74 years	9,355 4,405 840	10.2 12.4	5 5 6	6 7 8	8 10 11	11	16 21 25								
Single diagnosis	9,170	16.5 9.4	5	6	8	16	14								
Multiple diagnoses	5,430	14.2	61	7	10	16	24								

Table 13 EAST NORTH CENTRAL: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND DISCHARGE CHARACTERISTICS

•															
Oiagnosis And Discharge Characteristics (ICOA 8th Revisian)	Number of discharges	Averoge stay (days)	10th	Perce 25th	ontiles (	days) 75th	90th	Oiagnasis And Oischarge Characteristics (ICDA 8th Revisian)	Number of discharges	Averoge . stay (doys)	10th	Perce 25th	ntiles (	doys) 75th	90th
(ICUA BITI REVISION)		(ddys)	10111	23111	30111	73111	70111	(ICDA offi Revisidii)		(doys)	IOIII	25111	JUIN	/510	90th
01ARRHEA (009.1) Total	1,135	10.9	2	4	8	12	20	MALIGNANT NEOPLASM OF ESOPHAGUS (150)							
65 to 74 yeors	435	10.4	2 2 3	3	7 8	11	16	Total	1,050	18.3	3	6	13	23	39
75 to 84 years	515 185	11.1		5	9	14 12	22 14	65 to 74 years	565 400 85	19.2 16.2 21.4	3 2 3	6 7 4	13 12 15	24 20 24	40 32 49
Single diagnosis	370 765	8.2 12.2	2 3	3 4	8	11 13	15 25	Single diagnasis	465 585	17.3 19.0	3	5 7	12	22 23	38 41
With surgery	145 990	13.1 10.6	3 2	5 4	10 7	16 12	21 19	With surgery	460 590	19.8 17.1	4 2	8	16 11	24 22	40 37
GASTROENTERITIS AND COLITIS (009.2)	9,870	9.0	2	3	6	11	17	MALIGNANT NEOPLASM OF STOMACH (151)							
65 to 74 years	4,995	8.2		3	6	9	15 17	Tatal	2,785	18.4	3	7	15	24	34
75 to 84 years	3,760 1,115	9.3 11.3	2 2 2	5	6 9	12 15	21	65 to 74 years	1,210 1,290	18.6 17.9	3	7 7	15 15	25 23	34 34
Single diagnasis	3,355 6,515	6.7 10.2	1 2	2 4	7	12	13 19	85 years and aver	285 835	19.1 16.6	2	6 5	16	25	32 33
With surgery	685 9,185	14.5 8.6	3 2	5 3	11 6	18 10	31 16	Multiple diagnoses	1,950 1,105	19.1 23.2	3	7 14	16 21	24	36 38
PLEURISY WITH EFFUSION WITHOUT MENTION OF CAUSE (012.2)								Without surgery	1,680	15.2	2	5	10	20	31
Tatal	1,200	15.2	3	6	11	18	31	APPENOIX AND ASCENDING COLON (153.0)							
65 to 74 years	615 460 125	14.8 13.1 24.8	3 2 4	6 6	10 10 14	17 16 36	27 27 58	Total	1,865	21.5	5	12	18	26	37
Single diagnosis	310 890	11.0 16.6	2 3	5 6	10 11	15 19	20 36	65 to 74 years	930 750 185	22.3 20.2 22.8	8 4 3	13 11 7	18 19 18	27 25 32	37 38 51
With surgery	305 895	18.5 14.1	4 3	7 6	12 10	22 16	37 27	Single diagnasis	580 1,285	17.9 23.1	6	11 13	16 20	23 28	28 40
SEPTICEMIA (038)	575			j			-	With surgery	1,275	23.8 16.6	12	15	20	27 22	37 38
Total	960	15.8	1	5	12	22	32	MALIGNANT NEOPLASM OF	370	10.0	2	ا		22	30
65 to 74 years	400 435 125	17.5 15.3 12.1	i 1	7 4 1	13 11 * 6	24 21 22	33 31 30	TRANSVERSE AND OECENOING COLON (153.1, 153.2)							
Single diagnosis	170 790	12.5 16.5	1	4 5	9 12	18 23	29 32	Tatal	1,215	23.3 21.5	6 7	14	19	29	40 35
With surgery	135 825	18.7 15.4	2	7 4	15 10	27 21	33 31	75 to 84 years	445 135	26.1 22.4	8	15 8	21 19	31 34	43 40
HERPES ZOSTER (053)	023	13.4	'			-,	0.	Single diagnosis	410 805	22.8 23.6	3 7	12 14	19 21	28 30	36 42
Tatal	1,705	13.0	4	6	10	17	24	With surgery	890 325	24.5 20.2	12 1	15 4	22 12	28 32	38 42
65 to 74 years 75 to 84 years 85 years and over	700 745 260	11.3 13.7 15.5	3 5 4	5 7 7	9 11 12	14 17 22	22 23 30	MALIGNANT NEOPLASM OF SIGMOIO COLON (153.3)							
Single diagnasis	500 1,205	10.4 14.1	2	5 7	9 11	13 18	19 26	Tatal	2,215 1,175	20.9	4	11	18	26	42 41
With surgery	90 1,615	17.3 12.7	1 4	4 6	13 10	24 17	33 23	75 ta 84 years	880 160	20.9 19.9	3	11 7	18 16	26 25	44 35
OTHER VIRAL DISEASES (070-079)								Single diagnosis	845 1,370	20.4 21.2	4	11	18 18	25 26	38 44
Tatal	1,035	10.3 10.9	2	4 5	7	12 14	23	With surgery	1,560 655	23.2 15.3	10 1	15 3	21	27 21	42 37
75 to 84 years	320 80	8.9 11.4.	2 2 3	3	6 5	11 14	19 26	MALIGNANT NEOPLASM OF UNSPECIFIED PART OF LARGE INTESTINE (153.8)							
Single diagnasis	295 740	9.3 10.7	2 2	4	6 7	11 14	19 23	Tatal	4,195	18.2	3	7	15	24	35
With surgery	125 910	10.5 10.3	1 3	2	6 7	17 12	25 22	65 ta 74 years	2,320 1,480 395	17.7 19.4 17.0	3 3 2	6 8 6	15 16 12	24 26 25	33 37 39
MALIGNANT NEOPLASM OF BUCCAL CAVITY AND PHARYNX (140-149)								85 years and aver	1,260	17.5	2	6	15	24	34
Tatal	2,060	14.3	2	4	9	18	31	Multiple diagnases	2,935 1,810	18.5 22.7	3	7	20	24	37 37
65 ta 74 yeors	1,175 630 255	14.7 13.5 14.3	2 2 1	4 3 4	9 8 11	17 16 21	33 28 27	Without surgery	2,385	14.8	2	4	9	19	32
Single diagnasis	1,005 1,055	13.0 15.5	2 2	3	7 10	15 20	30 33	Tatal	4,195	21.7	4	9	18	29	40
With surgery	1,170 890	12.5 16.6	2 2	3	8 10	15 21	25 37	65 ta 74 years	2,240 1,595	21.6 22.4	4	10 9 8	19	30 29	40 42
								85 years and aver	360 1,660	19.5	3	9	17	27	45 37
								Multiple diagnases	2,535 2,745	23.1	6	9 13 5	20	32	43 39
								Without surgery	1,450	19.7	2	5	13	28	47

Oiagnasis And Oischarge		Average		Perce	entiles (	(days)		Oiagnasis And Oischarge		Average		Perce	entiles (	days)	
Characteristics (ICOA 8th Revision)	Number of discharges	stay (days)	10th	25th	50th	75th	90th	Characteristics (ICOA 8th Revision)	Number of discharges	stay (days)	10th	25th	50th	75th	90th
MALIGNANT NEOPLASM OF PANCREAS (157)								MALIGNANT NEOPLASM OF OVARY (183.0)							
Tatal	2,235	19.1	2	8	15	26	38	Tatal	1,485	17.3	1	5	12	22	38
65 ta 74 years	1,320 750 165	17.6 21.9 18.2	1 3 1	7 10 4	14 18 12	24 27 23	36 44 34	65 ta 74 years 75 ta 84 years 85 years and aver	1,000 430 55	17.7 16.2 18.7	2 1 2	5 4 9	13 12 14	22 21 23	39 34 43
Single diagnasis	665 1,570	17.6 19.8	1 2	7 8	14 16	26 26	33 41	Single diagnasis	420 1,065	15.7 18.0	1	6 5	11 13	21 23	37 39
With surgery	915 1,320	24.6 15.3	10 1	16 4	22 10	29 20	40 36	With surgery	585 900	19.7 15.8	7 1	11 2	16 9	26 20	37 41
MALIGNANT NEOPLASM OF LARYNX (161)								MALIGNANT NEOPLASM OF PROSTATE (185)							
Tatal	865	17.6	1	4	11	21	44	Tatal	10,590	15.0	3	6	11	19	29
65 to 74 years	595 230 40	17.6 17.7 17.0	1 1 5	4 6	12 8 13	21 22 17	43 41 35	65 ta 74 years	4,665 4,870 1,055	14.8 15.0 16.0	3 3 3	6 7 7	11 11 12	18 19 21	28 29 32
Single diagnasis	500 365	16.1 19.8	1	4 6	10 11	20 26	38 48	Single diagnasis	3,765 6,825	13.1 16.0	3 3	6 7	10 12	16 21	25 32
With surgery	595 270	17.4 18.2	2 1	4 6	11 11	20 27	44 43	With surgery	5,925 4.665	15.9 13.8	4 2	8 5	12 9	20 18	29 30
MALIGNANT NEOPLASM OF TRACHEA, 8RONCHUS, ANO LUNG (162)								MALIGNANT NEOPLA5M OF BLAOOER (188)							
Tatal	9,780	17.1	3	7	13	22	36	Total	7,175	12.6	2	4	8	16	27
65 ta 74 years	6,720 2,685 375	17.0 17.6 14.7	2 3 3	7 7 5	13 13 11	22 23 19	35 38 29	65 ta 74 years	3,820 2,735 620	11.3 13.9 14.5	2 3	5	7 9 12	15 17 20	25 30 26
Single diagnasis	3,655 6,125	15.8 17.8	2 3	6 7	12 14	21 23	33 37	Single diagnasis	3,795 3,380	10.5 14.9	1 2	3 5	6 11	13 19	24 30
With surgery	3,710 6,070	19.8 15.4	6 2	10 5	16 10	25 20	37 35	With surgery	5,485 1,690	11.9 14.8	2 1	4	8 9	16 19	25 34
MALIGNANT NEOPLASM OF SKIN (172, 173)								MALIGNANT NEOPLASM OF KIONEY, EXCEPT PELVIS (189.0)							
Tatal	3,490	10.5	1	2	5	12	24	Tatal	1,160	20.3	4	8	15	25	44
65 ta 74 years	1,660 1,330 500	9.9 10.6 12.0	1	2 3 2	5 6 6	11 13 13	24 27 24	65 ta 74 years 75 ta 84 years 85 years and aver	665 435 60	19.0 23.0 15.4	3 5 1	8 8 4	15 17 8	23 29 15	38 46 24
Single diagnasis	1,855 1,635	8.6 12.6	1 2	2 3	4 7	10 15	19 29	Single diagnasis	345 815	18.4 21.1	4 4	9 7	15 16	20 28	29 45
With surgery	2,795 695	9.2 15.6	1 2	2 4	5 9	11 19	22 37	With surgery	495 665	23.2 18.1	8 3	13 6	19 11	27 23	40 42
MALIGNANT NEOPLASM OF 8REAST (174)								LYMPHOSARCOMA AND RETICULUM-CELL SARCOMA (200)		i					
Tatal	8,895	15.9	4	8	12	18	30	Tatal	1,360	15.8	3	6	13	21	31
65 to 74 years	5,185 2,985 725	15.9 15.8 16.6	4 4 3	8 8 7	12 12 13	18 19 19	30 28 31	65 ta 74 years 75 ta 84 years 85 years and aver	825 435 100	15.5 15.6 18.7	2 3 1	7 6 7	12 12 16	21 21 19	31 29 37
Single diagnasis	3,420 5,475	13.2 17.7	4	8 8	11 13	15 21	22 34	Single diagnasis	570 790	15.1 16.3	2 3	6 7	12 13	19 22	27 32
With surgery	5,260 3,635	14.6 17.8	6 3	9 6	12 12	17 22	25 37	With surgery	495 865	18.7 14.1	5 2	9 5	15 11	26 18	33 29
MALIGNANT NEOPLASM OF CERVIX UTERI (180)								HOOGKIN'S OISEASE AND OTHER NEOPLASMS OF LYMPHOID TISSUE							
Tatal	1,580	13.3	3	4	8	15	30	(201, 202) Tatal	1,510	15.5	3	6	10	20	34
65 ta 74 years	1,060 430 90	12.2 15.0 19.1	3 3 2	4 4 5	8 7 8	14 18 34	27 33 41	65 ta 74 years	905 520	15.7 15.6	3 2	6	10 10	20 21	33 36
Single diagnasis	815 765	9.1 17.8	2 3	3 6	6	10 23	17 36	85 years and aver	85 625	11.4 <sub>1</sub> 15.0	3	6	10 9	13	20 34
With surgery	930 650	11.4 16.1	3	4	7 10	13 20	27 36	Multiple diagnoses	885 580	15.8	3 4	6 7	10	20	34 39
MALIGNANT NEOPLASM OF UTERUS, EXCEPT CERVIX (182)								Without surgery	930	14.8	2	5	10	20	29
Tatal	3,140	13.8	3	5	10	17	29	Tatal	1,465	18.9	3	6	13	26	42
65 ta 74 years	2,045 875 220	12.8 15.0 18.5	3 3	5 6 5	9 12 8	15 21 20	26 29 54	65 ta 74 years	885 495 85	17.2 20.4 28.4	3 3 2	6 6 10	13 13 21	24 26 37	37 48 61
Single diagnasis	1,485 1,655	10.9 16.4	3 3	5 7	8 12	12 21	20 33	Single diagnasis Multiple diagnases	520 945	18.7 19.1	2 3	6	13	26 26	45 39
With surgery	2,135	12.5	3	6	10	15 24	22 36	With surgery	190 1,275	21.0 18.6	4 3	10 5	17 13	22 26	46 41

Table 13 EAST NORTH CENTRAL: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND DISCHARGE CHARACTERISTICS—Con.

Oiagnosis And Oischarge Characteristics	Number of	Averoge stay		Perce	entiles (	(days)		Oiagnasis And Oischarge Characteristics	Number of	Average stay		Perce	entiles (	days)	
(ICOA 8th Revision)	dischorges	(days)	10th	25th	50th	75th	90th	(ICOA 8th Revision)	dischorges	(days)	10th	25th	50th	75th	90th
LEUKEMIA (204-207)								AVITAMINO SES AND OTHER NUTRITIONAL OFFICIENCY (260-269)							
Tatal	4,205	13.5	2	4	8	17	30	Tatal	1,315	15.0	3	6	11	19	30
65 to 74 years	2,310 1,590 305	12.6 14.9 12.9	1 2 1	4 5 3	7 10 7	16 18 18	30 32 30	65 ta 74 years	560 490 265	12.4 15.1 20.4	3 2 2	6 5 8	10 10 16	16 20 27	22 32 45
Single diagnasis	1,640 2,565	12.1 14.3	1 2	3 5	7 9	15 18	29 31	Single diagnasis Multiple diagnoses	290 1,025	12.1 15.9	2 3	6 7	9	15 20	24 31
With surgery	410 3,795	18.7 12.9	3 2	6 4	11 8	24 16	42 29	With surgery	125	16.0 14.9	7	9	14 11	19	29 30
8ENIGN NEOPLASMS OF LARGE INTESTINE, EXCEPT RECTUM (211.3)								Without surgery	1,170	14.7	2	0		17	30
Total	1,320	14.0	3	7	11	17	25	Total	1,290	11.2	3	5	8	13	22
65 ta 74 years	905 365 50	13.8 14.9 10.8	3 3 1	7 7 6	11 12 9	17 19 13	26 25 20	65 ta 74 years	795 440 55	11.0 11.2 14.7	2 3 4	4 5 4	8 9 15	13 12 22	21 22 26
Single diagnosis	580 740	11.8 15.7	2	6 8	10 13	15 19	20 28	Single diagnasis	310 980	8.2 12.1	2	3 5	6 9	11 14	16 23
With surgery	940 380	15.2 10.8	5 1	9	13	19 11	27 18	With surgery	180 1,110	15.3 10.5	3	5	8	22 12	31 20
8ENIGN NEOPLASMS OF RECTUM (211.4)								IRON OEFICIENCY ANEMIA5 (280)	,,						
Tatal	1,175	9.6	1	3	6	12	20	Tatol	2,430	12.8	3	6	9	15	24
65 ta 74 years	695 420 60	8.7 10.6 12.9	1 1 3	2 3 4	5 6 5	12 13 11	20 19 38	65 ta 74 years	955 1,105 370	12.1 12.4 15.5	4 3 3	6 6	10 9 9	15 16 17	21 24 34
Single diagnosis	555 620	6.7 12.2	1 2	2 4	4 8	8 15	15 29	Single diagnosis	460 1,970	9.9 13.5	2 4	4 6	8 10	13 16	18 25
With surgery	1,035 140	9.4 11.1	1	3	6 6	12 12	20 24	With surgery	405 2,025	17.2 11.9	5 3	8 6	14 9	22 14	33 20
LIPOMA (214)								PERNICIOUS ANEMIA (281.0)							
Totol	1,445	6.3	1	2	4	6	15	Tatal	1,260	14.2	4	7	12	17	24
65 ta 74 years 75 to 84 years 85 years and over	1,125 295 25	5.9 8.1	1	2 2	4	6 7 •	14 21	65 ta 74 years 75 ta 84 years 85 years and aver	560 520 180	12.7 16.1 13.3	4 4 3	7 8 6	12 13 11	16 18 16	22 28 25
Single diagnosis	945 500	4.7 9.5	1 1	2 3	3 6	5 14	7 19	5ingle diagnosis	405 855	12.6 14.9	3 4	7 7	11 12	17 17	22 26
With surgery	1,330 115	6.2 7.9	1 1	2 2	4 3	6 7	15 15	With surgery	145 1,115	16.4 13.9	5 4	8 7	14 12	19 17	26 24
NEOPLA5M5 OF UNSPECIFIEO NATURE OF 8LAOOER (237.6)								ALL OTHER AND UNSPECIFIED ANEMIAS (281.1-281.9, 282-285)							
Total	2,060	7.1	1	2	4	9	15	Total	6,925	12.4	2	4	8	15	27
65 ta 74 years	1,195 725 140	7.0 7.1 8.5	1 1 2	2 2 2	3 4 5	8 9 11	15 15 17	65 ta 74 years	2,955 3,035 935	12.7 12.2 11.9	2 2 2	4 4 4	8 8 7	16 16 14	27 26 26
Single diagnasis	1,550 510	6.2 9.8	1	2	3 5	7 12	14 21	Single diagnasis	2,105 4,820	9.0 13.9	1 3	2 5	5 9	10 17	21 29
With surgery	1,725 335	6.8 8.8	1	2 2	3	8 10	15 16	With surgery	895 6,030	19.2 11.4	5 2	9	15	24 13	36 25
DISEASES OF THYROIO GLANO (240-246)								AFFECTIVE P5YCH05E5 (296)							
Total	2,620	12.1	3	5	9	14	22	Tatal	1,500	22.5	5	10	19	31	42
65 to 74 years	1,905 610 105	11.2 15.4 10.3	3 3 3	5 6 4	9 10 9	13 19 14	21 32 17	65 ta 74 years	1,150 340 10	22.9 21.5	5 4	10 9	19 18	31 28	43 38
Single diagnasis	900 1,720	8.9 13.8	3	5	7 10	10 15	17 27	Single diagnasis	660 840	22.4 22.5	6 4	12 9	20 18	31 30	41 43
With surgery	955 1,665	10.2 13.2	4 3	5	8 10	11 16	17 25	With surgery	40 1,460	35.5 22.1	10	19 10	32 19	39 30	60 42
OIA8ETE5 MELLITU5 (250)	1,000	10.2				.5		ANXIETY NEURO 515 (300.0)	,,,,,,,	22.1			,,	30	
Tatal	34,975	14.2	3	6	10	17	28	Tatal	2,295	9.5	2	3	6	- 11	21
65 to 74 years	20,475 12,440 2,060	13.5 15.2 14.1	4 3 3	6 6 5	10 11 10	16 18 18	26 31 26	65 ta 74 years	1,730 510 55	9.4 10.3 5.4	2 2 1	3 4 2	6 7 4	11 13 7	21 20 8
Single diagnosis	6,605 28,370	12.2 14.6	3 4	5	9 10	15 17	24 29	Single diagnasis	720 1,575	8.2 10.1	2 2	3	5 7	9	16 21
With surgery	4,465 30,510	22.8 12.9	6	10	18		45	With surgery	145 2,150	11.1 9.4	3 2	5 3	8	14	21 21

-	Oiggnosis And Oischarge		Average		Perce	entiles (	(days)		Oiognasis And Oischarge		Average		Perce	entiles (	days)	
	Choracteristics (ICOA 8th Revision)	Number of discharges	stay (days)	10th	25th	50th	75th	90th	Characteristics (ICDA 8th Revision)	Number of discharges	stay (days)	10th	25th	50th	75th	90th
-	OEPRE55IVE NEURO 515 (300.4)								NEURALGIA ANO NEURITIS, UNSPECIFIEO							
	Total	3,005	17.9	4	7	14	24	36	(355) Tatal	1,230	10.7	3	4	7	13	21
	to 74 years	2,130 780	19.0 15.9	4	8	15 12	25 21	38 34	65 to 74 years	735	10.5	3	4	7	14	19
	years and over	95	12.4 19.6	3	5	10 16	18 26	21 39	75 to 84 years	405 90	9.7 17.2	3 4	6	7 10	11 25	20 35
W	ngle diagnosisultiple diagnoses	1,340 1,665	16.6	4	7	12	22	34	Single diagnosis	435 795	9.1 11.6	3	4 5	6 8	11 15	17 23
	th surgerythout surgery	165 2,840	20.3 17.8	4 4	8 7	18 14	28 24	37 36	With surgery	175 1,055	12.3 10.5	3	6	11	17 12	21 21
	ALCOHOLI5M (303)								CATARACT (374)	1,033	10.5	3	7	<i>'</i>	12	21
45	to 74 years	1,255	8.9 8.6	1	3	7	11	17	Tatal	31,540	8.1	4	5	6	9	13
75	to 84 years	150	12.0	2	5	8	13	25	65 to 74 years	15,265 13,835	7.9 8.2	4 4	5 5	6	8 9	13 14
	ngle diagnasis	490 765	7.1 10.1	1	2 3	6 8	9 13	13 21	85 years and over	2,440 22,700	7.6	4	5	7	10	14
w	ith surgery	20							Multiple diagnoses	8,840	9.3	4	5	7	11	15
	AENTAL OI50ROER5 NOT 5PECIFIEO A5	1,235	8.9	'	3	7	11	17	With surgery	29,240 2,300	8.1 7.8	2	5 4	6	9	13 14
	YCHOTIC, A550 CIATEO WITH PHYSICAL CONDITIONS (309)								GLAUCOMA (375)	2 510	7.0					14
	Total	4,310	17.3	4	7	12	21	34	Total	2,510 1,360	7.8 7.4	2 2	3	5	9	14
75	to 74 years	1,855	17.8 16.8 17.2	4 4 3	7	12 12 11	22 20 19	35 32 29	75 to 84 years	950 200	8.4 8.3	3	4 5	6	10 9	15 15
5ir	years and over	1,190	15.6	3	6	11	19	32	Single diagnosis	1,425 1,085	6.6 9.4	2 3	3 5	5 7	8 11	11 17
	ultiple diognosesith surgery	3,120 255	18.0	6	7	12	21 25	36 37	With surgery	1,980 530	7.9 7.5	3	4 3	6	9	14 14
	ithout surgery	4,055	17.2	4	7	12	20	33	OETACHMENT OF RETINA (376)	330	,.5					
	PARALY515 AGITAN5 (342) Total	3,305	17.3	4	8	13	22	35	Total	1,215	8.6	3	5	7	10	13
	to 74 years	2,075	16.5	4	8	13	21	32	65 to 74 years	840 350	8.8 7.9		5	7	10	13 13
75 85	to 84 years years and over	1,125 105		4 5	8 9	13 14	24 24	40 29	85 years and over	25 960	8.0	3	5	7	9	13
	ngle diagnosis	1,035 2,270	15.9 18.0	4	7 8	13 13	19 23	30 36	Multiple diagnoses	255 1,010	10.8		6	8	10	14 12
	ith surgeryithout surgery	220 3,085		7	12 8	19 13	31 21	38 34	With surgery	205	9.4	i	3	6	9	21
	CEREBRAL PARALY515 (344)								LA8YRINTHITI5 (384.0) Total	1,530	7.9	2	3	6	10	16
	Total	1,065	21.5	4	7	16	30	45	65 to 74 years	950	7.6	2	3	6	9	14
75	to 74 years	600 415 50	22.1 20.7 19.3	3	8 6 5	15 17 16	29 31 29	49 42 36	75 to 84 years	495 85	8.2 8.6		3	6 5	10 11	16 16
5ii	ngle diagnosis	255	16.0	3	7	13	21	30	5ingle diagnosis	510 1,020	6.3 8.6		3 4	5 6	7 11	12 17
	ultiple diagnasesith surgery	810		4	7 8	17	32	48 38	With surgery	70 1,460	12.2 7.7	3 2	5 3	10	16	21 14
	ithout surgery	930	21.4	3		15	30	46	CHRONIC RHEUMATIC HEART DISEASE	,,,,,,						
	FACIAL PARALYSIS AND TRIGEMINAL NEURALGIA (350, 351)					1			(393-398) Total	2,945	14.3	3	5	10	18	28
	Totol	1,040		2	4	8	13	22	65 to 74 years	2,015	14.6	3	5	10	18	29
75	to 74 years			2 2 3	4 4 7	8 8 11	12 15 14	18 26 18	75 to 84 years	790 140	13.8 12.6		5 4	11 7	19	25 24
5ii	ngle diagnasis	565	9.6	2	3	8	12	20	Single diagnosis	625 2,320	14.4 14.3		5 5	10 10	18 18	28 28
	ultiple diagnasesith surgery	340	14.3	3 2	5	9	15	24	With surgery	380 2,565	19.1 13.6	4 3	9 5	14 10	27 17	41 26
	ithout surgery	700	12.0	2	4	8	13	20	ESSENTIAL BENIGN HYPERTENSION (401)							
	5CIATICA (353) Total	1,045	14.5	4	8	12	18	27	Total	9,075	9.3		4	7	11	17
65	i to 74 years	705	13.8	3	7	11 14	17 19	26 31	65 to 74 years 75 to 84 years 85 years and over	5,390 3,135 550	8.6 10.3 10.9	2	4	6 7 8	10 13 13	15 19 23
85	i to 84 years	35	16.6	6	4	10	11	16	5ingle diagnosis	2,630	7.6	2	3	5	9	14
Si M	ngle diagnosis	335 710	13.8 14.8	3 5		10 12	16 18	27 27	Multiple diagnoses	6,445 830	10.0	3	   5	10	12	19 26
W	ith surgeryithout surgery	65 980		9 4	11 7	15 12	23 18	31 27	Without surgery				4		11	16

Table 13 EAST NORTH CENTRAL: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND DISCHARGE CHARACTERISTICS—Con.

Diognosis And Dischorge Chorocteristics	Number of dischorges	Averoge stoy			ntiles (			Diognosis And Dischorge Characteristics	Number of	Averoge stoy			ntiles (	doys)	
(ICDA 8th Revision)	dischorges	(doys)	10th	25th	50th	75th	90th	(ICDA 8th Revision)	dischorges	(doys)	10th	25th	5Dth	75th	9Dth
HYPERTENSIVE HEART DISEASE (402)								HEART BLOCK, AND CARDIAC ARREST (427.2, 427.3)							
Total	3,380	12.3	3	5	10	15	24	Total	2,840	11.8	1	4	9	15	24
65 to 74 years	1,785 1,270 325	11.9 12.7 13.0	3 3 3	6 5 6	1D 9 9	15 15 17	22 27 25	65 to 74 yeors	1,185 1,285	11.1 12.3	] ]	3	8 1D	14 16	23 25
Single diognosis	1,105 2,275	11.5 12.7	3	5 6	9 10	14 16	22 25	85 years and over	370 1,195	12.6 11.D	1 1	4	10 9	. 17 15	24 21
With surgery	195 3,185	17.1 12.D	4 3	9	13	19 15	27 24	Multiple diognoses	1,645 910	12.4 13.8	3	7	12	16	26 25
HYPERTENSIVE RENAL, AND HEART AND	3,163	12.0	١	,	,	13	24	With surgery	1,930	1D.9	i	3	7	14	23
RENAL DI5EASE (4D3, 404)  Totol	1,785	14.D	2	5	11	18	29	ATRIAL FIBRILLATION OR FLUTTER AND OTHER UNSPECIFIED DISORDERS OF HEART RHYTHM (427.4, 427.9)							
65 to 74 years	745 755	13.9 14.6	2	6	10 13	18 20	27 30	Totol	4,280	11.0	2	4	8	14	22
85 years and over	285 455	12.5	2 2	6 3 3	9	16 17	29 27	65 to 74 yeors	2,2D5 1,615 460	1D.4 11.9 11.0	2 2 2	4 4 5	8 8 7	13 14 16	2D 24 22
Multiple diognoses	1,33D	14.6	3	6	12	18	29	Single diognosis	1,495	9.5	1	3	7	12 15	20
With surgery	14D 1,645	21.5 13.3	7	13 5	17 10	28 18	36 27	Multiple diognoses	2,785 350	11.9 16.0	3	5 7	15	15	24 29
ACUTE MYOCARDIAL INFARCTION (410)  Totol	32,310	16.5	1	5	16	23	31	Without surgery  OTHER MYOCARDIAL INSUFFICIENCY	3,930	1D.6	2	4	8	13	21
65 to 74 years	17,765	17.0	1	6	17		31	(428)							
75 to 84 yeors	12,265 2,280	16.3 13.1	1	2	15 10	23 23 20	31 31	Total	1,970	12.9	2	4	9	16 14	27 22
Single diognosis	15,020 17,290	15.2 17.5	1	4 5	15 16	22 24	28 33	75 to 84 years	840 295	14.3 14.9	2 1	5 3	9	18 19	31 34
With surgery	1,265 31,045	20.6 16.3	2 1	8 4	18 15	28 23	39 31	Single diognosis	57D 1,400	11.6 13.5	2 2	5 4	8 9	13 18	22 29
OTHER ACUTE AND 5U8ACUTE FORMS OF ISCHEMIC HEART DISEASE (411)								With surgery	95 1,875	21.2 12.5	5 2	9	20 9	26 15	43 26
Totol	6,775	12.4	3	5	9	15	24	ILL-DEFINED HEART DISEASE (429)							
65 to 74 yeors	3,955 2,385	11.8 12.9	3 2 2	5 5 5	9	15 16 15	22 27	Total	4,235	13.6	3	5	10	17	28
85 years and over	435 3,365	14.6 11.2	2 3	4	8	14	32 22	65 to 74 yeors	1,735 1,950 550	13.2 14.2 13.3	3 2 2	6 5 5	10 1D 9	16 17 17	25 29 27
Multiple diognoses	3,410	13.5 19.8	3 6	6 9	10 16	17 25	26 38	Single diognosis	1,42D 2,815	11.6 14.7	2 3	5	9	14 17	22 29
CHRONIC ISCHEMIC HEART DISEASE	6,580	12.1	2	5	9	15	24	With surgery	220 4,015	25.3 13.0	5	1]	19	29 16	52 26
(412)								CEREBRAL HEMORRHAGE (431)	4,013	. 13.0	2	١	7	'6	20
Totol	113,940 49,605	13.3 12.8	3	5	10 1D	17 16	26 24	Total	4,D80	13.2	1	1	6	19	32
75 to 84 years	49,565 14,770	13.7 14.0	3 2	6	10 10	17 18	27 28		1,855 1,770	12.8 13.6 13.7	1	1 1 2	6 7	2D 18 19	32 33 31
Single diognosis	31,605 82,335	11.2 14.1	2	6	8 10	14 18	22 28	85 yeors ond over	1,760	12.0	1	1	6	18	29
With surgery	7,935 1D6,005	19.5 12.9	5 3	9	16	25 16	36 25	Multiple diognoses	2,32D 270	14.2 22.5	1	2 j 8	19	2D i	34 42
ANGINA PECTORIS (413)								Without SurgeryOCCLUSION OF PRECEREBRAL ARTERIES	3,810	12.6	1	1	6	18	31
Totol	2,220	8.3	2	3	6	10	16	(432)							
65 to 74 yeors	1,480 63D 110	7.9 8.7 1D.6	2 2 2	3	6   5	9 1D 14	15 18 19	Total	2,615 1,690	14.6	2	6	11	19	30 30
Single diognosis	1,180	7.0	1	3	5 7	8	14 19	75 to 84 years	790 135	14.8 14.7	3 2	5	10 14	20 18	31 30
Multiple diognoses	1,040 55	9.7	3	6	9 %	11	19	Single diognosis	1,190 1,425	13.2 15.7	2 3	5 6	1D 12	17 21	27 32
CONGESTIVE HEART FAILURE (427.0)	2,165	8.2	2	3	6	ID	16	With surgery	740 1,875	18.5 13.0	7 2	1D 4	16	22 17	32 29
Totol	15,485	13.1	2	5	10	16	25	CEREBRAL THROM80515 (433)							
65 to 74 yeors	6,45D 6,68D	12.9 13.3	3	6	1D 1D	16 17	24 26	Total	13,010	19.0	3	7	14	25	41
85 years and over	2,355 6,765	13.2	1	5	10	18	27 23	65 to 74 years	5,000 6,160 1,850	19.3 19.1 18.D	3 2	7 7 6	14 15 12	25 26 23	41 41 39
Multiple diognoses	8,720	13.9	2 3	6	11	18	26	Single diognosis	3,790	17.7 19.5	3	6 7	13 14	23 26	37 42
With surgery	61D 14,875	19.8 12.8	6 2	1D 5	15	25 16	36 25	Multiple diognoses	9,220	19.5	3	′.	14	20	42

-	Oiagnosis And Oischarge		Average		Perce	ntiles (	(days)		Oiagnosis And Oischarge		Average		Perce	entiles (	days)	
	Characteristics (ICDA 8th Revision)	Number of dischorges	stay (days)	10th	25th	50th	75th	90th	Characteristics (ICOA 8th Revision)	Number of discharges	stay (days)	10th	25th	50th	75th	90th
	5U8ARACHNOIO HEMORRHAGE ANO CEREBRAL EMBOLISM (430, 434)								ARTERIAL EM80LI5M AND THROM805I5 (444)							
	Tatol	1,190	18.5	2	6	13	25	42	Tatal	2,995	14.7	1	4	11	19	32
	65 ta 74 years	665 405 120	19.0 18.4 16.4	2 2 2	7 6 4	13 12 9	25 26 19	45 39 34	65 to 74 years 75 to 84 years 85 years and over	1,605 1,045 345	15.4 14.5 12.0	1 1 1	5 3 2	12 10 6	20 19 16	31 32 32
1	Single diagnasis	320 870	15.6 19.6	2	4 7	10 14	18 26	44 40	Single diagnosis Multiple diagnases	1,095 1,900	11.6 16.5	1	3 4	9 12	16 22	23 37
	With surgery	150 1,040	31.7 16.6	7	15 5	25 12	45 21	59 38	With surgery	1,355 1,640	20.0 10.4	4 1	10 2	16 6	26 13	39 21
	TRANSIENT CEREBRAL ISCHEMIA (435)	3,075	8.6	2	3	6	10	16	GANGRENE (445) Tatal	2,515	27.1	6	12	22	36	54
	Total	1,490	8.1	2	3	6	10	15	65 to 74 years	940	28.3	6	12	22	36	60
	75 to 84 years	1,300 285	9.0 9.2	2	3 4	. 7 6	11	18 14	75 to 84 years	1,070 505	27.8 23.3	7	15 9	23 18	37 34	53 48
	Single diagnasis	1,170 1,905	7.5 9.3	1 2	3	5 7	11	14	Single diagnosis	1,055	23.2 29.9	6	11 13	19 24	31 40	45 57
	With surgery	110 2,965	13.5 8.4	5 2	7 3	6	17	21 15	With surgery	1,610 905	28.1 25.3	8	15 8	23 16	37 34	53 56
	GENERALIZEO ISCHEMIC CEREBROVASCULAR OISEASE (437)								PULMONARY EMBOLISM ANO INFARCTION (450)							
	Tatal	15,990	12.6	3	5	9	15	24	Tatal	3,860	16.9	2	7	13	22	34
	65 to 74 years	6,160 7,190 2,640	11.6 13.2 13.2	3 3 3	5 5 5	8 9 9	14 16 16	22 26 26	65 to 74 years	2,170 1,345 345	16.8 17.3 16.0	3 2 1	8 7 4	13 14 10	21 22 22	33 36 34
	Single diagnasis	4,530 11,460	10.4 13.4	2	4 5	7 10	13 16	21 26	Single diagnosis Multiple diagnases	920 2,940	12.8 18.2	1 2	5 8	10 15	16 24	22 36
	With surgery	975 15,015	18.5 12.2	5 3	8 5	14 8	22 15	35 24	With surgery	490 3,370	21.6 16.2	5 2	9 7	17 13	25 21	44 32
	ILL-OEFINEO CEREBROVASCULAR 015EA5E (436, 438)								PHLEBITIS AND THROMBOPHLEBITIS (451)							
	Total	31,630	16.9	2	5	12	22	36	Tatal	6,200	13.8	5	8	11	17	23
	65 to 74 years	12,340 14,590 4,700	16.9 17.2 15.8	2 2 1	5 6 5	12 12 11	22 22 21	36 36 35	65 to 74 years	3,780 2,095 325	13.3 15.0 13.1	5 6 5	7 8 7	11 12 11	16 18 16	22 25 21
	Single diagnosis	13,525 18,105	15.2 18.2	1 2	4 6	11 13	20 24	33 38	Single diagnasis Multiple diagnases	2,530 3,670	12.5 14.8	5 6	7 8	10 12	15 18	20 25
	With surgery	1,395 30,235	23.7 16.6	6 2	11 5	21 12	31 22	44 35	With surgery	460 5,740	20.5 13.3	6 5	11 7	16 11	24 16	37 22
	ARTERIO5CLERO515 (440)								VARICOSE VEINS OF LOWER EXTREMITIES WITH ULCER (454.0)							
	Total		14.5	2	5	10	18	29	Tatal	1,575	21.4	7	11	17	27	40
	65 ta 74 years	3,820 4,840 2,270	13.91 14.9 14.7	2 2 3	4 5 5	9 10 9	17 19 18	29 30 30	65 to 74 years	745 685 145	20.2 22.7 22.1	6 8	10 12	16 19 15	25 29 27	36 41 39
	5ingle diagnasis	1,845 9,085	12.8 14.8	2 3	4 5	8 10	16 19	29 30	Single diagnasis Multiple diagnases	665 910	19.7 22.7	5 7	10 11	16 18	25	35 41
	With surgery	1,700 9,230	20.2 13.5	6 2	10 4	16 9	25 16	40 28	With surgery	500 1,075	23.6 20.4	9	14 10	21	28 25	41 37
	NONSYPHILITIC AORTIC ANO OTHER ANEURY5M (441, 442)								VARICOSE VEINS OF LOWER EXTREMITIES WITHOUT ULCER (454.1,	1,075	20.4	٥	10	10	23	3/
	Tatal	3,935	10.8	1	2	7	15	24	454.9)			_				
	65 to 74 years	2,105 1,515 315	11.6 10.1 9.3	1 1	2 1 1	8 6 4	17 14 12	24 23 22	Total	1,650	9.3	3	4	6	12	18 16
	Single diagnasis	1,790 2,145	10.1 11.5	1	1 2	7	15 16	22 25	75 to 84 years	325 60	11.6 19.7	3 3	6	12	25	21 47
	With surgery	1,575 2,360	15.4 7.8	1 1	7 1	14 4	20 9	27 18	Single diagnasis	945 705	8.2 12.8	3	5	9	10	15 26
	OTHER PERIPHERAL VASCULAR DISEASE (443)			31					With surgery	1,250 400	9.2 13.2	3	4 5	10	11	16 24
	Total	985	15.4	2	5	11	20	29	HEMORRHOIO5 (455)	3,925	9.7	3	5	7	11	17
	65 ta 74 years	575 340	14.4 16.9	2 2 7	4 8	9 12 12	20 20 19	32 28	Total	2,750	9.1	3	5	7	- 11	15
	85 years and over	235	15.5	1	2	8	15	27 26	75 to 84 years	1,005	11.3	3	5	8 9	13	20 22
	Multiple diagnoses	750 265	16.2 22.0	3 8	6	12	21	29 40	Single diagnosis	1,645 2,280	8.1 10.9	3	5	6 8	13	13
	Without surgery		12.9	21	41	8	17	23	With surgery	3,100 825	10.5 6.9	4 2	5 3	8 5	12	18 12

Table 13 EAST NORTH CENTRAL: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND DISCHARGE CHARACTERISTICS—Con.

Oiagnasis And Oischarge	Number of	Averoge		Perce	entiles (	days)		Diognosis And Oischarge	Number of	Average		Perce	entiles	days)	
Choracteristics (ICOA 8th Revision)	dischorges	stay (days)	10th	25th	50th	75th	90th	Characteristics (ICOA 8th Revisian)	discharges	stay (days)	10th	25th	50th	75th	90th
ACUTE UPPER RESPIRATORY INFECTIONS EXCEPT INFLUENZA (460-465)								OTHER DISEASES OF UPPER RESPIRATORY TRACT (500-508)							
Tatal	4,130	9.7	2	4	7	12	18	Tatal	3,000	5.9	1	2	3	7	12
65 ta 74 years	2,075 1,510 545	9.0 10.2 11.1	2 3 2	4 4 4	7 7 8	11 12 14	16 20 22	65 ta 74 years	2,210 700 90	5.5 6.5 9.3	1 1 2	2 2 3	3 3 8	7 8 11	12 12 20
Single diagnosis	905 3,225	7.2 10.5	2 3	3 4	5 8	8 13	14 20	Single diagnosis	1,480 1,520	4.2 7.5	1 1	1 2	2 5	4 10	8 14
With surgery	255 3,875	11.0 9.7	1 2	2 4	9 7	15 11	21 18	With surgery	2,045 955	4.6 8.6	1 2	2 3	2 6	5 11	10 16
ACUTE ANO UNQUALIFIEO 8RONCHITIS AND 8RONCHIOLITIS (466, 490)								PLEURISY (511) Tatal	1,005	10.3	2	4	7	12	20
Tatal	10,525	10.6	3	5	8	13	19	65 ta 74 years	550	8.5	2	4	7	10	17
65 to 74 years	5,890 3,735 900	10.0 10.9 13.3	3 3 4	5 5 5	8 8 9	12 13 16	18 20 26	75 ta 84 years	390 65 285	12.7 11.3 7.2	2 2	3	8 9 5	14 12 9	22 15 13
Single diagnosis		8.7 11.4	3	4 5	7 9	11 13	15 20	Single diagnosis	720	11.5	3	4	8	14	21
With surgery	580 9,945	15.6 10.3	4 3	6 5	12 8	20 12	29 18	With surgery Without surgery  PULMONARY CONGESTION ANO HYPOSTASIS (514)	105 900	19.4 9.2	2	5 4	14 7	22 11	33 17
Total	2,530	8.8	2	4	6	11	15	Tatal	2,730	12.4	1	4	9	17	27
65 ta 74 years	940	8.5 9.0 9.5	2 2 2	4 4 4	6 7 7	10 12 12	15 15 20	65 to 74 years	1,115 1,125 490	11.8 12.3 14.0	1 1 1	4 3 5	8 9 11	15 18 19	25 28 30
Single diognosis	840 1,690	6.7 9.8	2 3	3 4	5 7	8 12	12 18	Single diognosis	535 2,195	10.6 12.8	1 1	3 4	8 9	13 18	23 28
With surgery	60 2,470	13.3 8.7	3 2	6 4	13 6	17 10	22 15	With surgery	140 2,590	20.5 12.0	7 1	10 4	16 8	24 16	30 27
PNEUMONIA (480-486)	24.445	12.0	3		10	14	27	CHRONIC INTERSTITIAL PNEUMONIA (517)							
Total	26,645 10,670	13.8	4	6	10	16 16	27 25	Total	1,300	13.3	2	5	10	16	27
75 ta 84 years	11,305 4,670	14,1 13.9	3 2	6 5		17 17	27 30	65 ta 74 years	675 530 95	13.1 13.0 16.6	2 2 1	5 5 6	10 10 13	15 17 17	25 27 31
Single diagnosis	19,665	10.8 14.9	3	5 7	11	13 18	20 29	Single diagnasis	200 1,100	11.1 13.7	1	4 6	9 10	13 17	23 27
With surgery	1,705 24,940	21.8 13.2	7	10	16 10	26 16	43 25	With surgery	210 1,090	16.0 12.8	4 2	9 5	12	19 15	28 27
CHRONIC 8RONCHITIS (491) Totol	3,590	11.9	3	5	9	15	22	015EA5E5 OF ORAL CAVITY, SALIVARY GLANOS, ANO JAWS (520-529)	·						
65 to 74 years	2,275 1,145	11.7 12.3	3	6 5	9	15 15	22 23	Tatal	2,330	6.7	1	2	4	8	14
85 years ond over	1,045	11.9	2	4	7	12	18	65 to 74 years	1,550 625 155	6.2 7.6 8.3	i 1	2 2 2	3 4 5	7 9 9	13 15 17
Multiple diagnases	2,545	12.6	2	6		18	23	Single diagnasis	960 1,370	5.5 7.5	1 1	2 2	3 5	6	11 16
Without surgery	3,100	11.7	3	5	9	14	22	With surgery	1,580 750	6.3 7.4	1	2 2	3 5	7 10	13 15
Tatal	10,930	12.6	3	5	9	15	25	OISEASES OF ESOPHAGUS (530)							
65 ta 74 years	6,785 3,660 485	12.3 13.0 12.6	3 3 2	5 5 5	9 9	15 15 17	25 26 24	Tatal	3,055 1,685	10.7 10.4	2	3	7	14	23 22
Single diagnosis	2,530 8,400	10.3 13.3	2 3	4	7 9	13 16	20 27	75 ta 84 years	1,145 225	11.0 11.2	2 3	3 5	, 8 9	14	25 19
With surgery	830 10,100	18.9 12.1	5	8 5	13	23 15	37 24	Single diagnasis	940 2,115	8.4 11.8	1 2	2 4	5 8	11 15	16 24
Without surgery	10,100	12.1	3	,		, ,	24	With surgery	1,250 1,805	12.6 9.4	2 2	4 3	9 6	16 11	28 19
Tatal	4,545	10.9	3	5	9	13	20	ULCER OF STOMACH (531)						İ	
65 to 74 years	2,915 1,485 145	11.0 10.6 11.0	2 3 3	5 5 4	8 9 9	13 13 16	21 20 19	Tatal	5,020 2,880	14.9 14.2	3	7 6	12 11	19	28 27
Single diagnosis	1,455 3,090	9.2 11.7	2 3	4 5	7 9	11	17 21	75 to 84 years	1,780 360	15.6 16.4	3 5	7 8	13 13	20 20	30 30
With surgery		20.4 10.5	6 2	10	17 8	27 13	37 19	Single diagnasis	1,615 3,405	12.5	2 4	6 7	10 13	20	23 30
								With surgery	1,470 3,550	18.9 13.2	6	11 6	16	24 17	34 25

1	Oiognosis And Oischorge		Averoge		Perce	entiles (	doys)		Oiognosis And Oischorge		Averoge		Perce	ntiles (	doys)	
1	Chorocteristics (ICOA 8th Revision)	Number of dischorges	stoy (doys)	10th	25th	50th	75th	90th	Chorocteristics (ICOA 8th Revision)	Number of dischorges	stoy (days)	10th	25th	50th	75th	90th
1	ULCER OF OUODENUM (532)								HERNIA OF A8DOMINAL CAVITY WITH O8STRUCTION (552, 553)							
	Totol	8,905	12.9	3	6	10	16	25	Total	3,890	12.4	3	6	10	15	23
2	65 to 74 years 75 to 84 years 85 years and over	5,335 3,030 540	12.0 13.6 16.7	3 3 4	5 6 8	9 10 14	15 16 21	23 26 30	65 to 74 yeors	1,645 1,695 550	12.2 12.4 12.5	3 4 3	6 7 7	9 10 10	14 15 15	22 24 22
	Single diognosis	2,960 5,945	10.6 14.0	3	5 6	8 10	13 17	20 27	Single diagnosis	1,835 2,055	10.0	2 4	6	8	12 17	18 27
ľ	With surgery	1,960 6,945	19.2 11.1	6 3	10 5	15	25 13	36 19	With surgery	3,015 875	13.3 9.1	5	7 2	11 6	16 11	24 16
	Totol	2,790	12.6	3	5	10	16	25	INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (560)							
	65 to 74 years	1,595	11.8	3	5	.8	15	22 27	Total	7,770	14.4	2	5	10	19	29
Ĭ	75 to 84 years	950 245	13.2 15.4	3 4	8	11 12	16 22	28	65 to 74 yeors	3.475 3,060	14.4 14.4	2 2	5	10 10	18 19	30 28
	Single diognosis	1,070 1,720	11.2 13.4	2	5 5	9 10	14 17	22 27	85 years and over	1,235	14.4	1	4	10	18	31
	With surgery	540 2,250	19.1 11.0	5	10 5	16 8	25 14	36 20	Single diagnosis	3,135 4,635	12.1 16.0	2	5	11	20	25 32
	GASTRITIS AND OUDOENITIS (535)								With surgery	2,820 4,950	20.3 11.0	6 1	10	16 7	25 13	38 23
	Total	5,750 3,445	9.0	2	3	6	11	17	OIVERTICULA OF INTESTINE (562)	17,970	10.1	2	4	7	,,	21
	65 to 74 yeors	1,880 425	8.4 9.6 11.1	2 2 2	4 5	6 7 7	12	16 18 24	Total	9,325	9.8	2 2	4	6	12	21
ľ	Single diagnosis	1,595 4,155	7.2 9.7	2 2	3 4	5	8 12	13 18	75 to 84 yeors	7,145 1,500	10.3 10.6	3	4	7 8	12 12	20 21
	With surgery	645 5,105	13.0 8.5	3	5	10	16 10	22 16	Single diagnosis	5,555 12,415	8.6 10.8	2	3 4	6 7	10	18 22
	OISOROERS OF FUNCTION OF STOMACH	3,103	0.5	2	3	J	10	10	With surgery	4,155 13,815	14.4 8.8	2 2	5 4	11	19 10	30 17
	Total	1,045	7.8	1	3	5	8	16	FUNCTIONAL 0150R0ER5 OF INTESTINE (564)						:	
	65 to 74 years	625 300	8.1 7.7	1	3 2 3	5 4	8	17 17	Total	4,390	7.6	1	3	5	9	15
	85 years and over	120	6.5	1		4	8	13	65 to 74 yeors	2,290 1,590	6.7 8.3	1 2 2	3	5 5	10 10	13 17
	Single diognosis	375 670	5.9 8.9	2	3	5	11	12	85 yeors ond over	1,325	9.0 5.6	1	2	4	7	18
	With surgery	120 925	13.1 7.1	2 1	3	10	18 7	28 14	Multiple diognoses	3,065 770	8.4	2	3	5	10	17 15
	INGUINAL HERNIA WITHOUT MENTION OF OBSTRUCTION (550)								Without surgery	3,620	7.5	1	3	5	9	15
	Totol	·	9.7	4	6		11	15	Total	3,350	16.1	3	7	12	20	32
	65 to 74 yeors	8,610 4,015 585	9.0 10.7 13.4	4 5 6	5 6 8	7 8 10	10 12 13	13 18 22	65 to 74 yeors	2,495 785	16.3 14.9	4	8	12 12	21 19	33 27
	Single diognosis	7,605	8.5	4	5	7 9	9	12	85 years and over	70	22.4	i	3	10	25	48
	Multiple diognoses	5,605 12,035	11.3 9.7	5	6	8	12	20	Single diognosis	995 2,355	15.2 16.5	3 4	6 8	11	18	28 33
	Without surgery	1,175	10.1	2	4	7	10	17	With surgery	600 2,750	21.6 14.9	7 3	11 7	18 11	26 18	40 30
	VENTRAL HERNIA WITHOUT MENTION OF 08STRUCTION (551.2)								CHOLELITHIA515 (574)	10.050			-		,,,	
	Total	2,595 1,755	12.3 12.0	5	7	10	14	21 20	65 to 74 years	19,250	14.6	4	7 8	12	18	26 24
	75 to 84 years	740 100	13.2 11.3	5	7 5	11 7	15 15	25 24	75 to 84 years	6,420 1,340	16.0 16.2	3	7	13 13	20 21	30 32
	Single diognosis	1,345 1,250	10.5 14.3	5 5	7 8	9 12	12 17	16 26	Single diognosis	8,350 10,900	13.1 15.7	4	8 7	11	16 20	22 29
	With surgery	2,090 505	12.6 11.0	6 2	8 4	10 7	14 13	21 24	With surgery	11,820 7,430	17.2 10.4	8 2	10 4	14 7	21 12	28 20
	OIAPHRAGMATIC HERNIA WITHOUT MENTION OF OBSTRUCTION (551.3)								CHOLECYSTITIS AND CHOLANGITIS WITHOUT MENTION OF CALCULUS							
	Totol	8,150	9.5	2	4	6	11	18	(575) Total	7,950	12.7	3	6	10	16	25
	65 to 74 years 75 to 84 years 85 years and over	4,810 2,760 580	9.1 9.8 11.4	2 2 3	4 4 4	6 7 7	11 12 12	18 20 20	65 to 74 yeors	4,090 2,985	12.0 13.2	3	5	9 10	15 17	23 26
	Single diognosis	1,650 6,500	7.9 9.9	1 2	3	5	10 12	15 19	85 years and over	3,295	11.3	3	5	11 9	18	29 21
	With surgery	1,670 6,480	14.6 8.2	3 2	6	12	18	29 15	Multiple diagnoses	4,655 2,335	13.7	3 8	10	10 15	17 23	28 32
	g-1	0,400	0.21	21	0				Without surgery		10.3	3		7	12	20

Table 13 EAST NORTH CENTRAL: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND DISCHARGE CHARACTERISTICS—Con.

Oiagnosis And Discharge Charocteristics	Number of	Average stay		Perce	entiles	(days)		Oiagnasis And Oischarge Characteristics	Number of	Average stay		Perce	entiles (	days)	
(ICOA 8th Revision)	discharges	(days)	10th	25th	50th	75th	90th	(ICOA 8th Revision)	discharges	(days)	10th	25th	50th	75th	90th
OTHER DISEASES OF GALL BLADDER AND BILIARY DUCTS (576)								CY5TITI5 (595)							
Tatal	2,635	13.6	3	5	9	17	30	Tatal	6,690	10.3 9.3	2	4	7	13	21
65 to 74 years	1,230 1,110 295	12.8 13.8 16.0	2 3 4	4 5 7	9 9 11	16 18 22	26 30 35	65 to 74 years 75 to 84 years 85 years and over	3,225 2,710 755	11.0 11.9	2 4	3 4 5	8 9	12 14 14	22
Single diagnosis	1,065 1,570	11.7 14.8	2 3	4	8 10	15 19	27 31	Single diagnasis	1,995 4,695	7.4 11.5	1 3	2 5	5 8	14	16 22
With surgery	825 1,810	21.8 9.8	8 2	11 4	18 7	29 11	39 19	With surgery	3,510 3,180	9.8 10.8	2 2	5	7 8	12 13	20 21
OI5EASES OF PANCREAS (577) Totol	2,075	14.1	3	6	10	18	28	Tatal	3,770	14.3	3	6	10	18	28
65 to 74 years	1,310	13.3	3	6	10	16	28	65 to 74 years	1,905 1,500	13.7 14.7	2	5 6	9 10	17 18	28 26
75 to 84 years	645 120	15.3 16.1	3	8	11	20 24	28 31	85 years and over	365 1,230	16.2	2	5	11	21	36 22
Single diagnosis	735 1,340	11.9 15.3	2 4	5	9 11	14 19	26 29	Multiple diagnoses	2,540 2,700	16.0	3	6	11	19	31 29
With surgery	410 1,665	23.4 11.8	6 3	12	20 9	30 14	42 24	Without surgery  URETHRITIS AND STRICTURE OF  URETHRA (597, 598)	1,070	14.1	2	5	7	14	27
(582, 583)	055	15.7	2		11	21	31	Tatal	4,445	8.9	2	3	6	11	19
Tatal	955 610 255	15.7 15.2 17.5	3 5	6 8	10 14	22 22	31 29	65 to 74 years	2,575 1,565 305	8.1 9.9 10.9	1 2 2	3 4 5	5 7 9	10 12 15	16 21 20
85 years and over	90	14.1	5 2 2	6	9	16	28	Single diagnosis Multiple diagnoses	1,565 2,880	6.7 10.1	1	2	5 7	8	12 21
Multiple diagnoses	715	17.3	4	7	13	22	35	With surgery	3,680	8.7	2	3	6	11	18
With surgery	145 810	19.0 15.1	6 3	6	16 10	25 19	36 29	Without surgery	765	10.0	'	3		13	19
INFECTIONS OF KIONEY (590) Total	6,150	12.9	3	6	10	15	24	ELSEWHERE CLASSIFIEO (599.0) Tatal	4,655	12.5	3	5	9	15	22
65 to 74 years	2,895 2,445 810	12.2 12.4 17.2	3 4 4	5 6 7	9 10 12	14 15 18	24 23 29	65 ta 74 years	2,110 1,835 710	11.2 12.6 16.4	3 3 4	5 5 7	8 9 11	14 15 20	20 22 31
Single diagnasis	1,535 4,615	10.7 13.7	3	5 6	8 10	13 16	18 26	Single diagnasis	1,160 3,495	9.4 13.6	2 3	4	7 10	11 16	17 24
With surgery	1,055 5,095	16.0 12.3	4	7 6	13 9	21 14	28 22	With surgery	990 3,665	13.4 12.3	2 3	5	11 9	18 14	25 21
CALCULUS OF KIONEY AND URETER (592)								HYPERPLASIA OF PROSTATE (600)							
Tatal	4,755	10.1	2	3	7	13	20	65 to 74 years	24,575 13,305	13.1	4	7 7	11	17	26 23
65 to 74 yeors	3,460 1,145 150	9.8 10.9 11.4	2 2 2	3 4 3	7 8 7	13 14 15	19 23 27	75 ta 84 years	9,420 1,850	14.9 17.0	4 4	8 9	12 14	18 21	27 31
Single diagnosis	2,150 2,605	8.2 11.7	1 2	3	5 8	10 15	16 24	Single diagnasis	11,220 13,355	12.4 15.5	3 4	8	10	20	22 28
With surgery	2,350 2,405	12.9 7.4	3	6	11 4	17 8	24 14	With surgery	20,425 4,150	14.5 12.3	2	8	12	18	26 26
OTHER DISEASES OF KIONEY AND URETER (593)								PROSTATITIS (601) Tatal	1,255	9.5	2	4	7	11	18
Tatal	2,810	13.8	2	4	10	18	30	65 ta 74 years	810 360	8.7 11.0	2 2	3 4	6 7	11 12	17 24
65 ta 74 years	1,735 865 210	14.0 13.0 14.8	2 2 1	4 4 4	10 10 10	18 17 17	32 26 34	85 years and aver	450	7.4	3	3	8 5 8	9	23 14
Single diagnosis	785 2,025	10.7 14.9	1 2	3 5	11	13 20	22 32	Multiple diagnases	805 675	10.7	2	3	8	13	21 23
With surgery	1,260 1,550	13.7 13.8	2 2	5	11 9	18 17	28 33	Without surgery	580	8.1	2	4	6	9	14
CALCULUS OF OTHER PARTS OF URINARY SYSTEM (594)								DISEASES OF BREAST (610, 611)  Total	1,975	6.2	1	2	4	6	12
Tatal	1,440	13.4	2	5	10	17	27	65 ta 74 years	1,450 480	5.4 7.9	1	2 2 6	3 4	6 9	11 18
65 ta 74 years	745 545 150	11.8 14.5 17.3	2 3 2	4 6 6	9 11 11	16 18 23	25 27 37	85 years and over	45 1,310	14.7	1	6 2 3	10 3 5	16	25 10
Single diagnosis	450 990	9.2 15.3	1 3	3 6	6	11 20	19 29	Multiple diagnases	1,765	8.9 5.8	2	i	3	10	18 11
With surgery	1,075 365	14.6 9.8	3	6 2	11 5	19	27 27 23	Without surgery	210	9.9	il	2 2	4	12	28

-					Parce	entiles (	dovel						Dorec	entiles (	douc)	
1	Oiognosis And Oischorge Chorocteristics (ICOA 8th Revision)	Number of discharges	Averoge ( stoy (doys)	10th	25th	50th	75th	90th	Oiognosis And Dischorge Chorocteristics (ICDA 8th Revision)	Number of discharges	Average : stay (doys)	10th	25th	50th	75th	90th
ľ	(Con on introduction)		(==,=,								,				75	
	UTEROVAGINAL PROLAPSE (623)	6,915	12.0	_	8	10	14	18	5PONOYLITIS OSTEOARTHRITICA (713.1) Total	5,520	11.0	3	_	9	14	20
	Total	4,895	11.7	6	8	10	14	18	65 to 74 years	3,090	11.8	3	5	8	13	22 20
	75 to 84 years	1,875 145	12.7 15.2	5 5	8	11 12	14 15	21 30	75 to 84 yeors	1,985 445	12.7 13.0	3	6	9 11	15 16	23 28
	Single diognosis	3,505 3,410	11.1 12.9	6 6	8	10 11	13 14	16 21	Single diognosis	1,085 4,435	9.7 12.3	3	5 5	8 9	12 15	18 23
	With surgery	6,150 765	12.1 11.5	6 2	8 4	10 8	14 13	18 21	With surgery	520 5,000	19.3 11.0	3	7 5	14 8	24 13	36 21
	POSTMENOPAUSAL BLEEDING (626.7)								ARTHRITIS, UNSPECIFIEO (715)							
	Total	1,410	5.2	1	2	3	5	10	Total	4,025	12.3	3	5	9	15	24
	65 to 74 years	1,035 330 45	4.7 6.5 5.8	2 2	2 2 3	3 3 5	8 7	13 10	65 to 74 yeors 75 to 84 yeors 85 yeors ond over	2,020 1,590 415	11.4 13.3 13.3	3 3	5 6 5	10 10	13 17 17	22 25 25
	Single diognosis	695 715	3.9 6.4	1 1	2 2	2 3	4 7	7 13	Single diognosis	1,065 2,960	12.8 12.2	3 3	5 5	9	16 14	25 23
	With surgery	1,260 150	4.7 9.3	1	2 2	3	4 7	10 16	With surgery	415 3,610	15.3 12.0	5 3	7 5	12 9	18 14	28 23
	CELLULITIS ANO A85CE55 (681, 682)								O5TEOPORO5I5 (723.0)							
	Total	3,690	14.0	4	6	10	17	27	Total	3,830	15.4	4	7	12	19	27
	65 to 74 years	1,805 1,420 465	13.8 13.7 15.3	4 4 4	6 6 7	10 10 11	17 16 18	27 25 29	65 to 74 yeors	1,340 1,780 710	14.1 15.3 18.0	3 4 3	6 7 6	11 13 11	18 19 22	25 26 39
	Single diagnosis	1,285 2,405	11.4 15.3	3 4	5 7	8 11	13 18	21 28	Single diognosis	780 3,050	13.4 15.9	4 4	6 7	10 13	15 19	26 27
	With surgery	780 2,910	18.8 12.7	4 4	9	15 9	24 15	35 23	With surgery	240 3,590	19.4 15.1	4	8 7	14 12	24 18	40 26
	OERMATITIS AND ECZEMA (690, 692)								OISPLACEMENT OF INTERVERTEBRAL OISC (725)							
	Total	890	11.1	3	5	8	13	20	Total	3,005	14.9	4	7	12	19	29
	65 to 74 years	505 265 120	9.8 13.1 12.2	2 3 2	4 6 5	8 9	12 15 15	18 25 23	65 to 74 years	2,325 615	15.2 13.9	4	8	12	20 18	29 27
	Single diognosis	335	11.1	1	4	7	14	22	85 years and over	65	11.2	2	5	10 7	17	21
	Multiple diagnoses	555 115	11.1 12.0	3 2 3	6	9 11	13 16	19 22	Single diognosis	1,270 1,735	14.3 15.3	3 5	7	11	19	29 29
	Without surgery	775	11.0	3	5	8	13	19	With surgery	785 2,220	21.8 12.4	9	13 6	20 10	28 15	34 23
	Total	2,590	22.9	6	10	18	28	42	VERTEBROGENIC PAIN 5YNOROME (728)							
	65 to 74 years	1,180 1,100	22.6 22.2	6	10	16 19	26 29	40 42	Total	1,910	12.7 12.3	3	5	10	16	24
	85 years and over	310 850	26.3 19.1	7	12	22	37 24	54 35	75 to 84 years	600 180	12.9 14.4	3	6	10 11	15 21	24 32
	Single diagnosis	1,740	24.8	7	10	15 19	30	49	Single diognosis	620 1,290	11.4 13.4	3	6 6	10 10	15 17	21 26
	With surgery	790 1,800	26.7 21.3	7 5	13 9	23 15	33 24	48 40	With surgery	190 1,720	17.9 12.1	5	8	17 10	23 15	29 23
	RHEUMATOIO ARTHRITIS AND ALLIED CONDITIONS (712)								SYNOVITIS, BURSITIS, AND	.,,.20		j				
	Total	3,305	16.2	4	7	12	21	31	TENOSYNOVITIS (731) Total	2,145	7.7	1	2	5	9	15
	65 to 74 years	2,130 1,070 105	16.7 15.3 15.1	4 4 7	8 7 9	13 11 12	22 19 20	32 30 23	65 to 74 years	1,500 540	6.7 9.8	1	2 3	4	8	15 22
	Single diagnosis	980	15.6	4	7	12	20	30	85 years and over	105	10.7	2	4	6	13	16
	Multiple diognoses	2,325 630	16.4 19.0	4	7	12 16	22	31 35	Single diognosis	1,060 1,085	5.3 10.0	1 2	2 4	3 7	13	10 19
	With surgery		15.5	5	7	12	20	30	With surgery	1,185 960	6.0 9.7	1 2	2 4	4 7	7 12	13 20
	OSTEOARTHRITIS (713.0) Totol	8,305	15.3	3	6	11	19	31	SYMPTOMS REFERABLE TO NERVOUS SYSTEM AND SPECIAL SENSES (780,	į.						
	65 to 74 yeors	4,115 3,335	15.5 15.2	3	6	11 11	20 18 19	31 30	781) Totol	1,055	8.8	1	3	6	9	17
	85 years ond over	855 2,340	14.9	3	5 7	10	19	32 33	65 to 74 yeors	635 355	8.6 9.7	1	3	5	9 11	15 18
	Multiple diagnoses	5,965	14.8	3	6	10	17	30	85 years and over	65 825	6.2 8.7	î ,	3	5	9	12 16
	With surgery		21.9 13.21	7 j 3 j	13   5	19   9	27   15	40 26	Single diognosis	230	9.3	2	4	7	13	17
									With surgery	50 1,005	8.7 8.8	2 1	3 3	5	11 9	21 16

Table 13 EAST NORTH CENTRAL: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND DISCHARGE CHARACTERISTICS—Con.

Decided   Processed   Control   Co	Oiognosis And Oischorge	Number of	Averoge		Perce	entiles (	(days)		Oiognosis And Oischarge Chorocteristics	Number of	Average		Perce	entiles	doys)	
Tetal	(ICDA 8th Revision)			10th	25th	50th	75th	90th				10th	25th	50th	75th	90th
Total 1.1-1.00   1.1-2									DOR5AL (THORACIC) AND LUMBAR,							
25 to 54 person	Total				5					3,835	16.9	5	8	14	21	32
Supple designation	75 to 84 years	545	15.5	2 2 1	5 5 4	8	14	31	75 to 84 years	1,720	17.6		8	14	20 22 25	29 33 37
With Largery   1,00   26,0   2   2   2   2   2   2   2   2   2				2	5 4	8 11		23 39	Single diognosis	1,470		4	7	12	18	
STRICTURE OF COLLAPSE (CEX.)	With surgery		26.0 13.9	2 2	6 5	20 8	26 15	56 29	Multiple diognoses	150	24.9	7			32	42
Teld.	5YNCOPE OR COLLAPSE (782.5)									3,083	10.0	3		13	21	31
25 to A years			5.3	1	2	3				2,975	12.0	3	5	9	15	23
Shiple degrees   148   5.2   1   2   3   6   1   2   4   1   2   4   1   2   4   1   2   4   1   2   4   1   2   4   1   2   4   4   4   4   4   4   4   4   4	75 to 84 years	325	6.9	1 1	1 2 1	4	9	15	65 to 74 yeors	1,310	13.3	3	6		13 17	18 25
Without surgery   28   5.2   1   2   3   6   12   Without surgery   125   174   6   9   13   20   31   6   12   22   13   14   23   6   13   24   24   6   13   24   24   6   13   24   24   6   13   24   24   6   13   24   24   6   13   24   24   6   13   24   24   6   13   24   24   6   13   24   24   6   13   24   24   24   24   24   24   24   2	Single diagnosis			1	1 2	3	6									
## PISTANS ORB.00    Tablo	With surgery	25		1		. 3	. 6		Multiple diognoses	2,290	13.0	3	6	10	16	25 35
Total 1,360 5,6 1 2 4 6 10 7 Total 2,575 23.1 6 12 10 31 44 7 12 13 6 12 10 31 44 7 12 13 6 12 10 31 44 7 12 13 6 12 10 31 44 7 12 13 6 12 10 31 44 7 12 13 6 12 10 31 44 7 12 13 6 12 10 31 44 7 12 13 6 12 10 31 44 7 12 13 6 12 10 31 44 7 12 13 6 12 10 31 44 7 12 13 6 12 10 31 44 7 12 12 13 14 4 8 13 12 12 13 14 4 8 13 12 12 13 14 4 8 13 12 12 13 14 4 8 13 12 12 13 14 4 8 13 12 12 13 14 4 8 13 12 12 13 14 14 12 12 13 14 12 12 12 13 14 12 12 13 14 12 12 12 12 13 14 12 12 12 12 13 14 12 12 12 13 14 12 12 12 13 14 12 12 12 13 14 12 12 12 12 13 14 12 12 12 13 14 12 12 12 12 13 14 12 12 12 12 13 14 12 12 12 12 13 14 12 12 12 12 13 14 12 12 12 12 12 12 12 12 12 12 12 12 12									Without surgery	2,850	11.7	3	5		14	22
\$\frac{3}{10} \text{ for years}\$ \$\frac{3}{10} \text{ for years}\$	Totol	1,360	5.6	1	2	4	6	10		2 676	22.1	4	12	10	21	44
Sept diagnosis				1	2 2	4 3										49
Without surgery   1,100   5,1   1   2   3   5   7   1,100   2,100   3,100	85 years and over	135	4.9	i 1		4	6	8	75 to 84 years	1,215	22.2	7		19	29	42 43
Without surgery   1,160   5,1   1   2   3   6   9   With surgery   2,480   27,7   6   12   19   30   44   48   15   27   55   64   20   75   16   40   65   17   17   18   18   18   19   18   18   19   19												6				39 45
Total	Without surgery			1		3		9				1 6		36 19		69 43
\$6 in 74 years		610	9.6	1	3	6	12	23								
85 years and over				1	3					1,175	21.5	4	8	18	29	46
Single diagnosis   510   10.2   1   2   7   13   23   25   25   7   12   34   25   35   35   35   35   35   35   35				1 2	3							4				48
Without surgery   S80   9,4   1   3   6   12   22   22   22   23   21,5   4   6   17   27   24   25   27   27   28   28   27   28   28   28				1 2			13 7		85 years and over	150	23.2	2	7		34	55
ABOOMNAL PAIN (785.5)  Totol	With surgery			1					Multiple diognoses	655	22.9				33	46
65 to 74 years	A800MINAL PAIN (785.5)											4	6 8			47 45
65 to 74 yeors   860   7,1   1   3   5   9   14   Totol   3,840   13,0   2   4   8   16   28   85 yeors and over   115   14,2   1   2   5   13   20   65 to 74 yeors   1,275   13,0   2   4   8   16   28   85 yeors and over   115   14,2   1   2   5   13   20   65 to 74 yeors   1,275   13,0   2   4   8   16   28   28   28   28   28   28   28   2	Total	1,410	8.9	1	3	5	9	15								
Single diagnosis	75 to 84 years	435	11.0	1 2 1		5		14		3,840	13.0	2	4	8	16	28
With surgery         185         13.6         2         5         11         20         26         Single diagnosis         2,125         10.7         2         3         7         13         23           RETENTION OF URINE (786.1)         Totol.         1,175         11.0         1         4         8         15         2         With surgery         970         13.0         2         4         9         17         30         28         4         8         16         28         16         28         11         3         5         8         13         Multiple diagnoses         1,715         15.8         3         6         12         20         32         3         7         13         23         3         7         13         23         3         6         12         20         32         3         6         12         20         32         4         9         17         3         3         6         12         20         32         4         9         17         2         3         7         13         23         4         1         2         4         8         16         2         4         8         16	5ingle diognosis		9.1		3	5	10	16	75 to 84 years	1,725	13.0	2 2 3	4		17	26 29 32
RETENTION OF URINE (786.1)  Total	With surgery		13.6	_	5	11	20	26	Single diognosis	2,125	10.7	2	3	7	13	23
Totol.		1,223	0.1	'	3	3	0	13							1	
65 to 74 yeors		1,175	11.0	1	4	8	15	22	Without surgery			2	4			28
Total	65 to 74 years	515 520	10.9	1	4	8	15	20	UNSPECIFIED PART OF RADIUS AND							
Multiple diagnoses				1	· .				Total	970	9.2	1	2	6	-11	18
Without surgery         585         8.1         1         2         5         9         16         5ingle diognosis         620         7.1         1         2         5         7         15           Totol         1,135         8.8         1         2         6         11         18         With surgery         655         8.9         1         2         6         10         18           65 to 74 years         560         8.4         1         2         5         11         20         Without surgery         315         9.9         1         2         6         12         18           65 to 74 years         465         8.6         1         3         7         12         16         FRACTURE OF LOWER ENO OF RADIUS ANO ULNA, CLOSEO (813.4)         1         2         6         12         18           5ingle diagnosis         940         8.5         1         2         5         11         19         Total         2,120         6.2         1         2         3         7         13           Wolftiple diagnosis         940         8.5         1         2         5         11         19         Total <t< td=""><td></td><td></td><td></td><td>2</td><td></td><td></td><td>20</td><td></td><td></td><td>355</td><td></td><td>1 2</td><td>4</td><td>4 8</td><td></td><td>17 20</td></t<>				2			20			355		1 2	4	4 8		17 20
Totol. 1,135 8.8 1 2 6 11 18 With surgery 655 8.9 1 2 6 10 18 Without surgery 315 9.9 1 2 6 10 18 18 Without surgery 315 9.9 1 2 6 12 18 18 18 18 18 18 18 18 18 18 18 18 18				4 1	7 2	12 5	18 9		85 yeors and over	90	7.9	1			1	20
65 to 74 yeors	HEMATURIA (789.3)										13.1	2		5 9	15	15 21
65 to 74 years   560   8.4   1   2   5   11   20   75 to 84 years   365 to 74 years	Total	1,135	8.8	1	2	6	11	18				1		6		18 18
Multiple diagnoses     195     9.9     3     4     10     13     16     65 to 74 years     1,105     5.1     1     1     2     6     12       With surgery     615     9.0     1     2     7     12     18     75 to 84 years     805     7.1     1     2     4     8     14       Without surgery     520     8.61     11     3     5     11     22     85 years and over     210     8.9     1     3     5     10     22       Single diagnosis     1,390     4.9     1     1     2     5     10       Multiple diagnoses     730     8.7     1     3     6     11     19	75 to 84 years	465	8.6	1 1 1	3	5 7 7		16	FRACTURE OF LOWER ENO OF RADIUS							
With surgery     615     9.0     1     2     7     12     18     75     10     805     7.1     1     2     4     8     14       Without surgery     520     8.6     1     3     5     11     22     85     yeors and over     210     8.9     1     3     5     10     22       Single diognosis     1,390     4.9     1     1     2     5     10       Multiple diognoses     730     8.7     1     3     6     11     19	Single diagnosis	940		1					Total	2,120	6.2	1	2	3	7	13
5ingle diognosis     1,390     4.9     1     1     2     5     10       Multiple diognoses     730     8.7     1     3     6     11     19	With surgery	615	9.0	1	2	7	12	18	75 to 84 years	805	7.1	1		4	8	12 14
	willout surgery	520	8.61	11	3	5	111	22	Single diagnosis	1,390	4.9	1	1	2	5	10
1 Mich curany / 1 / NIII A WI									Multiple diognoses	1,350	8.7 5.8	,	3	3	7	19

Table 13 EAST NORTH CENTRAL: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND DISCHARGE CHARACTERISTICS—Con.

Oiognosis And Oischorge Chorocteristics	Number of	Average stoy		Perce	entiles (	(doys)		Oiognosis And Oischarge Chorocteristics	Number of	Averoge stay		Perce	entiles	doys)	
(ICOA 8th Revision)	dischorges	(doys)	10th	25th	50th	75th	90th	(ICOA 8th Revision)	dischorges	(doys)	10th	25th	50th	75th	90th
FRACTURE OF INTERTROCHANTERIC SECTION OF NECK OF FEMUR, CLOSEO								CONCU5510N (850)							
(820.2)	7.155	07.1		1.5	00	2.4		Total	1,640	10.0	1	3	7	13	22
Total		27.1 26.8	8	15	22	34	50	65 to 74 yeors	820 645 175	9.1 11.0 10.4	1 1 2	3 4 5	6 7 8	11 15 13	22 25 21
75 to 84 years	3,245	27.8 26.5	9 8	14	22 22	34 34	51 51	5ingle diognosis	225	5.2	1	1	3	6	13
Single diognosis	3,815	24.9	9	14	21	30 39	45	Multiple diognoses	1,415	10.8	1	4	7	13	23
Multiple diognoses	3,340 5,680	29.7 25.8	10	16 15	25 22	31	55 45	With surgery	185 1,455	15.6 9.3	3	5 3	11 6	22 11	36 22
Without surgery	1,475	32.4	2	9	26	47	67	OF HEAD, NECK, AND TRUNK							
PART OF NECK OF FEMUR, CLOSEO (820.4)								(870-879) Total	2,555	9.2	1	2	6	12	18
Total	15,090	25.6	6	14	21	31	46	65 to 74 yeors	1,160 1,075	8.5 9.9	1	2 2 2	5	11 12	18 18
65 to 74 yeors		25.1 26.7	7 6	13 15	20 22	31 32	46 48	85 years and over	320	9.1	i	2	6	12	18
85 years and over	4,025	24.1	6	13	20	31	44	Single diognosis	565 1,990	5.5 10.2	1 1	1 3	2 7	8 13	13 20
Single diognosis	8,435 6,655	23.3 28.4	6 7	13 15	20 23	29 36	42 53	With surgery	695 1,860	11.9 8.1	1	2 2	7	15 10	28 17
With surgery	10,720 4,370	26.0 24.6		15 7	22 18	31 33	44 53	CONTUSION AND CRUSHING WITH	1,000	0		_			
FRACTURE OF OTHER AND UNSPECIFIED PARTS OF FEMUR (821)			ŀ					INTACT 5KIN SURFACE (920-929)	6,355	10.0	٠,	3	7	12	21
Total	2,580	32.4	6	14	24	39	65	65 to 74 years	2,370	8.3	1	3	6	11	17
65 to 74 years	785	35.4	5	15	24	44	77	75 to 84 years	2,740 1,245	11,1 11.0	1 2	4	7 7	14 14	23 24
75 to 84 years	1,160 635	34.2 25.4	7 4	15 12	25 24	42 33	71 47	5ingle diognosis	1,550 4,805	7.4 10.9	1 2	2 4	5	10 14	16 22
Single diognosis		30.7 34.6	4 7	12 16	22 27	37 45	58 68	With surgery	4,803	15.1	2	5 3	11	20	34
With surgery		30.7	9 3	16 8	24 26	36 45	56 78	Without surgery	5,865	9.6	1	3	7	12	20
FRACTURE OF TIBIA AND FIBULA (823)	1,075	34.8	3	0	20	45	/*	(960-979)							
Total	1,675	16.7	3	6	12	22	35	Total	3,050	9.8	2	4	7	11	19
65 to 74 years	1,015 540	15.7 17.0	3 4	6 7	11 14	20 22	33 33	65 to 74 yeors	1,585 1,210 255	9.4 10.1 10.6	1 2 2	3 4 5	7 7 8	11 12 12	18 18 22
85 years and over	120	24.1	4	7	17	32	55	Single diagnosis	860	6.9	1	2	5	9	14
Single diognosis	985 690	14.3 20.3		5 8	10 16	18 25	29 41	Multiple diagnoses	2,190 165	10.9 15.9	2	6	10	13	21
With surgery	705 970	18.5 15.5	4 3	7 6	14 11	23 19	40 29	With surgery	2,885	9.4	2 2	4	7	11	36 18
FRACTURE OF ANKLE (824)								IMPLANT AND COMPLICATIONS OF MECHANICAL NATURE FROM INTERNAL							
Totol	2,170	12.8	2	6	10	17	25	PROSTHETIC OEVICE (997.5)  Totol	830	11,1	2	4	8	14	23
65 to 74 yeors	685	12.9 11.9		6 5	11 8	17 14	23 26	65 to 74 yeors	380	10.3	2	4	7	12	. 23
85 years and over	130		4	7	13	19	31	75 to 84 years	375 75	11.7 12.1	1	4 4	9 8	15	26 21
Single diognosis	1,440 730	11.5 15.5	2 4	5 7	11	15 18	22 28	Single diagnosis	590 240	10.9 11.6	1 2	3 6	7 9	13 15	24 21
With surgery		13.9 11,4		6	11 8	18 14	26 22	With surgery	675	10.9	2 2	4	8	13	22
MULTIPLE FRACTURES INVOLVING 80TH LOWER LIM85, LOWER WITH UPPER LIM8, ANO LOWER LIM8 WITH RI8 ANO STERNUM (828)								Without surgery	155	12.1	2	4	8	13	29
Totol	1,460	28.7	5	12	23	35	54								
65 to 74 years		28.5 29.2	4 9	10 16	20 24	34 35	64 51								
85 years and over	275	27.8	4	8	23	34	53								
Single diognosis		26.5 31.0	5 5	12 12	22 24	33 37	49 69								
With surgery		30.8 24.9	8 3	15 8	24 16	37 31	58 48								
SPRAINS AND STRAINS OF 8ACK (846, 847)															
Total	2,925	11.2	3	5	9	14	21								
65 to 74 yeors	1,000	10.3 12.7 11.5	3 3 2	5 6 5	10	13 16 16	18 24 21								
Single diognosis	785	9.0	2	4	8	11	16								
Multiple diognoses	2,140	12.0 16.0	3	5	10	15 21	22								
With surgery			3	5	13 9	14	21								

Table 14 EAST NORTH CENTRAL: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED SURGICAL PROCEDURES, AND DISCHARGE CHARACTERISTICS

Surgicol Procedures And Discharge Characteristics	Number of	Averoge stoy		Perce	entiles (	(doys)		Surgicol Procedures And Dischorge Chorocteristics	Number of	Averoge stoy		Perce	entiles (	doys)	
(CPT 1st Edition)	dischorges	(doys)	10th	25th	50th	75th	90th	(CPT 1st Edition)	dischorges	(doys)	10th	25th	50th	75th	90th
MASTECTOMY, COMPLETE, 51MPLE (0457)								REPAIR OF VENTRAL HERNIA (3661)							
Total	2,405	12.9	4	7	11	15	23	Total	2,400	13.3	6	8	11	15	2
65 to 74 years	1,070 1,095 240	12.3 13.3 13.8	3 5 4	6 8 8	10 11 12	14 15 17	22 23 29	65 to 74 yeors 75 to 84 yeors 85 yeors ond over	1,675 665 60	12.8 14.4 12.2	6 6 5	8 8 6	11 11 10	15 17 15	2 2 2
Single diognosis	1,440 965	11.2 15.4	3 5	7 <b>9</b>	10 12	13 19	17 27	Single diognosis	1,265 1,135	11.0 15.8	5 7	7 9	10 13	13 19	1 2
MASTECTOMY, RADICAL (0470)	0.440	,,,		10	,,,	17	00	PROSTATECTOMY, EXCEPT TRANSURETHRAL (4311-4313, 4316,							
Total	2,440 1,660	14.9	8	10	12	17 16	23	431X) Totol	3,955	20.8	11	14	18	24	;
5 to 84 years	700 80	15.3 16.1	8 8 9	10 11	13 14	18 19	25 23	65 to 74 years	2,180 1,575	20.0 21.5	11 11	13 14	18 19	24 26 26	
ingle diagnosis	1,370 1,070	13.1 17.3	7 9	9 11	11 14	15 19	20 30	85 years and over	200 1,740	23.6 18.8	12 10	15 13	20 17	26 23 26	
REOUCTION OF FRACTURE OF HIP (0865-0868, 0872-0874)								Multiple diognoses	2,215	22.3	11	15	20	26	
Totol	14,185 3,450	26.8 27.4	11 12	15°	22	32 33	47 48	(4321)	20,595	15.6	7	9	12	18	2
75 to 84 years	6,580 4,155	27.6 25.0	- 11	16 14	23 21	33 32 31	47 45	65 to 74 yeors	10,955	14.3	6 7	8 9	11 13	17 20	
Single diognosis	7,715 6,470	25.0 28.9	11	15 16	21 24	29 35	42 51	75 to 84 yeors	8,160 1,480	16.7 19.5	8	12	17	25	;
ANTHROPLASTY OF HIP (1150)								Single diognosis	9,375 11,220	13.0 17.8	6 7	8 10	10 14	15 21	
Total	5,800 2,085	27.8 26.1	13	17 16	24	33	47	COLPORRHAPHY (4481-4495, 449X, 4501, 4505, 450X)							
55 to 74 yeors	2,625 1,090	30.2 25.1		19 16	23 25 22	32 36 31	51 42	Total	2,815 2,105	12.1 11.9	6	8	10 10	14	
iingle diognosis	3,180 2,620	25.7 30.3	13 14	16 19	22 26	31 36	42 52	75 to 84 yeors	655 55	12.4 13.3	6	8	10 12	13 16	:
GASTRECTOMY (3) 12, 3114, 3115, 3118, 3119, 311X)								Single diognosis	1,535 1,280	11.0 13.3	6 7	7 8	9 11	12 15	:
Total	1,960	24.7	11	15	22	30	40	HYSTERECTOMY, A800MINAL (INCLUDING PELVIC EXENTERATION)							
65 to 74 yeors	1,250 605 105	24.6 25.2 23.9	11 11 13	15 15 16	21 22 21	30 32 26	40 41 33	(4617, 4618, 4621, 4624-4627) Total	2,230	15.0	8	9	12	16	:
single diognosis	705 1,255	20.8 27.0	9	13 17	18 24	26 34	33 43	65 to 74 yeors	1,725 465	14.6 15.9	8	9	11	15 18	
COLECTOMY (3178, 3180)	1,233	27.0	'-	.,	2-4	5.4	~	85 years and over	930	21.0	9	iö	19 11	31	
Total	5,920	24.6	12	16	21	29	40	Sirgle diognosis	1,300	16.3	8	10	12	14   18	
65 to 74 yeors	3,430 2,215 275	24.0 25.2 28.0	12 13 10	15 16 15	21 21 24	28 30 35	38 41 51	HYSTERECTOMY, VAGINAL (4631) Total	2,790	12.9	7	9	11	14	
Single diognosis	2,295 3,625	22.2 26.1	12 13	15 17	20 23	25 31	35 43	65 to 74 years	1,980 780	12.1 14.5	7 8	9	11 12	13 17	]
HEMORRHOIDECTOMY (3375)	.,							85 years and over	30 1,280	24.3 11.8	13	13 8	17	26 13	;
Totol	2,970	11.5	4	6	9	13	19	Multiple diognoses	1,510	13.8	8	9	12	15	:
65 to 74 yeors	2,250 650 70	10.2 15.4 15.2	4 5 5	6 7 8	8 11 13	12 17 19	17 31 25	OILATION ANO CURETTAGE UTERUS, OIAGNOSTIC (4647)							
Single diognosis	1,250 1,720	9.4 13.0	4 5	5	7 10	10 15	14 25	65 to 74 years	3,800 2,695	7.4 6.6	1	2	3	7	
CHOLECYSTECTOMY (3515)	.,,							75 to 84 years	950 155	9.1 12.6	2 2	3	5 7	- 11	
Total	12,030	17.3	8	10	14	20	28	Single diagnosis	1,810 1,990	5.1 9.5	1 2	2	3 5	5 11	
55 to 74 yeors	8,340 3,260 430	16.0 20.0 22.3	8 9 10	10 12 14	13 16 21	19 24 28	26 33 35	EXTRACTION OF LENS (5611, 5612)	20.140	0.2					
Single diagnosis	5,935 6,095	14.4 20.0	8 9	9 12	12 17	17 24	22 32	Total	30,140	8.3 8.1	4	5	6	9	
REPAIR OF INGUINAL HERNIA, EXCEPT RECURRENT (3630-3632)								75 to 84 years	13,265 2,395	8.3 9.0	4	5	7	10	
Total	13,815	10.4	5	6	8	11	17	Single diagnosis	21,160 8,980	7.7 <b>9</b> .7	4 4	5 6	6 7	11	
65 to 74 yeors	8,615 4,490 710	9.5 11.7	4 5 6	6 7 8	8 9 11	10 13 16	15 21 27								
Single diagnosis	7,730	14.51 8.7	6 4 5	6	7	9	13 23								

Oiognosis And Oischorge	Number of	Averoge		Perce	entiles (	doys)		Oiognosis And Oischorge	Number of	Averoge		Perce	entiles (	doys)	
Chorocteristics (ICOA 8th Revision)	dischorges	stoy (doys)	10th	25th	50th	75th	90th	Chorocteristics (ICOA 8th Revision)	Number of dischorges	stoy (doys)	10th	25th	50th	75th	90th
01ARRHEA (009.1)								MALIGNANT NEOPLASM OF ESOPHAGUS							
Total	1,035	9.9	2	4	6	12	21	(150) Total	420	20.1	2	6	14	28	48
65 to 74 yeors	405 485 145	8.1 9.5 15.7	1 2 4	3 4 5	5 7 9	10 12 15	17 19 38	65 to 74 yeors	250 135 35	19.1 22.7 16.9	2 3 3	5 7 3	11 19 7	25 32 24	39 53 36
Single diognosis	300 735	6.7 11.1	1 2	3 4	4 8	8 13	13 23	Single diognosis	220	18.6	3	6	13	27	44
With surgery	110 925	12.8 9.5	3 2	4	10 6	15 11	22 20	Multiple diagnoses	200 210 210	21.7 23.3 16.8	2 3 2	7 4	14 17 9	28 31 22	52 50 35
Total	7,465	7.7	,	3	5	9	15	MALIGNANT NEOPLASM OF STOMACH (151)							
65 to 74 years	3,435	7.1	1	2	5	8	13	Total	1,610	16.5	2	6	14	22	31
75 to 84 years	3,000 1,030	7.8 9.6	2 2	3 3	6	9 11	15 21	65 to 74 yeors	720 705	16.0 16.5	2 2	6	13 14	20 22	29 31
Single diognosis	2,645 4,820	5.7 8.9	1 2	2	4 6	7 10	11 17	85 years and over	185	18.3	2	8	15	24	38
With surgery	445 7,020	9.4 7.6	2 1	3	5	13 9	21 14	Single diognosis	1,020	15.61 17.0	2	7	14	21 22	30 32
PLEURISY WITH EFFUSION WITHOUT MENTION OF CAUSE (012.2)	,,,		·					With surgery	5 <b>9</b> 5 1,015	20.6 14.1	8 1	13 4	17 10	23 19	32 31
Total	655	15.8	2	5	10	19	36	MALIGNANT NEOPLASM OF CECUM, APPENDIX AND ASCENDING COLON							
65 to 74 years	230 320	15.7 14.6	2 2 4	4 5	9 10	18 18	38 33	(153.0) Total	1,160	20.5	4	11	18	26	38
85 years ond over	105	19.9 10.6	1	7	14 7	28 10	40 27	65 to 74 yeors	500 505	19.1 20.4	6	11 11	17 17	24 26 35	29 38
Multiple diagnoses	495 170	17.5 19.5	2	6 5	12	21 30	38	85 years and over	155 300	25.5 19.0	2	12	22 16	35 25	46 36
Without surgery	485	14.6	2 2	5	10	18	31	Multiple diagnoses	860	21.1	5	11	18	26	38
SEPTICEMIA (038)	470	16.7	1	4	9	18	33	With surgery	770 390	22.0 17.6	11	15 4	19 10	26 25	35 42
Total	165	16.8	2	7	11	21	39	MALIGNANT NEOPLASM OF TRANSVERSE AND DECENDING COLON							
75 to 84 years	230 75	18.2 11.9	1	3 2	8 7	15 15	27 31	(153.1, 153.2) Total	590	20.0	5	12	18	24	38
Single diognosis	100 370	8.1 19.0	1	3 5	6 10	11 21	15 39	65 to 74 yeors	235	19.3	6	12	17	23	30
With surgery	35 435	17.9 16.6	3	4	11 9	21 18	37 32	75 to 84 yeors	265 90	21.3 18.1	4	10 10	19 16	28 21	40 30
HERPES ZOSTER (053)								Single diagnosis	215 375	17.7 21.3	7 4	12 11	17 18	22 29	27 42
Total	1,385	12.2	3	5	8	14	23	With surgery	400 190	22.6 14.4	11 2	15	20	26 19	38 35
65 to 74 years	620 555 210	11.2 12.4 14.5	3 3 2	5 5 6	8 9 9	14 14 17	23 22 28	MALIGNANT NEOPLASM OF SIGMOIO COLON (153.3)							
Single diognosis	480 905	10.6 13.1	3	5 5	9 8	13 15	19 26	Total	1,090	19.9	3	10	16	26	39
With surgery	65 1,320	11.5 12.2	3	3	7	10 15	13 24	65 to 74 yeors	530 490 70	19.6 19.8 23.1	3 3 4	10 10 8	15 17 20	23 26 30	38 39 44
OTHER VIRAL DISEASES (070-079)	1,520							Single diagnosis	435	19.3	4 3	10 10	15	24 27	35
Total	840	10.0	2	3	6	13	21	Multiple diognoses	655 710	20.3	10	13	16 17	28	40
65 to 74 years	435 315 90	8.5 10.1 16.8	1 2 2	3 4 5	5 6 11	12 14 17	17 22 35	Without Surgery	380	15.7	1	3	11	19	37
Single diagnosis	220 620	8.0 10.7	1 2	2 4	5	12 14	16 22	Total	2,620	19.4	2	7	15	26	39
With surgery	55 785	14.3 9.7	1 2	2	4 6	15 13	22 20	65 to 74 yeors	1,315 1,115	19.1 19.6	2	7 7	15 16	25 27	39 38
MALIGNANT NEOPLASM OF BUCCAL CAVITY AND PHARYNX (140-149)								85 years and over	190 785	19.6 17.3	4 1	6	15	23	35 37
Totol	1,355	15.0	2	4	7	17	39	Multiple diognoses	1,835	20.2	3	8	16	27	41
65 to 74 years	750 465 140	13.4 15.1 23.2	2 2 2	3 5 4	7 8 9	16 20 24	29 36 65	With surgery Without surgery  MALIGNANT NEOPLA5M OF RECTUM	1,065 1,555	22.6 17.1	2	14	19	27 22	40 37
Single diognosis	655 700	13.1 16.7	2	3 4	6	16 20	30 40	AND RECTOSIGMOID JUNCTION (154)  Total	2,195	20.9	3	8	17	27	41
With surgery	740	10.9		3	5	12	25	65 ta 74 yeors	1,055	20.7	3	9	17	26	39
Without surgery		19.9	3	51	12	25	54	75 to 84 yeors	840 300	22.8 16.4	2	7 8	18	30 21	48
								Single diagnosis	905 1,290	18.6 22.5	3	7 9	16 18	25 29	34 46
								With surgery	1,400 795	21.0 20.7	4 2	10 6	18 12	27 28	38 49

Table 15 WEST NORTH CENTRAL: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND DISCHARGE CHARACTERISTICS—Con.

Oiagnosis And Oischarge Characteristics	Number of	Averoge stay		Perce	entiles (	days)		Oiagnosis And Discharge Characteristics	Number of	Average stay		Perce	entiles (	days)	
(ICOA 8th Revision)	discharges	(days)	10th	25th	50th	75th	90th	(ICOA 8th Revision)	discharges	(doys)	10th	25th	50th	75th	90th
MALIGNANT NEOPLASM OF PANCREAS (157)								MALIGNANT NEOPLASM OF OVARY (183.0)							
Total	1,455	19.1	3	8	15	24	35	Total	890	19.5	3	8	16	27	40
65 to 74 years	770 560 125	18.6 18.8 24.1	3 4 2	8 8 6	15 15 15	24 23 28	36 32 48	65 ta 74 years	450 405 35	20.3 17.9 28.4	4 2 1	9 5 11	16 14 24	27 26 38	38 38 51
Single diagnosis	425 1,030	15.8 20.5	2 3	5 9	12 16	20 25	29 37	Single diagnosis	195 695	18.2 19.9	3 3	8 8	15 16	23 27	36 40
With surgery	585 870	23.3 16.3	11 2	14 5	20 11	27 20	36 35	With surgery	430 460	22.0 17.2	8 1	11 5	20 11	27 25	37 41
MALIGNANT NEOPLA5M OF LARYNX (161)								MALIGNANT NEOPLASM OF PROSTATE (185)							
Tatal		14.5	1	4	8	17	31	Tatal	6,590	13.8	3	5	10	16	28
65 to 74 years	355 110 20	14.2 17.0	1 2 *	3 5 *	9 9	17 28 *	27 40 *	65 to 74 years	2,905 2,910 775	12.3 14.8 16.1	2 3 3	5 6 5	9 11 11	15 17 20	25 29 32
Single diagnasis	275 210	14.7 14.2	1 2	4 3	10 7	16 19	26 35	Single diagnosis	2,445 4,145	12.9 14.4	2	5 5	10 10	15 17	24 30
With surgery	270 215	12.1 17.4	1 2	4	10 7	16 19	26 49	With surgery	3,190 3,400	14.6 13.1	4 2	7 4	11 8	17 15	28 28
MALIGNANT NEOPLA5M OF TRACHEA, 8RONCHUS, AND LUNG (162)								MALIGNANT NEOPLA5M OF 8LA00ER (188)							
Tatal		15.8	2	5	11	20	32	Total	3,195	10.7	1	3	7	13	24
65 ta 74 years 75 to 84 years 85 years and aver	1,705	15.3 16.3 20.2	2 2 3	5 5 6	11 12 12	19 21 18	31 34 27	65 to 74 years	1,570 1,200 425	10.9 10.0 11.9	1	3	6 7 7	13 12 18	25 19 28
Single diagnosis		14.5 16.5	2 2	5 5	11	18 21	31 33	Single diagnasis	1,885 1,310	8.5 13.9	1 2	2 4	5 9	10 17	18 29
With surgery	1,920 3,395	17.3 14.9	5 2	8 4	14 9	22 18	32 31	With surgery Without surgery	2,480 715	10.0 13.3	1 1	3 3	6 8	12 17	22 30
MALIGNANT NEOPLASM OF SKIN (172, 173)								MALIGNANT NEOPLASM OF KIONEY, EXCEPT PELVIS (189.0)							
Tatal	2,360	8.9	1	2	5	11	20	Total	845	17.6	2	5	14	23	36
65 to 74 years	1,050	8.6 9.1 9.0	1 1 1	2 2 2	4 5 5	11 11 12	21 20 21	65 to 74 years	515 295 35	16.9 20.0 7.9	2 1 1	5 4 3	14 14 7	23 24 10	32 40 12
Single diagnosis	1,320 1,040	7.0 11.2	1 1	2 3	4 7	8 14	17 25	Single diagnosis	240 605	14.7 18.8	2 2	4 5	14 14	23 23	28 39
With surgery	1,795 565	7.5 13.2	1 2	2	4 9	9 18	18 27	With surgery	320 525	19.9 16.2	4 1	12 3	18 10	25 22	36 35
MALIGNANT NEOPLASM OF 8REAST (174)								LYMPHO5ARCOMA ANO RETICULUM-CELL SARCOMA (200)							
Tatal	5,045	15.2	4	7	11	17	27	Tatal	835	18.7	3	8	14	23	39
65 to 74 years	1,905	15.2 15.3 14.6	4 4 3	7 7 7	11 11 11	17 17 18	27 28 26	65 to 74 years 75 to 84 years 85 years and over	410 340 85	15.3 22.0 21.6	2 4 3	6 9 10	12 17 15	20 27 22	31 43 38
Single diagnosis	2,020 3,025	12.2 17.2	4	7	10 12	14 19	20 33	Single diagnasis	380 455	15.1 21.7	2 4	5 9	12 16	19 25	32 43
With surgery		13.7 17.3	5 3	8	11 12	16 20	22 33	With surgery	220 615	18.0 18.9	4 3	9	14 14	22 23	38 38
MALIGNANT NEOPLASM OF CERVIX UTERI (180)								HOOGKIN'S OISEASE AND OTHER NEOPLASMS OF LYMPHOID TISSUE							
Tatal	905	13.7	2	4	7	15	36	(201, 202) Tatal	1,140	14.3	2	4	9	19	31
65 ta 74 years		14.4 12.6 11.9	2 2 2	4 4 2	7 7 3	18 12 7	38 26 30	65 ta 74 years	715 365	14.7 12.6	2	4	9	19 18	31 26
Single diognosis	495	12.0 15.6	2 2	4	6 8	13 20	27 36	85 years and over	60 550	18.9 14.6	2	5	9	25 19	34 31
With surgery	525 380	11.1 17.1	2 2	4	6	12 25	24 44	Multiple diagnoses	590 355	13.9	1	6	13	21	30 32
MALIGNANT NEOPLA5M OF UTERU5, EXCEPT CERVIX (182)	300	17.1	2	7	10	23		Without surgery	785	13.4	2	3	8	17	29
Tatal	1,570	13.3	2	4	10	15	27	Tatal	880	16.7	2	5	12	25	37
65 to 74 years	510	13.4 13.5 9.8	2 2 2	4 5 3	9 10 5	15 17 14	28 27 20	65 to 74 years	530 275 75	15.7 17.4 21.5	2 4 2	4 7 9	11 11 18	22 24 29	36 36 36
Single diagnasis	760 810	8.4 17.8	2 3	3 8	7 13	11 22	15 35	Single diagnasis Multiple diagnases	425 455	14.3 18.9	2 3	4 6	11	21 27	31 43
With surgery	1,090	12.2 15.7	2 2	5 4	9	15 17	24 36	With surgery	105 775	23.9 15.7	2 2	10	18	32 22	46 35

Oiagnosis And Oischarge	Number of	Average		Perce	entiles (	(days)		Oiagnasis And Oischarge	Number of	Average		Perce	ntiles (	days)	
Characteristics (ICOA 8th Revision)	discharges	stay (days)	10th	25th	50th	75th	90th	Characteristics (ICOA 8th Revision)	discharges	stay (days)	10th	25th	50th	75th	90th
LEUKEMIA (204-207)								AVITAMINO 5E5 ANO OTHER NUTRITIONAL OEFICIENCY (260-269)							
Tatal		12.3	1	3	8	16	27	Tatal	1,080	14 4	3	5	10	18	30
65 ta 74 years 75 to 84 years 85 years and aver	920	12.5 12.6 10.9	1 2 1	3 4 3	8 7 8	16 16 12	26 29 25	65 ta 74 years	390 365 325	15.4 14.2 13.4	4 3 2	5 5 7	13 10 10	20 17 17	31 30 25
Single diagnosis	1,065 1,405	11.3 13.1	1 2	3	7 8	15 17	25 28	Single diagnasis Multiple diagnases	200 880	9.7 15.5	1 3	3 6	7	11	23 32
With surgery	180 2,290	21.0 11.6	5 1	9 3	15 7	26 15	43 26	With surgery	65	19.2 14.1	3	12	18	26 17	31 30
8ENIGN NEOPLA5M5 OF LARGE INTESTINE, EXCEPT RECTUM (211.3)								GOUT (274)	1,013	14.1	3	,	10		30
Tatal	855	12.0	1	3	10	17	24	Tatal	940	8.6	2	4	6	10	15
65 ta 74 years	280	11.6 12.2 17.3	1 1 3	3 2 8	10 9 13	17 17 16	22 25 34	65 ta 74 years 75 ta 84 years 85 years and over	460 405 75	8.6 8.6 9.3	3 2 3	4 4 4	6 7 7	10 10 11	15 15 16
Single diagnasis	415 440	10.3 13.5	1 2	2 4	9 13	15 18	21 26	Single diagnasis	260 680	5.4 9.8	2	3 5	4 8	6	10 19
With surgery	625 230	13.8 7.1	2 1	7 2	13 3	18 7	25 15	With surgery	40 900	9.2 8.6	3 2	4 4	6	12 10	18 15
8ENIGN NEOPLA5M5 OF RECTUM (211.4)								IRON DEFICIENCY ANEMIA5 (280)							
Tatal	670 375	9.4	1	3	5	11	19	Tatal	1,840 705	11.3	2	4	9	14	22 26
75 to 84 years	250 45	10.2 7.6	2	2 3 4	5 7	15		75 to 84 years	795 340	11.2	3	4	9 8	14 13	19 18
Single diagnosis	240 430	6.1 11.2	1 2	3	3 7	6 15	13 24	Single diagnosis Multiple diagnoses	420 1,420	9.4 11.9	2	4	8 9	12 15	16 24
With surgery	500 170	10.4 6.5	1	3 2	5 4	14 8	21 15	With surgery	290 1,550	12.6 11.0	3 2	6	10 8	17 13	25 22
LIPOMA (214) Totol	675	6.2	1	2	3	8	13	PERNICIOUS ANEMIA (281.0) Tatal	970	11.7	2	5	9	15	23
65 ta 74 years	51.5 145	6.0	1	2 2	3 5	6 9	13	65 ta 74 years	300 495	11.4 10.6 15.5	3 2 3	4 5 6	9 8 13	15 13 19	22 21 27
85 years and aver  Single diagnosis  Multiple diagnoses	15 410 265	4.4 9.0	1 2	2 3	3 6	5 12	9	85 years and over  Single diagnasis Multiple diagnases	320 650	9.7 12.7	1 3	4 5	8 9	13	17 25
With surgery	595 80	5.9 8.3	1 2	2 3	3 6	7 10	13	With surgery	90 880	12.3 11.7	4 2	7 5	12 9	17 15	20 24
NEOPLASMS OF UNSPECIFIED NATURE OF 8LAOOER (237.6)								ALL OTHER AND UNSPECIFIED ANEMIAS (281.1-281.9, 282-285)						ļ	
Tatal	950	6.3	- 1	2	3	7	12	Total	4,355	10.4	1	3	6	12	21
65 ta 74 years 75 to 84 years 85 years and over	495 395 60	5.4 6.5 12.2	1 1 2	2 2 2	3 4 7	6 7 15	12	65 ta 74 years 75 ta 84 years 85 years and aver	1,485 2,060 810	9.3 11.1 10.6	1 1	3 3 2	6 7 5	11 13 13	20 21 24
Single diagnasis	785 165	5.3 10.7	1	2	3 6	6 11	10 26		1,310 3,045	8.2 11.4	1 2	2	4 7	9 13	17 23
With surgery	850 100	5.6 11.7	1	2 2	3 5	6 10	11 37	With surgery	465 3,890	14.6 9.9	3	5 3	10 6	21 11	28 20
OISEASES OF THYROID GLANO (240-246)								AFFECTIVE P5YCH05E5 (296)							
Total	1,815	10.5	3	4	7	12	22	Tatal	1,410	22.1	4	8	17	30	50
65 to 74 years 75 ta 84 years 85 years and aver	1,210 550 55	8.8 13.7 14.5	2 3 3	5 6	8 10	11 17 17	17 28 23	75 ta 84 years	970 415 25	22.7 20.0	4	6	17 15	30 29	53 45
Single diagnosis	725 1,090	8.1 12.1	3 3	4 5	6 8	8 14	16 25	Single diagnasis	800 610	23.4 20.3	4 4	10 7	19 16	31 27	51 42
With surgery	690 1,125	10.3 10.6	3 2	4	6 7	11 12	22 23	With surgery	60 1,350	23.3 22.0	7	10 8	24 17	30 30	35 50
OIA 8 ET E 5 MELLITU 5 (250)	16,805	12.7	3	5	9]	15	24	ANXIETY NEUROSIS (300.0)  Tatal	1,895	8.5	1	3	5	10	16
65 ta 74 years	9,240	12.3		5	8	14	23	65 ta 74 years	1,265	8.6	1	3	5	10	16
75 to 84 years	6,500	13.0 14.5	3 3 4	5	9 11	15 18	25 31	75 ta 84 years	575 55	8.5 6.4	1	3	5 5	10 7	15 10
Single diagnasis Multiple diagnoses	13,420	12.0 12.9	3 3	5 5	8 9	13 15	21 25	Single diagnasis Multiple diagnases	755 1,140	8.3 8.6	1 2	2 4	6	10	18 15
With surgery Without surgery	1,850 14,955		3 3	5	14 8	27 14	43	With surgery	1,850	15.8		3	5	14	27 16

Table 15 WEST NORTH CENTRAL: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND DISCHARGE CHARACTERISTICS—Con.

Oiagnosis And Oischarge Characteristics	Number of discharges	Average stay			entiles			Oiognosis And Oischarge Characteristics	Number of discharges	Average			entiles (		
(ICOA 8th Revision)	discharges	(days)	10th	25th	50th	75th	90th	(ICOA 8th Revision)	distridiges	(days)	10th	25th	50th	75th	90th
OEPRE55IVE NEURO5I5 (300.4)								NEURALGIA ANO NEURITIS, UNSPECIFIED (355)							
Tatal	2,315	16.6	3	6	11	22	35	Tatal	895	8.9	2	4	7	11	1
55 to 74 years	1,585 700 	17.5 14.6 17.8	3 4 6	6 6 9	12 11 13	24 20 24	39 27 31	65 ta 74 years	470 350	8.5 9.6	2 2	3	6 8 7	10 11	1
ingle diagnosis	1,005	17.4	3 4	7	12	25	37	85 years and over	75	8.0	1	2		11	1
Aultiple diagnoses	1,310	16.0 19.1		6	11	21	34 43	Single diagnasis	285 610	6.8 9.8	2	3 4	5 8	9 12	1
Vithout surgery	2,215	16.5	3	6	ii	22	34	With surgery	65 830	11.3 8.7	4 2	6 3	11 6	15 10	1
ALCOHOLI5M (303) Tatal	1,295	9.5	1	3	5	11	23	CATARACT (374)							
i ta 74 years	1,110	9.3	1	3	5	11	22	Total	14,755	7.2	3	4	6	8	1
5 ta 84 years	175 10	10.8	1	3	8	12	25	65 ta 74 years	6,690 6,810 1,255	6.7 7.4 8.3	3 3 4	4 5	5 6 6	7 8 10	1
ngle diagnasis	560 735	7.8 10.8	1 2	2	4 7	8 13	14 24	5ingle diagnosis	10,445	6.8	3	4	6	7	1
/ith surgery	35 1,260	30.1 8.9	9	11 3	28 5	44 11	46 19	Multiple diagnoses	4,310 13,870	8.1 7.2	3	5	6	9	1
MENTAL DISORDERS NOT SPECIFIED AS	.,255	0.7						Without surgery	885	7.2	ĩ	3	6 5	8	i
YCHOTIC, A550CIATEO WITH PHYSICAL CONDITIONS (309)								GLAUCOMA (375) Tatal	1,550	7.0	2	3	6	8	1
Total	3,260	16.1	3	6	11	20	32	65 to 74 years	750	6.9	2	3		8	1
ta 74 years	995 1,545 720	18.3 13.9 17.5	4 3 3	7 5 5	13 10 10	24 17 19	40 27 27	75 ta 84 years	670 130	7.0 7.0	1	3	5 6 5	8 9	1
ngle diagnosis	805	14.7	3	6	10	20	35	Single diagnosis	880 670	6.0 8.2	2 3	3 4	5 6	7 10	1
Iltiple diagnases	2,455 220	16.5		6	11	20	32 45	With surgery	1,120 430	7.3 6.1	3	4	6	8 7	1
thaut surgery	3,040	15.7	5 3	6	10	19	31	OETACHMENT OF RETINA (376)	400	<b>5.1</b>	,	-			
PARALY515 AGITAN5 (342) Total	2,455	15.5	4	6	12	19	31	Tatal	825	9.0	3	6	8	10	1
ta 74 years	1,345	14.6		6	11	18	27	65 to 74 years	580 245	8.9 9.2	3 4	6 6	8 8	10 11	1 1
to 84 yearsyears and aver	990 120	17.0 14.0	4 3 3	8	12 11	22 17	33 23	85 years and over	- 560	8.6	-	- 6	- 8	10	1
gle diagnosis	730 1,725	14.0 16.2	4	7 6	12 12	17 20	26 32	Multiple diagnoses	265	9.9	3	6	9	11	1
th surgerythaut surgery	205 2,250	15.7 15.5	4	9	14 11	19 19	30 31	With surgery	765 60	9.1 7.6	2	6 2	8	10	1
CEREBRAL PARALYSIS (344)	2,230	13.3	-	J				LA8YRINTHITI5 (384.0)							
Tatal	625	19.5	3	7	13	27	45	Tatal	1,575 855	7.3	2	3	6	9	1
ta 74 years	295 235	21.3 18.4	4 2 3	7 5	15 13	28 25	49 40	75 ta 84 years	600 120	9.0 10.4	2 1	3 3 3	6 5	11	1
years and over	95 155	16.9 21.5	2	6 5	10	22 29	35 52	Single diagnasis	465 1,110	7.1 8.7	1 2	2	4 6	9	1
ltiple diagnases	470	18.9	3	7	12	26	41	With surgery	55	17.5	1	6	15	20	4
th surgerythaut surgery	70 555	26.2 18.7	3	7 6	23 13	39 25	53 39	Without surgery	1,520	7.9	2	3	6	9	1
FACIAL PARALYSIS AND TRIGEMINAL NEURALGIA (350, 351)								(393-398)							
Tatal	700	9.3	2	3	7	12	18	Tatal	1,930	12.3 12.6	2 2	4	9	16	2
ta 74 yearsta 84 years	315 340	8.8 9.7	2 1	3	7	12 12	18 17	75 ta 84 years	495 115	11.2 12.9	3 4	4 7	9	15	2
years and over	45	8.9 8.8	3	3	8	10	15 18	Single diagnosis	430 1,500	11.1 12.6	2 3	4	10	14	2
gle diagnasis	430 270	10.1	2	3	6	13	17	Multiple diagnases	275	19.6	5	11	17	24	3
th surgerythout surgery	235 465	10.0 8.9	2 2	3	8	13 11	20 17	Without surgery	1,655	11.1	2	4	8	14	2
5CIATICA (353)			1					Total	5,860	9.1	2	3	6	11]	1
Total	530	12.1	4	6	10	16	22	65 to 74 years	3,295 2,100	8.4 9.5	2 2	3 4	5	10	1
ta 74 years	270 235 25	11.6 12.4 *	3	6	10	14	21 21	75 ta 84 years	465	12.1	3	4	8	13	2
ngle diagnasis	220	10.3	2	5 7	8	12	18 23	5ingle diagnosis	1,635 4,225	6.5 10.0	1 2	3	4 7	12	12
ultiple diagnases	310	13.4	4		11	18	23	With surgery	515 5,345	10.7 8.9	3 2	4 3	8	13	21 17
Without surgery	520	11.9	4	6	10	14	21		-,,						

Table 15 WEST NORTH CENTRAL: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND DISCHARGE CHARACTERISTICS—Con.

D

Oiognosis And Oischorge		Average		Perce	entiles (	(doys)		Oiognosis And Oischorge		Averoge		Perce	entiles (	days)	
Choracteristics (ICOA Bth Revision)	Number of dischorges	stoy (doys)	10th	25th	50th	75th	90th	Chorocteristics (ICOA Bth Revision)	Number of discharges	stoy (days)	10th	25th	50th	75th	90th
HYPERTENSIVE HEART OISEASE (402)								HEART BLOCK, ANO CARDIAC ARREST (427.2, 427.3)							
Total	1,420	12.5	2	4	8	14	22	Total	1,940	10.B	1	3	7	13	23
65 to 74 yeors	655 655 110	10.4 12.B 23.3	2 3 6	3 4 11	8 16	13 13 33	20 22 42	65 to 74 years	740 855 345	10.7 10.3 12.6	1 1	3 4 3	7 7 B	14 12 16	22 23 25
Single diognosis	340 1,0B0	12.9 12.4	2	3	6 B	11 15	1B 23	Single diagnosis Multiple diagnoses	B60 1,080	9.5 11.9	1 2	2	6 B	12	21 26
With surgery	60 1,360	19.3 12.2	2 2	3	9 B	25 14	51 22	With surgery	505 1,435	15.2 9.3	4	7	11 6	20 11	26 21
HYPERTENSIVE RENAL, ANO HEART ANO RENAL DISEASE (403, 404)								ATRIAL FIBRILLATION OR FLUTTER AND OTHER UNSPECIFIED DISORDERS OF							
Total	B90 280	15.0	3	5	10	20	33	HEART RHYTHM (427.4, 427.9)  Totol	3,115	9.9	2	4	7	12	19
75 to 84 years	465 145	14.7 14.9	1	5 5 6	11	18 22	34 30	65 to 74 years	1,465 1,335	9.1 10.2	2 2 2	3	6 7	11	17 20
Single diognosis		15.9 14.6	2 2	5 5	11 10	19 20	36 33	B5 years and over	315	11.B	2	3	7	14	23 14
With surgery		18.4 14.6	2 2	3 5	16 <sup>.</sup> 10	31 18	34 33	Single diognosis	1,145	7.6 11.2	2	4	В	13	22
ACUTE MYOCAROIAL INFARCTION (410)								With surgery	165 2,950	13.5 9.7	3 2	8	6	17 12	24 19
Total	16,745 8,825	15.B 16.4	1	4	14 16	22 23	30 29	OTHER MYOCAROIAL INSUFFICIENCY (428)							
75 to 84 years	6,335 1,585	15.7 13.0	i	3 2	13	22 20	33 31		1,375	13.2	2	4	9	16	26
Single diognosis	8,110 8,635	14.3 17.2	1	3 5	13 15	21 24	2B 33	65 to 74 yeors	465 625 285	11.8 13.4 15.1	2 2 2	4 4 5	10 10	15 17 1B	20 24 34
With surgery	530 16,215	19.3 15.7	1 1	5 4	15 14	28 22	40 30	Single diognosis	335 1, <b>0</b> 40	12.6 13.4	2	4 5	ç:	12 18	20 27
OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART OISEASE (411)								With surgery	40 1,335	6.9 13.4	1 2	2 4	5 9	10 17	14 26
Total	3,600	10.2	2	4	7	13	21	ILL-OEFINEO HEART DISEASE (429)							
65 to 74 yeors	1,330	9.9 10.9 9.6	2 2 2	4 4 3		13 13 14		65 to 74 years	2,760 935	13.3 12.7	2	5	9	14	27 25
Single diognosis	1,590	9.6	2 3	3 4	7	13	20	75 to 84 years	1,275 550	13.4 14.2	2 2	5 5 5	9	16 18	27 32
With surgery		19.3	3 2	1]	16	22	36 21	Single diagnosis	915 1,845	12.3 13.8	1 2	4 5	7 10	15 17	27 28
CHRONIC ISCHEMIC HEART DISEASE (412)	3,320	10.0		,	,	13	21	With surgery	130 2,630	21.7 12.9	5 2	B 5	14	27 16	36 26
Total	59,360	12.1	2	4	В	15	24	CEREBRAL HEMORRHAGE (431)	0.005	10.				,,	
65 to 74 yeors	26,320	11.3 12.4	2 2 2	4 5	B 9	14 15	22 25	65 to 74 years	2,025 770	12.4	1	1	6	16 15	31 24
85 years and over				5		17	27 20	75 to 84 years	B75 380	14.3 12.7	1	2	7 B	17 1B	35 30
Multiple diagnoses	42,935	12.B 1B.2	2	5 7	9	16 24	25 36	Single diagnosis Multiple diagnoses	890 1,135	10.6 13.9	1	1 2	5 8	16 17	27 33
Without surgery	56,105		2	4	8	14	24	With surgery	95 1,930	21.5 12.0	1 1	2 1	15 6	19 16	40 31
ANGINA PECTORIS (413) Total	2,320	7.8	2	3	5	10	16	OCCLUSION OF PRECEREBRAL ARTERIES (432)							
65 to 74 years	1,435	7.2 B.3	2 1	3	5	9 11	14 18	Total	1,485	12 1	3	5	9	15	21
85 years ond over	155	11.B	3	4 2		16	27 16	65 to 74 years	910 545 30	11.5 13.2 9.7	3 2	5 5 4	10 9	14 16 14	20 28 16
Single diognosis		7.1 8.4	2	4	6	10	15	Single diagnosis	740	11.0	3	5	9	13	19
With surgery Without surgery	2,275	10.2 7.8	5 2	3	5	12 9	15 16	Multiple diagnoses	745 480	13.2	6	6	10	17	27 27
CONGESTIVE HEART FAILURE (427.0) Total	     B,770	12.B	2	5	9	16	25	Without surgery	1,005	10.5	2	4	8	13	19
65 to 74 years	2,970 4,090	12.5 12.8	2 2	5	9	15 16	25 25	Total	6,600	17.8	3	6	13	23	38
75 to 84 years	1,710	13.3	1 2	5	10 B	16	27 22	65 to 74 years	2,265 3,200 1,135	1B.B 17.1 17.8	3 2 2	7 6 5	13 13 13	24 22 24	41 36 35
Single diagnosis		13.8	2	5	10	17	27	Single diognosis	2,180	15.2	2 3	5 7	11	20	33 40
With surgery Without surgery	315 B,455	20.2 12.5	5	5	15	29 16	35 25	Multiple diagnoses	4,420 270	19.1 25.0	5	12	21	25 37	48
								Without surgery	6,330	17.5	3	6	13	23	37

Table 15 WEST NORTH CENTRAL: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND DISCHARGE CHARACTERISTICS—Con.

Oiognosis And Oischorge	Number of	Averoge		Perce	entiles (	doys)		Diognosis And Oischorge	Number of	Averoge		Perce	ntiles (	doys)	
Chorocteristics (ICOA 8th Revision)	dischorges	stoy (doys)	10th	25th	50th	75th	90th	Chorocteristics (ICOA 8th Revision)	dischorges	stoy (doys)	10th	25th	50th	75 <b>t</b> h	90th
5U8ARACHNOIO HEMORRHAGE ANO CEREBRAL EMBOLISM (430, 434)								ARTERIAL EM80LISM AND THROM805I5 (444)							
Tatal	690	14.8	2	5	11	22	31	Total	1,525	15.6	1	3	12	21	32
65 to 74 yeors	345 260 85	16.6 14.0 9.8	2 2 1	7 4 2	12 8 5	23 21 16	37 27 23	65 to 74 yeors	765 495 265	14.8 16.4 16.6	1 1 1	3 4 4	12 11 13	20 19 25	33 33 31
Single diagnosis	260 430	11.3 16.9	1 3	3	8 13	13 23	25 33	Single diognosis	540 985	15.2 15.8	1 1	6	12 11	18 23	30 33
With surgery	85 605	19.4 14.1	3 2	6 5	17 10	31 20	37 28	With surgery	715 810	19.8 11.9	5	10 2	16 5	26 15	36 27
TRANSIENT CEREBRAL ISCHEMIA (435)								GANGRENE (445)							
Totol	1,985	8.0	1	3		10	15	Total	1,295	23.6	4	9	17	31	51
65 to 74 years 75 to 84 years 85 years ond over	740 930 315	7.7 7.9 9.2	1 1 2	3 3 3	6 6	10 9 10	14 16 18	65 to 74 yeors	375 620 300	21.8 26.0 20.9	4 5 4	8 11 9	19 17 15	27 36 28	40 58 44
Single diognosis	715 1,270	6.8 8.7	1 2	2 4	5 6	8 10	12 16	Single diognosis	630 665	22.8 24.3	4 5	9 10	16 18	29 32	49 52
With surgery	65 1,920	14.3 7.8	4 1	8	10 6	15 9	33 15	With surgery	820. 475	28.0 16.1	8	13 5	21 11	36 19	57 33
GENERALIZEO ISCHEMIC CEREBROVASCULAR OISEASE (437)								PULMONARY EM80LI5M ANO INFARCTION (450)							
Total	11,010	10.8	2	4	8	13	21	Totol	1,610	15.2	2	7	12	20	29
65 to 74 yeors	3,610 5,375 2,025	10.3 10.8 11.5	2 2 3	4 4 5	7 8 8	13 13 15	20 21 22	65 to 74 years	785 700 125	16.0 14.9 12.4	4 2 1	7 6 5	13 12 9	21 21 17	31 28 24
Single diognosis	3,165 7,845	8.9 11.6	2 2	3 5	6	10 14	16 22	Single diognosis Multiple diognoses	375 1,235	14.2 15.5	2	7	12 12	18 21	25 29
With surgery	630 10,380	17.73 10.4	4 2	8 4	13 7	21 13	37 20	With surgery	225 1,385	18.8 14.6	5 2	8	14 12	22 20	34 27
ILL-OEFINEO CEREBROVASCULAR OISEASE (436, 438)								PHLEBITIS AND THROMBOPHLEBITIS (451)							
Total	18,685	16.5	2	5	11	21	36	Total	3,785	12.8	4	6	10	16	23
65 to 74 yeors 75 to 84 yeors 85 yeors ond over	8,785	16.3 16.8 16.0	2 2 2	4 5 5	10 11 11	21 21 21	38 37 33	65 to 74 yeors	. 2,115 1,380 290	12.8 12.3 15.3	4 4 5	7 6 7	10 9 12	16 15 19	23 21 26
Single diognosis	7,420 11,265	15.3 17.3	1 2	4 6	9 12	19 22	34 38	Single diognosis	1,610 2,175	11.0 14.2	4 4	6 7	9 11	13 18	19 26
With surgery	595 18,090	25.0 16.2	4 2	11 5	22 11	35 20	47 36	With surgery	170 3,615	22.7 12.4	5 4	9	18 10	27 15	39 21
ARTERIO5CLEROSIS (440)								VARICOSE VEINS OF LOWER							
Totol	6,755	12.4	2	4	8	16	26	EXTREMITIES WITH ULCER (454.0)  Total	1,185	20.1	6	10	16	24	35
65 to 74 yeors	2,070 3,085 1,600	12.3 12.5 12.2	2 2 2	4 4	8 8 8	17 16 15	27 24 26	65 to 74 yeors	550 490	21.3 19.2	7 5 5	11 10	17 17	24 25	35 32
Single diognosis	1,115 5,640	10.8 12.7	2 2	3	7 8	13 17	23 26	85 yeors ond over	145 445	18.6 18.5	6	9 10	15	24	34 29
With surgery	740	19.7	6	10	17	24	36	Multiple diagnoses	740	21.1	6	10	16	26	36
NONSYPHILITIC AORTIC AND OTHER ANEURYSM (441, 442)	6,015	11.5	2	4	,	14	23	With surgery	310 875	23.2 19.0	10 5	13 9	20 15	29 23	36 32
Totol	2,000	11.5	1	2	8	16	26	EXTREMITIES WITHOUT ULCER (454.1, 454.9)							
65 to 74 years	1,075	12.7 11.0	1	2 2	9 7	17 15	28 24	Total	860	10.2	3	5	8	12	19
85 years and over	220	7.4	1	1	4 7	9	20	65 to 74 yeors 75 to 84 yeors 85 yeors ond over	640 190 30	9.7 11.7	3 4 2	4 6 4	7 11 10	11 14 11	18 19 18
Single diagnosis	895 1,105	10.3 12.5	i	3	9	15 16	23 27	Single diagnosis	450	9.2	3	4	7	11	16
With surgery	790 1,210	18.5 6.9	5 1	10 1	15 4	22 8	33 18	Multiple diognoses	410 545	11.3 9.5	3	5	9	14	20 17
OTHER PERIPHERAL VASCULAR DISEASE (443)								With surgery Without surgery HEMORRHOID5 (455)	315	11.4	2	5	10	14	21
Totol	690	13.7	2	5	9	18	31	Tatal	2,270	8.7	2	4	7	11	15
65 to 74 years	370 270 50	13.8 12.5 19.4	2 1 5	5 3 7	9 9 14	18 15 31	29 29 35	65 to 74 years	1,580 570 120	8.6 8.5 12.3	2 2 2	4 4 4	7 6 7	11 10 16	14 18 25
Single diognosis	170 520	10.4 14.8	2	4 5	8 10	14 19	19 33	85 years and over  Single diagnosis	875 1,395	7.8 9.4	2 2 2	4	7 7 7	10	13 19
With surgery	220 470	19.5 11.0	8 2	10 3	17 7	23 13	33 27	With surgery	1,665	9.6 6.4	3	5 2	8	11	16 12

Oiagnasis And Oischarge	Number af	Average		Perce	entiles (	days)		Oiagnasis And Oischarge	Number af	Average		Perce	entiles (	days)	
Characteristics (ICOA 8th Revision)	discharges	stay (days)	10th	25th	50th	75th	90th	Characteristics (ICOA 8th Revision)	discharges	stay (days)	10th	25th	50th	75th	90†h
ACUTE UPPER RESPIRATORY INFECTIONS EXCEPT INFLUENZA (460-465)								OTHER OISEASES OF UPPER RESPIRATORY TRACT (500-508)							
Tatal	3,710	9.2	2	4	6	10	16	Tatal	1,690	5.1	1	2	3	6	10
65 to 74 years	1,735	8.1 9.4	2	4	6	9	14	65 ta 74 years	1,145	4.7	1	1	3	5	9
75 ta 84 years	1,440 535	11.6	3 2	4	7	11 12	17 19	75 ta 84 years	460 85	5.7 6.8	i	2	4 5	7	12 14
Single diagnasis	700 3,010	6.5 9.8	2	3 4	5 7	7 11	11 17	Single diagnasis	825 865	3.8 6.3	1 1	1 2	2 4	4 8	7 13
With surgery	160 3,550	12.6 9.0	2	4	5	9 10	38 16	With surgery	980 710	4.3 6.2	1	1 2	2 4	4 7	9 13
ACUTE ANO UNQUALIFIED BRONCHITIS ANO BRONCHIOLITIS (466, 490)								PLEURISY (511)							
Total	7,985	9.5	3	4	7	11	17	Tatal	845 450	9.2 8.1	2	3	5	10	21
65 ta 74 years	3,015	9.1 9.9	3	4 5	7	11 12	16 17	65 ta 74 years	320 75	9.8 13.7	1 2	3 4	6 9	11 18	21 32
85 years and over	2,425	10.3 7.6	3	5	8	11 9	18	Single diagnasis	295 550	7.4 10.2	1 2	2	4 6	7 11	12 22
Multiple diagnases		10.3	3	5	8	12	18	With surgery	75 770	22.3 8.0	2	9	19	29	41 15
Without surgery	7,600	11.7 9.4	3	4	7	13 11	18 16	PULMONARY CONGESTION AND	//0	8.0	Δ.	3	3	9	15
INFLUENZA (470-474) Tatal	3,300	7.8	2	3	6	10	15	HYPOSTASI5 (514) Tatal	1,445	11.9	1	4	8	15	24
65 ta 74 years	1,520 1,305	7.6 7.9	2 2	3	6	10	14 15	65 ta 74 years	425 710	9.9 12.9	1	3 5 6	6 9	12 15	22 24
85 years ond over	475	8.1	2	3	7	11	16	85 years and aver	310	12.3	2		9	16	26
Single diagnasis	2,120	6.4 8.5	2 2	3 4	6	8 11	12 16	Single diagnasis	310 1,135	10.8 12.2	2 1	4	7 9	13 15	23 27
With surgery		12.2 7.7	4 2	6 3	10 6	13 10	27 15	With surgery	65 1,380	13.5 11.8	1	6	11 8	15 14	24 23
PNEUMONIA (480-486)								CHRONIC INTERSTITIAL PNEUMONIA (517)							
Tatal		12.4	3	5		15	23	Tatal	810	11.5	3	5	8	15	22
65 to 74 years	7,855	11.6 12.9 12.6	3 3 2	5 6 5	9 9 9	14 15 16	21 24 25	65 ta 74 years	405 340	11.0 11.7	3 3 2	5 5	9	15 16	22 23
Single diagnosis	5,455	9.4 13.6	3 3	5 6	7	11 16	17 26	85 years and aver	65 105	13.8	2	4	7	10	17
With surgery	930	21.9	6	10	17	26	40	Multiple diagnases	705	11.6	3	6 5	8	15	23
Without surgery	17,755	11.9	3	5	9	14	22	With surgery	140 670	14.8 10.9	3	6 5	10 8	22 14	. 28 20
Total	2,035	10.3	3	4	7	12	20	OISEASES OF ORAL CAVITY, SALIVARY GLANOS, ANO JAWS (520-529)							
65 to 74 years		10.3 10.1	2 3	5	8 7	12 11	20 19	Tatal	1,720	6.1	1	2	3	7	14
85 years and aver		12.6	4	5	8	14	26	65 to 74 years	1,080 510	6.0 6.6	1 1	2 2 2	3 4	7 8	12 16
Single diagnosis	595 1,440	9.3 10.7	2 3	4 5	7 8	10 13	16 20	85 years and aver	130	5.8	2	2	3	7	14
With surgery		11.1 10.2	2	4 5	8 7	15 11	20	Multiple diagnases	1,035	7.0	i	2	4	8	16
EMPHYSEMA (492)	1,,,,,,,							With surgery	1,080 640	5.6 7.0	1	2	3 5	5 8	12 15
Tatal	5,795	11.7	2	4	8	14	23	DISEASES OF ESOPHAGUS (530)							
65 ta 74 years		10.7 13.3	2 2	4.	7 8	13 15	22 25	Tatal	1,600	8.7	1	3	6	10	19
85 years and over	320	13.0	2	5 3	10 6	15	29 19	65 ta 74 years	820 555 225	7.8 9.1 11.1	1 2 2	3 3 4	5 6 7	9 11 13	16 20 22
Multiple diagnases	4,520	12.1	2	5	8	14	24	Single diagnasis	555	8.0 9.1	1 2	2 3	6 6	10 10	16 20
With surgery	405 5,390	17.0 11.3	2	7 4	14 7	22 13	32 22	Multiple diagnases	1,045	10.8	1	3	7	14	21
ASTHMA (493) Total	3,025	10.2	2	4	7	12	19	Without surgery	950	7.2	2	3	5	9	15
65 ta 74 years	1,965	9.6	2	4	7	11	17	Tatal	3,040	14.4	3	6	11	18	28
75 to 84 years	995	11.5 9.6	2	4 2	8 4	14 12	23 23	65 ta 74 years	1,670 1,105	13.7 15.6	3	6	10 12	18 19	26 32
Single diagnasis	920 2,105	7.8 11.2	1 3	3 5	6 8	10 14	15 22	85 years and over	265 1,185	14.2	3	8	11	17 16	26 26
With surgery	100 2,925	15.5 10.0	3 2	5 4	10 7	21 12	28 19	Single diagnasis	1,855	15.1	3	7	12	18	31
								With surgery	765 2,275	19.7 12.6	7	11 5	17	24 15	37 23

Table 15 WEST NORTH CENTRAL: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND DISCHARGE CHARACTERISTICS—Con.

Oiognosis And Oischarge	Number of	Average		Perce	entiles (	doys)		Olognosis And Oischorge	Number of	Averoge		Perce	ntiles (	doys)	
Chorocteristics (ICOA 8th Revision)	dischorges	stoy (doys)	10th	25th	50th	75th	90th	Characteristics (ICOA 8th Revision)	discharges	stoy (doys)	10th	25th	50th	75th	90th
ULCER OF OUOOENUM (532)								HERNIA OF A800MINAL CAVITY WITH 085TRUCTION (552, 553)							
Total		11.2	2	4	8	14	22	Total	1,895	12.0	3	6	9	14	22
65 to 74 years	2,115	10.2 12.3 14.0	2 2 3	5 7	7 9 11	12 16 17	20 25 29	65 to 74 yeors	750 820	10.7 12.7	2	6 7	8 9	12	18 23
Single diognosis	2,450	9.3	2	4	7	11	19	85 years and over	325	13.1	2	4	11	15 17	26
Multiple diagnoses	1,145	12.3 17.8	5	5 10	15	16 22	23 30	Single diognosis	895 1,000	9.5 14.3	4	5 7	11	11	16 29
PEPTIC ULCER, SITE UNSPECIFIEO (533)	5,350	9.8	2	4	7	12	19	With surgery	1,420 475	12.8 9.6	5 1	7 2	10	15 11	22 21
Total	1,545	11.8	2	4	9	15	22	INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (560)							
65 to 74 yeors	615	11.4 12.2	2	4 5	8 9	15 15	23 21	Total	4,895	11.6	1	3	8	15	25
85 years and over		12.2	1 2	3	8	14	22 19	65 to 74 years	1,910 2,065 920	11.4 12.2 10.8	] ] ]	3 3	8 8 8	15 15 14	25 27 24
Multiple diagnoses	985	12.9 17.2	3	5	9	16 20	25 31	Single diognosis	1,760	10.4 12.3	1 2	3	6	14 16	23 26
Without surgery	1,305	10.8	2	4	15 8	13	20	Multiple diagnoses	3,135 1,565	17.2	4	10	14	21	30
GASTRITIS AND OUODENITIS (535) Totol	4,225	7.3	2	3	5	9	15	OIVERTICULA OF INTESTINE (562)	3,330	9.0	1	2	6	10	20
65 to 74 years	2,350	6.8	1	3	5	8	14	Total	12,255	8.6	1	3	5	10	17
75 to 84 years	305	7.9 8.5	2	3	6	11	15 17	65 to 74 years	5,810 5,175	7.9 8.6	1	2	5	9	15 16
Single diognosis	1,250 2,975	5.3 8.2	1 2	2 4	3 6	10	11 16	85 years and over	1,270 4,305	12.0 6.6	2	4	8	15	25 13
With surgery	320 3,905	11.7 7.0	2 1	4 3	8 5	16 8	25 14	Multiple diognoses	7,950	9.7	2	3	6	11	19
0150R0ERS OF FUNCTION OF STOMACH (536)								With surgery	2,380 9,875	12.1 7.8	2 1	3	8 5	15	26 15
Total	1,065	7.3	1	2	4	8	15	FUNCTIONAL DISORDERS OF INTESTINE (564)							
65 to 74 years	425	5.2 9.3	1 2	2 3 2	3 6	6 13 11	10 19	Total	4,045	6.1	1	2	4	7	12 11
85 years and over	280	10.2	1	2	3	7	30 13	65 to 74 yeors	2,125 1,565 355	5.8 6.2 7.4	i 1	2 2 2	4 5	7 7 8	13
Multiple diagnoses		7.6 10.0	1 2	3	5 6	9 12	15 24	Single diognosis	1,290 2,755	4.6 6.8	1	2 2	3 5	5	9 13
Without surgery	935	7.0	1	2	4	8	14	With surgery	675	5.8	1	2	4	6	11
OF OBSTRUCTION (550)								CIRRHOSIS OF LIVER (571)	3,370	6.1	'	2	4	- 1	12
Total	7,655 4,780	9.3 8.5)	4	6 5	8	10	15 13	Total	1,255	18.2	3	6	13	23	37
75 to 84 years	2,385 490	10.4 12.0	5	6	8 10	11 14	17 22	65 to 74 yeors	845 405	17.0 20.4	3	7 6	12	22 23	33 48
Single diagnosis	4,565 3,090	8.1 11.0	4	5 6	7 8	9 13	12 19	85 yeors ond over	335	15.3	2	51	10	20	30
With surgery	6,955 700	9.3 9.2	4 2	6	8	10 11	14 19	Multiple diognoses	920	19.2 21.9	3 8	11	13	25	37 39
VENTRAL HERNIA WITHOUT MENTION OF 085TRUCTION (551.2)								Without surgery	1,070	17.6	3	6	12	22	36
Total	1,615	11.6	4	7	10	13	19	Total	11,415	13.1	3	6	11	17	24
65 to 74 years	1,010 510	11.2 12.2	4 4	7 7	9 10	13 14	17 21	65 to 74 years	6,750 3,705	12.4 14.0	3	7	10	16	22 26
85 years and over	95	11.8	3	6	10	15	21	85 years and over	960 5,115	14.4	3	5	10	20	27 21
Single diognosis	700	13.0	5	7	11	15	23	Multiple diognoses	6,300	14.0	3	6	11	16	27
With surgery	1,330 285	12.2 8.5	6 2	8	10 6	13	19 16	With surgery	6,685 4,730	15.9 9.0	7 2	10	13	19	25 19
OIAPHRAGMATIC HERNIA WITHOUT MENTION OF OBSTRUCTION (551.3)								CHOLECYSTITIS AND CHOLANGITIS WITHOUT MENTION OF CALCULUS (575)							
Total	5,615	8.7	2	3	6	10	17	Total	4,740	10.8	2	4	8	13	21
65 to 74 years	3,165 2,005 445	8.3 9.2 9.2	2 2 2	3 4 4	5 6 7	10 11 12	16 18 18	65 to 74 years	2,220 1,935	9.8 11.4	2 2 3	4 5	8	12 15	19 23 27
Single diagnosis		6.6 9.2	1 2	2	4	8 11	14: 18	85 years and over	1,990	9.6	3 2	6	9	14	27 19
With surgery	1,140	11.9	2 2	4	9. 5	15	23 15	Multiple diognoses	2,750	11.7	3	5	9	14	24
Without surgery	4,475	7.9	21	3 /	51	91	15	With surgery	1,245 3,4 <b>9</b> 5	16.5	7 2	10	14	19	29 17

Table 15 WEST NORTH CENTRAL: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND DISCHARGE CHARACTERISTICS—Con.

Diagnosis And Discharge Charocteristics	Number of	Average .			entiles	(days)		Diagnasis And Discharge Characteristics	Number of	Average stay		Perc	entiles (	aays)	
(ICDA 8th Revision)	discharges	(days)	1Dth	25th	50th	75th	9Dth	(ICDA 8th Revision)	discharges	(days)	10th	25th	50th	75th	9Dth
OTHER DISEASES OF GALL BLADDER AND BILIARY DUCTS (576)								CY5TITI5 (595)							
Tatal	1,745	11.9	2	3	8	15	27	Tatal	4,790	8.7	2	3	6	10	1
65 to 74 years	780	11.4 12.7	2	3	7	14	27	65 ta 74 years	2,295 1,880	7.7 9.2	1 2 2	3 3 4	5 6	11	1
75 ta 84 years	775 190	10.7	2	4	8 8	16 14	28 25	85 years and aver	615 1,49D	11.1	1	2	4	15	2
Single diagnasis	545 1,200	10.2 12.6	1 2	2 4		14 17	22 28	Multiple diagnases	3,300	9.8	2	4	7	12	2
With surgery	440 1,305	21.3 8.7	6 1	10	20	27 11	35 18	With surgery	1,890 2,900	8.4 9.0	2	3	5	1D 10	1
DISEASES OF PANCREAS (577)	1,233							OTHER DISEASES OF 8LADDER (596)							
Total	1,035	14.6	3	6	10	19	29	Total	2,435 1,260	11.7	2	4	7	14 12	2
65 ta 74 years	610 360	15.1 14.2	4	7 5 3	12 9	21 17	29 3D	75 ta 84 years	880 295	11.7 16.2	2 3	5	9 11	15	3
85 years and aver	65 365	9.1	2	3	7	11	26 18	Single diagnasis	885 1,550	9.3 13.1	1 3	3 5	6 10	12 16	2 2
Multiple diagnases	67D	17.5	4	8	13	25	34	With surgery	1,575	13.1	3	6	10	16	2
With surgery	165 870	25.9 12.4	12 3	17 5	23	30 15	37 26	Without surgery	860	9.2	1	3	6	11	18
CHRONIC AND UNQUALIFIED NEPHRITIS (582, 583)								URETHRA (597, 598)							
Tatal	510	14.0	2	5	9	17	32	Total	2,840	7.3	1	3	5	9	1:
65 ta 74 years	265 19D	13.6 14.2	2 4	4 7	9 1D	17 16	33 32	65 to 74 years	1,41D 1,12D 31D	6.4 8.6 7.1	2	2 3 3	4 6 5	8 11 8	1; 1; 1;
85 years and over	55	15.0	5	6	11	19	27	Single diagnasis	1,045	6.3	1	2	4	7	1:
Single diognosis	125 385	15.1 13.6	2	6	10	18 17	34 31	Multiple diognases	1,795 2,150	8.0 7.0	2	3	5	10	1.
With surgery	55 455	15.9 13.8	1 2	5 5	10 9	21 17	33 31	Without surgery	690	8.3	i	3	5	9	1
INFECTIONS OF KIDNEY (590)								URINARY TRACT INFECTION, NOT ELSEWHERE CLASSIFIED (599.D)							
Tatol	4,105	11.2	3	5	8	14	21	Tatal	3,745	1D.3	2	4	7	13	20
65 ta 74 years	1,790 1,630	10.5 11.6	3	4 5	7 9	13 14	20 22	65 to 74 years	1,365 1,660	9.4 10.7	2	4	6 8	11 13	18 21
85 years and aver	1,120	12.4 9.5	3	5	9	16 11	23 18	85 years and aver	720 91D	11.3 7.6	2	3	9	14	22
Multiple diagnases	2,985	11.9	3	5		14	22	Multiple diagnases	2,835	11.2	3	5	8	13	2
With surgery Without surgery	540 3,565	13.5 10.9	3	5 5	12 8	18 13	24 21	With surgery	635 3,110	11.0 1D.2	2	4 4	8 7	14	20
CALCULUS OF KIDNEY AND URETER (592)								HYPERPLASIA OF PROSTATE (600)							
Tatal	2,925	8.8	1	3	6	11	2D	Tatal	13,595 7.D35	12.9 11.4	3	7	10	15	21
65 ta 74 yeors	1,980 850	8.6 9.3	1 2	3	5 6	1D 11	20 20	65 to 74 years	5,300 1,260	14.4 15.2	4	7 8	11 13	17 2D	21
85 years ond over	95	9.2	3	4	6	7	19	Single diagnosis	6,27D	11.3	4 3	7 7	9	13 18	19
Single diagnasis	1,435 1,490		2	2	5 7	9 14	15 23	Multiple diagnoses	7,325 1D,920	14.3	5	,	10 10	161	2:
With surgery	1,350 1,575	11.8 6.3	2 1	5 2	9 4	17 7	24 11	Without surgery	2,675	10.9	1	3	7	13	24
OTHER OISEASES OF KIONEY AND URETER (593)								PROSTATITIS (601)	955	8.3	2	3	7	10	1:
Tatal	1,500	12.6	1	3	8	16	28	65 ta 74 years	545	7.D	1	2	6	9	1:
65 ta 74 yeors		12.4	1	3	8	17	26 27	75 ta 84 years	295 115	9.3 12.4	5	7	7 9	1D 15	1
75 to 84 years	600 155	12.4 14.5	3	4	9	15 21	29	Single diagnasis	31D 645	6.3 9.3	1 2	2 4	6 8	8 11	1: 1:
Single diagnosis	425 1,075	1D.9 13.3	1 2	2 4	6	14 17	25 28	With surgery	455	9.2	1	3	7	11	]
With surgery	575 925	16.3 10.3	2	5	12	22 13	36 24	Without surgery	500	7.6	2	4	6	9	1:
CALCULUS OF OTHER PARTS OF	, 23	, 50						DISEASES OF BREAST (610, 611)							
URINARY 5Y5TEM (594)	705	1D.D	2	3	6	13	22	Tatal	1,165	5.4 4.8	1	2 2	3	6 5	1
Tatol	385	9.6	2	3	6	12	22	75 ta 84 years	325 40	6.7 5.2	2 2	3 3	4	7 7	1
75 to 84 years	27D 50	10.2 13.2	2 2 4	3 5	7 12	14 20	22 21	Single diagnasis	740 425	4.3 7.3	1 2	2 3	3	4 8	1:
Single diagnosis	260 445	7.6 11.5	1 2	3	5 9	10 17	18 24	With surgery	995	4.8	1	2	i i	6	
With surgery	470	12.D	3	4	1D	18	23 11	Without surgery		8.6	1		3	10	2

Table 15 WEST NORTH CENTRAL: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND DISCHARGE CHARACTERISTICS—Con.

Diognosis And Dischorge Chorocteristics	Number of dischorges	Averoge stoy			entiles (			Diognosis And Discharge Chorocteristics	Number of dischorges	Averoge stay			entiles (		
(ICDA 8th Revision)	dischorges	(doy's)	10th	25th	50th	75th	90th	(ICDA 8th Revision)	discnorges	(doys)	10th	25th	50th	75th	90th
UTEROVAGINAL PROLAPSE (623)								5PONDYLITIS OSTEOARTHRITICA (713.1)							
Total	4,170	12.1	6	8	10	14	19	Total	3,770	10.0	2	4	7	12	18
65 to 74 yeors	2,850 1,200 120	11.5 13.4 14.3	6 6 4	8 8 7	10 12 10	13 15 16	18 22 24	65 to 74 yeors	2,050 1,370 350	9.0 10.8 12.5	3 3	5	6 8 9	10 13 15	15 20 25
Single diagnosis	2,040	11.23 13.0	6	8	10 11	13 15	16 22	Single diognosis	795 2,975	10.1	2	3	7	11	16
With surgery	3,715	12.4	6	8	11	14	19	With surgery	315	12.7	2	4	10	16	27
POSTMENOPAUSAL 8LEEDING (626.7)	455	10.2	'	3		12	23	Without surgery	3,455	9.7	2	4	7	11	17
Total	715	5.5	1	2	3	6	12	Total	3,065	11.0	2	4	8	13	22
65 to 74 yeors	525 165 25	5.2 6.5	] ] *	2 2 *	2 3 *	6	11 16 *	65 to 74 yeors 75 to 84 yeors 85 yeors ond over	1,450 1,240 375	11.2 11.2 9.7	3 3 2	4 5 4	8 8 7	14 14 11	22 23 21
Single diognosis	380 335	4.3 6.8	1	1 2	2 3	4 8	10 16	Single diognosis	930 2,135	10.7 11.1	2 3	4 5	7 8	14 13	24 21
With surgery	680 35	5.6 4.0	1	2 1	3 2	6 6	12 8	With surgery	215 2,850	15.5 10.7	4 2	5 4	11 8	19 13	32 21
CELLULITI5 AND A85CE55 (681, 682)								O5TEOPORO515 (723.0)							
Total	2,565	12.3	3	5	8	14	23	Total	3,625	15.2	4	7	11	19	28
65 to 74 yeors	1,170 1,060 335	12.2 12.7 11.3	3 4 4	6	8 9 8	14 15 13	22 25 23	65 to 74 yeors 75 to 84 yeors 85 yeors and over	1,125 1,770 730	13.5 16.1 15.6	3 4 4	6 7 7	10 11 12	19 19 18	26 30 30
Single diognosis	915 1,650	9.6 13.8	2 4	4	7 10	11 16	18 27	Single diognosis	690 2,935	13.7 15.5	3 4	7 6	11 11	16 19	24 29
With surgery	510 2,055	17.3 11.1	4	7 5	13 8	21 13	35 21	With surgery	190 3,435	23.9 14.7	4	7 7	13 11	27 18	38
DERMATITIS AND ECZEMA (690, 692)								DISPLACEMENT OF INTERVERTEBRAL DISC (725)							
Totol		8.8	2	4	6	11	17	Total	1,965	13.7	4	6	10	16	25
65 to 74 yeors	315	9.5	2 2 2	4 4 4	6 7 7	10 13 13	16 17 19	65 to 74 yeors	1,405 505 55	13.3 13.6 24.8	4 4 3	6 7 5	10 11 11	16 15 16	24 26 26
Single diognosis		7.6 9.4	1	3 4	5 7	11 11	16 18	Single diognosis	905 1,060	12.9 14.4	4 3	7 6	10 10	15 17	25 26
With surgery	85 835	13.5 8.4	2 2	3	7 6	16 10	32 16		415	19.2	8	11	15	24	32
CHRONIC ULCER OF 5KIN (707)								Without surgery  VERTEBROGENIC PAIN 5YNDROME (728)	1,550	12.2	3	6	9	14	23
Total		22.2	4	8	16	28	45	Totol	1,480	10.9	2	4	7	13	21
65 to 74 yeors	730	20.9 22.9 23.6	3 3 5	7 8 8	15 16 16	29 28 26	47 44 44	65 to 74 yeors	795 530	9.7 11.6	2 3 3	4	7 8	12 14	18 27
Single diognosis	555 1,075	23.4 21.7	3 5	6	16 16	34 25	49 44	85 years and over	155 430	14.8 9.8	2 3	5	10 7 8	16	35 20
With surgery	460 1,170	27.3	5	11 7	23 14	40 24	50 36	Multiple diagnoses	1,050 110	11.3 16.1	3	4	8 12	14	25 35
RHEUMATOID ARTHRITIS AND ALLIED	1,170	20.0			, ,		50	Without surgery	1,370	10.5	2	4	7	13	20
CONDITION5 (712) Total	2,595	15.7	3	6	12	19	30	5YNOVITIS, 8URSITIS, AND TENOSYNOVITIS (731)							
65 to 74 years	1,575	15.6	1	6	12	20 20	32 29	Total	1,510	7.7	2	3	5	9	16
75 to 84 yeors	855 165	16.6 12.8	3 3 2	6 5	12 9	15	29	65 to 74 years	860 530 120	7.4 7.6 10.1	2 3	3 4	5 6 7	9 9 11	15 15 19
Single diognosis		13.9 16.5	3 3	6 6	10 12	17 20	29 32	Single diognosis	675 835	5.5 9.5	1	2	4 7	7 12	10 17
With surgery	400 2,195	22.6 14.5	5 3	8 6	18 11	31 18	47 27	With surgery	575 935	6.3 8.5	1 2	2	4	7	15
OSTEOARTHRITIS (713.0)	6,505	14.4	3	5	10	19	29	SYMPTOMS REFERABLE TO NERVOUS SYSTEM AND SPECIAL SENSES (780.	733	0.5	2	4		10	10
65 to 74 years	3,350	15.5	3	6	11	20	30	781)	020	7.		2			10
75 to 84 yeors	2,635 520	13.5 12.7	3	5 5	9	16 15	28 26	Total	930 540	7.4 7.1	1	3	4	8	13 13
Single diognosis	2,275 4,230	16.6 13.3	3	6 5	14 9	22 16	32 27	75 to 84 years	330 60	6.7 14.4	2 2	3	5	8	13 15
With surgery		23.0 11.11	8	14	20 8 l	27 13	37 21	Single diognosis	665 265	7.6 7.0	1 2	3	4	8	14 13
								With surgery	30 900	5.8 7.5	1 2	2	3	8	13 13

Table 15 WEST NORTH CENTRAL: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND DISCHARGE CHARACTERISTICS—Con.

Diognosis And Dischorge	J	Average		Perce	entiles (	(doys)		Diognosis And Dischorge		Augraga		Perce	entiles (	days)	
Chorocteristics (ICDA 8th Revision)	Number of dischorges	stoy (doys)	10th	25th	50th	75th	90th	Choracteristics (ICDA 8th Revision)	Number of dischorges	Averoge stoy (doys)	10th	25th	50th	75th	90th
ACUTE HEART FAILURE, UNDEFINED (782.4)								FRACTURE OF VERTEBRAL COLUMN, DOR5AL (THORACIC) AND LUMBAR,							
Totol	585	12.1	1	4	8	14	25	CLOSED (805.2) Total	2,615	16.1	4	7	13	21	30
65 to 74 yeors	240	9.6 13.1 13.4	2	4 3 3	8 9 8	12 17 19	13 30 26	65 to 74 yeors	985 1,210	14.6 16.8	3 6	6	11	19 21	30 30
Single diognosis	390	11.0	1	3	7	13	25	85 years and over	420	17.7	5	9	15	23	32
Multiple diognoses		14.2	,	5	11	17	25	Single diagnosis	980 1,635	14.5 17.1	4	8	12 14	19 22	28 32
SYNCOPE OR COLLAPSE (782.5)	570	12.1	1	4	8	14	25	With surgery	85 2,530	20.7 16.0	3 4	9 7	16 13	21 21	35 30
Total	575	4.7	1	1	3	5	9	FRACTURE RI8(5), CLOSED (807.0)	2 120	11.0	2	4	8	14	22
65 to 74 years	210	4.3 5.7	1	1 2	3	5 6	9 12	Tatol	2,120 850	9.5	2	3	7	12	20
85 years ond over		3.3 4.3	1	1	3	5	5 9	75 to 84 years	950 320	11.4 14.8	3 4	5 7	9 11	15 18	22 30
Multiple diognoses		6.3	1	2	4	7	13	Single diognosis	410 1,710	7.5 12.0	2	3 5	6	15	14 24
With surgery Without surgery	560	4.6	1	1	3	5	9	With surgery	130 1,990	16.0 10.8	5 2	9 4	13 8	22 14	28 21
EPISTAXI5 (783.0) Totol	1,085	4.2	1	,	3	5	8	CLOSED FRACTURE OF PELVIS (808.0)							
65 to 74 yeors	550	4.3 4.2	1	1	3	5	7 8	Total	1,605	23.5	6	12	21	30 29	43 37
85 years and over	110	3.9	i i	i	3	4	8	75 to 84 years	720 405	24.1 23.9	7 5	13 12	20 22	30 32	49 41
Single diognosis	845 240	3.8 5.6	i	2	3	5	10	Single diognosis	700 905	21.6 25.0	5 7	11 13	20 22	29 31	37 50
With surgery	110 975	5.5 4.1	1	1	3	7 5	13 7	With surgery	85 1,520	37.4 22.7	20	25 12	34 20	49 29	55 40
PAIN IN CHEST (783.7)							,,	MULTIPLE AND ILL-DEFINED FRACTURES	1,320	22.7		,-			
65 to 74 years	280	6.4 5.6	1	2	4	8	11	OF TRUNK, CLOSED (809.0) Total	735	24.1	5	11	20	29	50
75 to 84 years	175 35	7.0 10.9	3	3 4	4 5	12	12 23	65 to 74 yeors	320 295	24.0 26.8	5	11 13	19 21	30 30	53 53
Single diognosis	375 115	6.5 6.3	1 2	2 2	4 5	8 7	12 11	85 years and over	120 270	17.8 26.4	4	13	17 22	26 32	31 57
With surgery	490	6.4	-   	_ 2	_ 4	_ 8	- 11	Single diognosis	465	22.8	5	13 10	19	28	47
A8DOMINAL PAIN (785.5)								With surgery	195 540	29.4 22.2	9 5	13 10	21 19	38 28	58 43
Total		6.4	1	2	3	7	13	FRACTURE OF UPPER END OR SHAFT OF HUMERUS, CLOSED (812.0, 812.2)							
65 to 74 years	390	5.6 7.1 8.1	1	2	4	6 8 8	13 13 17	Totol	2,285	12.4	2	5	8	16	27
Single diognosis		6.0 8.2	1	2 3	3 6	6 12	12 16	65 to 74 yeors 75 to 84 yeors 85 yeors and over	995 940 350	10.8 13.4 14.3	3 4	5 6	7 9 8	14 18 19	23 28 32
With surgery	135	7.0 6.3		2 2	5	10	14	Single diognosis	1,225 1,060	10.4 14.7	2 3	4 6	7	13 19	23 32
RETENTION OF URINE (786.1)	1,023	0.5	'		J	,	13	With surgery	555	11.2	2	4 5	7	13	25
Total	645	9.1	1	3	5	11	20	FRACTURE OF UPPER END OR	1,730	12.8	2	3	8	17	28
65 to 74 years	255	8.3 10.5 7.9	1 2 2	3 4 3	5 6 5	10 14 11	16 25 14	UNSPECIFIED PART OF RADIUS AND ULNA, CLOSED (813.0)							
Single diognosis	500	8.4	1	3	5	11	17	Tatol	775 375	7.3 5.0	1	2 2	3	9	16
Multiple diagnoses	170	11.2	3		11	13	26 25	65 to 74 yeors 75 to 84 yeors 85 yeors and over	310 90	9.6 8.6	1	3 2	5	12	22 19
Without surgery  HEMATURIA (789.3)		7.6	1	3	5	9	15	Single diagnosis	440 335	5.1 10.2	1 2	1 4	3 7	6 12	9 22
Totol	550	6.9	1	2	4	8	16	With surgery	465 310	6.0 9.2		2 2	4	6 12	12 22
65 to 74 yeors	210	7.1 6.3 7.9	1 1	2 2 2	4 5 3	8 8 13	15 14 19	FRACTURE OF LOWER END OF RADIUS AND ULNA, CLOSED (813.4)	310	7.2		2	J	12	22
Single diognosis	440	6.9 7.0	1	2 2	4	7 9	16 17		1,400	5.7	1	1	3	6	11
Multiple diagnoses	265	7.1	2	2	5	9	15		720 560	4.4 6.7	1	1 2	2 4	4 8 10	9 13 19
Without surgery	! 285	6.6	<b>l</b> 1	1	3	7	16	Single diognosis	910	3.5		1	2	4	6
								Multiple diagnoses		9.8 4.8	1	3	2	11	19
								Without surgery			I i	l i	4	9	15

Table 15 WEST NORTH CENTRAL: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND DISCHARGE CHARACTERISTICS—Con.

Oiagnasis And Oischarge	·	Average		Perce	ntiles (	(days)		Oiognasis And Oischarge		Average		Perce	ntiles (	days)	
Characteristics (ICOA 8th Revision)	Number of discharges	stay (days)	10th	25th	50th	75th	90th	Characteristics (ICOA 8th Revision)	Number of discharges	stay (days)	10th	25th	50th	75th	90th
FRACTURE OF INTERTROCHANTERIC								CONCUSSION (850)							
SECTION OF NECK OF FEMUR, CLOSEO (820.2)								Tatal	740	8.9	1	3	6	10	16
Tatal	4,320	25.6	7	14	21	32	49	65 ta 74 years	365 250	8.3 9.4	1	3 2 4	6	10 10	14 16
65 ta 74 years	1,950	24.8 26.5	7 7 7	13 13 14	22 21 21	31 33 32	47 51	85 years and aver	125 150	9.9	2		5 7	12	20
85 years and aver	1,440° 2,190	25.0 24.1	7	14	20	30	48 47	Single diagnosis	590	7.2 9.4	i	2	6	11	14 16
Multiple diagnases	2,130 3,275	27.2 25.2	7 10	13 14	23 21	34 31	52 46	With surgery	100 640	10.6 8.7	1	5 3	8 6	11 10	18 15
Without surgery	1,045	27.0	ĭ	8	20	38	59	LACERATION AND OPEN WOUND OF HEAD, NECK, AND TRUNK							
FRACTURE OF OTHER AND UNSPECIFIED PART OF NECK OF FEMUR, CLOSEO (820.4)								(870-879) Tatal	1,755	8.2	1	2	5	10	17
Tatal	9,050	25.0	4	12	20	32	46	65 ta 74 years	805	8.1	ļ		5	9	16
65 to 74 years	4,200	24.6 26.3	3 5	13 13	20 21	30 33 31	43 48	75 to 84 years	675 275	7.7 9.8	2	2 2 3	6	10 12	16 22
85 years and aver	2,585 4,945	23.2	3	11	19 19	31 29	44	Single diagnasis	380 1,375	4.7 9.2	1	1	2 6	11	9 19
Multiple diagnases	4,105	28.4	5	13	22	36	54	With surgery	605 1,150	11.2 6.7	1	3 2	7	14 8	26 14
With surgery Withaut surgery	5,900 3,150	25.5 24.0	10 1	15 5	21 17	31 34	42 56	CONTUSION AND CRUSHING WITH INTACT 5KIN SURFACE (920-929)							
FRACTURE OF OTHER AND UNSPECIFIED PARTS OF FEMUR (821)								Tatal	4,480	9.3	1	3	6	11	20
Tatal	1,320	30.5	2	11	22	43	70	65 ta 74 yeors	1,680 1,975	8.7 9.6	1:	3	6 7 6	10 12	18 20
65 to 74 years	375 655 290	31.3 32.4 25.0	3	13 15 5	22 23 17	43 42 41	69 72 59	85 years and over	825	10.0	1	3 2		13	23 14
Single diagnasis	705	28.8	1	11	21	40	56	Single diagnasis	1,135 3,345	7.3 10.0	2	3	4 7	13	22
Multiple diagnoses	615	32.4	12	13 17	22	47	74	With surgery	230 4,250	16.5 9.0	2 1	5	12 6	23 11	39 19
Without surgery	720	29.3	1	5	24 19	43	62 75	AOVERSE EFFECT OF MEDICAL AGENTS (960-979)							
FRACTURE OF TIBIA AND FIBULA (823)  Total	985	18.2	2	5	12	22	46	Tatal	2,305	8.6	1	3	7	-11	17
65 ta 74 years	515	19.4	3	5		24 18	47 29	65 ta 74 years	1,125 960	8.4 8.6	1 2 2	3 3 4	6 7 7	10 11 12	16 17
75 to 84 years	290 180	15.7 18.8	3 2	6 4	12 12 13	23	43	85 years and over	550 550	10.1 6.1	1,	2	4	7	23 11
Single diagnasis	605 380	15.9 21.9	2 3	5 7	11 16	18 27	35 48	Multiple diagnases	1,755	9.4	2	5	7 8	12	17 20
With surgery Withaut surgery	400 585	21.7 15.9	4 2	8 4	14 11	23 20	49 38	Without surgery	2,185	8.5	i	3	7	11	16
FRACTURE OF ANKLE (824)								IMPLANT ANO COMPLICATIONS OF MECHANICAL NATURE FROM INTERNAL PROSTHETIC DEVICE (997.5)							
Total	1,050	13.6	2	6	10	16 13	27 22	Tatal	535	11.1	2	4	7	15	22
75 to 84 years	330		2 3 1	5 8 6	12 16	18 24	32 26	75 ta 84 years	260 225	11.4 11.6	2 2	4	7 8	16 13	22 25
Single diagnosis	700 350	12.5 15.8	2	5 7	9 12	15 18	27 27	85 years and aver	50 355	7.3	2 2 2	3	7	15	14 23
With surgery	590 460	14.0 13.0	4	6	11	17 16	26 27	Multiple diagnoses	180 390	11.0	2 2	4	8	13	21 21
MULTIPLE FRACTURES INVOLVING BOTH	400	13.0	, i	7			2,	Without surgery	145	11.2	2	4	6	17	
LOWER LIM85, LOWER WITH UPPER LIM8, ANO LOWER LIM8 WITH RI8 ANO 5TERNUM (828)															
Tatal	870	26.9	5	11	20	30	57								
65 ta 74 years	385 370	25.5 28.9	3	8 14	18 21	29 34	58 57								
85 years and over	115 360	25.2 22.2	5	12	22 17	27 28	48 51								
Multiple diagnases	510	30.2	6	12	22	34	69								
With surgery	495 375	28.3 25.0	3	14 7	21 15	29 30	53 59								
5PRAIN5 ANO 5TRAIN5 OF BACK (846, 847)															
Total	2,785	9.8	2	4	7	12	18								
65 ta 74 years	1,485 1,035 265	9.3 10.0 11.6	2 2 3	4 6	7 8 9	12 12 13	16 19 23								
5ingle diagnasis	850 1,935	9.0 10.1	2	4 5	7 8	11 12	17 18								
With surgery	80	13.6	4 2	5	8	19 12	25 17								
Without surgery	2,705	9.61	21	4 [	7 [	121	17 [								

#### Table 16 WEST NORTH CENTRAL: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED SURGICAL PROCEDURES, AND DISCHARGE CHARACTERISTICS

Surgical Pracedures And	Number of	Average		Perce	entiles (	days)		Surgical Pracedures And Discharge Characteristics	Number of	Average .		Perce	entiles (	days)	
Discharge Characteristics (CPT 1st Edition)	discharges	stay (days)	10th	25th	50th	75th	90th	(CPT 1st Edition)	discharges	(days)	10th	25th	50th	75th	90th
MASTECTOMY, COMPLETE, SIMPLE (0457)								REPAIR OF VENTRAL HERNIA (3661)							
Tatal	1,175	12.2	4	7	10	15	21	Total	1,400	13.1	6	8	11	14	19
65 to 74 years	455 530 190	11.3 13.0 12.4	3 5 3	6 7 8	9 10 11	13 15 15	20 23 20	65 ta 74 years 75 ta 84 years 85 years and over	890 440 70	12.7 13.5 15.3	6 6 5	8	11 11 12	14 14 20	18 20 25
Single diagnosis	620 555	10.1 14.6	3 · 5	6 8	9 11	12 17	18 28	Single diagnasis Multiple diagnoses	835 565	11.4 15.4	6 7	7 9	10 12	13 15	17 <b>24</b>
MASTECTOMY, RADICAL (0470) Tatal	1,515	13.8	7	9	12	16	22	PROSTATECTOMY, EXCEPT TRANSURETHRAL (4311-4313, 4316, 431X)							
65 ta 74 years	995 495 25	14.0 13.1	7 7 *	9	12 11 *	16 16	22 19	Tatal	1,830 960	20.6	10	13 12	18	25 23	33 28
Single diagnosis	905 610	12.6 15.7	7 8	8 10	11 13	15 18	19 25	75 to 84 years	745 125	22.5 28.2	10 14	14 17	19	27 35	36 48
REDUCTION OF FRACTURE OF HIP (0865-0868, 0872-0874)								Single diagnasis	925 905	19.0 22.2	10 10	12 14	17 20	23 27	29 36
Tatal	7,590	25.6	10	15	21	31	45	PROSTATECTOMY, TRANSURETHRAL (4321)							
65 ta 74 years	1,810 3,475	25.5 26.4	10 11 8	15 15 14	21 21 20	30 32 30	41 47	Total	11,700 6,140	14.1 12.5	6	8	11	16 14	24 20
85 years and over	2,305 3,970	24.3	9	14	20	28	40	75 to 84 years	4,595 965	15.6 17.8	6 7 7	7 8 10	12	18 22	28 32
ANTHROPLASTY OF HIP (1150)	3,620	27.6	10	15	22	33	48	Single diagnosis	5,455 6,245	11.8 16.2	6 7	7 9	10 12	13 19	19 30
Total	3,995	27.8	13	18	23	33	46	COLPORRHAPHY (4481-4495, 449X, 4501, 4505, 450X)							
65 ta 74 years	1,735 1,710 550	27.0 29.0 26.6	15 12 11	18 18 16	22 25 23	31 35 31	42 48 46	Total	1,610	11.4	6	8	10	13	17
Single diognosis	2,460 1,535	25.2 31.8	14 12	18 18	22 27	29 40	39 55	65 ta 74 years	1,145 445 20	11.2 12.2	6 6	7 8	9 11 *	13	16 21 *
GASTRECTOMY (3112, 3114, 3115, 3118, 3119, 311X)								Single diagnosis	845 765	10.2 12.8	6 7	7 8	9 11	12 15	14 20
Total	1,320	21.5	10	13	19	25	37	HYSTERECTOMY, A800MINAL (INCLUDING PELVIC EXENTERATION)							
65 to 74 years	895 380 45	21.5 22.4 14.1	10 11 8	13 14 10	18 20 12	25 26 17	37 37 19	(4617, 4618, 4621, 4624-4627) Tatal	1,240	14.7	8	9	12	16	23
Single diagnosis	625 695	20.2 22.7	10 10	13 13	17 19	23 28	34 38	65 ta 74 years	935 290 15	14.0 17.0	7 9 •	9 11 *	11 14 *	16 19	23 28 *
COLECTOMY (3178, 3180) Tatol	3,380	22.6	11	14	19	26	36	Single diagnosis	460 780	12.5 16.0	7 8	8 10	10 13	13 18	20 26
65 to 74 yeors	1,855 1,305	21.4 24.2	11 13	14 15 14	18 21 21	25 28 28	33 38 38	HYSTERECTOMY, VAGINAL (4631)	1,665	13.6	8	9	12	15	20
85 years and over	1,260	23.6 19.8	10	13	17	26	30	65 to 74 years	1,150	12.7	7	9	11	15	19
Multiple diognases	2,120	24.3	12	16	21	28	39	75 to 84 years	470 45	15.0 20.6	8 9	11 11	13 17	16 26	23 33
Total	1,495	11.0	5	6	9	12	18	Single diagnasis	810 855	12.9 14.2	8 8	9 9	11 12	15 16	19 22
65 to 74 years	1,120 325 50	10.5 12.2 15.3	5 5 5	6 6 6	9 9 9	12 14 13	16 20 36	OILATION AND CURETTAGE UTERUS, OIAGNOSTIC (4647)							
Single diognosis	565 930	9.1 12.2	5	6 7	8 10	11 14	13 20	Total	2,105 1,380	6.1 5.4	1	2	2	6 5	12 11
CHOLECYSTECTOMY (3515)	.00							75 to 84 years	645 80	7.2 9.1	1 2	2 3	4 5	8 8	15 12
Total	6,865	16.6	8	10	14	19	26	Single diagnasis	1,045 1,060	4.7 7.4	1	2 2	2 3	4 9	8 15
65 ta 74 yeors	4,595 2,035 235	15.3 18.7 24.9	8 1 9 12	9 11 17	13 16 21	18 22 29	24 29 37	EXTRACTION OF LENS (5611, 5612)							
Single diognosis	3,380 3,485	14.1 19.1	7	9 11	12 16	16 23	21 31	Tatal	6,545	7.3 6.9	3	4	6	8	12
REPAIR OF INGUINAL HERNIA, EXCEPT RECURRENT (3630-3632)	3,403			, ,	,0		J.	75 ta 84 years	6,600 1,275	7.4 8.4	3	5	6 7	8 9	12 15
Tatal	7,980	9.9	5	6	8	10	16	Single diagnasis	10,005 4,415	6.8 8.3	3 3	4 5	6	7 9	11 14
65 ta 74 years	4,780 2,665 535	9.0 11.0 12.8	4 5 5	6 6 7	7 8 10	10 12 15	14 18 22								
	4,630	8.4		6	7	9	12								

Oiagnasis And Oischarge	Number of	Average		Perce	ntiles (	days)		Oiagnasis And Oischarge	Number of	Average		Perce	entiles (	(days)	
Characteristics (ICOA 8th Revision)	discharges	(days)	10th	25th	50th	75th	90th	Characteristics (ICOA 8th Revision)	discharges	stay (days)	10th	25th	50th	75th	90th
01ARRHEA (009.1)								MALIGNANT NEOPLASM OF ESOPHAGUS (150)							
Tatal	1,340	8.9	2	4	7	11	17	Total	850	15.2	2	5	10	19	36
65 ta 74 years	655 525 160	8.7 8.8 10.5	2 3 2	4 4	6 7 7	10 11 16	16 16 21	65 ta 74 years	520 265	15.9 13.5	2 3	6	10	21 18	37 25
Single diagnasis	350 990	8.0 9.3	2	4	6	11 11	14 18	85 years and aver	65 430	16.2 15.2	1 2	3 5	8	19	41 36
With surgery	95 1,245	12.3	5 2	5	10	18	22	Multiple diagnases	420	15.3 15.5	3	6	10	19	37
GASTROENTERITIS AND COLITIS (009.2)	1,243	0.7	2	4	,		10	With surgery Without surgery  MALIGNANT NEOPLA5M OF STOMACH	430	14.9	2	6 5	9	20 19	33 38
Tatal	8,480	7.9	2	3	6	9	15	(151)							
65 to 74 years	4,200 3,400 880	7.3 8.0 10.4	2 2 2	3 3 3	5 6 7	9 10 12	14 15 21	65 ta 74 years	2,040 1,080	17.9 17.2	3 2	7	15 14	24	37 37
Single diagnosis	3,200 5,280	6.2 8.9	1 2	2	4 7	7	11	75 ta 84 years	750 210	18.9 17.4	4 2	8 5	16 14	25 24	38 33
With surgery	415	10.6	2 2	5	8	13	18	Single diagnasis	780 1,260	15.9 19.1	2 3	5 8	14 16	20 24	32 38
Without Surgery	8,065	7.8	2	3	5	9	15	With surgery	865 1,175	22.7 14.3	9 1	15 4	19 9	27 18	38 35
MENTION OF CAUSE (012.2) Tatal	1,040	13.2	3	6	10	17	28	MALIGNANT NEOPLASM OF CECUM, APPENOIX AND ASCENDING COLON							
65 to 74 years		10.9	2	5 7	9	14 18	19	(153.0) Tatal	1,080	20.0	8	13	17	25	34
85 years and over	110	17.7	4	6	8	22	41	65 ta 74 years	545	19.8	8	14 12	18	24	30
Single diagnosis	685	10.4 14.7	3	6	8 11	15 18	19 30	75 to 84 years	450 85	20.1 20.6	7	13	17 20	26 26	34 35
With surgery	240 800	16.2 12.3	4 2	9 5	15 9	21 15	29 25	Single diagnosis	380 700	17.9 21.1	7 8	13 13	16 20	20 26	28 34
SEPTICEMIA (038)	995	13.5	1	3	10	18	29	With surgery	790 290	20.7 18.1	11 3	14 7	18 15	25 24	33 34
65 to 74 years	445	12.1	'	3	9	15	25 28	MALIGNANT NEOPLASM OF TRANSVERSE AND DECENDING COLON							
75 ta 84 years	395 155	14.6 14.5	1	3 2	11	21 18	28 33	(153.1, 153.2) Tatal	815	22.4	10	13	19	26	36
Single diagnasis	185 810	11.0 14.0	2 1	4 3	10 10	15 19	20 30	65 ta 74 years	425 340	21.2 22.7	11	14 13	19 19	25 26	35 35
With surgery	120 875	19.4 12.6	1 1	3 3	14 9	28 17	35 27	85 years and aver	50 270	31.0	11	10	22	26 38 21	59
HERPES ZOSTER (053)					_			Single diagnasis	545	24.1	9	14	21	28	37
Tatal	1,355	12.5	3	5	7	14	24	With surgery	705 110	22.9 19.4	12	6	19 9	26 22	37 32
75 to 84 years	540	14.3 15.7	4	6 7	9 14	15 20	29 25	MALIGNANT NEOPLASM OF SIGMOID COLON (153.3)							
Single diagnasis		9.5 14.5	3	5 6	7 10	11 17	17 29	Tatal	1,335	20.0	5	11	17	25	36
With surgery	50 1,305	18.9 12.3	6	8 5	13 8	20 14	43 23	65 ta 74 years	750 450 135	19.8 19.0 25.0	3	12 10 12	16 19	25 25	34 36 49
OTHER VIRAL DISEASES (070-079)								Single diagnasis	600 735	18.6 21.2	5	10 12	16 18	24 26	36 38
Tatal		9.6 8.7	2	4	7	11	17 15	With surgery	1,035 300	21.4 15.5	9	14	19	25 18	36 38
75 to 84 years	460	11.3 7.6	2 3 3	5	9 5	15 10	20 14	MALIGNANT NEOPLASM OF UNSPECIFIED	500	15.5	-			.0	30
Single diagnasis	385 880	8.3 10.1	2	3	6 7	9 12	16 18	PART OF LARGE INTESTINE (153.8)  Tatal	3,105	17.8	2	6	13	24	37
With surgery	85	10.9 9.5	1 3	2	4 7	9 11	25 17	65 ta 74 years	1,700 1,050	17.7 18.4	3 2	6	13 15	23 25	35 41
MALIGNANT NEOPLA5M OF BUCCAL CAVITY AND PHARYNX (140-149)	,,,,,,							85 years and over	1,140	17.0 17.2	1 2	5 6	11 14	25 23	39 33
Total	1,735	13.7	2	4	8	16	33	Multiple diagnases	1,965	18.2	3	6	13	25	39
65 to 74 years	1,130 510	13.1 14.7	2 2 3	3	8 9	15 18	30 40	With surgery	1,290 1,815	22.2 14.7	1	13	19 9	27 17	40 36
85 years and aver	95 885	15.2 11.3		6	11 7	17	31 23	MALIGNANT NEOPLASM OF RECTUM AND RECTOSIGMOIO JUNCTION (154)							
Multiple diagnases	850	16.2	2 2	5	1ó	19	42	Tatal	2,445 1,380	19.4 19.2	3	7 8	17	26 26	38 37
With surgery	1,140 595	13.1 14.9	2 2	5	9	15 19	31 41	65 ta 74 years	855 210	19.7 19.3	2 2	7	18 14	26 25	37 47
								Single diagnasis	1,175 1,270	18.0 20.6	2 3	6 9	15 19	24 27	36 39
								With surgery	1,665 780	21.8 14.1	6	12	19	28 21	39 31

Oiognosis And Oischorge	Number of	Averoge		Perce	entiles (	(doys)		Oiagnosis And Discharge	Number of	Averoge		Perce	entiles (	doys)	
Chorocteristics (ICDA 8th Revision)	dischorges	stoy (doys)	10th	25th	50†h	75th	90th	Chorocteristics (ICDA 8th Revision)	Number of dischorges	stoy (doys)	10th	25th	501h	75th	90th
MALIGNANT NEOPLASM OF PANCREAS								MALIGNANT NEOPLASM OF OVARY (183.0)							
Total	2,080	19.2	3	9	16	24	36	Total	765	18.0	5	8	13	23	33
65 to 74 years	1,190 755 135	19.2 20.0 15.3	3 4 2	8 9 4	16 17 15	24 25 20	38 36 27	65 to 74 years	510 225 30	16.4 21.0 21.8	4 8 9	7 11 12	11 18 18	20 27 24	31 35 35
Single diognosis	745 1,335	17.7 20.1	3	8 10	15 17	22 26	35 39	Single diognosis	220 545	15.7 18.9	5 5	8	13 14	20 24	30 34
With surgery	885 1,195	24.2 15.5	11 2	15 4	20 12	29 20	41 32	With surgery	365 400	20.0 16.1	8	10 7	15 12	25 20	35 31
MALIGNANT NEOPLASM OF LARYNX (161)								MALIGNANT NEOPLASM OF PROSTATE (185)							
Total	850	12.3	1	2	8	16	26	Total	8,180	13.2	3	6	10	16	26
65 to 74 years	630 190 30	11.9 12.9 17.5	1 1 2	2 3 4	8 9 12	16 16 23	25 26 35	65 to 74 years 75 to 84 years 85 years and over	4,090 3,390 700	12.8 13.5 13.4	3 3 3	5 6 5	10 10 10	16 16 15	25 27 26
Single diagnosis	525 325	10.6 15.1	1	2	7 12	14 21	21 34	Single diognosis	3,415 4,765	11.1 14.6	3	5	9 11	14 18	21 29
With surgery	640 210	13.0 10.2	1	2	9 7	17 15	27 19	With surgery	4,890 3,290	13.3 12.9	4 2	7 4	10 9	16 15	24 28
MALIGNANT NEOPLASM OF TRACHEA, 8RONCHUS, ANO LUNG (162)								MALIGNANT NEOPLASM OF 8LAOOER (188)							
Totol	8,015	13.8	2	5	11	18	27	Total	4,295	12.3	2	4	8	15	26
65 to 74 yeors	5,605 2,165 245	13.5 14.7 12.5	2 2 2	5 5 4	11 10 9	18 18 17	27 29 23	65 to 74 yeors	2,470 1,560 265	11.6 13.4 12.8	2 2 5	5	7 9	14 16 15	24 29 25
Single diognosis	3,485 4,530	13.2 14.2	2 2	5 5	10 11	18 18	26 28	Single diognosis	2,500 1,795	10.4 14.9	2 3	3 6	7 10	13 19	22 31
With surgery	3,330 4,685	15.8 12.4	4	8	14 8	20 16	28 26	With surgery	3,375 920	11.7 14.6	2 2	4 5	8 10	15 19	24 33
MALIGNANT NEOPLASM OF SKIN (172, 173)								MALIGNANT NEOPLASM OF KIONEY, EXCEPT PELVIS (189.0)							
Total	3,775	7.6	1	2	4	9	17	Totoi	725	17.0	4	8	14	21	30
65 to 74 years	1,980 1,385 410	7.3 7.5 9.3	1 1 1	2 2 2	4 4 5	8 9 12	18 16 18	65 to 74 years 75 to 84 years 85 years and over	505 180 40	17 2 17.0 13.4	4 3 8	9 6 8	15 12 9	21 25 15	29 36 23
Single diognosis	2,035 1,740	6.8 8.6	1 1	2	3 5	7 11	15 19	Single diognosis	225 500	15.2 17.7	4 4	9 7	14 15	18 23	25 31
With surgery	3,220 555	7.0 11.2	1	2	4 8	8 15	16 22	With surgery	345 380	19.3 14.9	9	13 5	17 10	23 17	30 29
MALIGNANT NEOPLASM OF BREAST (174)								LYMPHOSARCOMA AND RETICULUM-CELL SARCOMA (200)							
Total	5,805	14.2	4	7	11	17	28	Total	950	16.3	2	5	11	21	37
65 to 74 years	3,600 1,850 355	14.3 14.0 14.3	4 4 3	7 7 7	11 11 11	16 17 17	29 27 24	65 to 74 yeors	515 360 75	15.0 16.6 23.3	2 2 4	4 7 6	9 13 13	17 21 37	35 31 51
Single diognosis	2,600 3,205	12.2 15.8	4 3	7	10 12	14 20	21 32	Single diognosis	425 525	12.8 19.1	3 2	4 7	9 14	14 26	28 43
With surgery	3,705	13.2	5 2	8	10 12	15 22	23 34	With surgery	340 610	23.4 12.3	5	10	16	33 15	49 26
MALIGNANT NEOPLASM OF CERVIX UTERI (180)	2,100	15.9	2	6	12	22	34	HOOGKIN'S DISEASE AND OTHER NEOPLASMS OF LYMPHOIO TISSUE	010	12.5		-	0	15	20
Totol	1,695	10.7	2	3	6	12	23	(201, 202)							
65 to 74 years	1,145	10.8	2	3	6	12	25	Total	1,290	14.7 14.7	2	6	10	20	30
75 to 84 years	105	10.6 10.0	2 2	3	6	14 8 9	20 14	65 to 74 yeors 75 to 84 yeors 85 yeors ond over	885 335 70	15.0 13.6	3 4	6 6	12	19 17	29 27
Single diognosis Multiple diognoses	980 715	8.9 13.1	2	3	8	16	16 30	Single diagnosis	685 605	12.3 17.4	2 3	5 7	9 14	16 23	27 34
With surgery	1,135 560	10.4	2	3	7	11	20 28	With surgery	545 745	17.7 12.5	4 2	7 5	14 9	25 17	35 25
MALIGNANT NEOPLASM OF UTERUS, EXCEPT CERVIX (182)								MULTIPLE MYELOMA (203)							
Total	1,810	11.2	2	4	8	13	23	Total	1,335	15.2	2	5	10	19	33
65 to 74 years	1,200 555 55	9.9 13.8 12.3	2 3 4	4 6 4	8 10 8	11 15 18	18 28 24	65 ta 74 years	925 325 85	15.2 14.6 17.7	2 2 1	3	10 10 15	19 17 23	32 33 36
Single diognosis	920 890	8.5 14.0	2	3 7	7 10	10 16	16 28	Single diagnosis	495 840	11.9 17.2	1 3	3 6	7 13	14 22	28 36
With surgery	1,295 515	11.1 11.4	3 2	4 4	8	12 14	23 24	With surgery	230 1,105	14.4 15.4	2 2	3 5	10 10	18 20	30 34

Table 17 SOUTH ATLANTIC: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND DISCHARGE CHARACTERISTICS—Con.

Oiognosis And Oischorge Charocteristics	Number of	Averoge :		Perce	entiles	(doys)		Oiognosis And Oischorge Characteristics	Number of	Averoge stoy		Perce	entiles (	doys)	
(ICOA 8th Revision)	dischorges	(doys)	10th	25th	50th	75th	90th	(ICOA 8th Revision)	dischorges	(doys)	10th	25th	50th	75th	90th
LEUKEMIA (204-207)								AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCY (260-269)							
Total	2,185	12.5	1	4	8	15	25 24	Total	1,230	13.6	3	5	10	16	2
65 to 74 years	880	13.0 14.0	2 1 3	4 4	8 8 9	15 14 16	26 28	65 to 74 years	430 555	13.1 13.9	3 3	5 6	10 11	15 18	2
Single diagnosis	950 1,235	10.9 13.7	1 2	3 5	7 9	13 16	24 25	85 years and over	245 270	13.7 11.0	2	5	10 9	16 13	2
With surgery	275 1,910	15.4 12.1	3	5	11 8	18 14	30 24	Multiple diognoses	960 85	14.3	3 6	11	11	17 23 16	3 2
8ENIGN NEOPLASMS OF LARGE INTESTINE, EXCEPT RECTUM (211.3)								Without surgery	1,145	13.2	3	5	10	16	2
Total	1,030	12.3	2	6	11	15	21	Total	1,190	11.0	3	5	7	13	1
65 to 74 yeors	705 295 30	11.6 13.8 13.2	2 3 2	5 6 4	11 11 11	15 18 16	19 25 25	65 to 74 years	705 430 55	11.2 10.8 10.1	3 3 4	5 5 5	7 8 7	13 14 14	1
Single diagnosis	475	10.8	2 3		10	14	19	Single diagnosis	310	8.9	2 3	4	6	10	1
Multiple diagnoses	770	13.5 13.5	4	9	12	16 16	24	Multiple diognoses	110	11.7 12.6	3	5	8	14	2
Without surgery	260	8.5	1	2	5	11	15	IRON OEFICIENCY ANEMIAS (280)	1,080	10.8	3	5	7	13	'
Total	820	8.5	1	3	5	10	19	Total	2,185	11.3	3	5	9	14	2
65 to 74 years	215	8.8 7.3	1 2	2 3 *	5 5 *	10 10	20 14	65 to 74 years 75 to 84 yeors 85 yeors and over	1,040 880 265	11.9 10.6 11.9	3 3 3	5 5 6	9 8 10	14 13 13	1
Single diognosis	410	6.5	1 2	2	4	8 12	13 25	Single diognosis Multiple diognoses	490	10.6	2 3	4 6	7 9	12	2
Multiple diagnoses	720	10.6 9.0	1	3	5	11	20	With surgery	1,695 340	11.5 14.6	4	7	10	15	
Without surgery  LIPOMA (214)	100	5.3	1	2	4	6	10	PERNICIOUS ANEMIA (281.0)	1,845	10.7	3	5	8	13	
Total	880	5.4	1	2	3	6	11	Total	1,055	12.4	4	6	10	15	:
65 to 74 years	155	5.0 7.5	] ]	2 2	3 5	5 8 *	10 16	65 to 74 yeors 75 to 84 yeors 85 yeors ond over	415 490 150	11.7 12.7 13.5	3 4 3	6 7 6	10 11 11	15 15 16	
Single diagnosis	550	3.9 8.0	1 2	1 3	2 6	4 9	7 14	Single diognosis	365 690	9.9 13.8	2 5	5	10	13	]
With surgery		5.2 7.5	1	2	3	5 8	10 20	With surgery	115 940	14.0 12.2	5	9	12	16 15	
NEOPLASMS OF UNSPECIFIED NATURE OF		7.3		2	,	°	20	ALL OTHER AND UNSPECIFIED ANEMIAS	740	12.2	,			13	
8LA00ER (237.6) Total	1,095	6.7	1	2	4	8	15	(281.1-281.9, 282-285) Total	5,355	10.7	2	4	7	14	:
65 to 74 years	685 365	6.3 7.2	1	2 2	4 4	7 9	13 18	65 to 74 yeors	2,400 2,375	10.6 11.0	2 2	4	8	14	2
85 years and over	45	9.3 6.0	2	3 2		12	16 12	85 years and over	580 1,600	9.8 8.5	2	4	6	11	1
Multiple diognoses	255	8.8	i	2	5	11 8	20 15	Multiple diagnoses	3,755 610	11.6	2	4 8	13	15	2
With surgery		7.7	i	2	3	6	24	Without surgery	4,745	10.1	2	3	7	13	Ž
OISEASES OF THYROIO GLANO (240-246)  Totol	1,775	10.3	3	5	7	13	20	Total	1,250	19.7	4	7	15	26	;
65 to 74 years		9.7 12.1	3	5	7 10	11 15	19 23	65 to 74 years	965 255	19.7 19.7	4 2	7 6	15 15	25 29	3
85 years and over	25	8.2	3	4	6	10	16	85 years and over	740	17.8 19.6	4	11 7	17 16	22	3
Multiple diognoses	1,065	11.6	3	5		15	23	Multiple diagnoses	510	19.9	4	6	15	26	3
With surgery Without surgery OIA8ETES MELLITUS (250)		11.4	3	5	8	15	22	Without surgery  ANXIETY NEURO515 (300.0)	1,235	19.3	4	7	15	25	3
Totol	21,060	12.8	3	5	9	15	24	Total	1,765	7.9	1	3	6	10	1
65 to 74 yeors	12,595	12.4 13.5	3	5	9	15 16	23 26	65 to 74 years	1,295 430	7.8 8.4	1 2	3	6	10 12	]
85 years and over	1,280	12.6	3	5	9	15	25 21	85 years and over	40 640	6.6	1	1	5	10	1
Single diagnosis	16,210	11.6 13.1	3	6	10	16	25	Single diagnosis	1,125	7.9	2	3	6	10	i
With surgery	2,415 18,645	21.2 11.7	6 3	10	17 9	27   14	38 21	With surgery	70 1,695	12.9 7.7	3	31	12	17	1

Oiagnasis And Oischarge	Number of	Average		Perce	entiles (	days)		Oiagnosis And Oischarge	Number of	Average		Perce	entiles (	days)	
Characteristics (ICOA 8th Revision)	discharges	stay (days)	10th	25th	50th	75th	90th	Characteristics (ICDA 8th Revision)	discharges	stay (days)	10th	25th	50†h	75th	90th
OEPRESSIVE NEUROSIS (300.4)								NEURALGIA ANO NEURITIS, UNSPECIFIEO							
Tatal	2,810	17.3	4	7	13	22	31	(355) Tatal	750	9.5	2	4	7	11	18
65 to 74 years	2,080 645	17.6 16.2	4	7 7 8	13 12 11	23 20 21	31 32	65 ta 74 years	500	9.4		4	7	11	18
85 years and aver	1,595	16.9 18.1	8	8	14	24	35 32	75 ta 84 years	210 40	9.7 9.9	2 2 3	3	7 9	11 12	24 15
Multiple diagnoses	1,215	16.2	4	7	12	21	30	Single diagnasis	295 455	7.5 10.8	2	3 5	5	9 13	14 23
With surgery	90° 2,720	29.1 16.9	7 4	11 7	23 13	38 22	57 31	With surgery	110 640	12.5 9.0	3	5	11	17 10	24 17
ALCOHOLISM (303)								CATARACT (374)							
Tatal	1,295	8.4 8.3	1	3	6	10	17	Tatal	26,410	7.1	3	4	6	7	11
75 to 84 years	130	10.0	2	4	8	14	19	65 to 74 years	13,800 10,760	6.9 7.2	3 3 3	4	6	7 8 8	11 12
Single diagnosis	520 775	6.9 9.4	1	3	6	8 12	13 19	85 years and over	1,850 21,030	7.6 6.8		4	6	7	13
With surgery	65	14.6	4	6	12	19	25	Multiple diagnases	5,380	8.1	3	5	6	9	14
MENTAL DISORDERS NOT SPECIFIED AS	1,230	8.1	1	3	6	10	16	With surgery	25,105 1,305	7.1 7.3	3 1	3	6 5	7 8	11
FSYCHOTIC, ASSOCIATED WITH PHYSICAL CONDITIONS (309)								GLAUCOMA (375)							
Total	3,970	16.9	3	6	12	21	32	Tatal	2,145 1,280	7.4 7.0	2	3	5	8	13
65 to 74 years	1,525 1,785	17.3 16.7	3 3 3	6		19 21	33 33 29	75 to 84 years	700 165	7.5 10.2	2 2 2	3 4	5	8 11	14
85 years and over	j			6		21		Single diagnasis	1,485	6.3	2 2	3	5	7 11	12
Single diagnosis	1,180 2,790		3 4	6 7	11	19 21	30 34	Multiple diagnoses	1,765	9.8 7.3	2	3	5	8	18
With surgery	170 3,800	20.1 16.7	6 3	12 6	15: 11	27 20	39 32	Without surgery	380	8.0	1	2	4	8	19
PARALYSIS AGITANS (342)								OETACHMENT OF RETINA (376)  Total	1,255	8.9	3	5	8	10	15
Total	2,240		4	6		19	30	65 ta 74 years	915	8.6	3	5	8	10	15
65 ta 74 years 75 ta 84 years 85 years and over	910	16.6	3 3	6 7 5	12	19 20 20	28 34 27	75 ta 84 years	330 10	9.7	4	6	9	11	16
Single diagnosis	665	16.4	3	6	12	20	27	Single diagnasis	1,015 240	8.8 9.5	3	5 7	8 8	10 12	15 15
Multiple diognoses		16.1	5	10	12	19 31	32 48	With surgery	1,150 105	9.1 6.7	3	5	8	10	15 14
Without surgery	2,100		4	6	iĭ	19	28	LA8YRINTHITI5 (384.0)							
CEREBRAL PARALYSIS (344) Total	845	17.0	4	6	   11	21	38	Tatal	1,360	7.8	2	3	6	9	15
65 to 74 years	480	19.0	3	7	12	25	47	65 to 74 years	740 580	7.4 8.4	2	3	6	9 10	
75 to 84 years		14.1 15.6	4 2	6 4	11 7	19 18	25 40	85 years and over	40.	6.4 5.9	1	3	6	8	10
Single diognosis	230 615	16.2 17.3	3 4	5	12 11	21 21	32 38	Multiple diagnases	895	8.8	2	4	7	11	16
With surgery			4 3	5	10	25 21	49 36	With surgery	45 1,315	8.2 7.8	2	3	6	9	17
FACIAL PARALYSIS AND TRIGEMINAL	740	16.7	,	°		21	30	CHRONIC RHEUMATIC HEART 015EA5E (393-398)							
NEURALGIA (350, 351)	(70		,		7	11	14	Tatal	2,260	13.2	2	5	10	16	26
Tatal	670 355		2 2	4	7	11	14	65 to 74 years	1,555 620	13.0 13.7	2 3	4 5	10 10	16 15	26 25
75 to 84 years	280	9.4 4.0	2 2	4 2	8 3	12	15 7	85 years and over	85 670	13.2	2	7	10	13 14	17
Single diagnosis		8.6 8.7	2 2	3 4	7 7	11	15 14	Single diagnasis Multiple diagnases	1,590	12.2 13.7	3	5	10	16	27
With surgery	225	8.1	2	5	8	10	13	With surgery	330 1,930	18.0 12.4	3 2	9 4	15 9	25 14	32 23
5CIATICA (353)	445	8.9	2	3		11	15	ESSENTIAL BENIGN HYPERTENSION (401)							
Total	830	13.0	3	6	11	16	24	Total	6,345	9.0	2	4	6	11	17
65 to 74 years	600 210	12.3 14.0	3	5	10 11	15 17	21 24	65 to 74 years 75 to 84 years 85 years and over	4,005 1,980 360	8.5 9.8 10.3	2 2 1	4 4	6 7 7	10 12 12	16 18 19
85 years and aver	20	•	· .	•	•	*	•	Single diagnasis	2,365	7.8	2 2	3	5	9	16
Single diagnosis Multiple diagnoses	370 460	13.1 12.9	3	6	10 11	16 16	22 24	Multiple diagnoses	3,980 445	9.7	2	5	9	12 14	18
With surgery	105 725	20.3 11.9	2 3	9	16 10	24 15	38 22	Without surgery		8.8		4	6	iĩ	17

Table 17 SOUTH ATLANTIC: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND DISCHARGE CHARACTERISTICS—Con.

Oiagnasis And Oischarge Characteristics	Number of	Averoge stay		Perce	ntiles	(days)		Diagnasis And Discharge Characteristics	Number of	Average stay		Perce	entiles (	(days)	
(ICOA 8th Revision)	dischorges	(days)	10th	25th	50th	75th	90th	(ICOA 8th Revision)	discharges	(days)	10th	25th	50th	75th	90th
HYPERTENSIVE HEART DISEASE (402)								HEART BLOCK, AND CARDIAC ARREST (427.2, 427.3)							
Tatal	1,945	11.0	3	5	8	14	21	Tatal	2,655	10.3	1	3	7	13	21
65 ta 74 years	720	10.8	3 3 2	5 6 3	8 8 9	13	20 21	65 ta 74 years	1,280	9.8	1		7	13	20
85 years and over	555	12.3 9.6	1	3	7	19	24 18	75 ta 84 years	1,015 360	10.8 11.0	2 1	3 4 3	8	13 15	21 23
Multiple diagnases		11.6 16.3	3	6 7	9	14 22	30	Single diagnasis	1,185 1,470	9.1 11.3	1 2	3 4	7 8	11 15	18 24
Without surgery	1,800	10.6	2	5	8	13	20	With surgery	965 1,690	12.2 9.2	3 1	6	10 6	15 10	22 20
HYPERTENSIVE RENAL, AND HEART AND RENAL DISEASE (403, 404)								ATRIAL FIBRILLATION OR FLUTTER AND OTHER UNSPECIFIED DISORDERS OF							
Tatal	1,145	13.8	2	5	11	18	27	HEART RHYTHM (427.4, 427.9)							
65 ta 74 years	465 545 135	13.1 14.1 15.6	2 2 3	5 5 5	11 12 10	16 19 22	25 28 30	Total	3,885 2,155	9.4 8.7	2	3	7	11 10	18 17
Single diagnosis	260	13.0	2 2	4	9	15	27	75 ta 84 years	1,465 265	10.3 10.0	2 2 3	3 4 4	7	12 13	18 19
Multiple diognoses	885 130	14.1	3	6	12	19 25	27	Single diagnasis	1,530 2,355	7.8 10.4	2 2	3	5 7	9 12	14 19
Without surgery	1,015	13.1	2	9 5	iĭ	17	25	With surgery	315	18.7	4.	8	13	18	35
ACUTE MYOCAROIAL INFARCTION (410)  Total	25,490	15.2	1	5	14	21	28	Without surgery OTHER MYOCAROIAL INSUFFICIENCY	3,570	8.6	2	3	6	10	17
65 to 74 years	14,685	15.6	1	6	15	21	27	(428)							
75 ta 84 years	9,130 1,675	15.0 13.2	1	4 3	13 10	21 20	29 26	Total	1,125	12.2	2	5	9 10	17 17	24 27
Single diagnasis		14.1 16.3	1 1	4 6	14 15	20 22	26 30	75 to 84 years	505 140	11.6 11.7	3 2 1	4	8	16 17	22 26
With surgery	780 24,710	19.6 15.1	3	10 5	19 14	26 21	34 28	Single diagnosis	295 830	9.3 13.3	2 2	3	7 10	13 18	19 30
OTHER ACUTE AND SUBACUTE FORMS OF® ISCHEMIC HEART DISEASE (411)								With surgery	75 1,050	12.4 12.2	2 2	4	8	12 17	30 24
Total	5,525	10.7	2	4	8	14	20	ILL-DEFINEO HEART OISEASE (429)	.,						
65 ta 74 yeors	3,320 1,880	10.1 11.6	2 2 2	4	8	13 15	20 21	Tatol	1,990	11.3	2	4	8	14	20
85 years and over	325	10.5		5	9 8	14	19	65 ta 74 years	915 800	11.7 10.8	2 2 3	4 5 5	7 8	12 14 17	21 19
Single diagnasis		9.7 11.7	2 3	4 5	7 9	13 15	19 21	85 years and over	275 790	11.8		4	9	13	22 21
With surgery	120 5,405	17.8 10.5	3 2	10 4	17 8	21 14	32 20	Multiple diagnases	1,200	10.8 10.9	2 2	5	8	14	20 21
CHRONIC ISCHEMIC HEART DISEASE (412)								With surgery	1,870	11.4	2 2	4	8	14	20
Total	89,700	12.0	3	5	9	15	23	CEREBRAL HEMORRHAGE (431) Total	2,785	12.5	1	1	6	18	32
65 to 74 years	37,245	11.4 12.4	3 3	5 5 5	8	14 15	22 24	65 to 74 years	1,360	12.6	1	j	5	18	36 32
85 years and aver	10,445 26,420	13.1	2	5	7	16	26 20	75 to 84 years	1,130 295	12.5 12.3	1	1	7 6	18 16	32 27
Multiple diognases	63,280	12.8	3	5	ý	16	24	Single diognasis	1,275 1,510	10.3 14.4	1 1	1 2	4 8	14 21	28 37
With surgery		17.8 11.7	5 2	8 5	14 8	22 14	34 22	With surgery	225 2,560	18.6 12.0	1	5	15 5	26 17	42 31
ANGINA PECTORIS (413)								OCCLUSION OF PRECEREBRAL ARTERIES	2,555						•
Total	2,685 1,630	8.4 7.8	2	3	6	10	16	(432) Tatal	2,250	12.4	3	5	10	16	23
65 ta 74 years	935	9.5 8.2	2	3	6 7 6	12	17 16	65 ta 74 years	1,475	12.3	3	5	10	16	22 23
Single diagnosis	1,305	7.7	2 2	3	5 7	9 11	15 17	75 ta 84 years	665 110	12.3 13.6	3 2	5	9 7	17 17	23 25
Multiple diagnoses		9.1	5 2	7 3	14	23	29	Single diagnasis	1,080 1,170	11.3 13.4	2 3	5 6	9 10	15 16	21 25
Without surgery	2,640	8.3	2	3	6	10	15	With surgery	780 1,470	14.1 11.4	6 2	8	12 8	17 15	23 22
CONGESTIVE HEART FAILURE (427.0)  Tatal	12,585	11.7	2	5	9	15	22	Without surgery	1,470		-				
65 ta 74 years	5,470	11.2		5	8	14	21 22	Tatal	10,595	15.6	2	6	12	20	32
75 ta 84 years	5,265 1,850	11.9 12.3	2 2 2	5 5 5	9	15 16	25	65 ta 74 years	4,275 4,790	15.1 15.8	3 2 2	6	11 12 12	19 20 18	31 32 32
Single diagnasis	5,730 6,855	10.7 12.5	3	4 5	8 10	13 16	21 24	85 years and aver	1,530 3,470	16.0	2	6 5	10	17	29
With surgery	585 12,000	17.5 11.4	6 2	9	15 9	24 14	32 22	Multiple diagnases	7,125	16.4	3	6	12	21	33
								With surgery	380 10,215	20.3 15.4	5 2	9	17 12	27 19	37 31

Diagnasis And Discharge	Number	Average		Perce	entiles (	days)		Diagnasis And Discharge		Average		Perce	ntiles (	days)	
Characteristics	Number of discharges	stay (days)	10th	25th	50th	75th	90th	Characteristics (ICDA 8th Revision)	Number af discharges	stay (days)	10th	25th	50th	75th	90th
SUBARACHNOIO HEMORRHAGE AND CEREBRAL EMBOLISM (430, 434)								ARTERIAL EMBOLISM AND THROMBOSIS (444)							
Total	1,010	14.7	1	3	11	22	33	Total	2,565	13.5	1	4	10	17	28
65 ta 74 years	580 365 65	14.2 15.6 13.8	1 1 1	3 3 5	10 12 12	22 23 18	32 35 28	65 ta 74 years 75 to 84 years 85 years and over	1,450 890 225	13.9 13.6 9.6	1 1 1	4 5 2	10 10 5	17 17 13	29 30 22
Single diagnosis	400 610	10.9 17.1	1 1	2 7	6	14 24	29 38	Single diagnosis	1,090 1,475	11.9 14.6	1	3 4	10 10	15 18	24 32
With surgery	65 945	12.6 14.8	1	3	9 11	17 22	25 33	With surgery	1,405 1,160	16.3 10.0	3	8 2	13 5	20 12	31 23
TRANSIENT CEREBRAL ISCHEMIA (435)								GANGRENE (445)							
Total	2,665	8.4	2	4	6	10	15	Tatal	2,175	21.7	5	10	18	28	42
65 ta 74 years	1,300 1,110 255	7.9 8.3 11.3	2 2 3	4 3 4	6 6	10 10 11	14 15 24	65 ta 74 years	915 835 425	22.0 21.3 22.0	6 5 5	10 9 10	18 17 21	26 30 29	42 41 39
Single diagnasis	1,095 1,570	7.1 9.4	2 3	3 4	5 6	8 11	12 17	Single diagnasis	1,040 1,135	20.5 22.9	5	9 10	15 20	26 31	38 44
With surgery	165 2,500	12.2 8.2	5 2	7	10 6	15 9	22 15	With surgery	1,515 660	23.4 17.9	7 2	6	19 13	30 25	42 36
GENERALIZEO ISCHEMIC CEREBROVASCULAR DISEASE (437)								PULMONARY EM80LI5M AND INFARCTION (450)							
Totol	11,665	11.9	3	5	8	14	23	Tatal	3,570	14.7	3	7	12	19	28
65 to 74 years	4,485 5,315 1,865	10.8 12.2 13.7	3 2 3	5 5 5	8 8 9	12 14 16	19 24 28	65 to 74 years	2,010 1,305 255	14.6 15.1 13.2	3 2 2	8 6 5	12 12 10	20 19 15	26 29 22
Single diognosis	3,680 7,985	9.7 <sup>9</sup> 12.9	2 3	4 5	6	12 15	19 24	Single diagnosis	1,070 2,500	12.8 15.5	3 2	6 7	11 12	17 20	22 29
With surgery	620 11,045	17.3 11.6	5 2	8 5	13 8	20 14	31 22	With surgery	385 3,185	18.7 14.2	4 2	7	16 12	27 19	37 26
ILL-DEFINED CEREBROVASCULAR DISEASE (436, 438)								PHLEBITIS AND THROMBOPHLEBITIS (451)							
Tatal	22,370	14.6	2	5	10	19	31	Tatal	4,860	12.4	5	7	10	15	21
65 to 74 years	9,695 9,400 3,275	14.1 14.9 15.1	2 2 1	5 5 4	10 11 10	18 20 19	30 31 33	65 ta 74 years	3,095 1,495 270	11.7 13.6 13.0	5 5 4	7 7 7	10 11 11	14 16 17	20 25 22
Single diagnosis	9,445 12,925	13.5 15.5	1 2	4 5	9 11	17 20	29 33	Single diagnasis	2,160 2,700	11.1. 13.4	4 5	6 8	9 11	13 16	19 23
With surgery	790 21,580	20.1 14.4	5 2	9 5	16 10	26 19	43 30	With surgery	340 4,520	17.9 12.0	7	10 7	15 10	23 14	29 20
ARTERIOSCLEROSIS (440)								VARICOSE VEINS OF LOWER EXTREMITIES WITH ULCER (454.0)			1				
Tatal	7,915	13.6	3	5	9	17	28	Total	1,190	20.5	6	9	17	26	39
65 to 74 years	2,990 3,580 1,345	13.0 13.8 14.2	2 2 3	5 5 5	9 9 9	16 17 17	· 26 29 27	65 ta 74 years	700 440 50	19.9 22.1 15.0	6 4 3	9 10 6	17 18 11	24 30 19	36 45 27
Single diagnosis	1,450 6,465	11.0 14.1	2	4 5	7 9	15 17	22 30	Single diagnasis Multiple diagnases	565 625	18.0 22.8	5 7	8	14	24 26	34 46
With surgery	1,190 6,725	19.8 12.5	5 2	9 4	16 8	25 15	38 25	With surgery	530 660	22.2 19.2	6	10	20	30 24	40 33
NONSYPHILITIC AORTIC AND OTHER ANEURYSM (441, 442)								VARICOSE VEINS OF LOWER EXTREMITIES WITHOUT ULCER (454.1,	000	17.2			10	24	33
Total	3,205	12.1	1	3	10	16	25	454.9)	1 000	0.4				,,	17
65 to 74 years	1,895 1,120 190	12.7 11.4 11.3	1	3 2	9 6	17 15 10	25 24 27	Tatal	1,225 925 245	9.4 8.5 12.4	3 3	4	6 9	11 10 15	17 16 21
Single diagnosis	1,495 1,710	11.7 12.6	1	2	11	17 16	24 25	85 years and aver  Single diagnasis	55	7.5	1	5	10	16	20
With surgery	1,710 1,495	16.1 7.6	1	10 1	14 4	20 10	28 16	Multiple diagnases	545	11.9	2 3	6	8	15	13 22
OTHER PERIPHERAL VASCULAR DISEASE (443)								With surgery Without surgery HEMORRHOID5 (455)	390 i 335	9.4 9.7	3 2	5	8	13	17 17
Total	980	17.1	3	7	13	21	32	Tatal	3,065	8.8	3	5	7	10	15
65 ta 74 years	550 340 90	17.8 15.7 17.5	3 3 5	7 7 7	14 13 11	19 21 25	34 28 32	65 to 74 years	2,195 710 160	8.4 9.7 9.8	3 3 3	5 5 4	7 8 8	10 12 12	15 17 20
Single diagnasis	305 675	14.2 18.4	2 4	5 7	11 14	18 22	25 35	Single diagnasis	1,510	8.0 9.6	3	5	7	9	12 17
With surgery	485 495	20.9 13.3	9	12	16	26 15	36 27	With surgery	2,370	9.2	4	5	7	10	15

Table 17 SOUTH ATLANTIC: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED & DIAGNOSES, AND DISCHARGE CHARACTERISTICS—Con.

Oiognosis And Dischorge Chorocteristics	Number of	Averoge stoy		10100	entiles	00737		Diognosis And Dischorge Chorocteristics	Number of	Averoge stoy		10,00	entiles (	(00)3)	
(ICDA 8th Revision)	dischorges	(doys)	10th	25th	50th	75th	90th	(ICDA 8th Revision)	dischorges	(doys)	10th	25th	50†h	75th	901
ACUTE UPPER RESPIRATORY INFECTIONS EXCEPT INFLUENZA (460-465)								OTHER DISEASES OF UPPER RESPIRATORY TRACT (500-508)							
Totol	3,220	9.4	2	4	7	11	17	Total	2,345	5.1	1	2	3	6	
55 to 74 yeors	1,785 1,105 330	8.4 10.8 10.4	2 2 2	4 4 5	6 8 8	10 13 13	16 18 20	65 to 74 yeors	1,795 480 70	4.8 6.2 6.3	1 1 2	1 2 2	2 4 5	6 7 8	
Single diognosis	745 2,475	7.1 10.1	1 3	3 5	4 8	8 12	13 18	Single diognosis	1,245 1,100	4.1 6.2	1 1	1 2	2	4 8	
Nith surgery	165 3,055	7.9 9.5	1 2	2 4	6 7	10 11	18 17	With surgery	1,680 665	4.5 6.5	1 1	1 3	2 5	4 8	
ACUTE AND UNQUALIFIED BRONCHITIS AND BRONCHIOLITIS (466, 490)								PLEURISY (511) Total	935	9.4	3	4	7	12	
Total	12,040	9.5	3	5	7	11	17	65 to 74 years	510	9.5	2	4	7	12	
55 to 74 yeors	7,015 4,110 915	9.4 9.4 10.9	3 3 4	5 5 6	7 7 9	11 11 12	16 17 20	75 to 84 yeors	345 80	9.2 9.3	3 2	4	8	11 13	
Single diognosis	3,440 8,600	8.0 10.1	2 3	4 5	6 8	10 12	13 18	Single diognosis	315 620	7.4 10.4	3	3 5	5 8	10 13	
With surgery	625	12.3	3	5	9	15	23	With surgery	75 860	14.6 8.9	4 2	7 4	12 7	18 11	
Without surgery	11,415	9.4.	3	5	7	11	16	PULMONARY CONGESTION AND HYPOSTASIS (514)							
Totol	2,875	8.5	3	4	7	10	15	Total	2,245	12.2	2	5	9	15	
55 to 74 yeors	1,535 1,030 310	8.2 8.5 10.3	3 3 2	4 4 4	7 7 7	9 10 15	13 14 20	65 to 74 yeors	1,005 980 260	12.4 11.8 13.2	2 2 2	4 5 5	9 9 8	15 15 16	
ingle diognosis	1,125 1,750	7.0 9.5	2 3	3 5	5 7	8 11	12 16	Single diognosis	490 1,755	12.0 12.3	2 2	5 4	8 9	15 15	
Vith surgeryVithout surgery	80 2,795	12.2 8.4	5 3	7 4	10 7	14 10	22 15	With surgery	65 2,180	24.6 11.9	9 2	11 5	15 8	25 15	
PNEUMONIA (480-486)								CHRONIC INTERSTITIAL PNEUMONIA (517)							
Totol	24,035	12.5	3	6	9	15	22	Total	1,160	11.3	3	5	9	14	
55 to 74 years	10,615 9,720 3,700	11.9 13.0 13.1	3 3 2	6 6 5	9 10 10	14 15 16	21 24 24	65 to 74 yeors	690 345	11.7 9.7	3 2	5 4	9 8	14 13	
Single diognosis	7,115 16,920	10.2 13.5	3	5	8 10	12 16	18 24	85 years and over	125 2 <u>1</u> 0	13.5 9.9	6	4	10 7	16	
Vith surgery	1,385 22,650	21.0 12.0	7	11	17	25 14	40 22	Multiple diagnoses	950 135	11.6	3	6 5.	9	14	
Vithout surgery	22,630	12.0	3	0	,	14	22	With surgery	1,025	11.3	3	5. 5	9	14	
Totol	3,495	11.0	3	5	8	14	21	DISEASES OF ORAL CAVITY, SALIVARY GLANOS, AND JAWS (520-529)							
55 to 74 years	2,310 990	10.7 12.1	3 4	5	8 9	14 15	21 24	Total	1,570	6.2	1	2	3	7	
35 years and over	195	9.4	3	5	8	13	16	65 to 74 yeors	1,020 440	5.5 6.9	1	2 2	3	6	
Single diognosis	905 2,590	9.2 11.7	3	6	7 9	11	17 22	85 yeors ond over	110 840	9.5 4.9	2	3	6	11	
Nith surgery	500 2,995	12.2 10.8	2 3	4 5	9 8	17 14	25 20	Multiple diognoses	730	7.6	1	2	5	9	
EMPHY5EMA (492)								With surgery	1,030 540	5.8 7.0	1	2	3 5	6 9	
Total	8,805	11.3	2	5	8	13	22	DISEASES OF ESOPHAGUS (530)							
5 to 74 years	5,700 2,770	11.0 11.9	3	5	8	13 14	21 24	Totol	2,325	10.3	2	3	7	13	
IS years and over	2,275	10.9	2	4	7	14	21 19	65 to 74 yeors	1,360 750 215	10.0 10.7 10.4	2 2	3 4 4	6 7 7	12 13 13	
Aultiple diognoses	6,530 695	11.7	3	5 8	13	14 22	33	Single diognosis	780 1,545	7.9 11.5	1 2	2	4 8	9	
Nithout surgery	8,110	10.8	2	5	8	13	20	With surgery	1,005	12.0	2	3	8	16	
ASTHMA (493) Totol	2,885	9.4	2	4	7	11	17	Without surgery	1,320	9.0	2	3	6	10	
65 to 74 years	2,090	9.0	2	4	7	11	17	Total	3,860	13.8	3	6	11	17	
75 to 84 years	720 75	10.4 9.7	2	6	8 9	13 12	18 16	65 to 74 years	2,405 1,250	13.5 14.3	3 4	6	11 12	16 18	
Single diognosis	1,030 1,855	7.8 10.2	2 2	3	6 8	12	14 18	85 years and over	1,470	14.2	1	8	12 10	19	
With surgery	110 2,775	14.5 9.1	2	4	12	20 11	28 17	Multiple diognoses	2,390	14.7 18.0	3	7	15	18 22 15	

Diagnasis And Oischarge Characteristics	Number of	Average stay			entiles (			Diagnasis And Discharge Characteristics	Number of	Average .			entiles (		
(ICDA 8th Revision)	discharges	(days)	10th	25th	50th	75th	90th	(ICDA 8th Revision)	discharges	(days)	10th	25th	50th	75th	90th
ULCER OF DUODENUM (532)								HERNIA OF ABOOMINAL CAVITY WITH OBSTRUCTION (552, 553)							
Tatal		11.4 10.9	3	5	9	14	21 20	Tatal	2,505	11.2	4	6	8	13	2
65 to 74 years		12.4 12.2	3 3 3	5 5 6	8 9 11	13 14 16	24 22	65 ta 74 years	1,315 855	10.8 11.6	3 4	5 6	8 9	13 12	2
Single diagnasis	2,435 4,145	9.9 12.3	3	5	7 9	12 15	18 23	85 years and aver	335 1,340	11.4 9.8	5	7 5	9	14 11	1
With surgery	1,355	17.5	7 3	10	15	21	30	Multiple diagnases	1,165	12.8	4	6	10	16	2
PEPTIC ULCER, 5ITE UNSPECIFIED (533)	5,225	9.9	3	5	7	12	17	With surgery	2,005 500	11.8 8.6	2	4	9 6	13 10	1
Tatal	2,560	11.7	3	5	9	15	22	INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (560)							
65 to 74 years	1,650 725	10.8 12.2	2 3 4	5 5	8 9	14 14	21 22	Tatal	5,595	12.5	2	4	9	16	2
85 years and aver	1,025	18.0 9.4		7	14	21 12	30 19	65 ta 74 years	2,560 2,200 835	12.7 12.5 12.1	2 2	4 4 4	9 9 8	16 15 16	2 2 2
Multiple diagnases	1,535	13.3	3	6	10	17	23	5ingle diagnasis	2,545	11.2	1	3	8	14	2
With surgery	410 2,150	18.3 10.5	6 2	10 4	17 8	22 13	26 20	Multiple diagnases	3,050 1,985	13.6 18.5	2	10	9 15	17 22	3
GASTRITIS AND OUODENITIS (535)	5 000	7.0						Without surgery	3,610	9.2	ĭ	3	6	īī	ì
Tatal	5,300 3,230	7.9 7.7	2	3	5	9	15 14	DIVERTICULA OF INTESTINE (562)  Tatal	13,045	9.6	2	4	6	11	,
75 ta 84 years	1,620 450	8.0 8.6	2 2 2	4	6	9 10	16 16	65 ta 74 years	7,215	9.3 9.9	2	4	6	11 11	1
Single diagnasis	1,450 3,850	5.7 8.7	1 2	3 4	4 6	7 10	10 16	75 ta 84 years	4,765 1,065	10.5	2	4	7	13	2
With surgery	375 4,925	13.4 7.5	3 2	6	9	18	26 14	Single diagnasis	4,590 8,455	8.1 10.5	2	3 4	5 7	10 12	1 2
OISOROERS OF FUNCTION OF STOMACH	4,725	7.5	-	,		,	"	With surgery	2,870 10,175	15.2 8.1	4 2	6 3	12 6	19 9	1
(536) Tatal	1,040	7.5	2	3	5	8	13	FUNCTIONAL DISORDERS OF INTESTINE (564)							
65 ta 74 years	600	7.2		3	5	8	12	Tatal	2,375	7.0	2	3	5	8	1
75 ta 84 years	310 130	7.3 9.4	2 2 2	3	5 5	8 9	17 14	65 ta 74 years	1,455 780	6.3 8.1	2 2	3	5 5	8 10	1
Single diagnasis	410 630	7.0 7.8	1 2	3	4 5	7 9	15 13	85 years and aver	140 720	8.6	2	3	5	12	1
With surgery	70 970	12.4 7.1	4	6	8 5	18 8	22 12	Single diagnasis	1,655	5.8 7.6	2	3	5	9	1
INGUINAL HERNIA WITHOUT MENTION OF O85TRUCTION (550)								With surgery	275 2,100	8.1 6.9	2	3	6 5	9 8	1
Tatal	10,830	8.6	4	5	7	9	13	CIRRHO515 OF LIVER (571)							
65 ta 74 years	7,385 3,070	8.2 9.2	4 4	5 5	7 7	9 10	12 14	Tatal	1,980	15.4	3	7	11	19 20	3
85 years and over	375	10.8	4	6	8	12	17	75 ta 84 years	510 50	16.3 13.1	3	7 6	12	17 15	3
Single diagnasis	6,970 3,860	7.7 10.2	4	5 6	7 8	9 11	11 17	Single diagnasis	520 1,460	13.0 16.3	3	6 7	9 12	16 21	2
With surgery	10,085 745	8.6 8.9	4 2	5 4	7 7	9 10	13 15	With surgery	320	18.4 14.8	5	8	14 11	23 18	3
VENTRAL HERNIA WITHOUT MENTION OF OBSTRUCTION (551.2)								Without surgery	1,660	14.0	3	0	''	10	,
Tatal	1,965	10.5	4	6	9	12	16	Tatal	12,550	13.7	4	7	11	17	2
65 ta 74 years	1,405 530	10.0 12.0	4	6 7	9	11 13	15 26	65 ta 74 years	8,000 3,825	13.1 14.6	4	7	11 12	16 19	2
85 years and aver	30 1,135	9.7 9.6	4	7 6	10	11	13	85 years and aver	725 6,065	15.5 13.2	4	7 8	12	21 16	2
Multiple diagnases	830	11.8	4	7	10	13	18	Multiple diagnases	6,485 7,925	14.1 16.2	3 8	7 10	12	18 19	2
With surgery	1,665 300	11.1 7.3	5	3	6	12 9	17 11	With surgery	4,625	9.5	2	4	7	ií	í
DIAPHRAGMATIC HERNIA WITHOUT MENTION OF OBSTRUCTION (551.3)		1						CHOLECYSTITIS AND CHOLANGITIS WITHOUT MENTION OF CALCULUS (575)							
Tatal	6,640	8.6	2	4	6	11	16	(373)	6,305	11.7	3	5	9	14	2
65 to 74 years	4,215 2,015 410	8.3 9.1 9.7	2 2 3	4 4	6 6 7	10 11 12	16 17 19	65 ta 74 years	3,360 2,330	11.2 12.4	3	6	9	14 15	2 2
Single diagnasis	1,415	7.0	2	3	5	9	13	85 years and over	615	11.6	3	5	9	14	2
Multiple diagnoses	5,225	9.0	3	6	7 11	11	17 23	Single diagnasis	2,870 3,435	10.5 12.7	3	5 6	9	13	1 2
Without surgery	5,370	7.7	2	3	6	9	14	With surgery	2,045 4,260	16.3 9.4	8	10 4	14 7	20 11	2

Table 17 SOUTH ATLANTIC: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND DISCHARGE CHARACTERISTICS—Con.

Oiognosis And Oischorge Chorocteristics	Number of	Averoge stoy		Perce	entiles (	(doys)		Oiognosis And Oischorge Choracteristics	Number of	Averoge stoy		Perce	ntiles (	doys)	
(ICOA 8th Revision)	dischorges	(doys)	10th	25th	50th	75th	90th	(ICOA 8th Revision)	dischorges	(doys)	10th	25th	50th	75th	90th
OTHER DISEASES OF GALL BLAODER AND BILIARY DUCTS (576)								CYSTITIS (595)							
Totol	1,775	12.5	3	5	8	16	26	Total	4,490	8.9	2	4	6	11	13
65 to 74 yeors	970	12.6	3	5	8	16	27	65 to 74 yeors	2,485 1,560	7.7 10.1	2 2	3	6 7	12	20
75 to 84 yeors	670 135	12.1 12.9	2	5	9 11	17 16	24 27	85 years and over	1,510	11.0	3	5	9	15	20
Single diognosis	690 1,085	11.5 13.0	2 3	4 5	7 9	16 17	25 27	Multiple diognoses	2,980	10.1	3	4	7	12	19
With surgery	490 1,285	20.4 9.4	7	10	18	26 12	34 19	With surgery	2,275 2,215	8.0 9.7	3	3	5 7	10 12	1: 19
OISEASES OF PANCREAS (577)	1,203	7.4			ĺ	,,,	,,	OTHER DISEASES OF BLADDER (596)							
Total	1,480	13.1	4	6	10	16	24	Total	2,000	11.2	2	5	8	14	2
65 to 74 yeors		12.1 14.0	3 4	6	10 10	15 20	23 26	65 to 74 yeors	1,115 690 195	10.6 11.9 12.4	3 2	5 5 4	8 9 7	13 15 13	2 2 3
85 years ond over	90	16.6	1	7	10	21	23	Single diagnosis	645	9.5	2	4	7	12	11
Single diognosis		11.3 13.9	3	5 7	9 10	13 19	21 26	Multiple diagnoses	1,355	12.0 11.2	3	5	9	15	2:
With surgery	245 1,235	19.4 11.8	7 3	12 6	20 9	25 13	30 21	Without surgery	485	11.4	2	4	8	14	24
CHRONIC AND UNQUALIFIED NEPHRITIS								URETHRITIS AND STRICTURE OF URETHRA (597, 598)							
(582, 583) Totol	845	15.9	3	6	11	20	34	Total	3,215	8.0	2	3	5	10	14
65 to 74 years	500	14.7	3	5	11	20	31	65 to 74 years	1,965 1,050	7.5 8.7	2 2	3	5	9 11	14 14
75 to 84 yeors	285 60	19.1	5 3	8 5	13 8	12	39 17	85 years and over	1,095	8.9 6.3	1	2	7	10 7	18
Single diognosis	190 655	14.1 16.4	2 3	6	13 11	18 23	30 35	Multiple diognoses	2,120	8.8	2	3	6	11	10
With surgery	160 685	22.2	5	10	17	31 19	43	With surgery	2,635 580	7.9 8.4	2 2	3	5 6	10	14
Without surgery	663	14.4	3	J	10	19	32	URINARY TRACT INFECTION, NOT ELSEWHERE CLASSIFIED (599.0)							
Totol	5,910	11.1	3	5	8	13	22	Total	6,530	11.2	3	5	8	13	21
65 to 74 years		10.8 11.2	3	5	8	13 13	21 22	65 to 74 yeors	2,880 2,635	10.4 11.6	3	4 5	7 8	11 13	20 20
85 years and over	760	11.6	3	5	8	14	23	85 years and over	1,015	12.6	3	6	10	16	24
Single diagnosis	1,715 4,195		3	5 5	7 9	11	16 24	Single diognosis	1,945 4,585	9.5 11.9	2	5	7 8	11	18 22
With surgery		14.1 10.6	3	6 5	11	19 13	27 20	With surgery	1,320 5,210	11.6 11.1	3	4 5	9	14 13	23 20
CALCULUS OF KIONEY AND URETER								HYPERPLASIA OF PROSTATE (600)							
(592) Totol	5,065	9.2	2	3	6	12	18	Total	19,420	12.7	4	7	10	15	22
65 to 74 years	3,845	9.1	2	3	6	11	18	65 to 74 yeors	11,185 6,825	11.7 13.5	3	6 7	9 11	14 16	20 23
75 to 84 years	1,085 135	9.5 10.5	2 2	3 5	6 8	13 13	19 21	85 years and over	1,410 9,820	16.8	5	8	13	20	31 20
Single diognosis	2,720 2,345	8.0 10.6	1 2	3	5 8	11 13	16 21	Single diognosis	9,600	13.9	4	6 7	11	14 17	25
With surgery	2,475	12.4	3	5	10	15	22	With surgery	16,480 2,940	13.0 10.7	5 2	7	11	15 13	22 20
OTHER OISEASES OF KIONEY AND	2,590	6.2	l '	2	4	7 :	12	PROSTATITIS (601)							
URETER (593)								Total	1,260	9.2	2	4	6	11	19
Totol	2,300 1,430	10.9	1	3	8	14	23	65 to 74 yeors	765 405 90	8.3 10.8 10.0	2 2	3 4 5	6 7	10 16 14	15 21 19
75 to 84 years	715	12.1	2	4	10	16	23 30	Single diagnosis	445	8.7	2	3	5	10	15
Single diognosis	795	8.5	1	2	5	11	17	Multiple diognoses	815	9.5	2	4	6	11	19
Multiple diagnoses	1,505	12.2	3	5	9 10	16	25 25	With surgery	515 745	10.1 8.6	3	3 4	6	14 9	23 17
Without surgery	1,265	9.4	1	2	6	12	18	CHRONIC CYSTIC DISEASE AND OTHER DISEASES OF BREAST (610, 611)	- 0						
CALCULUS OF OTHER PARTS OF URINARY SYSTEM (594)								Total	1,650	5.1	1	2	3	5	10
Totol	1,005	10.5	2	4	8	14	20	65 to 74 yeors	1,175 435	4.7 5.9	1	2 2	3 4	5 7	8 11
65 to 74 yeors	685 280	9.4 12.2	2 4	4 5 5	7 9	14	17 25	85 years and over	40	8.4	1	3.	7	11	15
85 years and over	410	16.9	4		16	23	27 17	Single diagnosis	1,140 510	4.3 7.1	2	2	3 4	8	13
Multiple diognoses	595	12.1	3	3 6	10	15	24	With surgery	1,480 170	4.9 7.0	1 2	2	3	5	10 9
With surgery	670 335	12.3 6.7	3	6	10	15	24 14								

Oiognosis And Oischorge	N = b = f	Average	-	Perce	entiles (	doys)		Oiognosis And Oischorge	N. abas at	Averoge		Perce	entiles (	days)	
Chorocteristics (ICOA 8th Revision)	Number of dischorges	stoy (doys)	10th	25th	50th	75th	90th	Chorocteristics (ICOA 8th Revision)	Number of dischorges	stoy (doys)	10th	25th	50th	75th	90th
UTEROVAGINAL PROLAPSE (623)								SPONDYLITIS OSTEOARTHRITICA (713.1)							
Totol	5,170	11.5	6	7	10	13	17	Total	3,715	10.7	3	5	8	13	19
65 to 74 yeors	3,770 1,280 120	11.1 12.7 10.9	6 5 4	7 8 6	9 10 10	13 14 13	17 20 17	65 to 74 yeors	2,225 1,235 255	10.3 11.2 11.1	3 3 3	5 5 5	8 9 9	13 15 14	18 20 23
Single diognosis	2,620 2,550	10.7 12.3	6 5	7 8	9 10	12 14	16 20	Single diognosis	920 2,795	9.5 11.1	3 3	4 5	7 9	12 14	18 20
With surgery	4,595 575	11.6 10.6	6 2	8	10 7	13 11	17 18	With surgery	370 3,345	15.8 10.1	3	8 5	14 8	19 12	28 18
Total	1,525	5.0	1	2	3	5	10	Total	2,980	10.6	2	4	8	13	20
65 to 74 yeors	1,185 300	4.9 5.2	1	2 2	3	5	9 12	65 to 74 yeors	1,665 1,050	10.2 11.0	2 3	4 4	8	12 14	19 21
85 yeors and over	40 925	4.1 3.9	1	2 2 2	3 2	4	7	85 years and over	1,095	9.7	2	5	7 7	14	27 18
Multiple diagnoses	1,415	4.9	1	2	3	5	14	Multiple diognoses	1,885	11.2	3	5 7	13	13	21 36
CELLULITIS AND ABSCESS (681, 682)	110	5.8	1	2	3	6	12	Without surgery	2,675	10.0	2	4	7	12	19
Totol	3,040	13.3	3	5	9	16	25	Totol	3,240	13.1	4	6	10	16	24
65 to 74 yeors	1,670 1,060 310	12.4 14.0 15.3	3 3 3	5 6 6	9 9 11	14 17 22	23 26 30	65 to 74 yeors	1,430 1,395 415	12.0 14.3 13.5	4 4 3	6 7 6	10 11 10	15 18 16	22 26 25
Single diognosis	1,040 2,000	11.5 14.2	3 4	4 6	8 10	13 18	21 29	Single diagnosis	835 2,405	12.4 13.4	4	6 6	10 10	15 17	23 25
With surgery	640 2,400	17.8 12.1	3	6 5	12 9	22 14	36 23	With surgery	240 3,000	21.4 12.5	7 4	11	18 10	26 15	32 22
OERMATITIS AND ECZEMA (690, 692)								OISPLACEMENT OF INTERVERTEBRAL OISC (725)							
Totol	660	11.5	2	5	9	14	22	Total	2,865	13.8	4	7	11	17	26
65 to 74 yeors	355 240 65	9.9 10.4 24.5	2 3 8	6 11	8 9 16	13 12 25	18 18 55	65 to 74 yeors	2,160 645	13.3 15.2	4 5	7 8	11 11	16 19	25 30
Single diognosis	260 400	10.1 12.4	1 4	3 6	9	13 14	15 23	85 years and over	1,275	14.6	5	7 8 6	9 12 10	16 17 17	32 27 25
With surgery	70 590	11.1 11.6	3 2	5 5	9	14 13	17 22	Multiple diagnoses	1,590 715 2,150	13.3 19.4 11.9	9	12	17 10	24	33 20
CHRONIC ULCER OF 5KIN (707)								VERTEBROGENIC PAIN 5YNOROME (728)	2,130	11.7	3		10	"	20
Total	2,025	19.1	4	7	14	23	40	Total	2,015	11.5	3	5	9	14	20
65 to 74 years	99.5 79.5 23.5	18.9 19.7 17.7	4 3 3	7 7 8	14 15 15	22 26 21	40 41 35	65 to 74 yeors	1,315 630 70	10.7 13.1 10.3	3 4 2	5 6 5	8 9 7	14 16 12	19 25 21
Single diognosis	865 1,160	17.9 19.9	3 4	7 8	12 16	21 24	40 41	85 years and over	820	11.0	4	6	9	14	19
With surgery	840 1,185	21.7 17.2	4	9 7	16 13	26 22	46 33	Multiple diagnoses	1,195	11.8 16.9	5	5	9 15	14 21	21 29
RHEUMATOIO ARTHRITIS AND ALLIED CONDITIONS (712)								Without surgerySYNOVITI5, 8URSITIS, ANO	1,735	10.6	3	5	8	13	18
Total	2,680	14.1	3	5	10	17	27	TENOSYNOVITIS (731) Totol	1,760	7.4	2	3	5	9	14
65 to 74 yeors	1,840 715 125	14.1 13.6 16.8	3 3 3	6 5 5	10 10 10	17 19 18	26 27 40	65 to 74 yeors	1,215 455	6.6 8.8	1 2	2 3	4 6	8 9	13
Single diognosis	760	13.8	3	5	9	16 18	26 27	85 years and over	90 875	10.7	2	3	3	12	26
Multiple diognoses	1,920 475	14.2	3	6	11	23	37	Single diognosis	885	9.0	2	4	7	10	15
Without surgery	2,205	13.2	3	5	9	17	25	With surgery	860) 900	6.0 8.6	2	4	7	10	12 15
Totol	5,535	13.2	3	5	10	16	25	SYMPTOMS REFERABLE TO NERVOUS SYSTEM AND SPECIAL SENSES (780, 781)							
65 to 74 yeors	2,990 2,160 385	13.1 13.6 12.2	3 3 4	5 6 6	10 10 9	16 17 15	25 26 20	Total	1,175	8.7	1	3	6	10	16
Single diognosis Multiple diognoses	1,845 3,690	15.2 12.2	3	6 5	12	20	30 23	65 to 74 yeors	850 270 55	8.1 10.9 7.2	1 2 1	3 4 3	5 7 5	10 10 9	16 20 14
With surgery	1,400	19.5	6	10	17	24	35 20	Single diagnosis	850 325	8.1 10.3	1 2	3	5	10 10	15 18
	,,,,,		0		-			With surgery	55	15.8 8.4	2	2 3	4 6	23 10	29 15

Table 17 SOUTH ATLANTIC: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND DISCHARGE CHARACTERISTICS—Con.

Oiagnosis And Oischarge Characteristics	Number of	Averoge stay		Perce	entiles			Oiognasis And Oischarge Characteristics	Number of	Average stay		rerce	entiles (	uays)	
(ICOA 8th Revision)	discharges	(days)	10th	25th	50th	75th	90th	(ICOA 8th Revision)	discharges	(days)	10th	25th	50th	75th	90th
ACUTE HEART FAILURE, UNDEFINED (782.4)								FRACTURE OF VERTEBRAL COLUMN, OORSAL (THORACIC) ANO LUMBAR, CLOSEO (805.2)							
Tatal	450	10.1	1	4	7	13	21	Tatal	3,265	14.7	4	7	12	19	2
65 ta 74 years	185 210 55	9.83 11.04 7.7	2 1 1	4 4	8 9 5	14 15 7	18 22 12	65 to 74 years	1,520 1,295 450	13.7 15.3 16.2	4 5 5	7 8 8	11 13 13	17 20 20	2: 2: 2:
Single diagnasis	320 130	9.9 10.5	1 2	3 4	7 10	13 14	21 18	Single diagnasis	1,490 1,775	12.8 16.2	4 5	7 8	10 13	16 21	2
With surgery	30 420	15.2 9.7	1	2 3	7 7	16 13	36 20	With surgery	80 3,185	17.4 14.6	4 4	7 7	13	24 19	3 2
5YNCOPE OR COLLAPSE (782.5)	740		,	2	4	6	11	FRACTURE RI8(5), CLOSEO (807.0)							
Total	415	5.5	, 1		ļ	6	11	Tatal	2,215	10.7	2	5	8	13	2
75 ta 84 years 85 years and aver	260	5.2 6.0	i i	2 2 3		6		65 to 74 years	1,035 890 290	10.0 11.0 12.4	2 3 3	4 5 6	7 8 10	12 13 14	1 2 2
Single diagnasis	600 140	5.2 7.0	1 2	2 3	6	6 8	10 13	Single diagnosis	465	8.7	2	4	6	10	1
With surgery	10 730	5.4	1	2	4	6	11	Multiple diagnoses	1,750	11.3	3	5 8 4	12	14 19 12	2°
EPISTAXI5 (783.0)								CLOSEO FRACTURE OF PELVIS (808.0)	2,080	10.2	2	4	8	12	20
Total	950	5.7	1	2	4	7	10	Tatal	1,660	20.8	5	10	16	26	4
65 ta 74 years	600 295 55		1 1 1	2 3 1	4 4 5	7 7 7	10 10 12	65 to 74 years	580 715	20.9 21.9	5 5 5	9	16 17	23 28 23	41
Single diagnasis	775 175	5.6 6.3	1 2	2 3	4	7 7	11 10	Single diagnasis	365 860	18.6	5 5 5	9	15	22	3
With surgery	140 810		2	3 2	4	8 7		Multiple diognoses	800 65	23.6 29.5	7	11	19 27	31 40	4
PAIN IN CHEST (783.7)								Without surgery	1,595	20.5	5	10	16	25	3
Tatal	950	8.2	1	3	6	10	18								
65 to 74 years	230	6.6	]	3 2 4	7	11 7	19 16		795	20.6	6	9	18	27	39
85 years and over			1	3	6	10		65 to 74 years	370 330 95	19.6 21.9 19.7	4 7 5	9 10 9	17 19 18	25 29 25	39 4 3
Single diagnasis	180	8.3	2	4	6	10	17	Single diagnasis	415	19.3	6	9	16	24	36
With surgery Without surgery	50 900		6 1	11 3	19			Multiple diagnases	380 160	21.9	9	11	19 19	30	4
A800MINAL PAIN (785.5)								Without surgery	635	19.7	5	9	18	26	3
Tatal			1	3	5	İ	İ	FRACTURE OF UPPER ENO OR SHAFT OF HUMERUS, CLOSEO (812.0, 812.2)							
65 to 74 years	605	8.1	1	3 3 4	6 8	7 9 10			2,155	11.9	2	4	9	16	2
Single diagnosis	1,510 390	6.7 9.4	1 2	3 4	5 7	8 11			925 930 300	10.6 12.8 13.2	2 2 3	3 4 6	8 9 10	14 17 19	2: 20 20
With surgery			2	5 3	10			Single diagnasis	1,240 915	10.2 14.2	1 3	3	7 10	13 19	2:
RETENTION OF URINE (786.1)								With surgery	675 1,480	13.5 11.2	2 2	4	9	19 15	3
Totol	745	11.8	3	4	8	14	20	Without surgeryFRACTURE OF UPPER END OR	1,400	11.2	2	4		13	2
65 to 74 years	275	12.1	2 3 2	5 4 4	8 8 9		19 22 20	UNSPECIFIED PART OF RADIUS AND ULNA, CLOSEO (813.0)							
Single diagnasis	600	10.5	3 2	5 4	8	14	19	Tatal	630 365	7.9 6.5	1	2	5	7	1:
Multiple diagnases	305	13.1	6	8	11	16	20	75 ta 84 years	225 40	9.0 13.9	1 5	2 5	6 9	11 20	11
Without surgery	440	10.8	2	3	6	11	20	Single diagnasis	415 215	6.4 10.7	1 2	2 4	4 7	7	1:
Totol	1,050	6.6	1	2	4	8	13	With surgery	415	6.8	1	2	4	8	1
65 ta 74 yeors	365	6.5 6.4	1	2 2	5	8 8	12 11	FRACTURE OF LOWER END OF RAOIUS	215	9.9	,	3	/	12	20
85 years and over	930	8.1 6.7	1	1 2 3	4	10	18		1,120	6.0	1	2	3	6	14
Multiple diagnoses	120	6.0 7.2	1 2	3	5	7	11	65 ta 74 years	695 340	4.81 7.1	1	2 2	3 3	6 8	11
Without surgery					İ 4		j 11	85 years and over	85 790	11.4 4.7	2 1	4 2	8	12	25
								Single diagnasis	330	9.3	i	2	3 5	14	2
								With surgery	720 400	4.9 8.0	1	2 2	3	10	18

Diagnasis And Discharge		Average		Perce	entiles (	(days)		Diagnosis And Discharge		Average		Perce	entiles (	days)	
Characteristics (ICDA 8th Revision)	Number of discharges	stay (days)	10th	25th	5Dth	75th	9Dth	Characteristics (ICDA 8th Revision)	Number of discharges	stay (days)	10th	25th	50th	75th	90th
FRACTURE OF INTERTROCHANTERIC								CONCUSSION (850)							
SECTION OF NECK OF FEMUR, CLOSED (82D.2)								Total	735	9.2	1	3	6	11	17
Tatal	4,375	22.1	8	13	18	27	37	65 ta 74 years	395 255	7.4 9.6	1 2	3 3 5	6	12	12 20
65 to 74 years	1,07D 2,22D 1,085	22.9 22.5 20.5	11 9 7	14 13 13	18 18 17	26 28 26	38 39 34	85 years and aver	190	16.5	3	2	9	17	39
Single diagnosis	2,615	21.4	8 9	13	18	24 29	36	Multiple diagnoses	545	10.5	2	4	7	12	20
Multiple diagnases		23.2 21.5	9		19	29 26	36	With surgery	60 675	18.2 8.4	3 1	1D 3	12	28 10	34 15
Without surgery		25.5	í	13 11	19	30	58	LACERATION AND OPEN WOUND OF HEAD, NECK, AND TRUNK							
FRACTURE OF OTHER AND UNSPECIFIED PART OF NECK OF FEMUR, CLOSEO (820.4)								(870-879) Tatal	1,770	8.1	1	2	5	9	18
Tatol	10,215	21.4	7	12	18	26	38	65 ta 74 years	1,005	7.5	1	2 2	4	9	15
65 to 74 years	3,115 4,640	21.1 21.5	7 7	12 13	17	26 26	39 36	75 ta 84 years	625 140	9.0 8.5	1	3	5 6	11 9	23 18
85 years and aver	2,460	21.6	6	12	19	27	40	Single diagnasis	495 1,275	7.5 8.4	1	1 2	4 5	8 9	14 19
Single diagnosis	6,545 3,670	20.0 24.0	6 8	12 14	17 20	24 30	35 41	With surgery	515 1,255	10.5 7.1	1	2 2	5	13	25 14
With surgery	7,925 2,290	21.8 19.9	9	14		26 27	36 43	CONTUSION AND CRUSHING WITH	1,255	7.1	<u> </u>	2	-	0	14
FRACTURE OF OTHER AND UNSPECIFIED PARTS OF FEMUR (821)								INTACT SKIN SURFACE (920-929)	4,175	9.5	2	4	7	12	19
Tatal	1,545	25.4	4	10	20	32	53	Total		8.3	1	3	6	11	17
65 to 74 years	560	25.7	4	10	18	33	63	75 ta 84 years	1,795 535	1D.1 11.7	2 2	4	7 8	12 13	21 19
75 ta 84 years	660 325	24.8 25.9	6	11 10	21 19	29 35	51 52	Single diagnosis	1,125 3,050	7.5 10.2	1 2	2	5 7	1D 13	14 20
Single diagnasis	910 635	24.7 26.4	4 5	9 11	19 20	30 36	53 53	With surgery	245	15.2	2 2	5	9	18	26
With surgery	840 705	25.0 25.8	8 2	14 6		30 37	48 68	Without surgery	3,930	9.1	2	3	/	11	18
FRACTURE OF TIBIA AND FIBULA (823)	,03	15.0	_		"	,	50	(960-979)							
Tatol	1,D30	16.7	3	7	11	19	37	Total	2,495 1,395	8.2 7.9	2	3	5	ID ID	16
65 to 74 years	275	17.1 17.1	3 3	7 6		18 20	39 34	75 to 84 years	930	8.4 9.2	2 2	4	7 6	1D 10	16 16
85 years and aver		11.1	3	5	10	13	22 36	Single diagnasis	740 1,755	6.6 8.8	1 2	2	4 7	8 11	14 16
Multiple diognoses	430	19.6	4	8	13	21	41	With surgery	95	13.3 7.9	6 2	8	12	14	23
With surgery		18.4 15.4	3	6	11	18 19	40 32	Without surgery	2,400	7.9	2	3	٥	10	15
FRACTURE OF ANKLE (824)								MECHANICAL NATURE FROM INTERNAL PROSTHETIC DEVICE (997.5)							
Total		11.4	2 2	4	8	14	22 20	Tatal	660	1D.9	2	4	7	13	25
75 ta 84 years	370	13.7	2		9	15 12	32 19	65 to 74 years	280	12.6 8.7	3 2	4 3		17 10	29 19
Single diagnasis		9.8 14.8	2 2	4 5	7 9	12 18	20 29	85 years and aver	505	12.2	2	4	8	12	27
With surgery	720	11.6	3	5	9	15 10	22 24	Multiple diagnases	155	10.2	3	4	7	12	25 17
MULTIPLE FRACTURES INVOLVING 80TH	450	11.1	2	3	6	10	24	With surgery	525 135	11.9 6.9	3 1	3	8 5	16 9	26 11
LOWER LIMBS, LOWER WITH UPPER LIMB, AND LOWER LIMB WITH RIB AND															
STERNUM (828) Tatal	975	22.6	4	10	18	28	45								
65 ta 74 yeors	380	19.8	4	10	18	23 32	38								
75 to 84 years	405 190	25.1 22.8	5 4	11 12	18 19	32 31	50 41								
Single diagnosis		19.8 26.7	4 6	1D 11	17 21	24 34	36 50								
With surgery	570 4D5	25.2 19.0	9	13	20 15	29 25	47 38								
SPRAINS AND STRAINS OF BACK (846,	400	17.0		,	,,	-3	- 55								
847) Total	2,835	1D.3	3	5	8	13	18								
65 ta 74 years	1,73D	10.0	3		8	12	17								
75 ta 84 years	865 240	1D.7 1D.4	3 2	5 5 5	8	13	19 20								
Single diagnasis	1,02D 1,815	8.7 11.2	3	4 6	7 9	11 14	15 19								
With surgery	120 2,715	20.1 9.8	6	8 5	15 8	20 12	31 17								

Table 18 SOUTH ATLANTIC: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED SURGICAL PROCEDURES, AND DISCHARGE CHARACTERISTICS

Surgicol Procedures And Dischorge Chorocteristics (CPT 1st Edition)	Number of dischorges	Averoge stoy (doys)	10th	Perce 25th	50th	(doys) 75th	90th	Surgicol Procedures And Oischorge Chorocteristics (CPT 1st Edition)	Number of dischorges	Averoge stoy (doys)	10th	Perce 25th	50th	doys) 75th	90th
MASTECTOMY, COMPLETE, SIMPLE								REPAIR OF VENTRAL HERNIA (3661)							
(0457) Totol	1,475	11.5	2	5	9	13	20	Total	1,825	11.9	5	7	10	13	2
5 to 74 yeors	735	10.7		4	8	12	18	65 to 74 years	1,275	11.5	5	7	10	13	
'5 to 84 years	585 155	12.3 12.7	2 3 5	7	10 11	15 14	22 19	75 to 84 years	525 25	12.8	5 *	7	10	15	
ingle diognosis		9.7 14.5	2	4 8	8 12	11 18	16 26	Single diognosis	1,115 710	10.6 14.1	5 5	7 8	9 11	12 17	
MASTECTOMY, RADICAL (0470)								PROSTATECTOMY, EXCEPT TRANSURETHRAL (4311-4313, 4316,							
Totol		13.0	7	8	11	14	20	431X)							
5 to 74 yeors	595	12.5 14.3 10.4	7 7 6	8 9 7	11 11 9	14 16 12	19 25 15	Totol	4,205 2,645	18.6 17.6	10	12	16 15	21	
ingle diognosis	1,215	12.2	7	8	10	14	18	75 to 84 yeors	1,370 190	17.8 19.8 22.9	10 12	13 13	17 17	20 22 28	
Aultiple diognoses	790	14.2	7	8	ii	16	24	Single diognosis	2,075	16.8	10	12	15	19	
REOUCTION OF FRACTURE OF HIP (0865-0868, 0872-0874)								Multiple diognoses PROSTATECTOMY, TRANSURETHRAL	2,130	20.3	10	13	17	24	
Total		21.8	9	14	18	26	36	(4321)							
55 to 74 yeors	4,340	21.9 22.2 21.1	10 9 8	13 14 13	18 19 18	25 26 26	37 36 35	Total	14,205 7,980	13.3	6	8	10	15 14	
Single diognosis	5,730	20.8	9	13	17	24	34 39	75 to 84 years	5,350 875	14.4 16.8	6 8	8 10	11 14	17 20	
Aultiple diognoses	3,575	23.4	10	14	20	29	39	5ingle diognosis	7,510	11.4 15.5	6 7	7 9	9 12	13 18	
Total	4,800	23.6	11	15	20	28	38	COLPORRHAPHY (4481-4495, 449X,	6,695	13.5	,	7	12	16	
55 to 74 years	1,805	23.7		15	20	28		4501, 4505, 450X)	, 000	,,		_		10	
75 to 84 years	2,115 880		12 12 8	15 14	20 20	28 28	38 38 39	Total	1,900	11.4	6	7	9	13	
Single diognosis	3,085 1,715	22.0 26.3	11 11	15 16	19 22	25 32	35 44	75 to 84 years	460 10	12.3	6			14	:
GASTRECTOMY (3112, 3114, 3115, 3118, 3119, 311X)								Single diognosis	1,055 845	10.6 12.4	6 6	7 8	9 10	12 14	:
Total	1,800	21.5	11	14	18	26	34	(INCLUDING PELVIC EXENTERATION)							
55 to 74 yeors	505	23.1	10 13	14 17	17 20 23	26 27	34 35	(4617, 4618, 4621, 4624-4627)	1 705	12.5	,		,,	15	
35 years and over			11	16 13	18	29 26	34 31		1,735	13.5	7	8	11	15	
Multiple diognoses			iĭ	15	19	27	36		405 15	15.5	8	10	13	17	
COLECTOMY (3178, 3180) Totol	4,445	22.8	11	14	19	26	39	5ingle diognosis	675 1,060	11.8 14.5	7 8	8 9	10 12	13 16	
65 to 74 years	2,640	21.5	11	14	18	25	35		1,000	14.5	Ů		12	,,,	
75 to 84 yeors	1,495	24.6	12	15 14	20 20	29 31	44 47	Total	2,325	12.4	7	8	10	14	
Single diognosis			11 11	14 15	17 20	23 29	31 42	65 to 74 yeors	1,735 555 35	12.0 13.8 13.0	7 8 8	8 9 10		13 16 15	
HEMORRHOIDECTOMY (3375)								5ingle diognosis	1,115	12.1	7	8	10	13	
Total			4	6	8	11	16	Multiple diognoses	1,210	12.7	7	8		14	
55 to 74 yeors	1,845 440 65	10.7	4 5 7	5 6 7	9 10	11 12 14	16 17 19	DILATION ANO CURETTAGE UTERU5, OIAGNOSTIC (4647)							
single diagnosis	1,180	9.0	4	5	7	10	14	Total	2,465	6.2	1	2	3	6	
Multiple diognoses	1,170	11.0	4	6	8	14	18	65 to 74 yeors	1,800 575 90	5.5 7.9 8.4	2	2 2 3	3 5 4	5 9 6	
CHOLECYSTECTOMY (3515) Totol	8,555	16.1	8	10	14	19	25	Single diognosis	1,495	4.6	1	2	3	4	
55 to 74 yeors	6,020	15.3	8	10	13	18		Multiple diagnoses	970	8.7	2	2	4	11	
75 to 84 yeors	2,260 275	17.9 20.5	8 7	11	16 20	21 25	24 29 29	EXTRACTION OF LEN5 (5611, 5612) Total	25,910	7.1	3	4	6	8	
Single diognosis			8 9	9 12	12 16	17 21	22 28	65 to 74 years	13,545	6.9	3	4	6	7	
REPAIR OF INGUINAL HERNIA, EXCEPT RECURRENT (3630-3632)								75 to 84 yeors	10,610 1,755	7.3 7.6	3	4	6	8	
Totol	11,150	8.9	4	5	7	10	14	Single diagnosis	20,340 5,570	6.8 8.3	3 4	4 5	6 6	7 9	
65 to 74 years	7,500	8.5	4	5	7 8	9 11	13 15								
75 to 84 years			5	6	8	12	16								
Charles d'accessée	7340	1 70			7	0	11								

BLEERIA INC 1)  Total	Oiognosis And Oischarge Chorocteristics	Number of	Averoge stoy		Perc	entiles	(doys)		Oiognosis And Oischorge Choracteristics	Number of	Averoge stoy		Perc	entiles (	doys)	
Total		dischorges		10th	25th	50th	75th	90th		dischorges		10th	25th	50th	75th	90th
Total	OIARRHEA (009.1)															
\$\$ 95 by Averon	Totol		11.6		4	7				305	13.8	2	5	9	15	33
Member surgery	75 to 84 years	265 105	9.6 17.7	4	6	7 7 10	11 19	22 33	75 to 84 yeors	85		3 1	6 2	10 7		39 16
With Jungary				3		8										19
TOOL 5.500 8.30 2 93 8.4 10 16 16 137 16 17 18 17 18 17 18 18 18 18 18 18 18 18 18 18 18 18 18	Without surgery			4 2		13 7			With surgery	145	18.6	4			26	40 16
September   1,189   70   2   4   7   1   1   1   2   1   1   1   2   1   1	Total	5,590	8.3	2	3	6	10	16								
September   1,189   70   2   4   7   1   1   1   2   1   1   1   2   1   1	65 to 74 years			2.					Total	870	17.4		4	12	22	39
Multiple desponents   1,160   9-5   2   4   7   12   18   Stope desponents   330   148   3   3   18   18   18   20   19   20   3   18   18   20   19   20   3   18   18   20   19   20   3   18   20   19   20   3   18   20   19   20   3   18   20   19   20   3   18   20   19   20   3   18   20   19   20   3   18   20   19   20   3   20   19   20   3   20   20   20   4   20   20   20   4   20   20	85 years and over	660		3		7			75 to 84 years	340	18.1	2	4	13	27	36 37
Without surgery   S.385   B.1   2   3   6   10   10   10   10   10   10   10	Multiple diagnoses	3,180				7	12			350		1	_	8	19	34
## PURPLEW WITH EFFLYON WITHOUT HINTOW OF CAUSE OF CLUM.   19	With surgery			3 2				30 16				l		[ ]		41
Total 305 13.8 4 6 11 17 2 AAPTRION AND COLON. 50 15.7 11 17 20 5 15.7 4 wors. 165 13.0 5 7 11 17 20 70 15.7												10		7		34
65 to 74 years   165   13.0   5   7   11   17   23   7   10   17   23   7   10   17   23   7   10   17   23   7   10   17   23   7   10   17   23   7   10   17   10   10   10   10   10	Total	305	13.8	4	6	11	17	24	APPENOIX AND ASCENDING COLON							
State   September   Septembe	75 to 84 years	. 125	15.3	5 3				23 29		445	18.7	4	10	15	23	34
Without surgery	Single diognosis	. 95	12.8	5	6 7				75 to 84 years	160	22.7	5	11	19	27	28 36 39
SEPTICEMIA (038)  Total.	With surgery	. 55	16.8	10	- 11	14	20	23	Single diognosis	160	13.1	2	7	13	17	21
Total		. 250	13.1	4	°	,	16	23								35
6 St D 24 yeors 195 13.7   1   4   12   17   28   17   29   18   1969   1970   13.7   1   4   11   18   20   24   101		360	14.1	1	2	12	18	27	Without surgery	165	13.6	1	3	7	16	3
Single diagnosis	75 to 84 years	125	13.2	1	4	12	17	26	TRANSVERSE AND DECENDING COLON							
Multiple diagnoses   255   15,2   1   2   12   20   36   35   10,7   4   4   15   12   12   10   16   24   3   4   4   10   16   24   3   4   4   10   16   24   3   4   4   10   16   24   3   4   4   10   16   24   3   4   4   10   16   24   3   4   4   10   16   24   3   4   4   10   16   24   3   4   4   10   10   2   3   5   6   14   2   2   10   16   24   3   4   10   10   16   24   3   4   10   10   16   24   3   4   10   10   16   24   3   4   10   10   10   10   10   10   10		. 105	11.4	1	4	11	17	22								36
Without surgery   335   12.9		1		1	*		20	*	75 to 84 years	100	19.7	4	9	14	25	40 40
Total   665   11.6   3   5   9   14   22   22   24   5   5   6   13   22   25   5   6   13   22   25   5   6   13   22   25   5   6   13   22   25   5   6   13   22   25   5   6   13   22   25   5   6   13   22   25   5   6   13   22   25   5   6   13   22   25   5   6   13   22   25   25   25   25   25   25   2	Without surgery		12.9	1	2	10	16	24	Single diognosis				12			42
So To TA yeors   305   10.4   3   5   8   13   22   2   4   5   5   9   14   21   21   21   21   22   4   5   5   9   14   21   21   22   22   3   6   10   28   22   3   6   10   22   3   3   3   4   6   10   10   28   3   3   4   6   10   10   28   3   3   4   6   10   10   28   3   3   4   6   10   10   28   3   3   4   6   10   10   28   3   3   4   6   10   10   28   3   3   4   6   10   10   28   3   3   4   6   10   10   28   3   3   6   10   10   28   3   3   10   10   10   10   10   10		695	11.6	3	5	9	14	22	With surgery			9			28	39
Multiple diagnoses 410 13.3 4 6 10 16 24 65 to 74 years 275 19.1 3 9 15 26 3 3 With surgery 20	75 to 84 years	. 335	12.2		5	9	14	21	MALIGNANT NEOPLASM OF SIGMOIO	63	9.2	'	3		14	15
With surgery									Total							37
OTHER VIRAL DISEASES (070-079) Totol	With surgery	. 20			*				75 to 84 years	145	18.1	3 4 1	9	16	22	37 32 36
Totol		0,3	11.5						Single diognosis	200	19.3				23	3:
75 to 84 yeors ond over	Total		1						With surgery	315	22.0		13	17	26	3
With surgery	75 to 84 years	. 320	9.4	2 3 1	4	6 7	10 10	22	MALIGNANT NEOPLASM OF UNSPECIFIED		13.0	'	3	6	20	3.
Without surgery         820         8.6         2         3         6         10         19         75 to 84 yeors         605 to 74 yeors         17.0         3         6         13         24         3           MALIGNANT NEOPLASM OF BUCCAL CAVITY AND PHARYNX (140-149)         745         11.4         1         3         8         14         22           Totol				2 2		5 7	8 11		Total	1,645	17.5	2	7	14	24	3.
MALIGNANT NEOPLASM OF 8UCCAL (AVITY AND PHARYNX (140-149)  Totol				2 2	2 3				75 to 84 years	605	17.0	3	6	13	24	3:
Totol									Single diognosis	625	17.3	2	7	13	23	3:
65 to 74 yeors	Total	745	11.4	1	3	8	14	22								3
Single diagnosis     385     10.5     1     2     7     12     21       Multiple diagnoses     360     12.4     2     4     9     17     24     Totol     970     20.4     3     7     18     28       With surgery     445     10.1     1     3     7     12     20     65 to 74 yeors     550     21.4     2     7     20     30     4       Without surgery     300     13.4     2     3     10     18     29     75 to 84 yeors     335     19.0     4     8     16     26     3       85 years and over     85     19.4     3     7     16     32       85 ingle diagnosis     470     16.8     2     4     15     23     3       Multiple diagnoses     500     23.8     5     10     21     31     4       With surgery     615     24.8     4     13     22     31     4	75 to 84 years	.  255	12.4	1 2 1	3 5 1	8	14	27	MALIGNANT NEOPLA5M OF RECTUM			2	4	10	21	3.
With surgery     445     10.1     1     3     7     12     20     65 to 74 yeors     550     21.4     2     7     20     30     4       Without surgery     300     13.4     2     3     10     18     29     75 to 84 yeors     335     19.0     4     8     16     26     3       85 yeors and over     85     19.4     3     7     16     32     3       Single diagnoses     500     23.8     5     10     21     31     4       With surgery     615     24.8     4     13     22     31     4	Single diagnosis	. 385	10.5 12.4	1 2	2		12 17	21 24		970	20.4	3	7	18	28	4
Single diognosis     470     16.8     2     4     15     23     3       Multiple diagnoses     500     23.8     5     10     21     31     4       With surgery     615     24.8     4     13     22     31     4	With surgery	445	10.1	1 2	3 3		12	20 29	75 to 84 years	335	19.0	4	8	16	26	3
With surgery									Single diognosis	470	16.8			15	23	3.
									Multiple diagnoses	615	24.8	4	13	22	31	4:

Table 19 EAST SOUTH CENTRAL: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND DISCHARGE CHARACTERISTICS—Con.

Oiagnosis And Oischorge	Number of	Averoge		Perce	entiles (	(days)		Oiognosis And Oischarge Characteristics	Number of	Average		Perce	ntiles (	doys)	
Characteristics (ICOA 8th Revision)	dischorges	(days)	10th	25th	50th	75th	90th	(ICOA 8th Revision)	discharges	(days)	10th	25th	50th	75th	90th
MALIGNANT NEOPLA5M OF PANCREA5 (157)								MALIGNANT NEOPLA5M OF OVARY (183.0)							
Tatal	935	19.3	4	7	13	23	36	Tatal	435	17.2	2	5	11	24	39
65 to 74 years	520 370 45	20.7 18.2 12.8	4 5 1	7 7 3	13 14 13	23 23 17	32 37 22	65 ta 74 years	345 85 5	17.2 17.1 *	2 3 *	5 7 *	10 14 *	23 27 *	43 29
Single diagnasis	370 565	22.0 17.5	5 4	7	13 14	23 23	37 33	Single diagnasis	85 350	11.9 18.4	2 2	4 6	9 12	18 27	24 43
With surgery	340 595	21.7 17.9	8 3	13 5	19 10	26 17	36 29	With surgery	185 250	23.1 12.8	7 2	10 4	17 7	29 17	46 28
MALIGNANT NEOPLASM OF LARYNX (161)								MALIGNANT NEOPLASM OF PROSTATE (185)							
Total	365	12.5	1	2	7	17	24	Total	3,525	12.0	3	6	10	14	21
65 to 74 years	90	11.4 12.8	1 1	2 2	6 8	16 15	22 19	65 ta 74 years 75 ta 84 years 85 years and aver	1,685 1,420 420	11.7 12.7 11.0	3 3 3	6 6 6	9 10 9	14 15 13	21 22 19
Single diagnasis		11.1 15.4	1	2	6 8	16 19	20 37	Single diagnasis	1,625 1,900	11.0 12.9	4 3	6 6	9 10	13 15	18 24
With surgery	260 105	10.4 17.6	1	2 1	6 9	15 20	20 40	With surgery	1,840 1,685	13.1 10.8	5	8 4	10 8	14 14	21 22
MALIGNANT NEOPLA5M OF TRACHEA, 8RONCHU5, AND LUNG (162)								MALIGNANT NEOPLASM OF BLAODER (188)							
Total			2	6	12	20	30	Total	1,515	12.2	2	4	9	16	25
65 to 74 yeors	735	14.5	2 2 6	6 6 9	12 11 13	20 20 21	31 27 32	65 to 74 years	770 595 150	11.2 12.6 15.8	2 3 4	3 5 6	7 9 12	15 16 19	24 25 33
Single diagnasis			2 3	5 6	10 12	19 21	29 31	Single diagnasis	940 575	10.3 15.4	2 4	3 6	7 12	13 20	20 31
With surgery		17.4 14.9	5 2	9 5	15 10	23 19	32 29	With surgery	1,085 430	11.1 14.9	2 3	4 5	8 10	15 19	21 31
MALIGNANT NEOPLASM OF SKIN (172, 173)								MALIGNANT NEOPLASM OF KIDNEY, EXCEPT PELVI5 (189.0)							
Tatal	2,210	8.5	1	2	5	10	18	Total	370	17.2	2	6	12	20	40
65 to 74 years	775	7.8 9.6 8.3	1 1 1	2 3 2	5 6 4	9 12 10	15 21 18	65 to 74 years	250 100 20	17.1 16.2 *	2 2 *	7 4	13 8	21 16 *	29 58 *
Single diagnosis			1 2	2	4 7	9 11	16 20	Single diagnasis	140 230	12.2 20.3	2 2	6 5	12 13	14 22	22 60
With surgery	1,785 425	7.7 12.1	1 2	2	4 8	9 16	15 24	With surgery	150 220	22.7 13.5	9 1	13 3	16 8	23 13	48 30
MALIGNANT NEOPLASM OF 8REAST (174)								LYMPHO5ARCOMA ANO RETICULUM-CELL 5ARCOMA (200)							
Total	2,330	13.9	4	7	11	17	26	Tatal	355	13.8	3	5	10	19	30
65 ta 74 years	700	13.7	5 3 3	8 6 5	11 10 11	17 16 15	27 26 19	65 to 74 years	260 80 15	14.2 13.5	2 4 *	4 6	9 10 *	20 18	30 25
Single diagnosis			4 4	6	10 12	13 19	18 34	Single diagnasis	145 210	15.0 13.0	3 1	5	11 9	18 20	32 28
With surgery	1,360 970	13.6 14.2	5 2	8 5	11 9	16 18	22 32	With surgery	105 250	18.9 11.7	4 2	8 4	16 7	29 15	33 23
MALIGNANT NEOPLA5M OF CERVIX UTERI (180)								HOOGKIN'S OISEASE AND OTHER NEOPLASMS OF LYMPHOID TISSUE							
Total	830	12.1	2	4	7	14	27	(201, 202) Tatal	285	16.3	2	5	9	23	33
65 to 74 years	220	11.1 13.3 15.9	2 3 3	4 4 5	6 9 9	12 18 22	23 27 37	65 ta 74 years	180 80	14.0 21.4	2	4 8	7	18 26	33 49
Single diagnosis			3 2	4	6 8	12 17	22 35	85 years and aver	130	11.6		4	8	12	22
With surgery	550	11.3	3	4	7	13	22	Multiple diagnoses	155	20.3	2 2 5	6 7	16	28	36 44
Without surgery	280	13.6	2	4		18	33	With surgery Without surgery  MULTIPLE MYELOMA (203)	. 105 . 180	21.9 13.1	i	4	8	16	31
Tatol	645	9.7	2	4	8	12	16	Tatal	435	14.9	2	5	9	22	32
65 ta 74 years	435 180	9.2 10.9	2	4 5	8 10	10 14	14 20	65 ta 74 years	305 100	16.1 10.9	3 2	6	10 7	24	35 27
85 years ond over	30 375	8.5 8.9	3	4 5	8	10	14	85 years and aver	30 175	16.2	3 2 3	4	14 8	24	29 30
Multiple diagnases	270	10.7 9.2	3	4	9	13 11	17	Multiple diagnases	260 40	16.2 23.9		6	10 20	23 37	36 46
Without surgery	175		2	5 3	81	13	20	Withaut surgery		14.0	2 2	5	9	181	31

	Oiognosis And Oischarge		Average		Perce	entiles (	doys)		Oiognasis And Oischarge		Average		Perce	ntiles (	doys)	
	Characteristics (ICOA 8th Revision)	Number of discharges	stay (days)	10th	25th	50th	75th	90th	Characteristics (ICOA 8th Revision)	Number of discharges	stay (days)	10th	25th	50th	75th	90th
	LEUKEMIA (204-207)								AVITAMINOSES AND OTHER							
1	Total	1,095	11.5	2	3	8	14	26	NUTRITIONAL OFFICIENCY (260-269)							
	65 to 74 years		12.5 10.0	2	4	10	17 12	30 20	Tatal	560 255	14.1	3	6	10	21	30 30
	85 years and over	160	13.8 11.6	2	4	10 7	17	25 28	75 to 84 years	205 100	13.8 13.7	1	5 6	8 9	16 14	28 24
	Single diagnosis	580	11.4	2	4	9	14	23	Single diagnosis	125 435	9.4 15.4	1 3	4 6	7 10	10 18	22 34
	With surgery	1,005	12.4 11.4	1 2	3	7 8	20 14	29 25	With surgery	5 555	14.1	3	5	9	17	30
	8ENIGN NEOPLASMS OF LARGE INTESTINE, EXCEPT RECTUM (211.3)								GOUT (274)	333	, , , ,					5.0
	Total	290	11.8	2	5	10	16	22	Tatal	565	9.6	3	4	7	11	16
	65 to 74 years	70	11.6 12.5	2 2	5	10 10	15 20	22 23	65 to 74 years 75 to 84 years 85 years and over	315 200 50	9.6 9.6 9.0	3 3 3	4 5 4	7 8 6	10 11	16 18 16
	Single diognosis	110	10.3	1	3	10	14	19	Single diagnosis	175	8.6	3	4	6	10	17
	Multiple diagnases		12.7	3 6	6	10	17 19	23 26	Multiple diagnoses	390 50	10.0	3	5	8	11	16 23
	Without surgery	115	7.3	1	2	4	11	16	Without Surgery	515	9.3	2	4	7	11	16
	Total	240	8.8	2	3	6	9	20	Total	965	10.1	3	5	8	14	19
	65 to 74 years	140	7.9 8.2	2 2	3	5 5	8	13 22	65 to 74 years	440 390	9.7 10.8	3	5	7 9	11 15	20 19
	85 years and over	20	*		•	*	•	•	85 years and over	135	9.5	3	4	8	13	16
	Single diagnosis	130 110	7.3 10.5	2	3 4	5 7	12	12 21	Single diagnosis	235 730	8.4 10.7	3	5	8	14	16 20
	With surgery		7.8 13.6	2 5	3 5	5 8	9 17	14 30	With surgery	105 860	12.3 9.8	4 3	6	7	17	22 19
	LIPOMA (214)								PERNICIOUS ANEMIA (281.0)							
	Total		5.4	1	2	3	7 6	10	65 ta 74 years	430 215	10.7	2	5	8	13	22 24
	75 to 84 years	65	6.4	i -	2 2 -	4	10	13	75 to 84 years	170 45	8.1 17.0	3 2	10	13	10 22	14 28
	Single diagnosis		4.4 7.8	1 1	2 2	3 5	5 10	8 18	Single diagnosis	165 265	8.6 11.9	2	4 5	6 10	9 15	17 23
	With surgery	325 35	5.1 8.0	1 2	2 2	3 4	7 12	9 17	With surgery	20 410	10.5	2	4	8	13	± 21
	NEOPLASMS OF UNSPECIFIED NATURE OF 8LAODER (237.6)								ALL OTHER AND UNSPECIFIED ANEMIAS (281.1-281.9, 282-285)							
	Tatal	185	9.4	1	2	7	12	23	Total	2,915	9.8	2	4	7	12	20
	65 to 74 years		8.3 10.3	3	2	5 8	8 13	24 19	65 to 74 years	1,300 1,225	9.2 10.3	2 2	4	7 7	12 12	19 22
	85 years and over	20	•		•	*	•	•	85 years and over	390 925	9.9	1	2	6	13	23
	Single diagnasis		9.3 9.7	4	2 5	7 6	12	25 16	Single diagnosis	1,990	8.2 10.5	2	3	5 7	10	18 21
	With surgery	155	9.3 9.7	1 2	2	7 6	12 7	22 20	With surgery	235 2,680	13.7 9.4	2	6 3	6	17	25 20
	OI5EA5E5 OF THYROIO GLANO (240-246)								AFFECTIVE P5YCHO5E5 (296)							
	Tatal		9.7	3	4	7	12 12	19	65 to 74 years	395 310	17.4 17.7	5	7	13	21 20	33 33
	75 to 84 years	225	9.1 27.6	3 2	10	6 13	10 31	15 60	75 to 84 years	75 10	18.0	2	7	10	23	34
	Single diagnasis	435 550	8.2 12.1	2	4 5	6 8	10 13	14 23	Single diagnosis	190 205	18.3 16.6	5 3	8 6	14 12	23 19	37 30
	With surgery		10.1 10.6	4 2	6	8 7	12 12	17 22	With surgery	5 390	17.0	* 5	7	13	20	* 31
	OIABETES MELLITUS (250)	333							ANXIETY NEUROSIS (300.0)							
	Total		11.7	3	5	8	14	22	Total	840	7.5	2	3	6	10	14
	65 to 74 years	4,155	11.2 12.2 13.8	3 3 3	5 5 6	8 9	13 14 16	21 23 28	65 to 74 years 75 to 84 years 85 years and over	555 255 30	7.9 6.8 5.2	2 2	3 3	6 6 5	10 9 6	15 12 7
	Single diagnosis	3,075	11.1 11.9	2 3	5	8 9	13	20 22	Single diagnosis Multiple diagnoses	295 545	6.8 7.8	1 2	3 4	5	9	13 15
	Multiple diagnoses	1,135	20.3	4	8	15	25	43	With surgery	35	11.0	2	3	7	13	23
	Without surgery	11,245		3	5	81	13	20	Without surgery	805	7.3	2	3	61	10	14

Table 19 EAST SOUTH CENTRAL: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND DISCHARGE CHARACTERISTICS—Con.

Oiognosis And Oischorge Chorocteristics	Number of	Averoge stoy		Perce	entiles (	(days)		Oiognosis And Oischorge Chorocteristics	Number of	Averoge stoy		Perce	entiles (	doys)	
(ICOA 8th Revision)	dischorges	(doys)	10th	25th	50th	75th	90th	(ICOA 8th Revision)	dischorges	(doys)	10th	25th	50th	75th	90th
OEPRESSIVE NEUROSIS (300.4)								NEURALGIA AND NEURITIS, UNSPECIFIED (355)							
Total	995	16.5	4	7	11	22	34	(355)	515	8.9	2	4	7	12	18
65 to 74 years	800 185 10	16.7 16.1 *	4 3 *	7 7 *	11 11	21 25 *	36 29 *	65 to 74 yeors	330 160 25	8.1 10.3	2	4 3 *	7 8 *	11 13	15
Single diagnosis	555 440	17.5 15.3	3	8	14 10	23 18	34 33	Single diagnosis	195 320	7.6 9.8	2 2	3 4	6	10 14	1: 1:
With surgery	20 975	16.5	4	7	11	22	33		40 475	8.7 8.9	2 2	3 4	5 7	13 12	11
ALCOHOLI5M (303) Tatal	440	7.4	,	3	4	9	16	CATARACT (374)							
65 to 74 yeors	405	7.4	1	3	4	9	16	Total	9,365	7.2	3	4	6	8	1
75 to 84 years	30 5	4.7	3	3	4 *	5 *	6 *	65 to 74 yeors	4,860 3,865 640	7.1 7.3 7.7	3 3 3	4 4 5	6 6	8 8 9	1 1 1
Single diagnosis	200 240	5.0 9.4 *	1 2	3	3 7 *	11 *	10 17 *	Single diagnosis	7,450 1,915	7.0 8.1	3 4	4 5	6	7 9	1 1:
With surgery	435	7.4	1	3	4	9	16	With surgery	8,880 485	7.2 7.7	3 1	5	6	8 10	1
MENTAL 0150ROERS NOT SPECIFIED AS FSYCHOTIC, A550CIATEO WITH PHYSICAL CONOITIONS (309)								GLAUCOMA (375)							
Total	1,755	13.1	3	6	10	16	25	Total	900	6.6	2	3	5	7	1:
65 to 74 yeors	700 805 250	11.9 14.2 12.9	3 3 2	5 6 5	9 10 10	15 17 15	23 27 25	85 years and over	505 360 35	6.3 7.1 6.7	2 2 3	3 3 4	5 5 5	7 8 8	1:
Single diagnosis	515 1,240	13.1 13.1	3 3	5 6	10 10 10	17 15	25 25 25	Single diognosis	595 305	6.2 7.4	2 2	3 4	5	7 8	1
With surgery	35 1,720	13.3 13.1	2 3	3 6	9	21	25 25	With surgery	710 190	6.7 6.3	2	3 2	5	7	1
PARALYSIS AGITANS (342)								OETACHMENT OF RETINA (376)	390	8.6	3	5	8	10	1.
Total	1,110	13.2	3	5	10	17	24	Total	390	8.6	2	5	8	10	14
65 to 74 yeors	605 420 85	13.5 13.1 11.9	3 3 4	6 4 6	11 9 10	18 15 17	24 26 18	75 to 84 yeors	75 -	8.9 	3 -	5	7	8 -	1.
Single diagnosis	290 820	13.8 13.0	3	7 5	11 10	18 16	23 24	Single diagnosis Multiple diagnoses With surgery	295 95 375	8.1 10.4 8.7	3 2 3	5	7 9 8	10 11 10	1:
With surgery	95 1,015	18.6 12.7	4 3	10 5	14 10	29 16	34 22	With surgery Without surgery LA8YRINTHITIS (384.0)	15	*	3 *	*	*	10	
CEREBRAL PARALYSIS (344)								Totol	980	7.4	2	3	5	9	1.
Total	380	14.8	3	6	12	18	30	65 to 74 yeors	530	6.6		3	5	8	1:
65 to 74 years	210 145 25	13.7 15.5	3 4 *	6 9 *	11	17 21	25 28	75 to 84 years	380 70 370	8.2 9.1 6.6	2 2 3	3 4 3	6 6 5	10 10 8	16 20 1
Single diognosis	125 255	13.1 15.7	3 3	6	9 13	15 20	26 31	Multiple diagnoses	610		2	3	6	10	i.
With surgery	10		*					With surgery	25 955	7.3	2	3	5	9	1-
FACIAL PARALYSIS AND TRIGEMINAL NEURALGIA (350, 351)	370	15.1	3	6	12	18	30	CHRONIC RHEUMATIC HEART 015EA5E (393-398)							
Totol	415	9.7	2	4	8	13	18	Total	660	12.1	3	5	10	15	2
65 to 74 yeors	200 135 80	9.1 11.6 8.1	2 3 2	4 5 3	8 9 7	12 14 10	16 18 17	65 to 74 yeors 75 to 84 yeors 85 yeors and over	430 200 30	12.7 10.7 11.8	3 3 2	6 5 6	10 10 10	16 15 13	2: 18 2:
Single diagnosis	240	9.5	2	4	8	12	18	Single diognosis	225 435	11.2 12.5	2	4	9 10	16 15	20
Multiple diognoses	175	10.1	3	4	8	14	16	With surgery	65 595	18.3	7	13	17	20 14	28 19
With surgery	95 320	12.4 8.9	3 2	7	10 7	14 12	21 16	ESSENTIAL BENIGN HYPERTENSION (401)	395	11.4	3	3	y	14	19
Totol	310	10.8	2	4	8	13	25	Totol	4,200	8.7	2	4	6	10	16
65 to 74 years	245 55	10.7 12.9	3 2	5 4	8 10	13 19	21 26	65 to 74 yeors	2,615 1,340 245	8.0 9.9 10.3	2 2 3	3 4 5	6 7 8	9 12 12	14 18 19
85 years and over	10 140	10.2	3	4	8	11	19	Single diognosis Multiple diagnoses	1,525 2,675	7.5 9.4	2 2	3 4	6 7	9	13 17
Multiple diagnoses	170   15 295	11.4	2	4	8	14	26 24	With surgery	160 4,040	10.9 8.6	3 2	6	8 6	12	21 15

Oiagnasis And Oischarge	Nbf	Average		Perce	entiles (	days)		Oiagnasis And Oischarge	N =b = r	Average		Perce	entiles (	days)	
Characteristics (ICOA 8th Revision)	Number af discharges	stay (days)	10th	25th	50th	75th	90th	Characteristics (ICOA 8th Revision)	Number af discharges	stay (days)	10th	25th	50th	75th	90th
HYPERTENSIVE HEART OISEASE (402)								HEART BLOCK, AND CARDIAC ARREST							
Tatal	890	10.6	2	5	8	13	20	(427.2, 427.3) Tatal	945	10.3	2	4	7	12	21
65 ta 74 years	500 315 75	9.1 11.8 15.8	2 2 4	5	7 9 9	11 14 19	18 21 32	65 ta 74 years 75 ta 84 years 85 years and aver	340 470 135	8.5 11.2 11.5	1 2 1	4 4 3	6 8 7	10 12 17	18 22 28
Single diagnasis	305 585	9.0 11.5	2 2	5 5	7 8	9 14	15 21	Single diagnosis Multiple diagnases	445 500	10.3	2	4 4	7 8	11	20 21
With surgery	35 855	21.9 10.2	6 2	8 5	14 7	29 12	45 19	With surgery	345 600	11.2 9.8	3	7	10	13	20 23
HYPERTENSIVE RENAL, AND HEART AND RENAL DISEASE (403, 404)	505					.,	0.5	ATRIAL FIBRILLATION OR FLUTTER AND OTHER UNSPECIFIED DISORDERS OF							
Tatal	595 260	14.4	2	5	9	16	35 38	HEART RHYTHM (427.4, 427.9)  Tatal	1,725	9.3	2	4	6	11	17
75 ta 84 years	255	13.1	3 3 1	5	9 11	15	30 46		865 655	8.6 10.2	2 2	4	6	11	16
Single diagnasis	165 430	15.1 14.2	2	4 6	9 10	16 16	38 33	85 years and aver	205	9.5	3	3	7	12 12 8	17
With surgery	60 535	13.5 14.5	4 2	9 5	11 9	17 16	23 36	Single diagnasis Multiple diagnases	1,045	7.6 10.5	3	4	8	12	13 19 35
ACUTE MYOCAROIAL INFARCTION (410)								With surgery	105 1,620	9.0	2	6 4	6	16	16
Total	11,595 6,450		1	4 5	12	20 20	26 26	OTHER MYOCAROIAL INSUFFICIENCY (428)							
75 to 84 years	4,100	13.4	1	3 2	11 7	19 16	26 24		915	11.8	2	4	9	15	23
Single diagnasis	6,535	12.5	1	3 5	11 13	19 21	24 29	65 ta 74 years	405 370 140	10.8 12.7 12.0	3 2 1	4 6 4	7 11 7	14 16 16	23 23 23
With surgery	335 11,260	20.7 13.4	3 1	9 4	18 12	28 19	39 25	Single diagnasis	350 565	10.2 12.7	2 3	4 5	7 16	14 16	18 23
OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411)								With surgery	25 890	11.6	2	4	8	15	22
Total	2,630	9.4	2	4	7	12	19	ILL-DEFINEO HEART OISEASE (429)							
65 ta 74 years 75 to 84 years 85 years and aver	880	10.2	2 2 1	4 4 4	7 7 8	10 13 17	15 23 24		1,450 590	11.2 9.0	2	4	8	14	22 17
Single diagnasis	1,460	8.5	2 3	4	7 7	10	16	75 ta 84 years	630 230	12.3 14.1	2 3	5	8 11	14 18	26 28
With surgery		16.7	3 2	4	12	22	29	Single diagnasis	705 745	9.9 12.6	2 2	4 5	7 9	13 15	19 26
CHRONIC ISCHEMIC HEART OISEASE (412)	2,000	7.5	-				.,	With surgery	70 1,380	17.4 10.9	5 2	9	14 7	21 13	27 22
Tatal	44,285	11.2	2	4	8	14	21	CEREBRAL HEMORRHAGE (431)						أ	
65 to 74 years	20,210	10.6	2 2 2	4	8 8	13 14	20 22	Total	1,345	14.2	1	2 2	8	18	32 33
85 years and over	5,685	12.2		4	9	15		75 ta 84 years	585 175	11.4 15.8	1	5	7 9	14 23	28 36
Single diagnasis	30,470	11.9	3	5	9	14	22		605 740	11.0 16.8	1	1 3	6 9	17 19	27 33
With surgery			2	7	13 8	13	32 21	With surgery	75 1,270	24.3 13.6	2 1	4 2	14 7	20 18	34 32
ANGINA PECTORIS (413) Tatal	1,400	7.9	1	3	5	9	15	OCCLUSION OF PRECEREBRAL ARTERIES (432)							
65 ta 74 yeors	830	7.1	2	3	5 5	9	14	Tatal	870	12.2	2	5	9	16	21
75 to 84 years	80	10.0	i	2	6	11	27	75 ta 84 years	595 245 30	12.8 10.0 18.7	2 2	5 4 10	10 8 18	16 15 21	20 19 29
Single diagnasis	635	9.5	2	2	7	12	11	85 years and aver	415	13.4	6 2	6	10	17	23
With surgery Without surgery	35 1,365		1	5 3	16	18 9	24 14	With surgery	455 270	11.1	5	8	11	15	20
CONGESTIVE HEART FAILURE (427.0)	6,420	10.6	2	5	8	     13	19	Without surgery	600	11.7	2	4	8	16	21
65 ta 74 years	2,695	10.7		5 5		13	20		4,940	15.5	2	5	11	20	32
75 ta 84 years	2,635	10.5	2 3 2	5 4	7	13 13	19 20	75 ta 84 years	1,845 2,220	15.5 15.1	3 2 2	6 5	11	20 20	30 34
Single diagnasis	2,820 3,600		3	4 5	8 9	12 14	19 20	85 years and aver	1,725	16.8	2 2 2	5	9	20	33 27
With surgery	170 6,250		4 2	7 5	15	20 13	41 19	Multiple diagnases	3,215 125	17.0 19.3	2	10	16	21	35 38
								Without surgery			2	5		20	32

Table 19 EAST SOUTH CENTRAL: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND DISCHARGE CHARACTERISTICS—Con.

Oiagnasis And Oischarge Characteristics	Number of	Average stay		Perce	entiles (	(days)		Oiagnasis And Oischarge Characteristics	Number of	Average stay		Perce	ntiles (	days)	
(ICOA 8th Revision)	discharges	(days)	10th	25th	50th	75th	90th	(ICOA 8th Revision)	discharges	(days)	10th	25th	50th	75th	90th
SUBARACHNOIO HEMORRHAGE ANO CEREBRAL EMBOLI5M (430, 434)								ARTERIAL EMBOLI5M AND THROMBOSIS (444)							
Tatal	340	13.2	1	5	9	20	29	Tatal	930	12.2	1	6	10	16	22
65 to 74 years	220 110 10	13.2 13.4 *	2 1	5 3 *	9 9 *	17 22	27 30	65 ta 74 years	485 345 100	13.3 11.1 11.2	2 2 1	7 4 3	11 10 9	16 15 13	21 21 21
Single diagnasis	135 205	10.3 15.0	1 4	3 6	6 11	14 21	24 32	Single diagnasis	370 560	10.4 13.5	1 3	3 7	10 11	15 16	19 25
With surgery	20 320	12.8	* 1	5	9	18	29	With surgery	500 430	15.3 8.7	4 1	8 3	13 7	17 13	27 17
TRANSIENT CEREBRAL ISCHEMIA (435)								GANGRENE (445)							
Tatal	1,205	7.7	2	3	6	9	14	Total	1,140	19.0	5		15	24	35
65 to 74 years	555 445 205	7.0 8.1 8.5	1 2 2	3 3 3	6 6 5	9 10 9	13 14 15	65 ta 74 years	430 465 245	19.9 18.9 17.8	5 5 5	9 11 8	17 15 14	26 23 26	36 31 32
Single diagnasis	500 705	6.4 8.6	1 2	3	5 6	8 10	11 15	Single diagnosis	675 465	19.1 18.9	5 5	10 9	17 13	24 25	35 35
With surgery	35 1,170	11.9 7.5	5 1	5 3	10 6	16 9	19 13	With surgery	820 320	20.3 15.8	7 2	11 5	17 11	26 22	36 32
GENERALIZEO ISCHEMIC CEREBROVASCULAR OISEA5E (437)								PULMONARY EM8OLI5M AND INFARCTION (450)							
Tatal	6,510	11.2	2	4	7	13	22	Total	1,125	14.4	2	6	12	20	28
65 to 74 years	2,325 3,095 1,090	10.5 11.4 12.2	3 2 2	4 4 4	7 7 8	12 14 15	20 23 26	65 ta 74 years	660 360 105	14.3 14.7 14.4	2 1 1	7 6 5	12 12 10	20 21 18	26 30 37
Single diagnosis	2,135 4,375	8.6 12.5	2 3	3 5	6 8	11 15	17 26	Single diagnasis	335 790	13.1 15.0	· 1	5	10 13	14 21	28 26
With surgery	355 6,155	19.0 10.8	5 2	8 4	13 7	22 13	36 21	With surgery	145 980	17.4 14.0	6 1	9 6	14 12	22 19	32 27
ILL-OEFINEO CEREBROVASCULAR OISEASE (436, 438)								PHLE8ITI5 ANO THROM80PHLE8ITI5 (451)							
Total	12,695	14.5	2	5	10	18	30	Tatal	2,605	12.2	4	6	10	14	21
65 to 74 years	5,115 5,465 2,115	13.9 14.3 16.3	2 2 1	4 5 5	9 10 10	17 18 19	30 30 35	65 to 74 years	1,635 815 155	12.0 12.3 13.3	4 4 5	6 6 7	10 10 10	14 15 13	20 22 22
Single diagnasis	5,945 6,750	12.9 15.9	1 2	4 5	8 11	16 20	27 33	Single diagnasis	1,225 1,380	11.4 12.9	4	6	10 10	13 16	17 23
With surgery	345 12,350	20.9 14.3	4 2	9	17 9	28 17	43 30	With surgery	155 2,450	16.3 11.9	6 4	7 6	12 10	19 14	30 21
ARTERIOSCLEROSIS (440)	4,760	12.5	2	5	9	16	23	VARICOSE VEINS OF LOWER EXTREMITIES WITH ULCER (454.0)							
65 to 74 years	1,610	12.3	3	5	9		23	Total	605	18.6	5	9	15	24	34
75 ta 84 years	2,195 955	12.3 13.3	3	5	10	16 15 16	23 24	65 to 74 years	300 235 70	17.3 20.8 16.8	5 6 4	8 10 7	14 18 11	22 28 18	30 37 29
Single diagnasis	875 3,885	11.0 12.8	3	5	8 9	14 16	20 23	Single diagnasis	230 375	18.7 18.5	5	9	16 15	23 24	34 35
With surgery	520 4,240	18.2 11.8	6 2	9 5	14 8	22 15	31 22	With surgery	175 430	26.1 15.5	10	13	23 13	33 20	44 28
NONSYPHILITIC AORTIC AND OTHER ANEURYSM (441, 442)								VARICOSE VEINS OF LOWER EXTREMITIES WITHOUT ULCER (454.1,	430	15.5	4	<i>'</i>	13	20	28
Tatal	940	11.5	1	3	8	16	26	454.9)							
65 ta 74 years	550 325	13.1 8.4	1 1	4 2	11 5	18 12	27 18	Tatal	565	9.7	3	4	7	11	20
85 years and aver	410 520	13.0	1	2 2 3	9 7 8	19 17	26 26	65 ta 74 years	465 85 15	9.9 9.1	3 3 *	4	7 7	9	22 15 *
Multiple diagnases	530 375	11.7 17.0	1 1	9	15	15 21	26 32	Single diagnasis	310 255	8.0 11.7	3	4 5	7 8	9 12	13 25
Without surgery	565	7.8	í	2	5	ຳ່	18	With surgery	380	9.1	3	4	7	10	15
OTHER PERIPHERAL VASCULAR OISEASE (443)								Without surgery	185	10.9	3	5	8	11	24
Total	530	13.9	1	4	11	21	29	Tatal	1,535	8.9	3	5	7	10	15
65 ta 74 years 75 to 84 years 85 years and over	295 195 40	13.9 13.6 14.9	1 3 3	2 5 6	11 8 13	20 22 20	28 29 26	65 ta 74 years	1,115 355 65	8.9 9.2 6.5	3 3 2	5 5 3	7 8 4	10 10 7	16 14 12
5ingle diagnasis	165 365	13.4 14.1	2 1	4 4	12 10	22 21	27 31	Single diagnasis	820 715	7.9 10.0	2 3	5	7 8	9	12 17
With surgery	175	22.2 9.8	9	14	20 6	29 13	36 24	With surgery	1,135	9.6		6 3	8	11	16

## Table 19 EAST SOUTH CENTRAL: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND DISCHARGE CHARACTERISTICS—Con.

Oiognosis And Oischorge Chorocteristics	Number of	Averoge stoy			entiles (			Oiognosis And Oischorge Characteristics	Number of	Averoge stay			ntiles (	doys)	
(ICOA 8th Revision)	dischorges	(doys)	10th	25th	50th	75th	90th	(ICOA 8th Revision)	dischorges	(doys)	10th	25th	50th	75th	90th
ACUTE UPPER RESPIRATORY INFECTIONS EXCEPT INFLUENZA (460-465)								OTHER OISEASES OF UPPER RESPIRATORY TRACT (500-508)							
Totol	2,785	8.9	3	4	7	10	16	Total	1,095	6.1	1.	2	5	7	11
65 to 74 years	1,455 1,000	7.8 10.1	2 3 3	4 5	6	9 12	14 18	65 to 74 yeors	790 260	5.4 8.5	1 2	2	4 6	7 9	10
85 years and over	330	10.0		5	7	14	19	85 yeors and over	45	5.7	ī	2	5	7	13
Single diognosis	730 2,055	8.2 9.1	3	4	7	10 11	14 17	Single diognosis	480 615	4.7 7.2	1 2	3	3 6	5 8	12
With surgery	60 2,725	11.0 8.8	3	4	8 7	16 10	18 15	With surgery	575 520	4.8 7.5	1 2	2 4	3 6	5 9	1:
ACUTE ANO UNQUALIFIEO 8RONCHITIS ANO 8RONCHIOLITIS (466, 490)								PLEURISY (511)							
Totol	8,655	9.4	3	5	7	11	16	Totol	725	9.0	2	4	7	11	1
65 to 74 yeors	5,120 2,870	8.8 10.3	3	5 5 5	7 8	10 12	15 17	65 to 74 yeors	410 250 65	8.9 9.3 8.4	2 2 2	4 4 4	7 7 8	11 13	1 1 1
85 years and over	665	9.7	3		8	12	16	Single diognosis	255	7.6	2	3	6	9	1
Single diagnosis Multiple diagnoses	3,020 5,635	8.1 10.1	3	5	6 8	9 12	13 17	Multiple diognoses	470 25	9.8	3	5	8	13	1
With surgery	345 8,310	11.9 9.3	3	5 5	8 7	15 11	23 16	Without surgery	700	8.7	2	4	7	11	1
INFLUENZA (470-474)								PULMONARY CONGESTION AND HYPOSTASIS (514)							
Total		9.0	3	4	7	10	16	Total	820	10.0	1	4	8	13	2
65 to 74 yeors	985	8.7 8.7 11.0	3 4	4 4 5	6 7 10	10 10 14	15 15 20	65 to 74 yeors	265 405 150	9.5 11.5 7.2	2	4 5 3	7 9 6	13 15 9	1 2 1
Single diognosis	1,145	7.3	2	3 5	6 8	9	12	5ingle diognosis	225 595	9.2	1 2	4	7	13 13	1 2
Multiple diagnoses		9.5	4	5	8	13	13	Multiple diognoses	10	10.4		•	•	13	
Without surgery	2,525	9.0	3	4	7	10		Without surgery	810	10.0	1	4	8	13	:
PNEUMONIA (480-486) Totol	16,105	11.9	3	6	9	14	22	CHRONIC INTERSTITIAL PNEUMONIA (517)							
55 to 74 yeors	7,005	11.1		5	8	13	19	Total	765	10.6	3	5	8	14	
75 to 84 yeors		12.3 12.8	3 3 3	6 6	9	15 16		65 to 74 years	390 315 60	10.8 10.8 8.7	3 3 1	5 4 4	8 8 9	14 16 11	1 2
Single diognosis		9.6 13.1	3 3	5 6	7 10	11 16	16 25	Single diognosis	135	11.7	3	5	8	17	2
With surgery	530 15,575	19.1 11.6	5	10 5	15 9	22 14	33 21	Multiple diognoses	630 125	10.4	4	6	13	13	1
CHRONIC BRONCHITIS (491)								Without surgery	640	10.1	3	4	8	12	
Totol	1,785	11.0	3	5	7	12	19	OISEASES OF ORAL CAVITY, SALIVARY GLANOS, ANO JAWS (520-529)							
65 to 74 years	520	9.6 11.8	3 3 3	5 5 5	7 8 7	11 15		Total	785	6.2	1	2	4	7	1
35 years and over			3	5	7	14	19	65 to 74 yeors 75 to 84 yeors 85 years ond over	535 215 35	5.4 8.0 7.4	1 2	2 2 2	3 4 3	7 7 8	2
Multiple diognoses	1,305	11.8	4	5	8	12	20	Single diagnosis	395	5.1	1	2	3	5	
With surgery Without surgery	215 1,570		3	5 5	7 7	12 12	18	Multiple diognoses	390 505	7.3 5.3	,	2	3	8	
EMPHY5EMA (492)					_			Without surgery	280	7.8	2	3	5	9	
Totol	4,460 2,740		2	4	7	12 11	20	015EASES OF ESOPHAGUS (530) Total	1,180	10.3	1	3	6	13	
65 to 74 yeors	1,480	10.3	2 2 2	4 5	, 7 8	12 15	22	65 to 74 yeors	595	9.4	1	2	6	12	:
Single diognosis	1,240		2 2	4	6 8	11 12	18 21	75 to 84 years	495 90	10.9 12.8	1	3 2	7	14 18	2
Multiple diognoses		14.7	4	6	10	19	28	Single diognosis	440 740	9.9 10.5	1	2 3	5 7	14 13	3
Without surgery	4,170	9.8	2	4	7	11	19	With surgery	365 815	14.5 8.4	1	3 3	10	19 11	5
Totol	2,010	9.1	2	4	7	11	17	ULCER OF STOMACH (531)				-			
65 to 74 years	1,465	8.7	2 2	4	7 7	11 12	16 22	Total	1,730	11.9	3	5	9	15	:
75 to 84 years		9.3	1	3	6	13	19	65 to 74 years	1,005 595	10.8 13.1	2 3	5	9 10	14 18	
Single diognosis		7.4 10.1	1 2	3 4	6 7	9 13	13 19	85 years and over	130 695	14.8	3 2	5	10	18	3
With surgery		12.7 9.0	2 2	3	8 7	19 11	27 17	Multiple diagnoses	1,035	12.8	3	6	10	16	2
	, 1,733	, ,,	. 21	-				With surgery	380 1,350	17.2 10.4	5 2	10	15 8	21 14	3

Table 19 EAST SOUTH CENTRAL: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND DISCHARGE CHARACTERISTICS—Con.

Diognasis And Discharge	Number of	Averoge		Perce	entiles (	doys)		Oiognasis And Oischorge	Number af	Average		Perce	entiles (	days)	
Characteristics (ICOA 8th Revision)	discharges	stay (doys)	10th	25th	50th	75th	90th	Chorocteristics (ICOA 8th Revision)	dischorges	stay (doys)	10th	25th	50th	75th	90th
ULCER OF OUODENUM (532)								HERNIA OF A80OMINAL CAVITY WITH 085TRUCTION (552, 553)							
Totol	4,765	10.5	3	5	8	13	20	Tatal	1,100	10.3	3	6	8	12	19
65 to 74 years	3,015 1,485 265	10.2 11.0 11.5	3 3	5 5 6	8 8	13 14 13	19 21 20	65 ta 74 years	585 395	10.9 10.1	3	5	9 8	14 11	20 17
Single diognosis	1,770 2,995	8.8 11.5	2 3	4 5	6	11 14	16 21	85 yeors and over	120 620	8.5 9.4	3	3 5	7	10	16 16
With surgery	800 3,965	18.4 8.9	7	11	16 7	23 11	30 16	Multiple diognases	480 875	11.5 11.2	5	6 7	9	14 13	21 19
PEPTIC ULCER, SITE UNSPECIFIEO (533)								Without surgery	225	6.9	1	2	4	9	16
Total	1,760	10.1	2	4	7	12	19	MENTION OF HERNIA (560)	2.045	11.6	,	2		.,	00
65 to 74 years	1,145 460 155	9.0 11.5 14.3	2 2 1	4 4 3	7 9 8	11 13 16	18 24 37	Total	3,045 1,455	11.5	1	3	8	14	25 28
Single diagnosis	790 970	8.4 11.5	2	4	7 8	10 14	14 23	75 to 84 yeors	1,130 460	11.6 10.9	1	3	8 6	14 15 13	23 24
With surgery	130 1,630	18.6 9.4	5 2	10	14 7	24 11	33 18	Single diagnosis	1,450 1,595	9.7 13.2	1 2	2 4	6 9	13 16	21 32
GASTRITIS AND DUODENITIS (535)								With surgery	835 2,210	17.8 9.1	4 1	9	14 5	23 10	35 19
Tatal	3,530	7.3	2	3	5	8	14	OIVERTICULA OF INTESTINE (562)	4 070	0.0			,	,,	17
65 to 74 years	2,095 1,140 295	6.5 8.1 9.3	2 2 2	3 3 4	5 5 6	7 9 11	12 18 17	Tatal	6,970 3,915	9.0 8.6	2	3	6	11	17
Single diagnosis	1,315 2,215	5.5 8.3	2 2	2	4 6	6	9 · 17	75 ta 84 yeors	2,460 595	9.0 11.0	3	4 5	7	11	17 21
With surgery	130 3,400	9.5 7.2	2	4 3	6	12 8	19 14	Single diognasis	2,655 4,315	7.6 9.8	2 2	3	5 7	12	15 19
DISORDERS OF FUNCTION OF STOMACH (536)	-,		_	Ī				With surgery	1,115 5,855	14.9 7.8	3 2	5 3	12 6	19 9	28 14
Tatal	640	6.8	2	3	5	8	13	FUNCTIONAL DISOROERS OF INTESTINE (564)							
65 to 74 years	335 235	5.9 7.8	1 2	2	4 5	7 9	12 14	Total	1,560	7.0	1	3	5	8	12
85 years and aver	70 215	8.4 4.8	1	3 2	3	10	15	65 to 74 yeors	885 570 105	6.0 8.4 8.4	2 1	3 3 3	5 6	7 9 9	18 23
Multiple diagnases	425	7.9 5.5	2	3	5	10	14	Single diognosis	615 945	5.2 8.2	1 2	2	4 6	6	8 16
Without surgery	600	6.9	2	3	5	9	13	With surgery	190 1,370	10.9 6.5	2	4 3	6	11	18 12
OF O85TRUCTION (550)	4.140	0.2	4		0	10	14	CIRRHOSIS OF LIVER (571)	1,576	0.5					,,,
Tatal	4,140 2,785	9.3 9.1	4	6	7	10	14 14	Tatal	705	13.1	2	5	10	17	28
75 to 84 years	1,130 225	9.6 10.2	5 4	6	8 9	11 12	15 13	65 to 74 yeors	485 180 40	11.5 16.7 17.2	3 2 3	6 5 8	9 12 14	14 22 28	23 38 30
Single diagnasis	2,545 1,595	8.3 10.9	4	6	7 9	9 12	12 17	Single diognasis	255 450	11.7 13.9	2 2	6	9 10	14 18	21 29
With surgery	3,785 355	9.4 8.8	5 1	6 3	8 6	10 10	14 19	With surgery	100 605	17.6 12.4	5	10	17 9	24	30 27
VENTRAL HERNIA WITHOUT MENTION OF 085TRUCTION (551.2)								CHOLELITHIASIS (574)	003	12.5	-				-
Tatal	805	11.2	4	7	10	13	19	Totol	6,275	13.2	3	6	11	17	24
65 ta 74 years	575 220 10	10.8 12.4 *	4	7 8 *	10	12 16	16 22	65 to 74 yeors	4,030 1,845 400	12.6 14.2 14.5	3 3 3	7 6 6	11 11 10	16 19 19	22 26 28
Single diagnosis	430 375	10.3 12.3	4	7	9 11	12 15	14 22	Single diagnosis	3,070 3,205	12.7 13.7	3	7 6	11 11	16 18	22 26
With surgery	680 125	11.5 9.9	6	8	10	13 13	18 22	With surgery	3,555 2,720	16.5 8.8	8	10	14	20 10	27 18
OIAPHRAGMATIC HERNIA WITHOUT	123	, "		J	Ĭ	.5		CHOLECYSTITIS AND CHOLANGITIS	2,720	0.0					
MENTION OF OBSTRUCTION (551.3) Total	4,260	8.3	2	3	6	10	15:	WITHOUT MENTION OF CALCULUS (575)							0.7
65 to 74 years	2,620 1,380	7.7 8.9	2 2	3	6 7	9 11	14 16	Total	4,050 2,130	11.1	3	5	8	14	21
85 years and over	260	10.5 6.3	2	5	8	11	20 12	75 to 84 yeors	1,545 375	11.1 13.4	3	5	8	13 13	22 26
Multiple diognoses		8.8 12.9	2	4	7	11	16	Single diagnosis	1,915 2,135	9.9 12.2	3	5	8 9	12 15	19 23
With surgery	3,740	7.6	3	3	6	17	13	With surgery	1,005 3,045	17.0 9.1	8	10	16 7	21 10	26 16

### Table 19 EAST SOUTH CENTRAL: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND DISCHARGE CHARACTERISTICS—Con.

Oiagnasis And Oischarge Characteristics	Number of	Average stay			entiles (			Oiagnasis And Oischarge Characteristics	Number of	Average stay		Perce	entiles (	days)	
(ICOA 8th Revision)	discharges	(days)	10th	25th	50th	75th	90th	(ICOA 8th Revision)	discharges	(days)	10th	25th	50th	75th	90th
OTHER DISEASES OF GALL BLADDER AND BILIARY DUCTS (576)								CY5TITI5 (595)							
Tatal	1,325	11.4	2	4	8	13	24	Tatal	2,480	9.0	2	4	6	10	17
65 ta 74 years	650 530	10.7	2	4	7	13 12	20 27	65 ta 74 years	1,265 885	7.7 10.1	2 2 3	3 4 4	6 7 7	12 13	13 19 21
75 to 84 years	145	12.0 12.1	2 2 3	5 5	9	14	23	85 years and over	330 735	11.0	2	3	5	8	12
Single diagnasis	615 710	10.0 12.6	2	3 5	7 8	12 14	20 26	Multiple diagnases	1,745	10.0	3	4	7	12	19
With surgery	290 1,035	17.6 9.6	7 2	11	16	20 10	31 19	With surgery	755 1,725	8.2 9.3	2 2	3	6 7	9 11	14 18
OISEASES OF PANCREAS (577)	1,000	7.0		J		10	, ,	OTHER DISEASES OF BLADDER (596)							
Tatal	775	12.4	2	5	9	14	22	Tatal	920	10.2	3	5	7	12	19
65 to 74 years	465 240	11.8 14.8	3 2	5	9 12	13 20	20 26	65 ta 74 years	450 400 70	10.6 9.8	3 2	5 5	8 9	13	21
85 years and over	70	8.6	1	5	6	11	12	5ingle diagnasis	310	10.1	2	4	7	13 12	21
Single diagnasis	310 465	10.5 13.7	3	3 6	7 10	12 18	19 26	Multiple diagnases	610 585	10.2	3	6	8	13	18
With surgery	110 665	19.0 11.3	4 2	12 4	19	24 13	32 20	Without surgery	335	9.0	2	4	7	ii	18
CHRONIC AND UNQUALIFIED NEPHRITIS								URETHRITIS AND STRICTURE OF URETHRA (597, 598)							
(582, 583) Total	420	13.9	3	6	10	17	24	Tatal	980	7.5	2	3	5	9	14
65 to 74 years	285	13.2	3	6	9	14	26	65 ta 74 years	650 285	7.1 8.4	1 2	3 4	5	8 10	14 16
75 ta 84 years	110 25	13.5	3	8	13	17	23	85 years and aver	375	7.3 6.3	2	3	5	9	10
Single diagnosis	115 305	10.8 15.1	2	5 7	8 11	12 19	22 29	Multiple diagnoses	605	8.2	2	3	6	10	16
With surgery	40	27.4	14	21	24	34	36	With surgery	680 300	7.4 7.6	2 2	3	5	9	15 13
Without surgery	380	12.5	3	6	9	14	22	URINARY TRACT INFECTION, NOT ELSEWHERE CLASSIFIED (599.0)							
Tatal	4,760	10.3	3	5	7	12	19	Tatal	3,575	10.7	3	5	8	13	19
65 ta 74 years	2,200 1,935	9.6 11.1	3 3 4	5 5	7 8	11 12	17 20	65 ta 74 years	1,615 1,430	9.8 11.4	3	5	7 8	12 13	18 22
75 to 84 years	625	10.5	4	5	7	13	20	85 years and over	530	11.8	3	4	9	14	21
Single diagnosis	1,805 2,955	8.7 11.3	3 4	4 5	6 9	10 13	16 20	5ingle diagnasis	1,300 2,275	8.5 12.0	2 4	5	6 9	10 14	16 22
With surgery	340 4,420	12.0 10.2	3	6	9	13 12	18 19	With surgery	495 3,080	11.9 10.6	4 3	5 5	9 7	13 12	22 19
CALCULUS OF KIONEY AND URETER								HYPERPLASIA OF PROSTATE (600)							
(592) Total	2,155	8.5	1	3	6	11	17	Tatal	8,800	11.6	4	6	9	14	20
65 to 74 years	1,630	8.4	1	3	6	11	16	65 to 74 years	4.985 3,060	11.0 12.5	3 4	6 7	9 10	13 15	19 22
75 ta 84 years	445 80	9.3 6.8	2	3 3	6	12 9	20 11	85 years and aver	755 4,345	12.1	3	6	10	15 13	20 18
Single diognosis	1,260 895		1 2	2	5 8	10 13	15 20		4,455	12.5		7	10	15	22
With surgery			4	7 2	10	15	23 11	With surgery	6,890 1,910	12.2 9.4	5 2	3	10 6	14 12	20 18
OTHER OISEASES OF KIONEY AND	1,245	5.5	'		3	6	''	PROSTATITI5 (601)							
URETER (593)		,,,				,,,	20	Tatal	805 505	8.1 7.6	2	3	5	9	15
Total	910 520	10.4	2	4	8	14	20	65 ta 74 years 75 ta 84 years 85 years and over	265	8.5 11.1	2 5	4 7	7 9	10 12	16
75 ta 84 years	320 70	8.6	î 1	3	7	12	17 15	Single diagnasis	290	7.4	2	3	4	8	14
Single diagnosis		8.3 11.9	1 3	3 5		12 15	17 21	Multiple diagnases	515 300	8.5 9.7	2 2	4	7	10	16
Multiple diagnases		12.9	3	6		16	25	Without surgery	505	7.1	2	3	5	9	12
Without surgery	530	8.7	1	3	6	11	16	CHRONIC CYSTIC DISEASE AND OTHER DISEASES OF BREAST (610, 611)							
CALCULUS OF OTHER PARTS OF URINARY SYSTEM (594)								Tatal	645	5.9	2	2	4	7	11
Tatal	380	8.1	2	3		9	13	75 ta 84 years	175	5.7 6.6	2 2	2 2	4 4 2	7 8	10 13
65 to 74 years	250 105 25	7.7 10.0	2 2	3	5 6	9 11	12 15	85 years and aver	415	4.8	2	2	3	7	12
Single diagnosis	195	5.4	1	2	4	7	10	Multiple diagnases	230	6.6	2	3	5	8	11
Multiple diagnases	185	11.0	3	4	7	12	18	With surgery	605 40	5.8 7.5		3	6	8	11
With surgery	235 145	8.8 7.1	3	2		6	13 12								

## Table 19 EAST SOUTH CENTRAL: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND DISCHARGE CHARACTERISTICS—Con.

Oiagnosis And Oischorge Charocteristics	Number of	Average stoy		Perce	entiles (	doys)		Oiognosis And Dischorge Chorocteristics	Number of	Averoge stoy		Perce	entiles (	(doys)	
(ICOA 8th Revision)	discharges	(doys)	10th	25th	50th	75th	90th	(ICOA Bth Revision)	dischorges	(days)	10th	25th	50th	75th	90th
UTEROVAGINAL PROLAPSE (623)								SPONOYLITIS OSTEOARTHRITICA (713.1)							
Total	2,015	11.6	6	В	10	14	17	Total	2,165	9.3	3	5	В	11	16
65 to 74 yeors	465	11.2 12.9	6 6	8	10 11	13 14	16 20	65 to 74 yeors	1,325 660	9.1 9.1	3 3 2	5 4 5	B 7 9	11 11	15 16
85 years and over		8.2	5	5	7	В	13		180	11.1				12	23
Single diognosis		11.2 12.0	6	8 8	10 10	13 14	16 19		545 1,620	8.3 9.6	3	4 5	7 B	10 11	15 17
With surgery		11.9 B.B	7 2	B 5	10 8	14 10	17 14	With surgery	90 2,075	11.7 9.2	3 3	6 5	10 7	16 11	20 15
POSTMENOPAUSAL BLEEDING (626.7)								ARTHRITIS, UNSPECIFIED (715)							
Total	48,5	5.7	1	2	3	6	12	Total	2,525	10.8	3	4	8	13	20
65 to 74 years	150	5.1 6.4 *	1 2 *	2 2	3 4 *	6 B *	12 13	65 to 74 yeors 75 to 84 yeors 85 yeors ond over	1,295 955 275	10.4 10.8 12.4	3 3 2	4 5 , 4	7 B 7	13 13 15	19 19 27
Single diagnosis	285 200	4.6 7.4	1 2	3	2 5	4 B	9 17	Single diognosis	715 1,810	B.3 11.7	2 3	4 5	7 B	10 14	16 22
With surgery	445 40	5.4 9.1	1 2	2 3	3 5	6 14	11 18	With surgery	115 2,410	21.6 10.2	4 3	7 4	17 8	27 13	44 19
CELLULITIS ANO ABSCESS (6B1, 682)								O5TEOPORO515 (723.0)							
Total	1,950	10.7	4	5	8	13	20	Totol'	1,535	12.2	4	6	9	15	23
65 to 74 years	690	10.2 11.4 10.5	3 4 4	5 6 5	8 9 B	13 14 12	19 21 20	65 to 74 yeors 75 to 84 years 85 yeors and over	645 665 225	12.6 12.1 11.5	3 4 4	6 6 6	10 9	16 14 14	26 22 21
Single diognosis		8.9 11.7	3 4	4 6	6 9	11 14	17 21	Single diognosis Multiple diognoses	340 1,195	11.3 12.5	3 4	5	9	14 15	22 23
With surgery		15.1 9.8	3	6 5	13 B	20 12	27 18	With surgery	90 1,445	15.6 12.0	5 4	8 6	12 9	19 14	26 22
OERMATITIS AND ECZEMA (690, 692)								OISPLACEMENT OF INTERVERTEBRAL							
Total	480	9.1	2	4	7	11	16	0ISC (725) Total	1,250	13.1	4	7	11	16	22
65 to 74 yeors	165	7.9 9.0 13.1	2 3 3	4 4 5	7 6 7	10 12 16	13 19 29	65 to 74 years 75 to 84 years	935 270	14.0 10.6	5 2 2	7	11 B	16 13	23 20
Single diognosis	205	B.5 9.5	1 3	3 4	5	10	17	B5 years and over	45 620	10.7	2	5	7 12	15	19
Multiple diognoses		5.7	1	1	2	В	16	Single diognosis	630	12.3 13.9	4	7 6	10	15 17	20 25
Without surgery		9.3	3	4	7	11	16	With surgery	280 970	20.1 11.1	10 3	12	16 9	22 14	33 19
Total	940	17.9	3	7	13	21	41	VERTEBROGENIC PAIN SYNOROME (72B)	010	0.0				,,,	10
65 to 74 years		16.4 19.1	4	7 B	12 14	20	31 44	Total	810 530	9.8 9.4	3	5	B 7	12	1B 16
75 to 84 yeors	110	20.5	3 2	5	16	22 25	42	75 ta 84 years	230 50	10.7 9.8	3	5 5 5	9 7	12	21 16
Single diognosis	420 520	15.1 20.2	3 4	6 9	11 14	20 24	27 45	Single diagnosis	330	9.7 9.9	2	4 5	6 8	11	21
With surgery	265 675	21.0 16.7	3	8 7	14 12	25 20	51 32	Multiple diagnoses	480 75	16.0	3	9	14	22	17 <b>29</b>
RHEUMATOID ARTHRITIS AND ALLIED								Without surgery	735	9.2	3	5	7	11	17
CONOITIONS (712)	1,675	13.6	3	6	10	16	26	5YNOVITIS, BURSITIS, AND TENOSYNOVITIS (731)							
65 to 74 years		14.3		5	10	18	27	Total	1,000	7.6	- 1	2	6	10	15
75 to 84 years	505	12.7 10.5	3 3 4	6	11 B	15 11	24 18	65 ta 74 years	765 205 30	7.4 B.5 B.3	1 1 2	2 3 2	5 6 10	9 10 12	15 17 13
Single diognosis	575 1,100	13.6 13.7	3 3	5 6	11 10	17 16	25 26	Single diognosis	475 525 i	6.2 9.0	1 2	2 4	3	8	13 17
With surgery		24.0 12.3	6	11	1B 10	26 15	53 24	Multiple diognoses	395	5.0	1	2	3	5	9
OSTEOARTHRITIS (713.0)	1,400	12.0		J	10	13	14	Without surgery	605	9.4	2	4	7	12	17
Totol	3,040	11.7	3	5	В	14	22	SYMPTOMS REFERABLE TO NERVOUS SYSTEM AND SPECIAL SENSES (780, 781)						ł	
65 to 74 yeors	1,490 1,215 335	11.1 12.1 12.7	3 3 3	5 5 6	В В В	14 15 17	21 24 25	Total	560	7.2	2	3	5	9	16
Single diagnosis	795	11.9 11.6	3 3	5	9 B	17 14	21 22	65 to 74 yeors	370 160 30	6.5 8.2 11.3	1 2 B	2 4 B	4 7 10	10 13	16 14 16
With surgery		17.0 10.81	4 3	B 5	15 B	21 13	32 20	Single diagnosis	435 125	6.7 9.1	1 2	3 4	5 7	9	12 17
	2,010	.0.01	31	31	01	,51		With surgery Without surgery	5 555	7.1		3	. 5	9	14

Table 19 EAST SOUTH CENTRAL: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND DISCHARGE CHARACTERISTICS—Con.

Oiognosis And Oischarge Chorocteristics	Number of	Averoge stoy		Perce	entiles (	doys)		Oiognosis And Oischarge Chorocteristics	Number of	Averoge stay		Perce	entiles (	aoys)	
(ICOA 8th Revision)	dischorges	(days)	10th	25th	50th	75th	90th	(ICOA 8th Revision)	discharges	(doys)	10th	25th	50th	75th	90th
ACUTE HEART FAILURE, UNOEFINEO (782.4)								FRACTURE OF VERTEBRAL COLUMN, OORSAL (THORACIC) AND LUMBAR, CLOSEO (805.2)							
Total	335	12.3	2	5	10	15	28	Total	1,410	15.8	4	8	13	20	2
65 to 74 yeors	140 110 85	13.0 10.6 13.4	2	5 4 5	10 6 12	14 13 16	29 19 24	65 to 74 years	570 650 190	15.3 15.8 17.6	4 4 4	9 7 9	13 13 16	19 20 26	2 3 2
Single diognosis	270 65	11.6 15.3	2	5 2	10 11	14 25	19 35	Single diagnosis	715 695	15.3 16.5	3 5	8	12 15	20 21	2 2
With surgery Without surgery  SYNCOPE OR COLLAPSE (782.5)	330	12.1	2	5	10	15	29	With surgery	45 1,365	16.6 15.8	5 4	8 8	13 13	21 20	2 2
Total	405	5.9	1	2	4	7	10	FRACTURE R18(5), CLO5E0 (807.0)							
65 to 74 years	240	5.9	1	2	3	7	11	Total	1,175	11.5	2	5	8	15	2
75 to 84 years	135 30 310	6.1 4.8	1	2 2	5 5	6 7	10 8	65 to 74 years	555 480 140	9.9 13.6 10.8	2 3 3	4 5 6	8 9 9	13 17 13	2 2
Single diagnosis	95	6.0 5.4	i	2	4	7 7	11	Single diognosis	430 745	7.9 13.6	2	4 6	6	11 17	1 2
With surgery	10 395	5.9	1	2	4	7	10	With surgery	85 1,090	16.4 11.1	3 2	8 5	14 8	25 14	2 2
Totol	435	5.3	1	1	4	6	10	CLOSEO FRACTURE OF PELVIS (808.0)							
65 to 74 years	225	5.8	1	1	4	6	8	Total	590	18.8	5	8	16	24	3
75 to 84 years	145 65 370	4.8 4.5 4.3	1 2	1 3	3	7 5 5	10 6	65 to 74 years 75 to 84 years 85 years ond over	180 265 145	16.9 19.5 20.1	6 4 5	8 8 10	13 17 17	22 26 25	2 3 3
Single diagnosis	65	10.9	2	3	7	าา์	12	Single diognosis	330 260	16.9 21.3	4 6	7 10	14 18	24 25	3
With surgery	25 410	5.3	1	1	4	6	10	With surgery	25 565	* 19.2	5	9	17	25	3
PAIN IN CHEST (783.7) Totol	670	6.9	1	3	5	8	14	MULTIPLE AND ILL-DEFINED FRACTURES OF TRUNK, CLOSED (809.0)							
65 to 74 years	390	6.3	1	2	5	8	12	Total	360	17.4	1	6	15	24	4
75 to 84 years	250 30	7.8 6.3	3	3 3	5	8	16 11	75 to 84 years	195 110	18.2 15.8	1	5 6	15 13	26 20	4
Single diognosis	560 110	6.7 7.6	1	3	5 6	8 9	14 15	85 years and over	55 160	17.7	1	5	16	22	3
With surgery	45 625	12.7 6.5	3 1	5 2	15 5	17 8	18 11	Multiple diagnoses	200 50	19.1 17.6	1	5	17	24	3
A800MINAL PAIN (785.5)								Without surgery	310	17.3	1	. 6	14	24	4
Total	1,055	5.9	1	2	4	8	13	FRACTURE OF UPPER ENO OR SHAFT OF HUMERUS, CLOSEO (812.0, 812.2)							
65 to 74 years	635 325 95	6.0 6.4 4.4	1	2 2 1	5 2	9 5	13		1,165 475	11.4 10.0	2	4	8	14 13	2
Single diognosis	950 105	5.8 7.7	1	2	4 6	7 11	12 13	65 to 74 years 75 to 84 years 85 years ond over	575 115	11.8	2 2 2	4 4 3	8 9	14 19	2 2 3
With surgery	110 945	9.3 5.6	2 1	4 2	9 4	12 7	15 11	Single diognosis Multiple diognoses	720 445	10.1 13.4	1 3	3 5	6	12 17	2 2
RETENTION OF URINE (786.1)								With surgery	315 8 <b>50</b>	11.8 11.2	2 2	4 4	8	14 14	2 2
Totol	365	9.2	2	3	7	13	21	FRACTURE OF UPPER ENO OR UNSPECIFIED PART OF RADIUS AND							
65 to 74 years	155 150 60	8.2 9.6 10.9	2 2 2	3 4 4	8 8	10 12 15	16 20	ULNA, CLOSED (813.0)							
Single diognosis	325	9.3	2 2	3	7	13	21	Total	365	7.3	1	2	4	8	,
Multiple diagnoses	40 125	8.1 11.3	3	5	10	11	12 20	65 to 74 years	200 125 40	6.4 7.6 10.6	1	1 2	4 7	7 8 11	1 1 2
Without Surgery	240	8.1	2	3	5	11	20	Single diognosis	230 135	6.8 8.0	1	2	4	8 8	1
Total	395	7.2	2	3	5	8	15	With surgery	235 130	5.1 11.2	1	2 2	4 7	13	2
65 to 74 years	225 135 35	7.0 7.0 8.6	2 2 2	3 3 4	5 5 5	8 8 7	15 13 17	FRACTURE OF LOWER END OF RAOIUS ANO ULNA, CLOSEO (813.4)							
Single diognosis	335	7.1	2	3	5	8	14	Total	695	6.1	1	1	3	6	1
Multiple diagnoses	60 195 200 i	7.6 7.6 6.8	2 2	3 3	5 6 5	9	15 15 14	65 to 74 yeors	365 250 80	4.9 5.9 11.9	1	1 2	3 3 5	6 6 14	1 1 2
Without surgery	2001	0.81	21		, J	U	14	Single diagnosis Multiple diagnoses	445 250	4.4 9.1	1 2	1 3	2 7	4	1
								moniple diagnoses	250	7.1	-		1		

Table 19 EAST SOUTH CENTRAL: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND DISCHARGE CHARACTERISTICS—Con.

Oiognosis And Oischorge Chorocteristics	Number of	Averoge stoy		Perce	entiles (			Oiognosis And Oischorge Chorocteristics	Number of	Averoge stay		Perce	entiles	(doys)	
(ICDA 8th Revision)	dischorges	(doys)	10th	25th	50th	75th	90th	(ICOA 8th Revision)	discharges	(doys)	10th	25th	50th	75th	90th
FRACTURE OF INTERTROCHANTERIC SECTION OF NECK OF FEMUR, CLOSEO								CONCU55ION (850)							
(820.2)	2,175	20.8	6	12	16	25	38	Total	335 230	6.8 6.9	1	2	5	8 9	1.
65 to 74 yeors	545	21.9	8	13	17	25	35	75 to 84 years	80 25	6.6	į	2 2 *	5	8	i
75 to 84 yeors	995 635	21.6 18.8	7	12 10	16 15	26 24	38 38	Single diognosis	65 270	5.3 7.1	1	1 2	3 5	7 9	1
Single diognosis	1,415 760	19.1 24.1	6: 7	12 12	16 20	22 31	32 46	With surgery	30	12.0	4	5	7	10	2
With surgery	1,860 315	21.0 19.7	8 1	12	16 16	24 27	37 41	LACERATION AND OPEN WOUND	305	6.2		2	4	8	1
FRACTURE OF OTHER AND UNSPECIFIED								OF HEAD, NECK, AND TRUNK (870-879)							
PART OF NECK OF FEMUR, CLOSEO (820.4)								Totol	990	8.0	1	2	5	10	1
Total	5,840 1,620	19.3 <sup>1</sup> 19.6	4	11	16	23	35 35	65 to 74 years	535 305 150	8.6 6.7 8.3	1 2	2 2 3	5 5 5	11 8 10	1 1 1
75 to 84 years	2,865	19.7	6 4 4	10	16 16 15	23 23	35 32	85 years and over	265	6.2	1	2 3	4	7	1
Single diognosis		18.1 21.6	4 5	. 11 11	15 17	22 27	31 41	Multiple diognoses	725 335	8.6 9.0	1	3	6	10 13	1
With surgery	4,170	20.2	9	12	17	23	33	Without surgery	655	7.4	i	2	5	9	î
Without surgery	1,670	16.9	۱	4	13	22	39	CONTUSION AND CRUSHING WITH INTACT SKIN SURFACE (920-929)							
PARTS OF FEMUR (821)								Totol	2,550	8.9	1	3	6	12	1
Totol	785 320	25.5	3	10	19	35 25	59 58	65 to 74 years	1,225 905 420	8.6 9.1 9.3	1 1 1	3 4 3	6 7 5	12 12 10	1 1 2
75 to 84 yeors	295	26.1 28.4	5 3 1	11 9	21 19	36 36	53 66	Single diognosis	675	6.8	1	2 3	5 7	9	1
Single diognosis	535 250	24.1 28.4	4 1	9 11	19 19	33 37	51 64	Multiple diognoses	1,875	9.7	1		10	12	3
With surgery	460	24.6	6	10	19	28	54	Without surgery	2,455	8.7	ì	6	6	ii	ì
Without surgery FRACTURE OF TIBIA AND FIBULA (823)	325	26.8	'	5	18	40	61	AOVERSE EFFECT OF MEDICAL AGENTS (960-979)							
Totol	480	15.1	2	6	11	18	29	Total	1,270	8.8	1	3	6	10	1
65 to 74 years		13.4 20.5	2 3 1	5 8	10 13	16 24	27 34	65 to 74 yeors	595 565 110	8.1 9.5 8.5	2	2 4 4	5 7 8	9 11 13	1 1
85 years and over	45	12.8		6	- 11	16	25	Single diognosis	395	7.0	1	2	6	10	ļ
Single diognosis	260 220	13.0 17.5	3 2	5 8	10 12	16 21	25 35	Multiple diagnoses	875	9.5 25.3	7	8	13	11 24	1 5
With surgery	270 210	15.5 14.6	2 2	5 7	13 10	19 17	29 27	Without surgery	1,240	8.4	1	3	6	10	1
FRACTURE OF ANKLE (824)								IMPŁANT ANO COMPLICATIONS OF MECHANICAL NATURE FROM INTERNAL PROSTHETIC OEVICE (997.5)							
Totol		11.5	3	5	9	13 14	21	Total	155	12.5	1	3	6	11	2
75 to 84 years	220	10.0		3 6	7 11	12 13	20 22	65 to 74 yeors	85 50	7.9 10.5	1 1	3 3	5 6	9 13	1
Single diognosis		9.8 15.4	2	4 6	8 10	12 16	17 30	85 years and over	20 125	8.1	2	3	*	۰	1
With surgery	385	11.4	3	6	9.	13	20	Multiple diagnases	30	30.8	1	3	12	28	8
Without surgery	260	11.6	1	3	7	14	21	With surgery	115 40	14.5 6.7	2 1	4 1	7	13 8	1
LOWER LIM85, LOWER WITH UPPER LIM8, AND LOWER LIM8 WITH RI8 AND															
STERNUM (828) Total	485	21.0	4	10	15	25	45								
65 to 74 yeors	225 190	19.0	5	11	15	23 27	36 57								
75 to 84 years	70	23.9 19.4	5 1	7	15 19	26	32								
Single diagnosis		19.7 22.9	4 5	10 10	14 20	23 28	38 46								
With surgery	275 210	22.7 18.7	7 2	12	16 14	28 23	42 48								
5PRAINS ANO STRAINS OF 8ACK (846, 847)															
Totol	1,830	9.7	2	4	8	12	17								
65 to 74 years	1,115	9.0 9.9	2 2	4	7 8	11 13	15 19								
85 years and over	150	14.4	4	6	10	19	29								
Single diagnosis	635 1,195	8.5 10.3	2 2	5	7 8	11	16 20								
With surgery	65 1,765	13.8 9.6	1 2	5	9	14 12	24 17								

## Table 20 EAST SOUTH CENTRAL: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED SURGICAL PROCEDURES, AND DISCHARGE CHARACTERISTICS

Surgical Procedures And Oischarge Characteristics	Number of	Average stoy		Perce	entiles (	doys)		Surgical Procedures And Discharge Characteristics	Number of	Averoge stoy		Perce	entiles (d	(ayob	
(CPT 1st Edition)	dischorges	(doys)	10th	25th	50th	75th	901h	(CPT 1st Edition)	dischorges	(doys)	10th	25th	50th	75th	90th
MASTECTOMY, COMPLETE, 5IMPLE (0457)								REPAIR OF VENTRAL HERNIA (3661)							
Total	650	10.8	3	5	9	13	19	Total	725	11.7	6	8	10	13	18
65 to 74 yeors	300 230 120	9.9 10.8 13.0	2 4 5	5 8	8 9 12	12 13 15	19 20 19	65 to 74 years 75 to 84 years 85 years and over	515 195 15	11.6 12.2	6 7 •	7 8	10	13	18 20
5ingle diagnosis	395 255	8.7 14.0	3	4 7	8 11	11 19	16 25	Single diognosis	420 305	10.5 13.5	6 7	7 9	12	11 16	2
MASTECTOMY, RADICAL (0470) Totol	700	14.1	8	9	12	16	21	PROSTATECTOMY, EXCEPT TRANSURETHRAL (4311-4313, 4316, 431X)							
65 to 74 yeors	530 155 15	14.5 12.6	8 8 *	10 9	12 11	16 15	22 17	Total	1,775 1,130	18.1 17.3	9	12 11	15	21 20	2
Single diognosis	415 285	13.0 15.7	8	9 10	11	15 17	20 30	75 to 84 years	565 80	19.6 19.8	10 10	12 13	15 16	22 21	3
REOUCTION OF FRACTURE OF HIP (0865-0868, 0872-0874)	203	13.7	١	10	13	17	30	Single diognosis	955 <sup>1</sup> 820	15.9 20.7	9 10	11 13	14 17	19 25	3
Total	5,025	21.0	9	12	17	24	35	PROSTATECTOMY, TRANSURETHRAL (4321)							
65 to 74 years	1,545 2,310 1,170	20.5 21.8 20.0	10 9 8	13 12 11	17 17 17	23 24 24	33 37 35	Total	6,545 3,665	12.2 11.7	6	8	10	13 13	1:
Single diagnosis Multiple diagnoses	3,340 1,685	19.2 24.4	9	12	16	22 29	30 43	75 to 84 years	2,355 525	12.7 13.0	6	7 8 9	10 11	14	2
ANTHROPLASTY OF HIP (1150)	1,003	24.4		13		2,	45	5ingle diognosis	3,480 3,065	10.7 13.9	6 7	7 8	9 11	12 15	1
Total	1,825	21.2	10	14	18	25	36	COLPORRHAPHY (4481-4495, 449X, 4501, 4505, 450X)							
65 to 74 years	670 805 350	23.0 20.4 19.4	11 9 10	15 13 13	20 18 17	29 24 22	38 34 29	Totol	735	12.9	6	8	10	14	1
Single diognosis	1,260 565	19.9 24.0	10 10	14 14	17 20	22 31	33 46	65 to 74 years	620 115 —	12.6 14.5 —	6 7 -	7 10 —	10 12 -	14 15 -	1 2 -
GASTRECTOMY (3112, 3114, 3115, 3118, 3119, 311X)								Single diognosis	380 355	11.6 14.2	6 7	7 8	10 10	14 14	1
Total	675	22.1	11	15	19	25	37	HYSTERECTOMY, ABDOMINAL (INCLUDING PELVIC EXENTERATION)							
65 to 74 years	470 180 25	21.4 24.2	10 14	14 16	19 20 *	25 30 *	36 39	(4617, 4618, 4621, 4624-4627) Total	680	13.2	7	9	11	15	2
Single diagnosis	365 310	21.6 22.8	10 12	13 17	18 20	26 25	36 37	65 to 74 years	550 130	12.8 14.9	7 8	9 10	11	14	2
COLECTOMY (3178, 3180)	, , , ,	22.4	,,	14	10	20	40	Single diognosis	330 350	12.1 14.3	7 8	9	10 12	13 17	1
Total	940	23.6 21.8	11	14	19	28	35	HYSTERECTOMY, VAGINAL (4631)	330	14.5		,	12	17	
75 to 84 years	475 100	25.8 30.3	12 13	15 16	20 25	32 35	45 54	Total	990	12.6	7	9	11	14	١
Single diognosis	675 840	20.8 25.8	11 11	13 15		24 32	32 45	65 to 74 years 75 to 84 years 85 years and over	755 225 10	12.3 13.4 *	7 8 *	9 9	10 13	13 15 *	1
HEMORRHOIOECTOMY (3375)	1,060	10.3	5	6	8	11	17	5ingle diognosis	530 460	11.6 13.6	7 8	8 9	10 12	13 15	1 2
65 to 74 yeors	815 235 10	10.1	5.	6	8	11	16	DILATION AND CURETTAGE UTERUS, OIAGNOSTIC (4647)							
85 yeors and over	610	9.0	5	6	8	10	13	Total	1,015	6.0	1	2	4	7	1
Multiple diagnoses	450	12.0	5	/	10	14	21	65 to 74 years	725 260 30	5.6 7.1 5.8	1 3	2 2 3	4 4	8 7	1
Total	4,215	16.7	8	10	14	20	26	Single diagnosis	585 430	4.8 7.5	1 2	2 3	3 5	6	1
65 to 74 yeors	1,115	15.8 18.6 19.8	8 9 5	10 11 9	13 16 13	19 23 22	24 28 44	EXTRACTION OF LEN5 (5611, 5612)							
Single diagnosis		14.8	8 9	10 12	12	17	22 28	Total	9,150 4,725	7.3 7.2	3	5	6	8	1
Multiple diognoses	1,763	10.9	,	12	,,	22	20	75 to 84 years	3,840 585	7.4 7.8	3 4	5	6	8 8 9	1
Total	4,435	9.6	5	6	8	11	15	Single diagnosis Multiple diagnoses	7,095 2,055	7.0 8.5	3 4	4 5	6	7 9	1
65 to 74 years	2,915 1,265 255	9.3 10.1 9.9	4 5 4	6 6 7		10 11 12	14 16 13								
5ingle diognosis	2,730 1,705	8.4 11.5	4 5	6 7	7 9	9	12 18								

Table 21 WEST SOUTH CENTRAL: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND DISCHARGE CHARACTERISTICS

Oiognosis And Oischorge Characteristics	Number of	Averoge stay		Perce	entiles	days)		Oiagnosis And Discharge Chorocteristics	Number of	Averoge .		Perce	entiles (	doys)	
(ICOA 8th Revision)	dischorges	(doys)	10th	25th	50th	75th	90th	(ICOA 8th Revision)	dischorges	(doys)	10th	25th	50th	75th	90th
DIARRHEA (009.1)								MALIGNANT NEOPLASM OF ESOPHAGUS (150)							
Tatal	1,180 565	8.6 8.1	2	3	6	10	16 15	Total	410	13.5	1	4	9	18	34
65 to 74 years		9.4 8.5	2 2 1	4 3	6 7 6	12 12	17 15	65 to 74 years	265 125	11.1 17.0	1	3 4	8 9	15 29	22 43
Single diagnosis	495 685	8.8 8.5	2 2	3 4	6 7	10 12	18 15	85 years and over	20 225	11.8	1	2	7	16	27
With surgery	75 1,105	10.1 8.5	2 2	3 4	5 6	15 10	18 15	Multiple diognoses	185	15.5 18.6	3 5	10	11	21 22 12	36 35
GASTROENTERITIS AND COLITIS (009.2)								Without surgery	270	10.8	1	3	6	12	28
Total	10,515 5,495	6.9 6.2	1	3	5	8	13 12	(151)	1,350	15.2	2		11	20	21
75 to 84 yeors		7.4 9.3	i 1	3 3	5	9 10	14 18	65 to 74 years	605	15.3 15.3	2	5	12	19	31
Single diognosis	5,420 5,095	5.7 8.2	1 2	2 3	4 6	6 9	11 16	75 to 84 years	640 105	14.6 20.3	3 4	8	11 12	21	29 37
With surgery	375 10,140	15.2 6.6	3	6 3	12	20 8	28 13	Single diognosis	545 805	15.6 15.2	3	6	10 12	20 20	31 30
PLEURISY WITH EFFUSION WITHOUT MENTION OF CAUSE (012.2)								With surgery	455 895	20.4 12.8	7 2	12 4	17 8	25 16	35 26
Total	610	11.1	1	5	8	14	22	MALIGNANT NEOPLASM OF CECUM, APPENDIX AND ASCENDING COLON							
65 to 74 years	225	10.0 12.9	2 1	5 4	7 8	13 17	21 32	(153.0) Totol	585	15.9	2	7	15	22	28
85 years and over		10.3	2	6	7	13 13	18 23	65 to 74 years	350 180	14.7: 17.2	2 3	6 9	13 16	20 22	27 27
Multiple diagnoses	315 85	11.3	2 6	10	9	15 20	20 27	85 years and over	55 200	20.0 12.3	1	4	16 12	30 17	39 22
Without surgery	525	10.2	ĭ	4	7	12	21	Multiple diognoses	385	17.8	3	8	16	23	31
5EPTICEMIA (038) Totol	460	10.1	1	2	6	16	22	With surgery	370 215	18.8 11.1	8 1	13 2	17	23 13	28 25
65 to 74 years	195 180	8.8 11.1	1	2 2	5 6	11 17	21 23	MALIGNANT NEOPLASM OF TRANSVERSE AND DECENDING COLON (153.1, 153.2)							
85 years and over	85	10.9 9.3	2	2	7 5	14 15	18 18	Totol	340	18.7	5	9	15	21	36
Multiple diognoses	310	10.5	i	3		17	23	65 to 74 yeors 75 to 84 yeors 85 yeors ond over	165 130 45	16.6 19.0 25.7	4 5 6	7 9 10	13 17 19	18 21 27	36 34 45
With surgery	410	9.8	i	2	Ś	15	22	5ingle diognosis	135	22.4	6	13	18	28	40
HERPES ZOSTER (053) Total	1,355	12.2	3	5	8	14	23	Multiple diognoses	205 225	16.3 21.2	6	7 12	14	20	32 38
65 to 74 years	550 605	10.2 13.7	3	5	8 9	12 16	19 27	Without surgery	115	13.8	2	6	10	19	24
85 years and over	200	13.1	3	5	7.	18	27 19	COLON (153.3) Total	660	19.1	2	10	16	25	35
Multiple diognoses	745	13.6	3	5	9		26 31	65 to 74 yeors	360 240	17.9 22.2	2	9	15	22 28	33 39
Without surgery			3	5	8	14	22	85 years and over	60	14.0	ĭ	5	11	16	26
OTHER VIRAL DISEASES (070-079)  Totol	760	9.1	2	4	7	11	17	Single diognosis	305 355	15.9 21.9	4	8 12	14 19	20 27	33 37
65 to 74 yeors		8.6 9.8	2 2 3	4 3	6	10 13	16 18	With surgery	470 190	21.2 14.0	10 1	13	18	15	34 37
85 years and over	70	9.1 9.4	3	4	6	13 8 12	18	MALIGNANT NEOPLASM OF UNSPECIFIED PART OF LARGE INTESTINE (153.8)							
Multiple diognoses	400	8.7	2	4	7	10	16	Total	2,205	15.4	2	4	11	20	32
With surgery	45 715	11.0 8.9	3	6	8 6	14 10	18 17	65 to 74 years	1,085 930 190	16.6 14.5 12.9	2 2	4 5	12 10 9	22 18 18	34 30 27
MALIGNANT NEOPLA5M OF BUCCAL CAVITY ANO PHARYNX (140-149)								Single diagnosis	1,080 1,125	15.2 15.5	1 2	4	11 10	21 19	32 33
Totol	1,335 790	12.3 13.3	1	3	7	14 16	27 33	With surgery	670 1,535	21.0 12.9	7	12	18	26 15	39 29
75 to 84 years	370 175	11.5 9.3	2	4 2	9 7	12	21 20	MALIGNANT NEOPLASM OF RECTUM ANO RECTOSIGMOIO JUNCTION (154)	.,505	. 2. 7		Ü			
Single diognosis	680 655	9.7 14.9	1 2	3 4	6 9	11 15	23 35	Total	1,245	18.1	2	6	15	24	38
With surgery		9.9 16.5	1 2	3 4	6 9	11 19	20 41	65 to 74 years	650 460	18.8 18.9	2	7 6 5	16 14	25 27	38 39
								85 years and over	135 530	12.0 17.4	2	6	13	17 25 23	22 38
								Multiple diognoses	715 695	18.6	2	6	17	23	36 38
								Without surgery	550	13.9	ĭ	3	18	18	36

Table 21 WEST SOUTH CENTRAL: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND DISCHARGE CHARACTERISTICS—Con.

Oiognosis And Dischorge Chorocteristics	Number of	Averoge stay		Perce	entiles (	doys)		Oiognosis And Oischorge Chorocteristics	Number of	Averoge stoy		Perce	ntiles (	doys)	
(ICDA 8th Revision)	dischorges	(doys)	10th	25th	50th	75th	90th	(ICOA 8th Revision)	discharges	(doys)	10th	25th	50th	75th	90th
MALIGNANT NEOPLASM OF PANCREAS (157)								MALIGNANT NEOPLASM OF OVARY (183.0)							
Totol	1,180	17.1	2	5	13	23	34	Total	465	18.2	3	7	15	24	33
65 to 74 years	650 460 70	18.0 16.5 13.1	2 2 1	5 5 3	13 14 8	24 22 24	34 34 28	65 to 74 yeors	330 130 5	17.5 20.4	3	7 9 *	15 15	22	30
Single diognosis	525 655	17.2 17.1	1 2	4 6	13 14	23 23	33 34	Single diagnosis	135 330	19.4 17.6	2 4	7 7	16 15	24 22	39 32
With surgery	390 790	23.2 14.1	7 1	13 3	20 9	28 18	40 31	With surgery	205 260	20.1 16.6	9	13 5	17	21 24	30 30
MALIGNANT NEOPLASM OF LARYNX (161)								MALIGNANT NEOPLASM OF PROSTATE (185)							
Totol	535	12.3	1	2		18	28	Total	5,060	11.7	2	4	9	14	23
65 to 74 yeors	330 185 20	11.9 11.6	1	2 2 *	6 *	17 18 *	27 25 *	65 to 74 yeors 75 to 84 yeors 85 yeors ond over	2,505 1,970 585	12.0 11.6 11.2	2 2 2	4 5 4	9 9 8	14 14 14	22 23 20
5ingle diognosis	300 235	9.6 15.6	1 2	1 5	5 10	14 22	24 37	Single diognosis	2,140 2,920	11.0 12.3	2 2	4	8 9	13 15	21
With surgery	330 205	11.0 14.3	1	3	6 9	15 22	26 34	With surgery	2,285 2,775	12.4 11.2	3 2	6 3	10 7	15 13	22
8RONCHUS, AND LUNG (162) Total	4,920	14.2	2	5	10	18	30	(188)	2,615	11.2	2	3	7	13	22
65 to 74 yeors	3,550 1,250	14.1 14.2	2 2	5	10	17	29 32	65 to 74 yeors	1,450 945	10.3 12.0	1 2	3	6 7	14 13	27
85 years and over	120 2,300	17.3 12.4	1	7	12	23	42 25	85 years and over	1,645	13.8 9.1	2	3	7	13	32
Multiple diagnoses	2,620 1,480	15.8	2 2	6 8		21	34 31	Multiple diognoses	970 1,760	14.8 11.0	2 2	5	7	19	32
Without surgery	3,440	13.3	1	4	9	17	30	Without surgery	855	11.6	1	3	7	15	27
Total	2,635	8.4	1	2	4	10	19	Total	655	17.1	2	5	13	23	37
65 to 74 years	1,270 1,005 360	8.6 8.1 8.9	1 1 1	2 1 2	4 4 6	10 9 12	19 18 21	65 to 74 yeors 75 to 84 yeors 85 years ond over	425 195 35	17.1 16.9 18.6	3 1 5	6 4 7	12 15 14	22 26 23	3: 3: 3:
Single diognosis	1,490 1,145	7.2 10.0	1	2 3	3 6	7 12	15 21	Single diognosis Multiple diognoses	245 410	15.9 17.9	2 2	6 5	13 13	20 25	32
With surgery	1,870 765	7.4 11.1	1	2 2	4 6	8 13	16 28	With surgery	250 405	20.5 15.0	6 1	12 4	18 7	26 19	3d 3d
MALIGNANT NEOPLASM OF 8REAST (174)								LYMPHO5ARCOMA AND RETICULUM-CELL 5ARCOMA (200)							
Total	3,530	13.0	2	6	10	15	23	Total	565	13.7	2	5	10	17	30
65 to 74 yeors	2,165 1,150 215		2 3 3	5 7 6		15 16 16	23 23 27	65 to 74 yeors	320 230 15	12.2 16.2	2 2	5 6	10	15 19	2:
Single diognosis	1,680 1,850	11.3 14.5	4 2	6 5	10 10	14 17	18 30	Single diagnosis	305 260	12.4 15.2	2 4	4 7	8 11	15 19	3
With surgery	1,780 1,750	12.7 13.3	5 2	7 4	11 8	15 15	21 29		180 385	16.0 12.6		8 5	11 9	19 15	3. 21
MALIGNANT NEOPLASM OF CERVIX UTERI (180)		:						HOOGKIN'S DISEASE AND OTHER NEOPLASMS OF LYMPHOID TISSUE (201, 202)							
Totol	1,120	11.8	2	3	6	13	26		735	15.9	3	5	10	19	3
65 to 74 years	625 410 85	13.7	2 2 2	3 4 3	6 7 6	11 15 13	20 36 23	65 to 74 years	440 255	14.5 18.6	3	5	10 12	15	3
Single diagnosis	650 470	9.3	2 3	3 5	5	10 17	19 38	85 years and over	40 390	13.2	3	3	12	26 15	3
Multiple diognoses	540 580	11.3	3	3	6	12	19	Multiple diagnoses	345 225	18.1	3	6	11 11	23	3:
MALIGNANT NEOPLASM OF UTERU5, EXCEPT CERVIX (182)	580	12.3	2	3		13	31	Without surgery	510	15.7	3	5	10	18	3
Total	1,175	12.7	3	5	9	14	24	Totol	855	13.4	2	5	9	20	2
65 to 74 yeors	710 355 110	11.9 13.4 15.8	3 4 3	5 5 6		13 14 18	21 32 37	75 to 84 years		12.8 14.6 12.6	2		8 13 7	19 20 14	20
Single diognosis	680 495	11.7 14.1	3 4	4 6	8	12 16	21	Single diognosis	380	10.6 15.6		3 6	7 13	13 23	2-
With surgery	785		3 3		1	12	19	With surgery	_60	14.3 13.3		3 5	12	21 20	2:

Table 21 WEST SOUTH CENTRAL: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND DISCHARGE CHARACTERISTICS—Con.

Oiognosis And Oischorge Chorocteristics	Number of	Averoge stoy		Perce	entiles (	doys)		Oiognosis And Oischarge Chorocteristics	Number of	Averoge stoy		Perce	entiles (	doys)	
(ICOA 8th Revision)	dischorges	(doys)	10th	25th	50th	75th	90th	(ICDA 8th Revision)	dischorges	(doys)	10th	25th	50th	75th	90th
LEUKEMIA (204-207)								AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCY (260-269)							
Total		12.4	1	3	7	15	26	Total	1,010	13.9	2	5	10	18	27
65 to 74 years	810 720 165	11.6 14.3 8.0	1	3 3 1	7 8 3	15 18 10	23 31 23	65 to 74 years	355 455	14.4 13.5	3 2	6	11	18 17	25 30
Single diagnosis	860	12.5 12.3	1	3	8	16 15	24 29	85 yeors and over	200	13.7 14.5	3	4	8	19	26 21
With surgery	75	14.2	2	4	9	20	26	Multiple diognoses	775	13.7	3	5	11	12	27
Without surgery	1,620	12.3	1	3	7	15	26	With surgery	50 960	19.4 13.6	3 2	9 5	17 9	24 17	32 26
INTESTINE, EXCEPT RECTUM (211.3)  Totol	510	11.9	2	5	10	15	24	GOUT (274) Total	1,025	9.0	2	4	7	10	18
65 to 74 years	360	12.7	2	5	11	16	25	65 to 74 yeors	630	8.0	2	3	6	9	15
75 to 84 yeors	140 10	9.5	2 *	4	8	12	18	75 to 84 years	320 75	10.7 9.7	4	4 5	8	14	25 14
Single diagnosis	270 240	11.3 12.6	2 3	4 6	10 10	14 17	22 24	Single diognosis	290 735	8.6 9.1	2 2	3 4	6 7	11	16 18
With surgery	280 230	15.2 7.9	6 2	10 3	13 5	18 9	27 19	With surgery	50 975	7.7 9.0	3 2	4	5 7	8 10	17 18
BENIGN NEOPLASMS OF RECTUM (211.4)								IRON OEFICIENCY ANEMIAS (280)							
Total		9.4	2	3	6	10	20	Total	1,275	9.1	2	4	7	11	17
65 to 74 yeors	120	8.1 11.3	2	3 4 *	5 7 *	9 15	17 25 *	65 to 74 yeors	595 515 165	9.1 9.4 8.4	2 3 1	4 5 3	7 8 7	11 12 10	18 16 17
Single diagnosis	185 155	6.4 13.0	1 2	3 4	5 8	8 17	10 33	Single diagnosis	365 910	8.0 9.6	2 2	3	6 8	11 12	15 18
With surgery	245	10.1	2	4	6	11	19	With surgery	95	10.6	3	5	9	11	18
LIPOMA (214)	95	7.6	1	2	4	8	16	PERNICIOUS ANEMIA (281.0)	1,180	9.0	2	4	7	11	16
Total	725	6.1	1	2	4	7	12	Total	435	10.7	3	5	8	12	18
65 to 74 years	195	5.8 6.9	1	2 2	4	7 7	12 12	65 to 74 yeors	180 205	9.6 12.0	3 2	6	9	11 13	17 25
85 years ond over		5.7	1	2	3	7	10	85 years and over	50 170	9.7 9.7	4	5	8	11	15 14
Multiple diagnoses	290	6.7	i	3	5	9	13	Multiple diognoses	265	11.4	2	6	8	12	19
With surgery	110	6.1 5.9	i	2	3	7 6	12 13	With surgery	25 410	10.6	3	5	8	12	18
NEOPLASMS OF UNSPECIFIED NATURE OF 8LAODER (237.6)								ALL OTHER AND UNSPECIFIED ANEMIAS (281.1-281.9, 282-285)							
Total		6.9	1	2	5	9	14	Totol	4,440	9.6	2	3	6	12	20
65 to 74 years	395 275 35	6.8 6.1 13.3	1 1 4	2 2 5	4 5 8	10 19	14 11 26	65 to 74 years	1,690 2,035 715	10.3 9.5 8.6	2 2 1	3 4 3	6	11 12 11	20 20 19
Single diognosis	630 75	6.8	1	2	5	8 10	14	Single diognosis	1,800 2,640	7.6 11.0	1	3	5	10 13	15 23
With surgery	580	6.8	1	2	5	9	14	With surgery	205	18.2	7	10	18	24	30
DISEASES OF THYROIO GLANO (240-246)	125	7.0	1	2	5	10	11	Without surgery	4,235	9.2	2	3	6	11	18
Total	1,285	9.1	3	4	7	11	18	Total	690	18.4	3	6	13	23	36
65 to 74 years	935 310	8.7 10.2	3 2	4	6 8	10 12	18 20	65 to 74 years	505 170	18.7 17.6	3 4	6	15 10	24 20	35 38
85 years and over	40 580	8.9 8.1	3	6	8 6	10	14 16	85 years and over	15 370	18.1	3	7	13	24	33
Multiple diognoses	705	9.9	3	5	8	12	19	Multiple diognoses	320	18.8	3	6	13	23	39
With surgery	495 790	8.7 9.3	2	5	7	12	15	With surgery	25 665	18.5	3	6	13	24	36
OIA8ETES MELLITUS (250)	17.005	10.0				12	21	ANXIETY NEUROSIS (300.0)	1 145	0.7	,	3		11	10
Totol	17,295 10,225	10.8	2	4	7	13	21 20	Total	1,145	8.7 8.8	1	3	5	"	18 17
75 to 84 years	6,090 980	11.4 11.2	3	5	8 9	14	21 21	75 to 84 years	255 20	8.5	į	2	5	9	16
Single diognosis	4,645 12,659	10.4 11.0	2 3	4 5	7 8	12 13	20 21	Single diognosis	485 660	8.3 9.1	1 2	2 3	4	11 10	17 18
With surgery	1,500 15,795	18.0 10.2	4 2	7	13	22 12	34   19	With surgery	20 1,125	8.4	1	3	5	11	18

Table 21 WEST SOUTH CENTRAL: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND DISCHARGE CHARACTERISTICS—Con.

Diagnasis And Discharge Characteristics	Number of discharges	Average stay			entiles (			Diagnasis And Discharge Characteristics	Number of	Average .			entiles (		
(ICDA 8th Revision)	aischarges	(days)	10th	25th	50th	75th	90th	(ICDA 8th Revision)	discharges	(days)	10th	25th	50th	7Sth	901
DEPRESSIVE NEUROSI5 (300.4)								NEURALGIA AND NEURITIS, UNSPECIFIED (35S)							
Tatal	1,740	16.4	3	6	11	20	35	Tatal	975	8.5	2	3	6	10	
65 ta 74 years	1,285 425 30	16.9 1S.4 8.7	3 3 4	6 5 5	12 10 7	21 18 10	34 38 12	65 ta 74 years	515 365	8.4 8.9	2	3	6	10 12	
Single diagnasis	1,050	18.9	3	7	13	25	38	85 years and over	95	7.7	2 2	4	7	ii	1
Multiple diagnases	690	12.6	3	S	9	14	23	Single diagnasis	390 58\$	7.0 9.\$	1 2	2	4 6	10 11	
With surgery	30 1,710	19.7 16.3	3	S 6	18	26 19	36 35	With surgery	60 915	11.7 8.3	2 2	4 3	10	1S 10	
ALCOHOLISM (303)								CATARACT (374)		0.0					
Total	61S S30	8.3 8.1	1	3	5	10	18 17	Tatal	15,830	7.2	3	4	6	8	
7S ta 84 years	80	10.2	i	3	7	12	23	65 ta 74 years	7,970 6,780	7.1 7.2	3	4	6	8	
Single diagnasis	27\$	8.7	1	3	5	11	19	85 years and aver	1,080	7.8 6.9	3	4	6	9	
Multiple diagnases	340 10	8.0	2	*	5	10	15	Single diagnasis	12,625 3,205	8.4	3	5	6	9	
Withaut surgery	60\$	8.3	1	3	S	11	18	With surgery	14,27\$ 1,555	7.2 7.6	3 2	4	6 6	8	
MENTAL DISORDERS NOT SPECIFIED AS FSYCHOTIC, ASSOCIATED WITH PHYSICAL CONDITIONS (309)								GLAUCOMA (375)							
Total	2,37\$	14.7	2	5	10	20	29	Tatal	1,440	7.5	2	3	S	8	
6S to 74 years	920	15.6	3	6	12	21	30	6S ta 74 years	830 480 130	7.4 8.0 6.2	2 2	3 3	5 5 4	8 8 7	
7S to 84 years	1,125 330	13.5 16.8	2 1	5 3	9	20 16	28 33	8S years and aver	850	6.5	2	3	5	7	
Single diagnosis	920 1,45\$	14.6 14.9	2 2	5 5	9 11	19 21	30 29	Multiple diagnases	590	8.9	2	4	6	9	
With surgery	105 2,270	26.0 14.2	10	13	20	32 19	54 29	With surgery	955 ( 485	7.4 7.6	1	3	5	8	
PARALYSIS AGITANS (342)	2,270	14.2	2	3	10	17	27	DETACHMENT OF RETINA (376)							
Tatal	1,870	13.3	3	S	10	15	24	Tatal	675	9.4	2	5	8	12	
65 to 74 years	1,08\$ 675	13.6 13.5	3	5	9	1S 16	24 24	6S ta 74 years	500 175	9.2 9.9 —	4	5 6	8 9	12	
8S years and over	110	8.6	1	4	7	12	16	5ingle diagnasis	510	9.3	2	5	8	13	
Single diagnosis	710 1,160	11.8 14.1	3	5 \$		15 16	22 24	Multiple diagnases	165 625	9.6 9.7	2	5	9	12	
With surgery	8S 1,78S	16.1 13.1	2 3	4 S	11	16 15	36 24	With surgery	50	5.7	i	ì	2	7	
CEREBRAL PARALYSIS (344)	.,							LABYRINTHITI5 (384.0)	1 205	7.0	,	2	5	9	
Total	570	16.0	2	5	12	20	38	65 ta 74 years	740	7.2 6.7	,	3	4	7	
6S to 74 years	275 250	14.9 18.4	2 1	5 6		18 23	28 44	75 ta 84 years	465 80	7.7 8.7	1	2 3	5 7	10 13	
8S years and over	45	9.8 12.9	3	4	10	14	16	Single diagnasis	640 645	6.0 8.4	1 2	2 3	4 6	7 11	
Single diagnosis	190 380	17.6	1	S S	13	22	43	With surgery	15						
With surgery	5S \$15	13.7 16.3	1 2	4 S	10 12	20 19	28 40	Without surgery	1,270	7.1	1	2	5	9	
FACIAL PARALYSIS AND TRIGEMINAL NEURALGIA (350, 351)								CHRONIC RHEUMATIC HEART DISEASE (393-398)							
Total	SIS	8.\$	2	4	7	10	15	Tatal	1,02\$	12.1	2	4	8	15	
6\$ to 74 years	270	7.9	2	3		10	14	65 ta 74 years	705 265 55	11.9 13.3 9.9	3	5 2	10	15 15 8	
7S to 84 years	210 35	9.4 7.3	3 1	5 3	6	12	17 12	85 years and aver	30\$	10.8	2	4	7	14	
Single diagnosis	27S 240	7.6 9.5	2 2	3 5	S 8	8 12	14 16	Multiple diagnases	720	12.7	2	4	8	16	
With surgery	140	7.2	2 2	4	5 7	9	14	With surgery	200 82\$	15.7 11.3	3 2	S 4	13 7	13	
SCIATICA (353)	375	8.9	2	4	,	10	10	ESSENTIAL BENIGN HYPERTENSION (401)							
Tatal	490	10.3	3	5	8	13	19	Tatal	7,005	7.7	2	3	6	9	
6S ta 74 years	315	10.4	3	5	8 7	13 11	19 17	65 ta 74 years 75 ta 84 years 85 years and aver	4,030 2,480 495	7.1 8.4 9.0	2 2	3 4 3	6 6	10 12	
7S ta 84 years	12S 50	10.0 10.8	2	4	7	12	21	Single diagnasis	2,900	6.9	1	3	5	8	
Single diagnasis	190 300	9.6 10.8	2 4	4 5	7 8	11	19 19	Multiple diagnases	4,105	8.3		4	6	10	
With surgery	15 475	10.1	3	5	7	* 12	19	With surgery	310 6,695	12.7 7.5	4 2	3	9 5	17	

## Table 21 WEST SOUTH CENTRAL: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND DISCHARGE CHARACTERISTICS—Con.

Oiagnasis And Oischarge Characteristics	Number of	Average stoy	1	Perce	ntiles (	aays)		Oiognasis And Oischarge Characteristics	Number of	Average stay		Perce	entiles (	days)	
(ICOA 8th Revision)	discharges	(days)	10th	25th	50th	75th	90th	(ICOA 8th Revision)	discharges	(days)	10th	25th	50th	75th	90th
HYPERTENSIVE HEART DISEASE (402)								HEART BLOCK, AND CARDIAC ARREST (427.2, 427.3)							
Total		9.6	2	4	7	11	17	Tatal	1,745	10.4	1	3	7	14	22
65 to 74 years	995 855 245	9.0 10.2 9.9	2 2 2	4 4	7 7 8	11 11 12	16 21 18	65 to 74 years	730 755	9.3 11.3	1	2 3	7 8	12 14	20 25
Single diagnasis	710 1,385	8.3 10.3	1 2	3	6 8	9 12	14 20	85 years and over	260 805	11.1 8.6	1	3 2	8	16 12	22 18
With surgery		26.6 9.2	6	14	26 7	31 11	37 16	Multiple diagnoses	940	11.9 13.8	1	3	8	15	26 29
HYPERTENSIVE RENAL, AND HEART AND	2,030	7.2		-	,		10	Without surgery	1,345	9.4	ı i	5 2	6	17 13	20
RENAL OISEASE (403, 404) Total	610	12.9	2	5	8	14	29	ATRIAL FIBRILLATION OR FLUTTER AND OTHER UNSPECIFIED OISOROERS OF HEART RHYTHM (427.4, 427.9)							
65 ta 74 years		12.0 14.1	2	4	8	13 15	29 27	Total	2,970	8.7	1	3	6	11	17
85 years and over	85	12.8	3 3	5 6	9	19	26 24	65 ta 74 years 75 ta 84 years 85 years and over	1,500 1,115 355	8.0 9.4 9.6	1 1 2	3 3	5 6 9	10 11 11	15 17 19
Multiple diagnoses	435	13.6	3	5	8	15	29	Single diagnasis	1,340	6.6	1	2	4 7	8	12
With surgery	30 580	8.3 13.2	3	3 5	9	10 14	18 30	Multiple diagnoses	1,630 115	10.4 14.3	3	5	9	12 14	21
ACUTE MYOCAROIAL INFARCTION (410)  Total	16,075	13.7	1	4	12	19	27	OTHER MYOCAROIAL INSUFFICIENCY	2,855	8.5	1	3	6	11	16
65 to 74 years	8,905	14.4	1	5	13	20	27	(428)	2.46	,,,					20
75 to 84 years	1,400	13.4 10.3	i	3 1	11	20 15	28 22	Total	1,445 525	11.0 9.0	2	3	8 7	14	18
Single diagnosis		12.8 14.9	1	3 5	11	19 21	25 30	75 ta 84 years	675 245	11.3 14.3	2	4	8 10	14 19	23 32
With surgery	380 15,695	17.4 13.6	3 1	9 4	14 12	22 19	33 27	Single diagnasis	510 935	9.9 11.5	2 2	3	7 8	12 15	18 24
OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411)								With surgery	40 1,405	21.4 10.7	4 2	6	13 8	28 14	48 22
Total	4,520	9.6	2	3	7	12	19	ILL-OEFINEO HEART OISEASE (429)							
65 to 74 years	1,535	9.2 10.4 9.3	2 2 2	3 4 4	6 7 7	12 14 11	18 19 22	Tatal	3,310 1,510	10.6 10.3	2	4	7	13	21 21
Single diagnasis	2,785	9.6	2 2	3	6	12	19	75 to 84 years	1,345 455	10.7 10.9	2 2	4	8 6	12 13 14	21 23
Multiple diognoses	90	9.6	2 2 2	4 7	7 11	12 17	18 32	Single diagnosis	1,895 1,415	10.4 10.8	2 2	4 5	7 7	12 13	21 21
CHRONIC ISCHEMIC HEART DISEASE	4,430	9.5	2	3	7	12	19	With surgery	150 3,160	12.6 10.5	4 2	7 4	9 7	15 13	25 21
(412)	(0.075	10.0			7	10	20	CEREBRAL HEMORRHAGE (431)							
Total		9.4	2	4	7	12 12	20 19	Total	1,550	13.9	1	2	8	20	32
75 to 84 years		10.6 11.4	2	4	7 8	13 14	21 23	65 ta 74 years	705 620 225	13.2 14.3 14.8	1	2 3 2	8 11 7	18 21 13	31 30 49
Single diagnosis	20,855 39,420	8.8 10.9	2 2	3 4	6 8	11 13	18 22	Single diagnosis	830 720	11.6 16.5	1	1	6 11	17 21	29 33
With surgery		16.0 9.9	4 2	7	13 7	20 12	32 20	With surgery	65	23.2	4	9	21	31	41
ANGINA PECTORIS (413)								OCCLUSION OF PRECEREBRAL ARTERIES	1,485	13.5	'	2	8	19	31
Tatal	2,935 1,695	7.1 6.6	1	2	5	8	13	(432) Tatal	1,705	10.7	2	3	7	13	22
75 to 84 years	1,000	7.3 10.0	2	3	5	9	14 24	65 ta 74 years	1,080	10.0	1	3	7	13 15	21
Single diagnasis		6.1 8.3	1 2	2 3	4 6	7 9	12 16	75 to 84 years	600 25	11.5	*	5	9	•	24
With surgery	40	12.1 7.1	2	2	11	18	22 13	Single diagnasis	1,020 685	9.1 13.2	2 2	3	6 9	12	18 27
CONGESTIVE HEART FAILURE (427.0)	2,073			ı				With surgery	680 1,025	13.2 9.1	5 1	6 2	11 5	17 10	23 18
Total		10.8	2	4	7	13	21	CEREBRAL THROM80515 (433)							
65 to 74 years	5,275	10.7 10.8 11.2	2 2	4 4	7 8 7	13 13 15	20 22 23	Tatal	4,400 1,605	14.8	2 2	5	10	19	32 29
5ingle diagnosis	6,245	10.2	2 2	4	7 8	13 14	20 23	75 to 84 years	2,010 785	15.2 15.0	2 2	5	11	21 18	33 32
Multiple diagnases	295	11.6 17.0	5	8	15	22	29	Single diagnosis	1,710 2,690	13.4 15.7	2 2	4 5	10 11	18 21	28 33
Without surgery	11,140	10.7	2	4	7	13	21	With surgery	130 4,270	24.9 14.5	9	12 4	23 10	34 19	45 31

### Table 21 WEST SOUTH CENTRAL: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND DISCHARGE CHARACTERISTICS—Con.

Oiognosis And Oischarge	Number of	Average		Perce	entiles (	days)		Oiagnosis And Oischarge	Number of	Average		Perce	ntiles (	doys)	
Characteristics (ICOA 8th Revision)	discharges	stay (days)	10th	25th	50th	75th	90th	Characteristics (ICDA 8th Revision)	discharges	(days)	10th	25th	501h	75th	901h
SUBARACHNOIO HEMORRHAGE ANO CEREBRAL EMBOLISM (430, 434)								ARTERIAL EMBOLISM AND THROM80515 (444)							
Total	1	13.3	1	1	9	16	28	Total	1,665	12.8	1	4	10	16	27
65 ta 74 years	115	12.6 14.3 *	1	1 4 *	10 *	16 17	27 24 *	65 ta 74 years	965 565 135	12.8 13.0 11.8	1 1 1	5 4 1	11 9 5	17 16 16	27 26 29
Single diagnosis		9.1 18.7	1	1 3	4 13	12 21	18 42	Single diagnasis	835 830	12.1 13.5	1	3 4	10 10	15 18	25 27
With surgery	20 415	12.8	1	1	9	16	25	With surgery	875 790	14.9 10.5	3 1	8 2	13 6	18 13	28 24
TRANSIENT CEREBRAL ISCHEMIA (435)	1 705	7.0					,,	GANGRENE (445)	3.045	10.1			,,,		20
Tatal		7.3 7.1	2	3	5	8	13	65 ta 74 yeors	1,265	19.1	4	9	15	24	39 42
75 to 84 years	660	7.6 6.6	2 2 1	3	6	9	14	75 ta 84 years	440 220	17.8 20.1	5 3	10 7	16 17	22 29	32 37
Single diagnosis		6.3 7.9	1 2	2 3	5	8 9	12 13		700 565	17.9 20.7	5 4	10 8	15 15	22 27	34 43
With surgery		17.2 7.0	2 2	5 3	9 5	21 8	34 12	With surgery	835 430	20.9 15.6	7 2	12 5	16 11	26 21	40 36
GENERALIZEO ISCHEMIC CEREBROVASCULAR OISEASE (437)								PULMONARY EMBOLISM AND INFARCTION (450)							
Total		9.8	2	3	7	12	19	Tatal	1,315	14.4	2	6	11	18	26
65 to 74 years	4,825	9.0 10.0 10.8	2 2 2	3 3 4	8	10 12 13	17 21 22	65 to 74 years	695 550 70	15.0 14.1 10.9	3 1 1	7 5 3	12 10 8	18 17 19	29 24 22
Single diagnosis	4,280 6,520	8.4 10.6	2 2	3 4	6 7	10 13	16 22	Single diagnasis	460 855	12.5 15.4	1	6 7	9 12	16 19	24 27
With surgery	425 10,375	17.0 9.5	4 2	7 3	14	23 11	37 18	With surgery	165 1,150	20.2 13.6	6 2	7 6	17 11	27 17	39 23
ILL-OEFINEO CEREBROVASCULAR OISEASE (436, 438)								PHLEBITIS AND THROMBOPHLEBITIS (451)							
Total	20,230	13.6	2	4	9	17	29	Total	3,295	11.4	3	6	9	14	21
65 to 74 years	9,025	12.7 14.0 14.4	1 2 2	4 4 4	9 9 9	16 17 19	27 29 32	65 ta 74 years	1,980 1,135 180	10.7 12.1 15.2	3 4 4	5 6 6	8 10 10	13 15 20	19 22 31
Single diagnasis	10,335 9,895	12.7 14.4	1 2	3 5	8 10	16 19	27 31	Single diagnosis	1,780 1,515	10.1 12.9	3 4	5 6	8 10	12 16	18 25
With surgery		20.1 13.4	6 1	9	16 9	27 17	43 28	With surgery	115 3,180	22.4 11.0	7 3	11 6	17 9	29 13	41 20
ARTERIOSCLEROSIS (440)								VARICOSE VEINS OF LOWER EXTREMITIES WITH ULCER (454.0)							
Tatal			2	3	7	13		Total	660	18.3	5	9	15	25	35
65 to 74 years	2,905	11.4 10.0 10.4	2 2 2	3 3		14 12 12	24 21 22	65 to 74 years	285 275 100	16.8 19.7 19.0	5 6 5	9 8 8	13 18 18	20 27 27	33 37 32
Single diagnosis			1 2	3 4	, 5 7	11 13	19 24		315 345	18.2 18.4	5 6	8 9	17	25 25	33 36
With surgery			5 2	9	14	22 11	35 20	With surgery	155	25.5	7	12	25	34	40
NONSYPHILITIC AORTIC AND OTHER ANEURYSM (441, 442)								VARICOSE VEINS OF LOWER	505	16.1	5	8	13	21	.30
Total	1,990	12.0	1	3	10	16	24	EXTREMITIES WITHOUT ULCER (454.1, 454.9)							
65 to 74 years	665	12.0 12.2	1. 1	3 3 2	9 11	16 17	25 23		535	8.2	3	4	7	10	14
85 years and over		11.3	1	2	10	15	23	65 ta 74 years	380 130 25	8.4 8.0	3 1 *	4	7 l	10 11 *	16
Multiple diagnoses	1,030	12.9 16.6	1	3 10	10	17 20	26 28	Single diagnasis	270 265	7.3 .9.1	2 3	4.5	6	9 11	13 17
Without surgery		8.6	1	2	4	12	20	With surgery	315 220	8.3 8.0	3 2	4	7	10 10	15 12
(443)	795	11.1	2	3	7	14	21	HEMORRHOIO5 (455)					-		
65 to 74 years	515	10.2	1	3	6	12	22	Tatal	2,520	8.4	3	4	7	10	14
75 to 84 years	220	13.2 10.4	3	6 3	10	15 7	31	65 ta 74 years 75 ta 84 years 85 years and aver	1,775 630 115	8.2 8.9 9.3	2 2	3	7	10 11	17
Single diagnosis	475	10.6 11.3	2	3 4	8 7	13 14	20 23	Single diagnasis	1,270 1,250	7.6 9.3	3 3	4 4	7 7	9 11	12 17
With surgery	195 600	18.2 8.7	5	10	14	20 11	30	With surgery	1,600 920	9.5 6.6	4	5 3	8 5	10	15 12

Table 21 WEST SOUTH CENTRAL: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND DISCHARGE CHARACTERISTICS—Con.

Oiognosis And Oischarge	Number of	Averoge		Perce	entiles (	(days)		Oiagnosis And Dischorge	Number of	Averoge		Perce	entiles (	days)	
Chorocteristics (ICOA 8th Revision)	dischorges	stoy (doys)	10th	25th	50th	75th	90th	Choracteristics (ICOA 8th Revision)	dischorges	stoy (doys)	10th	25th	50th	75†h	90th
ACUTE UPPER RESPIRATORY INFECTIONS EXCEPT INFLUENZA (460-465)								OTHER DISEASES OF UPPER RESPIRATORY TRACT (500-508)							
Total	5,165	7.8	2	4	6	9	14	Total	1,805	6.0	1	2	4	7	12
65 to 74 yeors	1,780	7.3 7.7 10.0	2 2 2	3 4 4	6 6 7	8 9 11	13 14 18	65 to 74 years	1,225 490 90	5.5 7.3 5.2	1 1 2	2 2 2	4 5 3	6 8 7	11 15 9
Single diognosis		6.4 8.4	2	3 4	5 6	7 10	11 15	Single diagnosis	915 890	4.8 7.2	1 2	2	3 5	5 8	9 13
With surgery	115 5,050	10.4 7.7	1 2	3 4	8 6	16 9	19 13	With surgery	985 820	4.6 7.7	1 2	2 3	3 5	5 9	8 14
ACUTE AND UNQUALIFIED 8RONCHITIS ANO 8RONCHIOLITIS (466, 490)								PLEURISY (511)	815	0.4	,	3	5	9	19
Total	12,155	8.7	3	4	7	10	15	Total	410	8.4	2	3	5	9	19
65 to 74 years	7,040 4,045 1,070	8.6 8.7 9.6	2 3 3	4 4 4	6 7 7	10 11 12	15 15 20	75 to 84 yeors	345 60	7.3 14.1	2 2	4 4	11	21	13 25
Single diognosis	4,730 7,425	7.7 9.4	2 3	4	6 7	9 11	13 16	Single diognosis	285 530	6.9 9.3	2	3 4	6	10	14 22
With surgery	425 11,730	13.4 8.5	3	5 4	9 6	16 10	30 15	With surgery	20 795	8.3	2	3	5	9	17
INFLUENZA (470-474)								PULMONARY CONGESTION AND HYPO5TA5I5 (514)							
Total		7.5 7.1	2	3	6	9	13	Total	1,255 540	10.5	1	4	7	12	22
75 to 84 years	1,385	8.0 8.5	2 2 3	4 4		10	14 14	65 to 74 years 75 to 84 years 85 years and over	510 205	9.2 14.0	1 2	3 5	7 9	12	17 42
Single diognosis		6.9 8.3	2 2	3 4	5 6	8 10	12 14	Single diognosis	385 870	8.7 11.3	1 1	3 4	6 8	11 12	17 23
With surgery	20 3,555	7.5	2	4	6	9	13	With surgery	30 1,225	8.3 10.5	4 1	4 4	5 8	7 12	17 22
PNEUMONIA (480-486) Total	20,690	10.9	3	5	8	13	20	CHRONIC INTERSTITIAL PNEUMONIA (517)							
65 to 74 years	8,825	10.4	3	5	8	12	19	Total	775	10.6	3	4	8	14	21
75 to 84 years	8,290	11.1	3 2	5 5	8 9	13	22 22	65 to 74 yeors 75 to 84 yeors 85 yeors and over	475 235 65	10.5 10.1 13.3	3 3 4	4 4 6	8 8 11	14 13 17	21 19 23
Single diognosis Multiple diognoses	8,615 12,075	9.3 12.1	3	4 6	7 9	11 14	17 23	Single diognosis	150 625	12.2 10.2	4 3	5 4	9	16 13	23 20
With surgery	755 19,935	18.6 10.6	7	10 5	15 8	23 13	38 20	With surgery	85 690	12.9 10.3	3	5 4	13 8	18 13	21 21
CHRONIC 8RONCHITIS (491) Totol	2,435	9.2	2	1 4	7	12	18	DISEASES OF ORAL CAVITY, SALIVARY GLANOS, ANO JAWS (520-529)							
65 to 74 years	1,525	9.5 8.9	2 2	4 4	7 6	12	18 18	Total	1,395	6.4	1	2	3	7	13
75 to 84 years	145	7.9	2 2	3	6	12	14	65 to 74 years	975 350 70	5.4 8.6 9.1	1	2 2 2	3 4	6 11	10 18 17
Single diognosis	1,590	10.1	2	4	7	12	20	85 years and over	790 605	6.0 6.9	1	2 2	3	6	12 14
With surgery Without surgery	2,230	9.3	2	4	7	ii	18	With surgery	775 620	5.4 7.5	1	2	3	5 8	11
EMPHY5EMA (492) Totol	7,970	9.6	2	4	7	11	18	Without surgery	620	7.5	·	2	4	°	13
65 to 74 years	4,910	9.2	2	4	7	11	17	Total	1,900	7.4	1	2	4	8	15
75 to 84 yeors	2,580 480	10.3 10.3	2 2	4	7 7	12 11	19 21	65 to 74 yeors	1,090 615	7.1 6.5	1	2 2	4	7 8	15 14
Single diognosis Multiple diognoses	5,470	8.3 10.2	2 2	3	6 7	10 12	16 19	85 years and over	195 770	11.7 5.9	1	2	8	13	10
With surgery	375 7,595	12.7 9.5	4 2	6	10 7	16 11	17	Multiple diognoses	1,130 520	10.0	1	2	5	10 1 <u>4</u>	17 25
A5THMA (493) Totol	2,405	7.8	2	3	6	9	14	Without surgery	1,380	6.4	,	2	4	/	13
65 to 74 years	1,610	7.7		3	6	9	14	Total	2,805	10.6	1	3	7	14	22
75 to 84 years	85	7.9 9.1	2 2 2	3	7	9 11	16 17	65 to 74 years	1,675 915 215	9.8 11.9 11.2	1 2 1	3 4	7 8 8	13 15 15	20 25 23
Single diagnosis	1,445	7.3 8.2	2 2		5	10	14 16	85 years and over	1,300	9.3	1 2	2	6	13 13	20 24
With surgery	30 2,375	14.0 7.8	2	3	8	18 9	28 14	Multiple diagnoses	520	11.7	5	10	16	24	33
								Without surgery	2,285	8.9	l i	3	61	11	18

Table 21 WEST SOUTH CENTRAL: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND DISCHARGE CHARACTERISTICS—Con.

Oiognosis And Oischorge	Number of	Averoge		Perce	entiles (	doys)		Diognosis And Dischorge	Number of	Averoge		Perce	ntiles (c	doys)	
Chorocteristics (ICOA 8th Revision)	dischorges	stoy (doys)	10th	25th	50th	75th	90th	Chorocteristics (ICDA 8th Revision)	dischorges	stoy (doys)	10th	25th	50th	75th	90th
ULCER OF OUOOENUM (532)								HERNIA OF ABDOMINAL CAVITY WITH OBSTRUCTION (552, 553)			:				
Totol	5,535	9.4	2	4	7	12	18	Total	1,625	11.9	2	6	8	13	23
65 to 74 years	3,520 1,725 290	8.9 10.1 10.4	2 2 2	4 4 4	8	11 13 12	17 19 18	65 to 74 yeors	835 505	10.6 12.4	2 3 2	6 5 5	8 9	12 13 20	19 22 30
Single diognosis	2,580 2,955	8.0 10.6	2 2	3	6 8	10 13	16 20	85 years and over	285 945 680	9.6 15.1	2 3	5 6	8	12 19	16 31
With surgery	850 4,685	15.8 8.2	6 2	9	14 6	19 10	27 16	Multiple diognoses	1,235	12.9 8.8	5	7	9 4	14	22 25
PEPTIC ULCER, SITE UNSPECIFIEO (533)								INTESTINAL OBSTRUCTION WITHOUT	370	0.0	'	,		10	23
Totol		9.8 9.9	2	4	7	12	19 20	MENTION OF HERNIA (560)  Total	5,010	10.5	,	3	7	13	23
75 to 84 years	825	9.2 11.8	2 2	4	7 6	11	18 22	65 to 74 yeors	2,135	10.8	į	3	7 7 7	14	23
Single diognosis	1,250	8.9 10.7	2 2	3	6 8	10	18 20	75 to 84 yeors	2,035 840	10.4 10.1	1	3 2	6	12	22 24
With surgery	285 2,210	17.0 8.9	6 2	11	16	21 11	28 17	Single diognosis	2,455 2,555	9.6 11.4	1	3	8	12 15	21 25
GASTRITIS AND QUODENITIS (535)	2,210	0.7		,		''	"	With surgery	1,210 3,800	17.2 8.4	5 1	10	15	22 10	<b>3</b> 0
Totol	6,015	6.6	1	3	4	8	13	OIVERTICULA OF INTESTINE (562)							
65 to 74 years	3,660 1,835	5.8 7.7	1 2	3	4 5	7 9	11 16	Total	11,190	8.2	2	3	5	9	16
85 years and over	2,485	8.3 5.3	1	2	3	10	17	65 to 74 yeors	5,955 4,350 885	7.4 9.3 8.1	2 2	3 3	5 6 6	9 10 9	15 19 15
Multiple diagnoses	3,530	7.6	2 2	3	8	16	15 21	Single diognosis	4,730 6,460	7.1 9.0	1 2	2 3	5	8	14 18
DISOROERS OF FUNCTION OF STOMACH	5,785	6.5	1	3	4	8	12	With surgery	1,570 9,620	14.4 7.2	2	4 3	10	19	31 14
(536)	1,010	4.1	,	2	4	7	12	FUNCTIONAL 0150R0ER5 OF INTESTINE							
Total	570	5.1	1		4	6	9		1,975	6.0	1	2	4	7	11
75 to 84 years	375 65	7.8 5.4	1	2 2 2	5	9	16 9	65 to 74 years	1,205	5.7 6.2	1	2 2	4 4	7 7	11 12
Single diognosis		5.0 6.9	1	2 3	3 5	6 8	9 13	85 years and over	140	8.2	2	4 2	5	9	18
With surgery	70 940	9.8 5.8	3 1	3 2	7 4	13 7	15 10	Single diognosis	1,080	6.6	1	3	3 5	8	12
INGUINAL HERNIA WITHOUT MENTION OF OBSTRUCTION (550)								With surgery Without surgery	190 1,785	8.8 5.7	1	3 2	7	12	17 10
Totol	6,380	8.5	4	5	7	9	14	CIRRHOSIS OF LIVER (571) Total	1,240	12.8	2	4	9	17	26
65 to 74 years	1.755	9.1	4	5 5		9	13 15	65 to 74 years	865	12.2	2 2	4	9	16	24
85 years and over			4	5	7	14	17 12 17	75 to 84 years	335 40	14.9 10.6	1	5 7	13 10	13	29 17
Multiple diagnoses	1,795		4	6	8	12	17	Single diognosis	475 765	13.5 12.5	2 2	5 4	10	19	27 26
With surgery	945	8.2	i	3	6	9	15	With surgery	180 1,060	19.6 11.7	6 2	12 4	19 8	24 15	34 25
VENTRAL HERNIA WITHOUT MENTION OF 085TRUCTION (551.2)								CHOLELITHIA515 (574)							
Total		11.4	4	6	9	13	19	Totol	9,095 5,705	12.3	3	6	10	15	22
65 to 74 years	320	11.4 11.2 11.4	5 3 1	5 3	9 6	13	23 25	65 to 74 yeors 75 to 84 yeors 85 yeors ond over	2,890 500	12.6 13.2	3	5 5	10	16	23 30
Single diognosis	850 500	10.3 13.2	4 4	6 8	8 12	12 15	16 23	Single diognosis Multiple diognoses	4.955 4.140	11.9 12.9	3 3	6	10 10	15 16	20 25
With surgery	1,045	11.9 9.8	5	7 4	10	13 13	20 19	With surgery	4,950 4,145	15.4 8.7	7 2	10 3	13	18	25 17
OIAPHRAGMATIC HERNIA WITHOUT MENTION OF OBSTRUCTION (551.3)								CHOLECYSTITIS AND CHOLANGITIS WITHOUT MENTION OF CALCULUS							
Total	6,365	7.5	2	3	5	9	14	(575)	6,180	10.5	2	4	8	13	20
65 to 74 years	2,070	7.2 7.7	2 2	3	5 5	8 9	14 15	Total	3,245	10.0	2	4	8	12	20
85 years and over	360	9.6 6.6	2	3	7	13	19	75 to 84 years	2,380 555	11.3 9.8	3	4	8	12	21 17
Multiple diognoses	4,750	7.8	2	3	5	9	15	5ingle diognosis	3,305 2,875	9.5 11.6	2 3	4 5	7 8	12 14	19 22
With surgery		12.8 6.7	3 2	6	11	17	12	With surgery	1,445 4,735	16.3 8.7	7 2	9	13	20	28 16

Table 21 WEST SOUTH CENTRAL: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND DISCHARGE CHARACTERISTICS—Con.

Oiagnasis And Oischarge		Average		Perce	entiles (	days)		Diagnasis And Oischarge		Average		Perce	ntiles (	days)	_
Characteristics (ICDA 8th Revision)	Number af discharges	stay (days)	10th	25th	50th	75th	90th	Characteristics (ICOA 8th Revision)	Number af discharges	stay (days)	10th	25th	50th	75th	90th
OTHER DISEASES OF GALL SLADOER AND								CY5TITI5 (595)							
81LIARY OUCT5 (576) Tatal	1,795	10.0	2	4	7	13	20	Tatal	4,420	8.6	2	3	6	10	16
65 ta 74 years	1,045 585	9.3 10.8 11.5	2 2 2	3 4 4	7 8 8	12 14 17	19 21 22	65 ta 74 years 75 to 84 years 85 years and aver	2,075 1,715 630	8.0 8.7 10.4	2 2 2	3 4 4	5 6 7	9 10 14	15 15 21
Single diagnosis		10.3	2 2	4	8 7	13 13	21 19	5ingle diagnasis	1,625 2,795	6.9 9.6	1 2	2 4	5 7	8 11	13 18
Multiple diagnases	470	9.7 16.2	8	1]	14	20	24 15	With surgery	1,365 3,055	8.8 8.5	2 2	3	6 6	11 10	16 16
OISEASES OF PANCREAS (577)	1,325	7.8	'	3	3	9	13	OTHER 015EA5E5 OF 8LA00ER (596)							
Tatal	1,130	12.3	2	5	9	16	25	Tatal	1,590	10.7 9.8	2	4	7	13	22
65 ta 74 years	685 330 115	13.2 11.0 10.8	2 3 2	5 5 5	9 8 8	17 13 11	25 24 16	75 ta 84 years	615 170	11.6 11.4	2 2 2	5 4	8 8	14 15	23 21
Single diagnasis	600 530	10.3 14.7	2	5	8 10	13 18	20 30	Single diagnasis	720 870	9.5 11.6	2	4 5	6 9	10 15	19 23
With surgery	140 990	24.5 10.6	11	14	20 8	27 13	47 20	With surgery	975 615	11.1 10.0	2	5 3	8 7	13 12	23 19
CHRONIC ANO UNQUALIFIEO NEPHRITIS (582, 583)				Ī				URETHRITIS AND STRICTURE OF URETHRA (597, 598)							
Tatal	605	11.5	2	4	8	13	23	Tatal	2,215 1,390	7.3 6.9	1	2	5	9	14
65 ta 74 years	255 255 95	10.0 12.2	2 1 2	4 4 3	7 8 10	13 13 17	21 32 26	75 ta 84 years	670 155	7.5 10.0	2	3 4	6 7	10 12	14 21
Single diagnosis	130	13.4	3	5	7	15 13	22	Single diagnasis	880 1,335	6.4 7.9	1 2	2	4 6	8 10	13 15
Multiple diagnases	475 50	11.4	1	5	8	29	24 39	With surgery	1,440 775	7.3 7.4	1 2	2	5	9	15 13
Without surgery	555	10.8	2	4	8	13	22	URINARY TRACT INFECTION, NOT ELSEWHERE CLASSIFIEO (599.0)							
Total	6,650	9.8	3	4	7	12	18	Tatal	5,520	9.9	2	4	7	12	19
65 ta 74 years	2,955 2,745 950	8.9 10.4 11.1	2 3 3	4 5 5	7 8 8	11 12 13	16 19 22	65 to 74 years	2,325 2,235 960	8.7 9.9 12.7	2 2 3	4 5 5	7 7 9	10 11 15	15 19 25
Single diagnasis	2,580 4,070	8.1 10.9	2	4 5	6 8	9 13	14 20	Single diagnosis	2,095 3,425	8.1 11.0	2 3	4 5	6	9	15 22
With surgery	430 6,220	14.0 9.6	3	7	11 7	18 11	25 17	With surgery	760 4,760	11.4 9.6	2 2	4	8 7	14 11	24 18
CALCULUS OF KIONEY AND URETER (592)								HYPERPLASIA OF PROSTATE (600)		- 1					
Tatal	2,830	8.1	1	3	5	11	16	Tatal	12,445	11.3	3	6	9	14	20
65 to 74 years	620	7.7 9.7	1 2 2	2	5	10 12	15 19	65 ta 74 years	7,275 4,120 1,050	10.7 11.8 13.7	3 3 3	6 6	9 9 10	13 14 18	18 21 26
85 years and aver	1,655	7.1	1	2	5	10	18	Single diagnasis	6,690 5,755	10.4 12.4	3 3	6	8 10	12 15	18 22
Multiple diagnases	1,175	9.6 11.6	3	6	10	12 14	20 20	With surgery	9,325 3,120	12.0 9.4	4 2	7 3	9 7	14 12	21 18
OTHER OISEASES OF KIONEY AND	1,775	6.1	1	2	4	6	13	PROSTATITIS (601)							
URETER (593) Total	1,515	9.9	1	3	7	13	21	Tatal	1,380	7.7 7.2	2 1	3	6 5	8	15
65 ta 74 years	965	9.8 9.7	1	3	7 8	13 12	20 19	75 ta 84 years	445 105	8.2 10.0	2 2	4	6 7	11	16 18
85 years and aver	90	12.8	i	2	9	17	26 19	Single diagnasis	585 795	6.8 8.4	2 2	3	5	8 11	12 15
Single diagnasis	645 870	10.4	2	3	8	13	22	With surgery	435 945	9.8 6.8	1 2	3	7	13 8	19 12
With surgery Without surgery	460 1,055	11.9 9.1	1	3	10 7	16 11	25 19	CHRONIC CYSTIC 015EASE AND OTHER DISEASES OF BREAST (610, 611)							
CALCULUS OF OTHER PARTS OF URINARY SYSTEM (594)								Tatal	1,095	5.6	1	2	3	6	11
Tatal	550	7.8	1	3	6	11	15	65 ta 74 years	855 210	5.3 6.5	1 2	2 2	3	6 6 10	11 13
65 ta 74 years	390 140 20	7.2 9.2 *	1 3 *	4	5 7 *	10 12	15 16	85 years and aver	30 715	8.3 4.8	1	2	3	5 8	10
Single diagnasis	290 260	7.4 8.2	1 2	2 3	4	11 10	15 15	Multiple diagnoses	380 965	7.1 5.5	1	2	3	6	13
With surgery	315	9.0 6.0	2		9	12	15	Without surgery	130	6.4	1	21	31	61	19

Table 21 WEST SOUTH CENTRAL: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND DISCHARGE CHARACTERISTICS—Con.

Oiognosis And Oischorge Chorocteristics	Number of	Averoge		Perce	entiles (	doys)		Oiognosis And Oischorge Chorocteristics	Number of	Averoge		Perce	entiles (	doys)	
(ICOA 8th Revision)	dischorges	stoy (doys)	10th	25th	50th	75th	90th	(ICOA 8th Revision)	dischorges	(doys)	10th	25th	50†h	75th	90th
UTEROVAGINAL PROLAPSE (623)								SPONDYLITIS OSTEOARTHRITICA (713.1)							
Total	3,030	11.3	6	7	10	13	17	Total	3,070	9.0	2	4	6	10	16
65 to 74 yeors	785	11.1 11.6 11.6	6 5 4	7 7 5	10 10 9	13 13 13	16 19 19	65 to 74 yeors	1,700 1,115 255	8.3 10.3 8.1	2 2 2	3 4 4	6 7 6	13 10	16 21 13
Single diagnosis	1,660 1,370	10.4 12.3	6 5	7 8	9 10	12 14	14 22	Single diagnosis	860 2,210	7.7 9.5	2 2	3 4	5 7	9 11	15 17
With surgery		11.6 9.7	6 2	8 5	10 8	13 12	17 15	With surgery	225 2,845	19.2 8.2	4 2	8	14	23 10	33 <sub>1</sub>
POSTMENOPAUSAL BLEEDING (626.7)	705		,		2	_	,,,	ARTHRITIS, UNSPECIFIEO (715)	2.440	0.5	2		7	12	10
Totol	795 550	5.0 4.6	,	2	3	5	10	Total	3,460 1,805	9.5 9.1	2	4	7	11	19
75 to 84 years	220	5.6	2	2	3	7	ıį́	75 to 84 years	1,330	9.8 10.2	2 2	4	7 8	12	20 18
Single diagnosis	280	4.5 5.9	1	2 2	3	5 7	9	Single diognosis	1,275 2,185	9.4 9.5	2 2	4	6 7	11	20 19
With surgery		5.0 5.1	1 2	2	3 4	5 7	10 10	With surgery	250 3,210	14.3 9.1	4 2	4	13	20 11	28 18
CELLULITIS ANO A85CE55 (681, 682)								OSTEOPOROSIS (723.0)							
Totol	2,510	11.0	3	5	8	13	21	Total	2,725	12.4	2	5	9	15	24
65 to 74 years	995	10.7 11.0 12.3	3 3 3	5 5 5	8 8 8	13 13 15	20 20 22	65 to 74 years 75 to 84 years 85 years and over	1,100 1,225 400	12.1 12.0 14.7	2 2 3	5	9 9 10	14 16 18	25 23 27
Single diognosis		9.8 11.8	3 4	5 5	8 9	12 15	17 23	Single diognosis	675 2,050	12.2 12.5	2 3	5 5	9	16 15	22 25
With surgery	450 2,060	13.7 10.4	3	5 5	11	18 13	26 19	With surgery	155 2,570	22.3 11.8	4 2	11 5	19 9	29 15	47 23
OERMATITIS AND ECZEMA (690, 692)								015PLACEMENT OF INTERVERTE8RAL 015C (725)							
Total	800	9.6	2	4	7	12	17	Total	1,855	12.4	3	5	9	14	25
65 to 74 years	265	7.8 11.0 13.6	2 4 2	3 5 5	6 8 8	10 14 17	16 21 35	65 to 74 yeors	1,330 455	11.8 12.9	3 3 3	5 5 5	9	14	25 23
Single diognosis		8.1 10.6	2 2	3 5	5 8	10 14	15 20	85 years and over	70 900 955	20.1 11.9 12.8	4 2	6	10 9	17 14 15	40 24 27
With surgery		6.4 9.9	1 2	1 4	2 7	4 12	22 17	Multiple diagnoses	365 1,490	20.7	6	11	17	26 12	35 18
CHRONIC ULCER OF SKIN (707)								VERTEBROGENIC PAIN SYNOROME (728)	1,470	10.5		Ī			
Total	1,695	14.8	2	5	10	19	33	Total	1,550	10.9	2	4	8	13	22
65 to 74 yeors	650	13.4 15.6 17.3	2 3 3	4 6 6	11 12	16 19 28	28 36 36	65 to 74 yeors	915 495	10.5 11.4	2 2 2	5 4 6	8 9 8	12 14 15	21 20 24
Single diognosis		13.6 16.4	2 2	4 6	9 11	16 21	30 34	85 years and over	140 865	11.7	2	5	8	13	25
With surgery	380	19.0	3	7 4	14	25 16	43 30	Multiple diognoses	685 140	9.8 18.6	7	10	14	12 26	33
RHEUMATOIO ARTHRITIS AND ALLIED	,,,,,,							Without surgery	1,410	10.2	2	4	8	12	19
CONOITIONS (712)	2,050	12.0	3	5	9	14	24	TENOSYNOVITIS (731)							
65 to 74 years	1,315	12.0	3	5	9	14	24	Total	1,150	7.3	1	2	5	8	14
75 to 84 years	645	11.9 14.1	3	7	9	16 18	24 30	65 to 74 yeors	775 340 35	6.9 7.5 13.9	1	2 2 3	5 5 9	8 9 14	12 14 29
Single diagnosis		11.5 12.3	3	4 5	8 9	15 14	24 25	Single diognosis	655 495	6.3 8.7	1 2	2 3	4 5	7	11
With surgery		18.4 11.1	3 3	6 5	13	26 13	35 21	With surgery	430 720	5.3 8.5	1 2	2 3	3 6	5 10	9 16
OSTEOARTHRITIS (713.0)	5,005	11.3	2	4	8	14	23	SYMPTOMS REFERABLE TO NERVOUS SYSTEM AND SPECIAL SENSES (780,							
65 to 74 yeors	2,700 1,855	10.9 12.0	2 2	4 5	8.	14 14	22 25	781) Total	1,120	6.6	1	2	4	7	13
85 years and over	450	11.0	2	5	8	14	21	65 to 74 years	705 335	6.1 8.0	1 2	2	4 5	7	11
Single diagnosis Multiple diagnoses	3,425	10.8		12	8 7 19	16 13 25	25 21 36	75 to 84 years 85 years and over Single diagnosis	80 945	5.5	1	3 2 2	5 3	6	14
With surgery								Multiple diagnoses	175	5.9	i	2	4	7	11
								With surgery	45 1,075	12.3 6.4	3	2	8 4	15 7	24 11

Table 21 WEST SOUTH CENTRAL: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND DISCHARGE CHARACTERISTICS—Con.

Diagnasis And Discharge	Number of	Average		Perce	entiles (	(days)		Diagnosis And Discharge	Number of	Average		Perce	ntiles (	days)	
Characteristics (ICDA 8th Revision)	discharges	(days)	10th	25th	50th	75th	90th	Characteristics (ICDA 8th Revisian)	discharges	stay (days)	10th	25th	50th	75th	90th
ACUTE HEART FAILURE, UNDEFINED (782.4)								FRACTURE OF VERTEBRAL COLUMN, DOR5AL (THORACIC) AND LUMBAR,							
Tatal	925	9.7	1	3	7	12	20	CLOSED (805.2) Tatal	1,890	15.1	5	7	12	18	26
65 ta 74 years	330 430 165	10.3 10.3	1	4 4 1	8 7 5	13 12 11	20 22 14	65 ta 74 years	845	15.6			13	20	28
85 years and aver	820	7.2 9.5	1	3 5		12	19	75 ta 84 years	845 200	14.8 14.0	4 5 4	7 7 8	11	18 17	26 20
Multiple diagnases	105	12.0	2	5 *	8	15	26	Single diagnasis	840 1,050	14.7 15.4	5	7 8	12 13	18	26 26
Without surgery	910	9.6	1	3	7	12	19	With surgery	30 1,860	20.7 15.0	6 5	8 7	12 12	16 19	46 26
Tatal	650	4.9	1	1	3	6	9		1.700	10.1					
65 ta 74 years	385 200	4.4 6.3	1	1 2	3 4	5 7	8 12		1,750	10.1	2	4	7 6 7	11	21 15
85 years and over	65 575	3.2 5.0	1	1	3	6	6	75 to 84 years	695 240	11.6 11.5	2 2 4	5 6	7 9	13	28 24
Multiple diagnases	75	4.1	i	1	3	5	7	Single diagnasis	630 1,120	8.2 11.2	2 3	3 5	6 8	10 12	16 24
Without surgery	640	4.7	1	1	3	5	8	With surgery	70 1,680	18.8 9.8	2 2	6	12 7	28 11	41 19
EPISTAXIS (783.0)	690	5.3	1	2	4	6	9	CLOSED FRACTURE OF PELVIS (808.0)							
65 to 74 years	400	5.3 5.8	1	2 2 2	3 4	6 8	10 10	Tatal	995 325	18.7 19.7	4	8	14	24	37 40
85 years and over	60	3.7	i			4	6		420 250	18.9 16.9	5 4 3	8	15	28 23 24	38 32
Single diagnasis	45	5.2 6.6	3	2		6 7	9	Single diagnasis	510 485	17.0 20.4	4 4	7 9	12 16	21 28	36 38
With surgery	610	10.8 4.6	2 1	6 2	3	10 5	20 9	With surgery	50 945	36.2 17.7	14	16	33 14	49 22	57 36
PAIN IN CHEST (783.7) Total	1,210	9.7	,	3	5	10	22	MULTIPLE AND ILL-DEFINED FRACTURES							
65 to 74 years	785	8.3	1			10	19	Tatai	510	23.2	2	7	17	30	55
75 to 84 years	50		2 2	2 3 3		12 13	31 42	75 to 84 years	240 205	23.9 22.8	4 2	10 6	19 12	29 36 29	48 58
Single diagnasis	1,135 75	9.7 9.5	3	3 4	5 6	10 9	22 14	85 years and over	65 275	21.8	1 2	3 6	12 16	29	45 53
With surgery	40 1,170	22.2 9.2	2 1	3 3	14 5	34 10	50 21	Multiple diagnases	235	24.3 33.8	2 3	15	18 27	37 46	52 68
A8DOMINAL PAIN (785.5)								Without surgery	395	20.1	5 2	6	15	27	48
Tatal	1,860	7.1 6.2	1	2	5	7	14	HUMERUS, CLOSED (812.0, 812.2)							
75 ta 84 years	610 170	8.0 9.4	1 2	2 3 3	5 7	10 12	16 14	Tatal	1,720	11.7 12.1	1	4	8	15	26 26
Single diagnosis		7.1 6.9	1	2 2	5 5	8	14 13	75 to 84 years	785 270	11.3	i 1	3 4	7 8	16 15 15	23 29
With surgery		12.6 6.6	2	6 2	12 5	16 7	21 12	Single diagnasis	1,185 535	10.1 15.4	1 3	3 7	6	12 20	23 30
RETENTION OF URINE (786.1)								With surgery	425 1,295	10.2 12.2	1 2	2 4	7 9	13 16	25 27
Tatal		9.8 9.3	2	3	7 6	12	19	FRACTURE OF UPPER END OR UNSPECIFIED PART OF RADIUS AND							
75 to 84 years	235	8.7 14.2	1 4	3 3 6	6 9	11 16	18 27	ULNA, CLOSED (813.0)	525	0.2	1			10	10
Single diagnasis		8.9 19.5	2 1	3	7 12	11 24	19 52	Tatal	535 280	8.3 5.9	1	2	4	10	18
With surgery	285 380	11.9 8.1	4	6 2	10	15	21 18	75 ta 84 years	195 60	9.2 16.1	1 2	2	8	20	19 27
HEMATURIA (789.3)								Single diagnasis	395 140	7.2 11.3	1 2	2 4	8	12	17 25
Tatal	830	7.5	1	2	5	9	15	With surgery	275 260	8.3 8.2	1	2	4	10	15 20
65 ta 74 years	500 255 75	6.9 7.9 10.2	1	2 2 2	5 6 7	8 11 12	13 17 19	FRACTURE OF LOWER END OF RADIU5 AND ULNA, CLOSED (813.4)							
Single diagnasis	785 45	7.3 11.8	1	2	5 7	9 15	14 22	Tatal	925	6.1	1	2	3	6	13
With surgery	380	8.1	1	3 2	6 5	10	16		500 355 70	5.8 5.5 11.1	1	1 2	3 3 3	6 6 10	13 11 34
Without surgery	4301	7.11	1	Z	31	71	15	Single diagnosis	640	5.3	į	1	3	5 9	9
								Multiple diagnases	285 440	7.9 6.5	1	1	3 3	6	18
								Without surgery	485	5.8	il	2	3	61	12

Table 21 WEST SOUTH CENTRAL: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND DISCHARGE CHARACTERISTICS—Con.

Oiagnosis And Discharge Characteristics	Number of	Average stay		Perce	entiles	(days)		Diagnosis And Discharge Characteristics	Number of	Average		Perc	entiles (	days)	
(ICOA 8th Revision)	discharges	(days)	10th	25th	5Dth	75th	9Dth	(ICOA 8th Revision)	discharges	stay (days)	1Dth	25th	50th	75th	90th
FRACTURE OF INTERTROCHANTERIC SECTION OF NECK OF FEMUR, CLOSEO								CONCUSSION (85D)							
(820.2)								Tatal	480	7.3	1	2	5	8	16
Tatal	2,930	20.1 20.2	7	11	17 17	24 24	39	65 to 74 years 75 ta 84 years 85 years and aver	150	8.1 5.7 7.8	1 1 2	2 2 3	5 4 5	8 8 10	22 11 17
75 to 84 years	1,495 750	2D.2 2D.2 20.0	4 5	11	16 17	24 24 24	40 39	Single diagnosis	140	6.2	1	2 2	4	7	10
Single diagnosis	1,855 1,075	18.8 22.5	5	11 11	16 18	22 28	31 45	Multiple diagnases	45	7.7 10.4	3	4	5 7	9 12	24
With surgery	2,15D 78D	2D.4 19.5	9	13 4	17 13	23 26	34 46	LACERATION AND OPEN WOUND	435	7.D	,	2	4	8	14
FRACTURE OF OTHER AND UNSPECIFIED PART OF NECK OF FEMUR, CLOSED (820.4)								OF HEAD, NECK, AND TRUNK (870-879)	1,395	8.0	1	2	4	10	18
Tatal	8,140	20.1	3	11	17	25	39	65 ta 74 years	690	8.4	1	2 2	5 4	1D	18 18
65 ta 74 years	2,030 3,990	20.6 20.1	5 3 3	11 11	17 17	25 25	42 38	75 to 84 years	240	8.1 6.5	i	i	4	11 7	16
85 years and over	2,120	19.7	3	10 1D	16 16	24	38	Single diagnasis	385 1,010	5.5 8.9	1	1 2	3 5	6 12	11 21
Multiple diagnoses	2,375	24.3	6	13	19	31	48	With surgery		8.8 7.7	1	2 2	6	11 9	19 17
With surgery	4,995 3,145	21.2 18.5	9	13 4	18 14	25 25	36 41	CONTUSION AND CRUSHING WITH INTACT 5KIN SURFACE (92D-929)							
FRACTURE OF OTHER AND UNSPECIFIED PARTS OF FEMUR (821)								Tatal	4,290	8.4	1	3	5	10	1
Total	·	21.4	1	. 9	16	27	46	65 ta 74 years	1,845	7.1 9.3	1 2	2 3	5 6 5	9 11	1. 18
65 to 74 years	565	19.1 22.9 21.3	1 4	7 11 9	14 19 15	26 29 22	40 48 53	85 years and over		9.3 7.5	1	3	5	13	18
Single diognosis	850	19.5	1	8	15	24	43	Multiple diagnases	2,930	8.7	2		6	11	18
Multiple diagnases		25.7 20.6	2 8	10 12	18	34	55 39	With surgery	160 4,130	12.4 8.2	1	3	9 5	15 10	1
Without surgery	580	22.3	1	4	15	30	54	ADVERSE EFFECT OF MEDICAL AGENTS (960-979)							
FRACTURE OF TIBIA ANO FIBULA (823)  Total	72D	13.6	2	4	9	16	30	Tatal	1	7.7	1	3	5	10	15
65 to 74 years	435	11.4 18.8	2 3 2	4 7	8 14	14 24	22 38	65 to 74 years	. 485	7.6 7.8 7.5	2 2		5 6 5	10 10 10	15
75 to 84 years	55	9.3		2	9	12	14	Single diagnosis	715	5.9	1	2	4	8	1:
Single diognosis		11.3 18.6	3	5	15	14 24	22 37	Multiple diagnases	. 35	9.0 21.1	2	7	18	11 27	35 15
With surgery		15.2 12.7	2 2	5 4	12 9	17 15	30 29	Without surgery	1,595	7.4	1	3	5	10	1:
FRACTURE OF ANKLE (824)								MECHANICAL NATURE FROM INTERNAL PROSTHETIC DEVICE (997.5)							
Tatol		13.2	2 2	4	9	15	30	Total	385	11.2	2	4	7	16	24
75 to 84 years	230	13.3	1	3	8	16	29		170	11.7 10.8	2 2	4	7 7	14 16	20
Single diagnasis		10.1 20.1	2	3	7 14	13 27	21 39	85 years and aver	295	9.8	2		6	11	20
With surgery		14.3 12.0	2	4	1D	15 15	33 27	Multiple diagnases		15.6	2 2	7	12	22 17	2:
Without surgery		12.0	,	J	ĺ		-	Without surgery		10.6	2	3	8	ii	* 2
5TERNUM (828)		25.0	3	9	20	34	55								
Total	250	25.8	1	8	16	34	70								
75 to 84 years	220 130	21.7 28.8	2 4	7 15	19 27	32 36	41 52								
Single diagnosis		21.3 29.3	3 2	8 11	16 25	27 38	51 66								
With surgery		27.2 22.7	6 1	11 5	22 15	34 34	55 54								
SPRAINS AND STRAINS OF BACK (846, 847)															
Total	2,920	9.5	2	4	7	12	17								
65 ta 74 years	910	9.6	2 2	4	7 7	11	15 18								
85 years and over	225	15.5	3	5		21	29 16								
Single diagnosis	1,750	9.9	3	4	7	12	18								
With surgery	65 2,855	9.4	4 2	7	13	18 12	22 17								

Table 22 WEST SOUTH CENTRAL: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED SURGICAL PROCEDURES, AND DISCHARGE CHARACTERISTICS

Surgical Pracedures And	Number of	Averoge		Perce	ntiles (	doys)		Surgical Pracedures And	Number of	Average		Perce	ntiles (	days)	
Oischorge Chorocteristics (CPT 1st Edition)	dischorges	stay (doys)	10th	25th	50th	75th	90th	Oischorge Characteristics (CPT 1st Edition)	discharges	stoy (doys)	10th	25th	50th	75th	90th
MASTECTOMY, COMPLETE, SIMPLE (0457)								REPAIR OF VENTRAL HERNIA (3661)							
Tatal	800	11.1	4	6	9	13	18	Total	1,170	12.6	5	7	10	14	22
65 ta 74 yeors	405 330 65	10.9 11.7 9.7	3 4 3	6 6 5	9 10 8	12 15 13	18 19 17	75 ta 84 years	885 245 40	12.0 13.2 20.4	5 5 4	7 8 14	10 11 16	14 15 21	21 27 35
Single diagnosis	505	10.0 13.1	3 5	5	9	12 15	17 21	Single diagnosis	740 430	10.9 15.4	5	6 10	9 13	12 17	18 27
MASTECTOMY, RADICAL (0470)	273	15.1				,,		PROSTATECTOMY, EXCEPT	400	13.4			13		
Total	935	13.3	7	9	11	15	19	TRANSURETHRAL (4311-4313, 4316, 431X)							
65 to 74 yeors	570 330 35	12.2 15.3 13.4	7 7 5	9 10 11	11 12 13	14 17 15	17 26 18		1,855	18.5 17.3	9	12 11	16 15	22 20	30 27
Single diagnosis	685	12.8	7	9	11	15	18	75 ta 84 years	605 130	20.3 20.5	11 9	13 13	17 19	23 24	33 30
Multiple diagnoses	250	14.9	8	10	13	16	23	Single diognosis	935 920	16.5 20.5	9	11 14	14 17	20 23	26 33
(0865-0868, 0872-0874) Total	5,645	21.3	9	13	18	25	38	PROSTATECTOMY, TRANSURETHRAL (4321)							
65 to 74 years	1,495	22.3		13	18	26	42		8,975	12.5	5	7	10	14	22
75 to 84 years	2,665 1,485	21.5 19.8	10 9 8	13 12	18 17	25 24	39 33	65 ta 74 yeors	5,245 3,010	11.7 13.1	5 6	7 8	9 10	13 15 20	19 23
Single diagnasis	3,770 1,875	20.2 23.4	9 10	12 14	17 19	23 29	35 42	85 years and over	720 5,090	15.5 10.8	6	8	12	20 12	27 18
ANTHROPLASTY OF HIP (1150)								Single diognosis	3,885	14.7	6	6 8	11	17	25
Tatal		22.0	10	14	19	25	37	COLPORRHAPHY (4481-4495, 449X, 4501, 4505, 450X)							
65 to 74 years	1,310	20.8 22.8 22.3	9 12 10	13 15 12	18 20 18	24 26 24	36 36 41	Total	1,130	11.1	6	7	9	12	17
Single diagnasis	2,115 855	20.9 24.8	10 10	13 15	18 22	23 29	32 42	65 ta 74 yeors	825 280 25	11.1 11.3	6	7 7	9	12 12	17 18
GASTRECTOMY (3112, 3114, 3115, 3118, 3119, 311X)	653	24.0	10	13	22	2,	42	Single diognosis Multiple diognoses	695 435	10.1 12.8	6	7 8	9 10	11 14	14 23
Tatal	1,160	20.1	9	12	17	25	33								
65 to 74 years	330	19.6 20.4	9 10	11 13	17 17	24 24	34 31	(4617, 4618, 4621, 4624-4627)		20.0	_				
85 years and over		17.0	9	11	15	19	27	Total	1,100 845	13.0 12.4	7	9	11	15	19
Multiple diagnases		23.1	10	13	20	28	39		245 10	14.3	8	10	12	17	22
Tatal	2,250	21.0	10	13	18	25	33	Single diagnosis	565 535	12.4 13.7	7 7	8 9	10 12	14 15	19 19
65 ta 74 years	1,315 785	18.6 24.6	10 12 12	12 16	17 20	22 28	30 41	HY5TERECTOMY, VAGINAL (4631)							
85 years and aver	150	23.6		16	20 23	28 28	35	Total	1,130	12.0	7	8	10	13	18
Single diognosis	1,025 1,225	19.6 22.3		13 14	17 19	23 26	33 34		825 300 5	11.9 12.5 *	6 7 *	8 9 •	10 12	13 14	18 17
HEMORRHOIOECTOMY (3375) Total	1,605	10.0	4	1	8	11	16	Single diagnasis	535 595	11.2 12.8	6 7	8 9	10	13 14	16 19
65 to 74 years	1,285	9.5 11.0	4	5	8	11 12	15 20	OILATION AND CURETTAGE UTERUS, OIAGNOSTIC (4647)							
85 years and over	35	16.6	5	6	11	23	30	Total	1,465	5.2	1	2	3	6	10
Single diagnasis	905 700	8.6 11.7	4	5 6	7 9	10 14	13 22	75 to 84 years	1,005 395	5.0 5.6	1 2	2 2	3	5 7	11 10
CHOLECYSTECTOMY (3515) Tatol	5,760	15.4	8	9	13	18	24	85 years ond over	65 885	6.2 4.6	1	3	3	7	11
65 to 74 years	4,025	14.4. 17.3	7 8	9 11	12 15	17 20	22 27	Multiple diognoses	580	6.2	1	2	4	7	14
85 years and over	180	20.1	6	11	20	28	33	Tatal	14,620	7.3	3	4	6	8	12
Single diagnosis	3,360 2,400	14.0 17.2	7 8	9 10	12 15	16 21	21 29	65 to 74 years	7,455 6,170	7.2 7.4	3	4	6	8 8	11 12
REPAIR OF INGUINAL HERNIA, EXCEPT RECURRENT (3630-3632)								85 years and over	995 11,305	8.0 7.0	3	4	6	8	13
Tatol	6,260 4,195	9.3 8.6	4	5	7	10	15 13	Multiple diognoses	3,315	8.5	4	5	6	9	14
75 to 84 years	1,730	10.2 12.8	4 5	6 7	8 10	11 15	15 15 21								
5ingle diagnasis	4,435 1,825	8.3 11.8	4 5	5	7	9 13	12 20								

## Table 23 MOUNTAIN: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND DISCHARGE CHARACTERISTICS

Oiognosis And Oischorge	Number of	Average		Perce	entiles	doys)		Diognosis And Oischarge	Number of	Averoge		Perce	entiles (	days)	
Chorocteristics (ICOA 8th Revision)	dischorges	stoy (doys)	10th	25th	50th	75th	90th	Characteristics (ICDA 8th Revision)	discharges	stoy (doys)	10th	25th	50th	75th	90th
01ARRHEA (009.1)								MALIGNANT NEOPLASM OF ESOPHAGUS							
Total		6.9	1	2	5	8	14	Total	155	16.1	2	3	8	17	30
65 to 74 yeors	115	7.0 6.0 *	1	2 2 *	5 4 *	8	17 12	65 to 74 years	120 30 5	17.2 12.8	2	3	8	17 18	37 28
Single diognosis		4.8 7.9	1 2	2 3	3 6	5 10	9 15	Single diagnosis	60 95	18.0 14.8	2 2	2	6	12 21	24 32
With surgery	15 355	6.9	1	2	* 5	8	14	With surgery	70	10.7	2	3 3	8	12	20
GASTROENTERITIS AND COLITIS (009.2)								MALIGNANT NEOPLASM OF STOMACH	85	20.5	'	3	6	24	41
Total		6.7	1	2	4	7	13	(151)	545	14.2	3		13	21	28
65 to 74 years	1,435 1,240 475	6.1 7.0 7.7	1 2	2 2 3	4 5	6 8 9	11 14 16	Total	175	16.3	4	6	15	23	30
Single diognosis	1,295 1,855	5.1 7.8	1 2	2 3	3 5	6 9	10 15	75 to 84 yeors	345 45	15.7	3 2	5	12	20	28 22
With surgery	150 3,000	14.9 6.3	3	6 2	9	18 7	39 12	Single diognosis	210 355	11.0 19.4	2 4	5 8	15	15 23	21 30
PLEURISY WITH EFFUSION WITHOUT MENTION OF CAUSE (012.2)	.,							With surgery	230 335	18.7 14.6	9 2	12 5	16 8	24 17	29 23
Total	165	15.9	3	4	10	19	27	MALIGNANT NEOPLASM OF CECUM, APPENOIX AND ASCENDING COLON							
65 to 74 years	.  80	11.1 13.5	3 3	3 5	7 11	15 20	22 26	(153.0) Total	265	17.8	1	11	16	24	30
Single diognosis	. 60	9.9 19.3	3	3 5	5 11	12 19	23 32	65 to 74 years	115 125 25	19.7 16.0	3 1	12 10	17 15	24	31 26
With surgery	20				10	18		Single diagnosis	110 155	16.8 18.4	1 2	7 12	19 15	24 19	28 32
Without surgery	145	15.9	3	4	10	18	24	Multiple diagnoses	190	20.1	10	13	16	25	31
Total	185	12.6	1	4	12	19	23	Without surgery	75	11.9	1	1	5	18	23
65 to 74 years	. 75	13.4 13.9	3 1	5 9 *	10 14	19 20	25 23	TRANSVERSE AND OFCENDING COLON (153.1, 153.2)				,,,	1.5	0.1	
Single diagnosis	40	9.6 13.4	1 2	1 5	6	17 20	21 23	Total	140 60	18.0 16.2	10	13	15	21	24
With surgery	. 35	15.6 11.9	3	5 4	15 11	22 17	24 23	75 to 84 years	75 5	19.3	11	12	17	21	25
HERPES ZOSTER (053)	150		·		''	.,	10	Single diagnosis	40 100	16.7 18.5	11 10	12 13	16 15	18 21	22 24
Total	380	11.8	3	5	8	12	22	With surgery	115 25	16.8	11	13	15	19	24
65 to 74 years	. 130	10.4 11.4 16.8	3 4 2	6	7 9 8	11 13 18	21 21 51	MALIGNANT NEOPLASM OF SIGMOIO COLON (153.3)							
Single diagnosis		11.5 12.0	2	4 5	7 9	11 12	25 22	Total	270	17.9	3	8	14	20	34
With surgery	. 25	10.7	. 3	* 5	. 8	12	20	65 to 74 years 75 to 84 years 85 years and over	200 65 5	15.8 24.7	3	8 7	14 14	19 32 *	30 59
OTHER VIRAL DISEASES (070-079)								Single diognosis	90 180	14.9 19.4	3 3	8	14 14	18 25	31 39
Totol		8.1	2	4	6	9	13 13	With surgery	180	16.3 21.1	6	9	14	19	31 52
65 to 74 years	. 100	8.0 8.1	3 2	3	6 6	9	16	MALIGNANT NEOPLASM OF UNSPECIFIED PART OF LARGE INTESTINE (153.8)		21.1				32	]
5ingle diognosis		7.5 8.6	2 3	3 4	5 7	9 10	13 13	Total	775	16.3	2	5	12	19	34
With surgery		8.2	2	4	6	10	13	65 to 74 yeors	440 295	15.7 17.6	2 2	4 6	12 12	18 22	35 33
MALIGNANT NEOPLA5M OF 8UCCAL CAVITY ANO PHARYNX (140-149)								85 years and over	40 285	13.6 16.3	5	8	13 11	16 19	22 36
Total	265	10.3	1	2	4	12	25	Multiple diagnoses	490 260	16.3 21.6	7	12	12 17	19	32
65 to 74 yeors	110	8.0 11.9 14.0	1 2 1	2 3 1	3 5 3	11 14 4	19 34 42	MALIGNANT NEOPLASM OF RECTUM	515	13.6	í.	3	9	15	33
Single diognosis	145	7.7: 13.5	1	2 3	3 8	5 16	14 32	AND RECTOSIGMOID JUNCTION (154)  Tatal	545	20.1	3	7	16	27	38
With surgery	185	9.6	1	2	Ĭ	9	24	65 to 74 yeors	295	19.2	4	10	16	26	32
Without surgery	80	12.1	2	3	7	14	24	75 to 84 years	185 65	20.6 22.4	3 2	7	16	28 32	40 54
								Single diagnosis	235 310	17.9 21.7	3 4	6 8	16 16	26 28	33 42
								With surgery	330 215	21.3 18.2	4	11 5	17 12	27 27	39 33

Table 23 MOUNTAIN: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND DISCHARGE CHARACTERISTICS—Con.

Oiognosis And Oischorge Chorocteristics	Number of	Averoge stoy		Perce	entiles (	(doys)		Oiognosis And Oischorge Chorocteristics	Number of	Averoge stoy		Perce	ntiles	(doys)	
(ICOA 8th Revision)	dischorges	(doys)	10th	25th	50th	75th	90th	(ICOA 8th Revision)	discharges	(days)	10th	25th	50th	75th	90th
MALIGNANT NEOPLASM OF PANCREAS (157)								MALIGNANT NEOPLASM OF OVARY (183.0)							
Total	390	17.2	2	6	12	23	36	Total	230	18.5	2	7	12	19	38
65 to 74 yeors	145	18.7 16.6	3 2 *	6	12 12	23 23	41 36	65 to 74 yeors 75 to 84 yeors 85 yeors ond over	155 75 —	13.5 28.7 —	3 2 -	7 7 –	11 14 -	17 40 –	26 73 —
Single diognosis	125 265	12.4 19.5	1 3	3 6	10 13	19 23	26 46	Single diagnosis	65 165	13.2 20.5	6 2	7 6	10 13	15 26	22 46
With surgery	175 215	20.2 14.8	7 1	11 3	16 8	23 19	39 34	With surgery	95 1 <b>3</b> 5	19.1 18.0	7 2	8 4	12 11	18 21	37 37
MALIGNANT NEOPLA5M OF LARYNX (161)								MALIGNANT NEOPLASM OF PROSTATE (185)							
Total	140	12.7	1	2	6	18	38	Total	2,350	11.2	2	4	8	12	21
65 to 74 years 75 to 84 years 85 years ond over	75 60 5	13.3 10.1 *	1	2 2 *	6	18	35 31 *	65 to 74 yeors 75 to 84 yeors 85 yeors ond over	1,210 895 245	10.8 11.9 10.4	2 2 2	4 5 5	8 8 8	12 14 13	21 21 24
Single diognosis		6.6 20.7	1 1	2	20 20	10 36	15 43	Single diognosis	1,045 1,305	8.6 13.2	2 3	4 5	7 9	10 15	16 26
With surgery	95 45	9.0 20.4	1 2	1 5	3 14	11 <b>3</b> 5	21 43	With surgery	1,355 995	10.8 11.7	3 2	5 4	8 7	13 12	20 23
MALIGNANT NEOPLA5M OF TRACHEA, 8RONCHU5, ANO LUNG (162)								MALIGNANT NEOPLA5M OF 8LA00ER (188)							
Totol		11.9	2	4	8	16	25		1,165	9.3	1	3	5	- 11	20
65 to 74 years 75 to 84 years 85 years and over	430	12.9 9.5 10.4	2 2 2	4 4 3	9 8 7	17 13 17	28 18 21	65 to 74 yeors 75 to 84 yeors 85 yeors ond over	560 510 95	8.5 8.9 15.7	2	2 3 3	5 6 9	11 10 14	20 19 30
Single diognosis	665 1,035	11.2 12.4	2 2	3 4	8 8	15 17	20 26	Single diognosis	625 540	7.0 11.9	1 2	2	4 7	8 15	13 24
With surgery	605 1,095	13.9 10.9	2 2	6 3	12 6	18 13	28 24	With surgery	940 225	7.9 15.1	1 2	3 4	5 7	10 15	17 44
MALIGNANT NEOPLA5M OF 5KIN (172, 173)								MALIGNANT NEOPLA5M OF KIONEY, EXCEPT PELVI5 (189.0)							
Total		7.5	1	2	4	8	15	Total	295	17.4	2	6	14	22	31
65 to 74 years 75 to 84 years 85 years ond over	275	8.0 6.2 9.0	1 1	2 2 2	4 3 4	9 8 9	17 13 19	75 to 84 yeors	200 80 15	20.4 9.5	3 1 •	8 2	16 7	23 14	39 22
Single diagnosis	450 310	7.2 7.9	1	2 2	3 5	7 10	13 17	Single diagnosis	95 200	12.7 19.7	2 2	5 6	11 14	16 23	22 39
With surgery	595 165	5.8 13.5	1 2	2 4	3 8	7 18	11 31	With surgery	140 155	18.7 16.3	6	12 3	16 9	22 20	32 29
MALIGNANT NEOPLASM OF 8REAST (174)								LYMPHO5ARCOMA ANO RETICULUM-CELL 5ARCOMA (200)							
Total		12.7	3	6	9	14	22	Total	275	13.9	3	6	8	19	34
65 to 74 yeors	460	12.5 13.3 10.8	3 4 3	6 6 5	9 9 7	13 16 17	23 23 18	75 to 84 yeors	185 85 5	14.6 11.4	4 !	3	9 7 •	19 12	36 29
5ingle diognosis	635 905	11.3 13.6	4 3	6 6	9	11 17	18 24	Single diognosis	140 135	14.3 13.5	2 4	4 7	9 8	20 18	36 31
With surgery	925 615	11.9 13.9	4 3	6 5	9 9	12 18	18 28	With surgery	115 160	17.9 11.0	4 1	7 4	12 7	27 12	37 27
MALIGNANT NEOPLASM OF CERVIX UTERI (180)								HOOGKIN'S OISEASE AND OTHER NEOPLASMS OF LYMPHOIO TISSUE (201, 202)							
Total	315	12.0	2	3	6	14	28	Total	270	12.5	2	4	9	15	23
65 to 74 years	100	7.7 16.9 21.5	1 3 4	2 4 7	4 9 20	10 16 30	18 35 36	75 to 84 years	180 85	12.9 11.7	2 2	4 5	8 12	13 16	24 18
Single diognosis		8.8 15.4	1 2	2	4 9	10 16	24 31	85 yeors ond over	105 165	9.4 14.5	2 1	4	8 11	15 15	18 25
With surgery	180 135	9.1 15.9	2 2	2 3	5 9	10 19	21 31	With surgery	70	10.1	2	4	9	13	17
MALIGNANT NEOPLASM OF UTERUS, EXCEPT CERVIX (182)								MULTIPLE MYELOMA (203)	200	13.4	2	5	9	16	24
Total	420	10.9	2	5	9	13	19	Total	305	15.4	2	7	13	22	30
65 to 74 years	150	9.9 12.6	3	3	9 8	12 17	15 28	65 to 74 yeors	145 130 30	15.6 12.8 26.2	6 1 1	8 3 6	14 10 17	22 17 44	27 29 47
Single diagnosis	200 220	10.1 11.5	3 1	5 5	8	12 14	20 19	Single diognosis	155 150	11.2 19.8	2 2	5 9	9 19	14 28	19 35
With surgery	265 155	10.1 12.2	2	5	9	13 13	17 25	With surgery	30 275	17.5 15.2	10	12	16 11	21 21	25 31

Table 23 MOUNTAIN: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND DISCHARGE CHARACTERISTICS—Con.

Oiggnasis And Oischarge		Average		Perce	entiles (	(days)		Oiagnasis And Oischarge		Average		Perce	ntiles (	days)	
Characteristics (ICOA 8th Revision)	Number of discharges	stay (days)	10th	25th	50th	75th	90th	Characteristics (ICOA 8th Revisian)	Number of discharges	stay (days)	10th	25th	50th	75th	90th
LEUKEMIA (204-207)								AVITAMINO 5E5 ANO OTHER NUTRITIONAL OEFICIENCY (260-269)							
Total	620	10.6	1	3	7	14	24	Tatal	385	12.0	2	4	9	15	23
65 ta 74 years	260 290 70	11.0 9.7 12.9	1	3 2 3	7 7 9	11 15 19	23 22 28	65 ta 74 years	125 150 110	13.0 12.1 10.7	3 1 1	5 3 4	11 8 7	15 17 13	22 25 22
Single diagnosis	295 325	9.8 11.3	1	3	6 8	12 16	23 24	Single diagnosis	85 300	13.1 11.7	2 1	6	11	16 14	22 22
With surgery	45 575	13.9 10.4	1	6 2	8 7	21 14	31 23	With surgery	35 350	27.7 10.4	10	10	22 8	38 14	46 21
8ENIGN NEOPLASMS OF LARGE INTESTINE, EXCEPT RECTUM (211.3)								Without surgery	350	10.4	'	4	0	14	21
Tatal	185	11.3	2	5	9	14	19	Tatal	395	10.9	2	4	7	11	18
65 ta 74 years	155 25 5	11.6	2	5 *	9	13	19	65 ta 74 years	190 195 10	9.2 12.6	2 2	4	6 8 *	13	17 20
Single diagnasis	125 60	11.4 10.9	2 2	5 4	8 10	12 16	20 18	Single diagnosis	110 285	7.7 12.1	2 2	3	7 7	9	13 21
With surgery	140 45	13.4 4.6	3 2	7 2	10	16 5	20 7	With surgery	40 355	19.4 9.9	2 2	3 4	8 7	21 10	53 17
Total	195	7.2	1	3	5	10	14	Tatal	425	12.8	3	4	8	14	27
65 to 74 years	95	6.1	2	3	5	6	12	65 ta 74 years	225	12.5		4	8	13	25
75 to 84 years	85 15	8.4	!	2	5	14	18	75 ta 84 years	150 50 80	10.5 21.6 9.6	3 3	6 4 5	8 16	13 35	19 43
Single diagnasis	110 85	7.4 6.9	1	3	5 5	12 9	15 12	Single diagnosis	345	13.6	3	4	8 9	15	31
With surgery	165 30	7.3 6.5	1 3	2 4	5 5	8	15 11	With surgery	60 365	17.6 12.1	5 2	7	9 8	25 14	42 23
LIPOMA (214) Tatal	195	4.4	1	2	3	6	8		220	11.2	2	5	8	13	17
65 ta 74 years	145 40 10	4.8 2.9 *	2 1	2	3 2	7 4	9 4	65 ta 74 years	105 110 5	9.3 13.1	2 3	4 6	7 8	13 14	17 18
Single diagnosis	145	3.8 6.0	1 2	2 3	3 5	4 8	6 9	Single diagnosis	70 150	8.2 12.6	1 3	4	6	9 14	15 17
With surgery	190 5	4.4	1 *	2 *	3	6	8	With surgery	35 185	12.9 10.9	7 2	8 5	12 7	16 13	17 16
NEOPLASMS OF UNSPECIFIED NATURE OF 8LAOOER (237.6)								ALL OTHER AND UNSPECIFIED ANEMIAS (281.1-281.9, 282-285)							
Totol		5.0	1	2		5	1	Total	1,115		1	2	6	11	20
65 to 74 years	230 110 20	4.9 4.5 *	1	1	3 2 *	5	10		395 485 235	8.3 9.7 13.4	1	2 2 3	5 7 7	11 12 12	19 21 23
Single diognosis		4.6 6.0	1	2	3 2	5 7	10 17		335 780	7.1 11.3	1	1 3	4 8	8 12	16 22
With surgery		5.0 5.3	1	2	3 2	5 6	11 14	With surgery	80 1,035	15.0 9.6	3	6 2	9	19 11	24 19
OISEASES OF THYROIO GLANO (240-246)								AFFECTIVE PSYCHOSES (296)							
Tatal	570	8.0	2	4	6	9	16	Tatal	330	14.7	3	6	12	18	28
65 ta 74 years	460 110 —	7.7 9.1 —	2 4	3 5 -	6 6	9 11 -	15 18 —		225 100 5	15.0 13.0	1 4 *	5 7 •	11	18 17	31 23
Single diagnosis			2 2	3 4	5 6	7 12	11 18	Single diagnasis	175 155	12.0 17.8	2 4	4 7	10 14	17 19	24 35
With surgery	325 245	7.4 8.8	3 2	4 4	5 7	7 12	12 16	Without surgery		13.2	2	6	11	17	26
DIASETES MELLITUS (250)						1 10	1 10	ANXIETY NEURO 515 (300.0)	505	7.4	1	2		10	14
Total		10.6	3		8	12	19		595 450	7.4	,	2	5	10	16 17
65 ta 74 yeors 75 to 84 years 85 years and over	2,385	11.1	3 3 3	5 5	8 8	14 16	20 41	75 ta 84 years	115 30	5.6 5.5	1	1 2	3	8 6	10 12
Single diagnasis	4,770	1	3			12	17 20		215 380	6.5 7.8	1	2 2	6	10	16
With surgery		15.5	4 3	7 4	11 7	19	30 18		595	7.4	Ī		5	10	16

Table 23 MOUNTAIN: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND DISCHARGE CHARACTERISTICS—Con.

Oiognosis And Oischorge	Number of	Averoge		Perce	entiles (	(doys)		Oiognosis And Oischorge	Number of	Averoge		Perce	ntiles (	doys)	
Chorocteristics (ICOA 8th Revision)	dischorges	stoy (doys)	10th	25th	50th	75th	90th	Chorocteristics (ICOA 8th Revision)	dischorges	stoy (doys)	10th	25th	50th	75th	90th
OEPRESSIVE NEUROSIS (300.4)								NEURALGIA ANO NEURITIS, UNSPECIFIEO (355)							
Totol	615	12.8	3	5.	9	17	26	Totol	305	6.5	2	3	5	8	14
65 to 74 yeors	425 175 15	13.1 11.3	3 2 .	5 3 *	9	18 15	25 24 *	65 to 74 years	215 60 30	6.3 7.9 5.5	2 2 3	3 3 3	5 5 4	7 9 7	13 17 9
Single diognosis	215 400	12.6 12.9	2 3	5 5	11 8	17 17	24 26	Single diognosis Multiple diognoses	140 165	5.4 7.5	2 2	2 4	4 5	7 9	9 17
With surgery	30 585	16.7 12.6	3	5 5	11 9	18 17	35 25	With surgery	45 260	8.4 6.2	2 2	3	6	12	16 13
ALCOHOLISM (303)					_			CATARACT (374)							
Total		7.1	11	2	5	9	14	Total	7,480	5.7	3	4	5	6	8
65 to 74 years 75 to 84 years 85 years and over	55	6.9 9.3	1	1	6	12	21	65 to 74 yeors	3,815 3,075 590	5.5 5.9 6.2	3 3 3	4 4	4 5 5	6	8
Single diognosis		6.2 7.9	1	2 3	6	7 11	11 16	Single diognosis Multiple diognoses	5,695 1,785	5.5 6.6	3	4 4	4 5	6 7	11
With surgery	20 745	7.0	I	2	5	9	14	With surgery	7,225	5.7	3	4	5	6	8
MENTAL OISOROERS NOT SPECIFIED AS FSYCHOTIC, ASSOCIATED WITH PHYSICAL CONDITIONS (309)								Without surgery	255	6.1	'	3	5	6	9
Total	960	14.0	2	4	8	16	28	Total	530	5.6	1	3	4	6	9
65 to 74 years	270	13.5		5	10	18	30	65 to 74 yeors	310 175	5.4 5.6	1 2 2	2 3 2	4	7 6	9
75 to 84 years	425 265	16.2 11.2	3 2 2	4	9 6	16 13	29 22	85 years and over	45	6.6	2	ļ	3	7	12
Single diognosis	285 675	18.1 12.3	2 2	4	7 9	15 16	38 25	Single diognosis Multiple diognoses  With surgery	315 215 435	5.2 6.1 5.4	2	3	5	6 7 6	9
With surgery	30 930	27.0 13.6	6 2	10 4	18 8	30 15	53 27	Without surgery	95 95	6.1	í	2	4	7	14
PARALYSIS AGITANS (342)	/30	13.0				15		DETACHMENT OF RETINA (376)							
Total	815	13.0	3	5	10	15	24	Total	470	7.3	1	3	7	9	12
65 to 74 years	485	12.6	3	5	10	15	23	65 to 74 yeors	335 120	7.4 7.0	1	2	7 8	9	12
75 to 84 years	285 45	13.8 11.8	3 3 2	5 5	10 10	17 13	26 18	85 years and over	15 405	7.1	1	3	7	9	12
Single diognosis	270 545	10.9 14.0	2 3	5 5	10 11	13 17	18 28	Multiple diagnoses	65 405	7.1 8.1 7.9	i	5	8 7	10	13
With surgery	70 745	13.7 12.9	2	4 5	10 10	17 15	25 24	Without surgery	65	3.2	i	ĩ	2	3	7
CEREBRAL PARALYSIS (344)								LABYRINTHITIS (384.0)							
Total	240	17.5	2	4	9	24	39	Total	460	6.1	2	2	4	8	12
65 to 74 yeors	140 90 10	12.6 25.0	2 3 *	4 7 *	6 19	15 35	28 49	65 to 74 years 75 to 84 years 85 years ond over	250 180 30	6.3 5.7 6.2	2 2 2	2 3 2	5 4 3	8 7 5	12 11 14
Single diognosis		17.0 17.6	1 2	3	7 9	28 24	42 36	Single diagnosis	170 290	4.9 6.8	1 2	2 3	3 5	6 9	9 13
With surgery	10			:	*			With surgery	10 450	6.0	2	2	4	8	11
Without surgery	230	16.6	2	4	9	. 22	39	CHRONIC RHEUMATIC HEART OISEASE (393-398)							
Totol	180	9.2	1	3	8	12	18	Total	940	11.6	2	4	8	14	26
65 to 74 years	95	11.1	1	3	9	15	24	65 to 74 years	620 245	10.3 13.2	2 2	3	7	12 15	21 31
75 to 84 years	60 25	7.2	2	2	6	10	12	85 years and over	75	17.5	2	6	9	24	38
Single diognosis	65 115	7.3 10.3	1 2	2	4 9	9 13	17 17	Single diognasis	165 775	10.7	2	2 4	8	16	28 25
With surgery	40 140	8.2 9.5	2	2 3	4 8	11 12	19 18	With surgery	150 790	17.8 10.4	3 2	7	15	26 12	35 22
SCIATICA (353)								ESSENTIAL BENIGN HYPERTENSION (401)						1	
Totol	260	13.4	3	6	9	15	25	Total	1,955	7.4	1	3	5	8	15
65 to 74 years	140	11.8	3	5	9	12	23	65 to 74 years	990 725 240	6.7 7.4 10.6	1	3	5	7 9 10	12 15 25
75 to 84 years	90 30	15.1 15.5	2 2	6	10 12	18 20	28 28	85 years ond over	645	5.9	1	2	4	7	11
Single diognosis	95 165	10.3 15.1	3	5 6	10	12 22	19 33	Multiple diognoses	1,310	8.2 10.7	2	3	5	12	16 21
With surgery	15 245	13.3	3	5	9	14	26	Without surgery	1,855	7.2	2 j	3	6   5	12	14

Table 23 MOUNTAIN: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND DISCHARGE CHARACTERISTICS—Con.

Oiognosis And Oischorge		Averoge		Perce	entiles (	(doys)		Oiognosis And Oischorge		Average		Perce	entiles (	doys)	
Characteristics (ICOA 8th Revision)	Number of dischorges	stoy (doys)	10th	25th	50th	75th	90th	Chorocteristics (ICOA 8th Revision)	Number of dischorges	stoy (doys)	10th	25th	50th	75th	90th
HYPERTENSIVE HEART DISEASE (402)								HEART BLOCK, AND CARDIAC ARREST							
Total	470	11.0	2	4	8	12	29	(427.2, 427.3) Total	770	9.3	1	3	6	12	19
65 to 74 yeors 75 to 84 yeors 85 years ond over	190	10.0 12.0 12.7	2 1 2	4 3 4	7 8 8	11 11 13	17 32 23	65 to 74 yeors	315 360 95	7.9 10.1 11.3	1	2 3 2	5 7 6	10 14 15	17 19 25
Single diognosis		11.5 10.8	1 2	3 4	7 8	10 12	31 20	Single diagnosis Multiple diagnoses	420 350	8.0 11.0	1	2 4	5 8	11 13	17 21
With surgery	10 460	11.0	2	4	8	11	31	With surgery	255 515	11.9 8.1	2 1	4	9 5	16 10	23 15
HYPERTENSIVE RENAL, AND HEART AND RENAL DISEASE (403, 404)	185	13.6	4	7	11	15	27	ATRIAL FIBRILLATION OR FLUTTER AND OTHER UNSPECIFIED DISORDERS OF HEART RHYTHM (427.4, 427.9)							
Totol		14.3	4	7	12	16	29	Total	1,250	8.4	1	3	5	10	17
75 to 84 years	70 20	11.3	3	6	10	15	18	65 to 74 years	685 465	8.0 8.9	1 2	3 4	5	10 10	15 21
Single diognosis		16.8 12.6	5 3	6 7	10 11	15 15	38 25	85 years and over	100 470	9.3	2	3	6 5	11	22 15
With surgery		13.3	3	* 7	11	15	28	Single diognosis	780	6.6 9.5	2	3	6	12	23
ACUTE MYOCAROIAL INFARCTION (410)								With surgery	80 1,170	12.7 8.1	1	3	10 5	19	24 16
Total		14.3	1	5	13 14	20 21	27 27	OTHER MYOCAROIAL INSUFFICIENCY (428)							
75 to 84 years	2,275	14.6 14.1 13.1	1	4	12	20 20	27 29	Total	375	10.6	2	4	8	12	22
Single diognosis	3,165 3,015	13.7 15.0	1	4 5	12 14	20 21	26 28	65 to 74 yeors 75 to 84 yeors 85 yeors ond over	130 165 80	10.7 11.0 9.6	3 3 1	4 4 3	6 9 9	11 14 11	23 20 21
With surgery Without surgery		20.8 14.1	5 1	10 5	18 13	29 20	37 27	Single diognosis	120 255	10.2 10.8	3 2	4	7 8	13 12	22 22
OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411)								With surgery	10 365	10.7	2	4	8	13	22
Total			2	4	7	13	21	ILL-OEFINEO HEART OISEASE (429)							
65 to 74 years	570	11.6	2 1 4	3 4 4	6 8 6	11 14 13	20 24 15	65 to 74 years	1,110	11.0	2 2	3	8 7	14	22 21
Single diognosis	840	8.7 12.3	1 2	3 5	6 9	11 16	19 25	75 to 84 years	535 180	11.3	1	4	7 9	15	23 22
With surgery		10.0	2	4	7	12	21	Single diognosis	505 605	8.6 13.0	2	3 4	10	12 18	17 25
CHRONIC ISCHEMIC HEART DISEASE (412)								With surgery	60 1,050	14.7 10.8	2 2	3	10 7	19 14	27 21
Total	19,430	10.9	2	4	7	13	21	CEREBRAL HEMORRHAGE (431) Totol	570	10.8	1	2	6	16	23
65 to 74 years	8,330		2 2 2	4 4	7 8 8	12 14 13	19 23 23		250 205	11.6 10.8	1	2	6 9	16	28 22
Single diagnosis	5,755	9.6	2 2				18 23	85 years and over	115 285	9.3 9.6	1	2	5	13	19 22
With surgery	1,080	17.3	4	8	14	21	35 21	Multiple diagnoses	285 75	12.1 19.8	1 2	8	15	18 24	23 45
Without surgery	18,350	10.5	2	4	/	13	21	With surgery	495	9.5	ĺ	ı	5	15	21
Total	845	6.4	1	3	5	7	11	OCCLUSION OF PRECEREBRAL ARTERIES (432)							
65 to 74 years	290		1	2	5 5	7 7	10	Total	395 245	11.8 10.7	2 2	5	9	15	24 18
85 years and over	420	5.7	1	2	4	7	15	75 to 84 years	135 15	13.7	3	6	12	18	26
Multiple diagnoses			2	4	6	8	"	Single diognosis	210 185	10.5 13.1	2 2	5 6	7 10	13 16	24 23
Without surgery			1	3	5	7	11	With surgery	145 250	11.3 12.0	4 2	6 4	8 9	16 14	18 26
Total	3,490	10.7	2	4	8	13	21	CEREBRAL THROMBOSIS (433)							
65 to 74 yeors	1,340	9.5 11.1	2 2	4	7 8	12 13	18 22	Total	1,690	14.5	2	1	11	18	30
85 years and over	645	12.1	1	3	7	14	29	65 to 74 years	650 765 275	13.2 15.5 15.1	2 2 2	5 6 6	8 11 12	17 20 16	28 31 23
Multiple diognoses	2,020		2	5	8 15	14	34	Single diognosis		12.6 15.4	1 3	5	9 11	15 19	23 31
With surgery			2	4	8	13		With surgery	60	17.8	3	4	13	24 18	46 30
								,	.,050						

Table 23 MOUNTAIN: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND DISCHARGE CHARACTERISTICS—Con.

Characteristics (ICOA 8th Revision)	discharges	stay						Characteristics	Number af	stay				1	
	and and	(days)	10th	25th	50th	75th	90th	(ICOA 8th Revision)	discharges	(days)	10th	25th	50†h	75th	90th
SUBARACHNOIO HEMORRHAGE ANO CEREBRAL EMBOLISM (430, 434)								ARTERIAL EMBOLISM AND THROMBOSIS (444)							
Tatal	195	18.3	1	4	12	22	33	Tatal	665	11.9	1	3	8	15	24
65 ta 74 years	105 75 15	23.5 12.5 *	1 2 *	4 3 *	13 10	28 19 *	53 22 *	65 ta 74 years 75 ta 84 years 85 years and aver	390 230 45	13.4 7.6 21.4	2 1 1	4 2 3	10 5 11	16 11 24	25 16 43
Single diagnasis		10.8 20.9	1 2	1 8	4 15	11 25	27 35	5ingle diagnasis	255 410	9.2 13.6	1	3 3	8 8	12 17	17 30
With surgery	15 180	* 17.6	1	4	12	* 21	* 30	With surgery	325 340	14.0 10.0	3 1	8 2	12 4	16 9	22 25
TRANSIENT CEREBRAL ISCHEMIA (435)								GANGRENE (445)							
Tatal	675	6.3	1	2	4	8	12		330	27.1	4	9	16	30	50
65 ta 74 years	335 260 80	6.0 6.2 7.9	1	2 2 2	4 4	7 8 10	12 12 17	65 ta 74 years 75 ta 84 years 85 years and aver	135 115 80	30.9 28.0 19.3	3 6 3	5 10 9	14 19 14	30 35 29	46 69 40
Single diagnasis	265 410	5.1 7.0	1 1	2 2	3 5	7 8	10 16	5ingle diagnasis	145 185	34.0 21.6	3 5	6 10	19 15	36 26	78 47
With surgery	10 665	6.1	1	2	4	* 8	12	With surgery Withaut surgery	180 150	24.4 30.3	3 4	10 7	17 13	35 26	47 56
GENERALIZED ISCHEMIC CEREBROVASCULAR DISEASE (437)								PULMONARY EM80LI5M ANO INFARCTION (450)							
Tatal	2,910	9.9	2	3	6	11	20	Tatal	835	14.5	2	6	12	18	28
65 ta 74 years	1,500	9.8 10.3 9.0	2 2 2	3 4 3	6 6 6	12 11 12	20 19 19	65 ta 74 years 75 ta 84 years 85 years and aver	425 335 75	12.6 17.4 11.9	3 1	6 9 3	10 13 11	17 23 16	23 33 22
Single diagnasis	925	7.6 11.0	1 2	3 4	5 7	10 13	15 22	Single diagnasis Multiple diagnases	295 540	12.7 15.4	1 3	4 8	10 12	15 20	24 29
With surgery	125 2,785	16.3 9.6	3 2	6	12	23	36 19	With surgery	85 750	23.9 13.4	4 2	8	15	28 17	51 26
ILL-DEFINED CEREBROVASCULAR OISEASE (436, 438)	2,700	, , ,						PHLEBITIS AND THROMBOPHLEBITIS (451)							
Tatal	6,025	14.1	1	4	9	17	30	Tatal	1,730	11.5	4	5	9	14	21
65 ta 74 years	2,710	14.1 14.3	1 2	4 5 3	9 9 8	18 17	32 30	65 ta 74 years	1,070 555	11.2 11.9	4	5 6 5	9 10	13 14	20 22 24
85 years and aver	2,805	13.7 13.0	1	3	8	16 16	28 27	85 years and aver	105 695	11.8 9.5	3	5 5 6	9	16 12 15	16
Multiple diagnases	3,220	15.1 22.3	6	4	10	18 33	33 42	Multiple diagnases	1,035	12.8 21.1	4 2	6 4	10 18	30 13	23 38 19
Without surgery	5,795	13.8	1	4	9	16	28	Without surgery	1,625	10.9	4	5	9	13	19
Tatal	1,990	11.1	2	3	7	13	22	EXTREMITIES WITH ULCER (454.0)	200			_			
65 ta 74 years	860	10.5 12.0	2 2	3	8 8	13 13	20 23	Tatal	325 150	14.7 14.9	4	7 7 7	12	20	28 25
85 years and aver	440	10.1	1	2	6 5	13 10	21 17	75 ta 84 years	150 25	15.3	3 *	Ť	12	20	31
Multiple diagnases		21.0	3	8	13	14 24	24 35	Single diagnasis	125 200	13.0 15.8	4	6 7	10 13	17 23	23 31
Without surgery		9.5	2	3	7	īi	19	With surgery	90 235	14.2 15.0	4	6 7	8 12	21 19	27 28
ANEURY5M (441, 442) Tatal	665	8.0	1	2	6	11	16	VARICOSE VEINS OF LOWER EXTREMITIES WITHOUT ULCER (454.1, 454.9)							
65 ta 74 years	400	9.3	1	3	9	12	17	Tatal	285	9.1	3	4	6	10	16
75 ta 84 years		5.9 5.5	1 2	1 2	4 3	7 5	14 12	65 ta 74 years	220 60	8.0 13.0	3 2	4 5	5 9	10 15	15 28
Single diagnasis	315 350	8.2 7.7	1 1	1	8 5	12 11	15 17	85 years and aver	5 165	7.8	3	4	5	9	12
With surgery	295 370	10.6 5.8	1	6	11	14 7	17 12	Multiple diagnases	120 215	10.9 7.6	3	4	8	15	20 12
OTHER PERIPHERAL VASCULAR DISEASE (443)								Without surgery	70	13.7	3	6	12	16	26
Tatal		16.4	2	4	10	18	38	Tatal	790	8.0	2	4	6	9	15
65 ta 74 years	95	10.5 21.4 19.1	1 3 3	3 5 3	9 11 11	14 22 26	20 53 41	65 ta 74 years	550 210	7.3 10.4	2	4 5 2	6	8	13 20
Single diagnasis	100 135	16.0 16.7	2 3	3 5	10 10	19 16	46 32	85 years and aver	360 360	6.3	2	4	5	7	10
With surgery	55	19.5 15.4	9	10	14	24 17	31   41	Multiple diagnases	430 580 210	9.5 8.6 6.4	3	5 5 2	7 6 5	11 9 8	18 15 12

Table 23 MOUNTAIN: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND DISCHARGE CHARACTERISTICS—Con.

Oiognosis And Oischorge		Averoge		Perce	entiles (	(doys)		Oiognosis And Oischorge		Averoge		Perce	ntiles (	doys)	
Chorocteristics (ICOA 8th Revision)	Number of dischorges	stay (doys)	10th	25th	50th	75th	90th	Chorocteristics (ICOA 8th Revision)	Number of dischorges	stoy (doys)	10th	25th	50th	75th	90th
ACUTE UPPER RESPIRATORY INFECTIONS EXCEPT INFLUENZA (460-465)								OTHER DISEASES OF UPPER RESPIRATORY TRACT (500-508)							
Total	1,600	7.6	2	3	5	9	13	Total	710	4.9	1	2	3	5	9
65 to 74 yeors 75 to 84 yeors 85 years ond over	605	6.9 7.4 10.5	2 2 2	3 4 4	5 6 8	8 8 12	12 12 23	65 to 74 yeors	530 170 10	4.2 7.2	1 1 *	1 2	3 4 *	8	7 17 •
Single diognosis	385 1,215	5.5 8.2	2	2	4 6	7 10	9 13	5ingle diognosis	325 385	3.4 6.2	1	1 2	2 4	4 7	6
With surgery		10.7 7.4	2 2	2 3	5 5	14 9	27 12	With surgery	495 215	3.8 7.5	1 2	1 3	2 5	4 8	6 14
ACUTE AND UNQUALIFIED BRONCHITIS AND BRONCHIOLITIS (466, 490)								PLEURISY (511)	205	0.0					10
Total	3,470	8.6	3	4	7	10	15	Total	135	9.0	3	5	7	9	13
65 to 74 yeors	1,140	8.4 8.3 10.8	3 2 3	4 4 5	7 6 8	10 10 14	14 15 19	75 to 84 yeors	55 15	6.2	2	4	6	8	9
Single diognosis	1,085 2,385	7.1 9.3	2 3	4 5	6 7	8 11	12 17	Single diognosis Multiple diognoses	70 135	6.2 9.2	3	3 5	6 7	10	10 14
With surgery		12.5 8.4	2 3	4	8 6	18 10	24 15	With surgery	20 185	8.1	3	4	7	9	12
Totol	1,620	7.1	2	3	5	8	14	Total	385	9.5	1	3	6	10	17
65 to 74 yeors	655	6.0 8.1 8.3	2 2 1	3 3 3	4 6 5	7 9 12	11 17 18	65 to 74 yeors	125 195 65	6.8 9.8 13.5	1 2 1	3 4 1	6 7 6	9 11 15	13 18 35
Single diognosis	640 980	5.1 8.3	1 2	2	4 6	6 10	9 17	Single diognosis	100 285	7.1 10.3	1	5 2	6 7	9	11 21
With surgery		7.0	2	3	5	8	14	With surgery	25 360	8.7	1	3	6	10	15
PNEUMONIA (480-486) Totol	7,425	10.9	2	5	8	13	20	CHRONIC INTERSTITIAL PNEUMONIA (517)							
65 to 74 years	3,215	10.3	3	5 5	8	12	19	Total	390 210	12.9 13.4	3 2	5	9	15	25 31
75 to 84 years	1,240	11.4	2 2 2	5	9	14	15	75 to 84 yeors	155	13.3	2	6	9	17	24
Single diognosis	4,925	12.0	3	5		14	22	Single diognosis	55 335	15.7 12.5	3	7 5	10 9	16 15	20 25
With surgery			5 2	10 5	15 8	24 13	32 20	With surgery	45 345	19.7 12.1	5 3	8 5	17 9	24 14	36 23
CHRONIC BRONCHITIS (491) Total	1,145	9.3	3	4	7	11	18	015EA5E5 OF ORAL CAVITY, 5ALIVARY GLANO5, AND JAW5 (520-529)							
65 to 74 yeors	360	9.9	3 2 7	4 4 7	7 7 8	10 12 13	16 20 19	Total		5.5 4.8	1	2 2	4	5	11
85 years ond over  Single diagnosis	285	7.6			6 7	10	13	75 to 84 years	150 25	5.4	į	2	4	7	10
With surgery	115		1 3	3 5	5 7	12	18	Single diognosis	180 235	4.5 6.3	1	2	4	5 8	8 13
EMPHY5EMA (492)	1,000	,						With surgery	260 155	4.7 6.8	1	2 2	5	5 8	9 13
Total			2	4	7	13	20	015EA5E5 OF E5OPHAGU5 (530)							
65 to 74 years	850	11.0	2 2 2	4 4 3	7 7 8	13 15 19	19 21 27	Total	735	9.3 7.9	1	2 2	5	10	18
Single diognosis	765	7.8	2 2	3 4	5 8	10 14	16 24	75 to 84 years	335 65	10.8 8.2	1	3 2	5 7	11	23 19
With surgery	215	19.8	2 2	7	19	28 13	37	Single diognosis	285 450	9.0 9.5	1	3	6	9 11	18 18
Without surgery	2,763	7.7		-	,	13		With surgery	250 485	12.1 7.8	1	2 2	8 5	15	28 14
Total	1,420	9.0	2	4	6	11		ULCER OF STOMACH (531)							
65 to 74 yeors	405	8.4 10.6 8.1	2 3 2	3 5 3	6 8 5	10 11 9	16 17 17	Totol	1,340 765 480	12.4 11.0 13.9	2 3		9 8 9	15 14 16	25 22 26
Single diognosis Multiple diognoses	505 915	6.8 10.2	2 2	3 4	6 7	12	12 20	85 years and over	95	16.2	2	5	11 8	13	27 22
With surgery			3 2	5 4		24 10	37 16	Multiple diognoses	890 385	12.7 15.2	6	5 9	9 13 7	16 20 13	25 26 23
								Without surgery	1 955	11.2	2	4	/	13]	23

## Table 23 MOUNTAIN: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND DISCHARGE CHARACTERISTICS—Con.

Oiagnosis And Oischarge Characteristics	Number of	Average stay		Perce	entiles	(days)		Oiagnasis And Oischarge Characteristics	Number of	Average stay		Perce	ntiles (	(days)	
(ICOA 8th Revision)	discharges	(days)	10th	25th	50th	75th	90th	(ICOA 8th Revision)	discharges	(doys)	10th	25th	50th	75th	90th
ULCER OF OUOOENUM (532)								HERNIA OF A800MINAL CAVITY WITH 085TRUCTION (552, 553)							
Tatal	1,955	11.4	3	5	8	14	21	Tatal	715	10.3	2	4	8	12	20
65 to 74 years	580	10.5 12.5 15.1	3 3 4	4 · 7 9	8 9 12	13 15 17	19 23 24	65 ta 74 years	295 290	10.4 10.2	2	4 3	7 8 9	11	16
Single diagnasis	645	9.9	2 3	4 5	7	12	18	85 years and over	130	10.2	3	5		13	21 19
Multiple diagnases	1,310	12.1 17.7	8	10	9	14	23	Single diagnosis	395 320	8.3 12.7	2	3 5	7 9	11	15 22
Without surgery	1,495	9.4	2	4	7	11	16	With surgery	510 205	11.3 7.9	3 1	5 1	9 4	14 10	20 15
Tatal	700	8.9	2	4	7	11	16	INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (560)							
65 to 74 years	390 255	8.1 10.1	1	3 5 2	7	10 13	14	Tatal	1,995	11.2	1	3	7	14	25
85 years and aver	55	9.4	3 2		8 6	10	21	65 ta 74 years	885 755	11.8 11.2	2 1	4 3 3	8 7	15 13	25 23
Single diagnasis	315 385	6.6 10.8	1 2	3 6	5 8	12	12 20	85 yeors and aver	355 830	9.5 8.8	1		6	12	24
With surgery		20.6 8.1	8 2	9 3	14 7	28 10	40 15	Multiple diagnoses	1,165	12.9	2	5	5 8	16	21 29
GASTRITIS AND OUODENITIS (535)								With surgery	575 1,420	17.4 8.7	1	8	14 5	23 10	33 17
Total	1,575	7.4	1	3	5	8	14	OIVERTICULA OF INTESTINE (562)	2 705	0.4				,,	,,
75 ta 84 years	900 535 140	6.8 7.8 9.1	1 2	3 3 4	5 5 5	8 9 13	12 14 16	Total	3,725 1,830	8.6 8.1	2 1	3	5	10	17 17
Single diagnosis		5.0 8.6	1 2	2	3 6	6 10	8 16	75 to 84 years	1,480 415	8.8 9.9	2 2	3 3	6	11	17 17
With surgery	80	15.1	5	8	12	18	23	Single diognosis	1,570 2,155	7.2 9.6	1 2	2	5 6	8 11	15 18
OISOROERS OF FUNCTION OF STOMACH	1,495	7.0	1	3	5	8	13	With surgery	600 3,125	15.2 7.3	3 2	7	13	19	27 13
(536)						_		FUNCTIONAL DISORDERS OF INTESTINE	5,125	,					
Total		5.9	1	2	4	7	10	(564) Tatal	815	6.6	1	2	4	8	14
75 to 84 years	115	6.0 7.8	1 2	2 2 3	4	7 7 7	10 18	65 to 74 years	405	6.7	1		4	9	15
Single diagnasis	120 165	5.3 6.3	1	2	3 4	7 7	9	75 ta 84 years	315 95	6.3 7.2	i	2 2 2	4	11	14
With surgery	10 275	5.6	;	2		6	10	Single diagnasis	285 530	4.7 7.6	1	2 3	3 5	.5 11	9 15
INGUINAL HERNIA WITHOUT MENTION	2/3	3.0				Ŭ	,,,	With surgery	100 715	8.1 6.4	2 1	2	7 4	12 8	16 14
OF O85TRUCTION (550)	3,280	7.2	3	4	6	8	11	CIRRHO515 OF LIVER (571)							
65 to 74 years	2,145	6.6	3	4	5	7	9	Tatal	425	15.7	4	7	12	20	31
75 to 84 years	985 150	7.8 10.8	4	4 5	6 7	9 11	13 17	65 ta 74 years	290 115 20	15.4 16.1	5 3 •	8 6	12 12	19 23	29 34
Single diagnosis	2,240 1,040	6.4 8.9	3	4 5	5 7	7 10	9 16	Single diagnasis	65 360	13.2 16.2	4	7	11 13	13 21	23 32
With surgery	3,060 220	7.2 7.3		4 3	6 5	8 7	11 17	With surgery	80	25.7	10	12	20	34	41
VENTRAL HERNIA WITHOUT MENTION OF O85TRUCTION (551.2)								Without surgery	345	13.4	4	6	11	18	26
Total	690	8.7	3	4	7	11	15	Tatal	3,615	12.4	3	6	10	15	24
65 ta 74 years		8.5 8.8	3 2	5 3	7	10 11	15 16	65 to 74 years	2,250 1,145	11.4 13.9	3	6	9	14 18	20 28
85 years and over	20	*				10	•	85 years and over	1,715	15.2 11.2	4	6	14	21	25 19
Single diagnosis	275	7.9 9.9	2 3	5	8	11	15 16	Single diagnasis	1,900	13.5	3	6	11	13	27
With surgery	635 55	9.1 3.7	3	5 2	7	11 4	16 7	With surgery	2,340 1,275	14.6 8.4	7 2	8	12	17	26 16
OIAPHRAGMATIC HERNIA WITHOUT MENTION OF O85TRUCTION (551.3)		4			- 1	1		CHOLECYSTITIS AND CHOLANGITIS WITHOUT MENTION OF CALCULUS					- 1		
Total	2,020	8.3	2	3	5	9	18	(575) Tatal	1,895	10.5	2	4	8	13	19
65 to 74 years	1,265 625	8.5 7.9	2 2 2	3	5	10 8	18 17	65 ta 74 years	965	9.8	ł	4	7 9	12	19
85 years ond over	130 410	8.7 5.8	2 2	3	7	10	13 11	75 ta 84 yeors	730 200	11.4 10.3	2 2 3	5	6	15	19 19
Multiple diognoses	1,610	9.0	2	3	6	11	19	Single diagnosis	920 975	9.7 11.3	3	5	7 9	13	18 20
With surgery	410 1,610	6.8	3 2	8	12 5	18	24 13	With surgery	635 1,260	14.7 8.4	7 2	9	12	17	26 17

Table 23 MOUNTAIN: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND DISCHARGE CHARACTERISTICS—Con.

Diagnasis And Oischarge Characteristics	Number of discharges	Average	10::		entiles (		06:	Oiagnasis And Oischarge Characteristics	Number of discharges	Average stay	16::		ntiles (		00
(ICOA 8th Revision)	a.sc.no.gcs	(days)	10th	25th	50th	75th	90th	(ICDA 8th Revision)	discharges	(days)	10th	25th	50th	75th	901
THER DISEASES OF GALL BLADOER AND BILIARY DUCTS (576)								CY5TITI5 (595)							
Tatal	600	11.4	2	4	7	15	22	Tatal	1,390	7.5	1	3	5	9	
ta 74 years	305 220	10.4 11.8	2 2 2	3 5	6	13	21 23	65 ta 74 years	685 515 190	6.6 7.9 9.9	1 2	2 3 5	5 6 8	10 13	
years and over	75	14.3	2	7	13	15 19	26	Single diagnasis	410	5.5	1	2	4	7	
ngle diagnasis	275 325	10.3 12.3	2	3 5	6 9	13 16	19 25	Multiple diagnases	980	8.4	2	3	6	10	
ith surgeryithaut surgery	175 425	16.3 9.4	8 2	11	14	18 10	26 20	With surgery	495 895	6.6 8.1	2	3	6	8	
OISEASES OF PANCREAS (577)	123			ŭ			20	OTHER DISEASES OF BLAODER (596)							
Tatal	405	10.7	2	4	8	14	23	Tatal	715	11.0	3	4	7	12 11	
ta 74 yearsta 84 years	275 110	9.8 12.7	2 2	4 5	7 10	12 19	21 24	65 ta 74 years	400 220 95	10.4 11.9 11.2	2	5 3	6 9 5	14	
years and aver	20	•			*	*	•	Single diagnasis	320	7.9	2 3	3	5	9	
ngle diagnasis	170 235	10.6 10.8	2 2	4	9 8	13 15	25 22	Multiple diagnases	395 540	13.4	3	5	8	14	
ith surgeryithaut surgery	80 325	19.1 8.6	3 2	12 4	21 7	24 11	28 15	Without surgery	175	13.1	i	3	6	13	
HRONIC AND UNQUALIFIED NEPHRITIS								URETHRITIS AND STRICTURE OF URETHRA (597, 598)							
(582, 583) Tatal	195	11.9	3	4	9	19	25	Tatal	810	6.2	1	2	4	8	
ta 74 years	140	11.6	2	4	9	18	24	65 ta 74 years	460 270	4.6 7.8	1	2 2	3	5 10	
years and aver	35 20	11.4	!	3	7	14	24	85 years and aver	80	9.7	2	4	10	13	
ngle diagnosis	35 160	8.6 12.7	3 2	3	4 9	10 20	17 27	Single diagnasis	315 495	5.5 6.6	i	2 2	3 4	5 9	
ith surgery	20							With surgery	630 180	6.0 6.6	1	2 2	3	7	
thaut surgery	175	12.5	3	4	9	20	26	URINARY TRACT INFECTION, NOT							
INFECTIONS OF KIONEY (590) Tatal	1,075	9.3	2	4	7	12	19	ELSEWHERE CLASSIFIEO (599.0) Tatal	1,535	9.5	2	4	7	12	
ta 74 years	540	9.4		4	7	12	18	65 ta 74 years	685	7.9	2	3	6	9	
ta 84 yearsyears and aver	415 120	8.9 10.7	2 2 1	4 3	8 8	11	17 22	75 ta 84 years	615 235	10.7 11.3	3 4	4 5	8 9	14 15	
ngle diagnasis	285 790	6.2 10.5	2 2	3 5	5 9	8 13	10 20	Single diagnasis	450 1,085	7.9 10.2	2	3 4	5 7	10 13	
th surgery	160	13.2	3 2	8	12	15	24	With surgery	290	10.7	2	3	7	15 12	
CALCULUS OF KIDNEY AND URETER	915	8.7	2	3	(	11	17	Without surgery	1,245	9.3	2	4		12	
(592)			İ					Tatal	5,640	10.0	3	5	8	12	
Total	1,280	7.7	1	2	5	9	16 17	65 ta 74 years	3,270	9.1	3	5	7 9	11	
ta 74 years	335 30	7.9 6.9 9.3	1 3	3	5 5 4	8	14 22	75 ta 84 years	1,905 465	11.2 11.0	3	6 5	9	13 13	
gle diagnosis	710	6.5	1	2	4	7	12	5ingle diagnasis	3,175 2,465	8.6 11.8	3	5 6	7 9	10 14	
ultiple diagnoses	570 570	9.1 11.6	3	5	9	12	18 20	With surgery	4,785 855	10.3 8.3	4	6 2	8	12 10	
th surgerythaut surgery	710	4.5	i	2	3	5	8	PROSTATITIS (601)	633	0.3			3	10	
OTHER DISEASES OF KIONEY AND URETER (593)								Tatal	310	7.7	1	3	5	10	
Tatal	605	8.8	1	3	6	12	18	65 ta 74 years	200 95	7.9 7.8	2	3	6	10 11	
ta 74 yearsta 84 years	385 185	8.7 8.6	1	3 2 5	6 7	11 14	19 17	85 years and aver	îs	7.0	•	•		``	
years and aver	35	. 10.9	4		8	13	20	Single diagnasis	120 190	5.7 8.9	1 2	2	5	13	
agle diagnasis	240 365	8.4 9.1	ij	3	6	11 13	15 20	With surgery	145 165	8.8 6.7	2	3	7	14 7	
th surgerythout surgery	235 370	9.2 8.6	2	4 2	7 5	13 11	16 20	CHRONIC CYSTIC DISEASE AND OTHER	105	0.7	,				
CALCULUS OF OTHER PARTS OF								DISEASES OF BREAST (610, 611)	505		,				
URINARY SYSTEM (594) Tatal	270	6.9	1	2	5	10	13	Tatal	535 390	4.0 3.5	1	2	2	3	
ta 74 years	185	6.3	2	2	4	7	12	75 ta 84 years	120 25	4.5	į	2	3	5	
ta 84 yearsyears and over	70 15	8.6	!	2	9	12	15	Single diagnosis	395	3.7	1	1 2	2 3	4 5	
igle diagnosis	140 130	6.1 7.8	1 2	2	3	9	12 14	Multiple diagnases	140 500	4.7	1	2	j	4	
ultiple diagnases	130	7.6	2	3	6	10	15	Without surgery	35	3.6	2	2	3	4	

Table 23 MOUNTAIN: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND DISCHARGE CHARACTERISTICS—Con.

Oiognasis And Oischarge Characteristics	Number of	Average		Perce	ntiles	days)		Oiagnasis And Oischarge Characteristics	Number of	Average		Perce	entiles (	days)	
(ICOA 8th Revision)	discharges	(days)	10th	25th	50th	75th	90th	(ICOA 8th Revision)	discharges	(days)	.10th	25th	50th	75th	90th
UTEROVAGINAL PROLAPSE (623)								5PONOYLITIS OSTEOARTHRITICA (713.1)							
Total	1,490	9.7	5	7	8	11	15	Tatal	1,210	9.4	2	4	7	- 11	18
65 ta 74 years	1,105 350 35	9.3 10.4 16.7	5 5 8	6 6 9	8 9 11	10 11 17	14 16 30	65 ta 74 years 75 ta 84 years 85 years and over	550 525 135	8.8 9.8 10.2	2 2 1	3 4 5	6 8 8	11 12 10	17 19 19
Single diagnasis	820 670	9.1 10.4	5 5	6 7	8 9	10 12	13 16	Single diagnasis	280 930	8.2 9.8	1 2	3	5 8	10 11	17 18
With surgery	1,395 95	9.8 8.2	5 1	7 4	8 8	11 10	15 15	With surgery	85 1,125	15.3 8.9	3 2	6	13 7	20 11	2 <i>6</i>
POSTMENOPAUSAL BLEEDING (626.7)								ARTHRITIS, UNSPECIFIEO (715)							
Tatal	280	3.1	1	1	2	3	6	Total	1,100	12.6	2		7	13	24
65 ta 74 years	210 60 10	3.3 2.2	1	1	2 2	3 2	7 3	65 to 74 years 75 to 84 years 85 years and aver	470 445 185	12.3 11.3 16.3	2 3 2	3 4 3	6 7 7	13 12 16	25 27 37
Single diagnosis	185 95	2.2 4.8	1 2	2	2	2 6	3 9	Single diagnasis	385 715	8.5 14.8	2 2	3	5 8	10 14	18 28
With surgery	260 20	3.0	1	1	2	2	5	With surgery	140 960	17.4 11.9	3 2	5 4	16 6	23 12	32 21
CELLULITIS AND A85CE55 (681, 682)								O5TEOPORO515 (723.0)							
Tatal	760	10.4	3	4	7	13	22	Total	1,160	13.0	3		11	16	23
65 to 74 years	385 265 110	9.4 11.1 12.5	2 3 3	4) 5 6	6 8 9	12 14 12	19 21 27	65 to 74 years	430 495 235	11.8 12.7 15.6	3 3	5 6 6	10 11 11	14 16 18	20 22 27
Single diagnosis	325 435	9.6 11.0	2 3	4	7 7	12 13	19 23	Single diagnasis	305 855	10.6 13.8	4 3	5 6	9 11	14 17	19 24
With surgery	145 615	13.6 9.7	2 3	5 4	9 7	18 12	29 19	With surgery	55 1,105	24.5 12.4	7 3	10 6	24 10	30 15	42 21
OERMATITIS ANO ECZEMA (690, 692)								OISPLACEMENT OF INTERVERTEBRAL OISC (725)							
Totol	220	7.0	1	3	5	10	13	Tatal	815	12.3	4	6	9	15	27
65 to 74 years	145 45 30	6.8 7.6 7.7	1 2 1	2 3 3	5 5 6	10 9 10	12 13 14	65 to 74 years	570 225	12.4 11.8	4	6	9	15	28 21
Single diagnasis	100 120	5.0 8.7	1	3 3	4 8	5 11	9 15	85 years and aver  Single diagnasis	400 415	12.7 11.8	4 3	6	9	15 14	30 21
With surgery	15 205	7.2	1	3	5	10	13	With surgery	210 605	21.0 9.2	8 3	12	17	31	35 15
CHRONIC ULCER OF 5KIN (707)								VERTEBROGENIC PAIN 5YNOROME (728)	003	7.2				'	
Tatal	520	17.2	2	6	12	19	38	Tatal	565	11.4	2	4	8	13	2:
65 to 74 years	245 210 65	13.9 22.1 13.8	2 3 1	5 8 4	10 14 9	17 31 18	25 42 31	65 ta 74 years	340 175	12.8 8.5	3 2	4	8	13 10 13	26
Single diagnosis	235 285	13.6 20.2	1 3	4 6	10 14	16 24	30 41	85 years and aver	50 225	12.2 9.4	6	4	11 6	13	19
With surgery	190 330	18.0 16.8	3 2	9	14 11	24 19	35 38	Multiple diagnoses	340 55	12.7 23.3	2		9 13	13 25	2: 3-
RHEUMATOIO ARTHRITIS AND ALLIED CONDITIONS (712)								Without surgery	510	10.1	3	4	7	12	20
Totol	970	14.9	3	5	10	17	27	TENOSYNOVITIS (731)	5.5	7.0	,				,
65 ta 74 years	700 245	14.9 14.6	3 4	5	10 10	17 19	26 28	65 to 74 years	545 345	7.2 5.6	1	2	4	9	10
85 years and aver	25 285	14.3	3	5	9	19	25	75 ta 84 years	140 60	8.5 13.9	5		6 14	9 17	20
Multiple diagnoses	685	15.1	3	6	11	17	27 26	Single diagnosis	285 260	6.1 8.6	1 2	1 4	3 7	8	10
Without surgery	810	15.0	3	6	iò	17	28	With surgery	295 250	4.8° 10.1	1 2	1 5	3 8	5 12	20
OSTEOARTHRITIS (713.0) Total	2,140	13.6	3	5	9	18	28								
65 to 74 years	1,020 930	14.0 12.8	3 3	5 5 5	10	20 16	29 27	781) Tatal	410	6.6	1	2	4	7	14
85 years and over Single diagnosis	190 825 1 315	15.1 15.6 12.3	3 3	5	12 8	18 21 16	34 31 26	65 ta 74 years	240 155 15	6.2 6.6	1	2 3	4 5	6 7	13 13
Multiple diagnases	1,315 640	22.3	7	13	20	28	39	Single diagnasis Multiple diagnases	330 80	5.9 9.3	1	2	4	7	12 21
Without surgery	1,500	9.91	2	4	7	11	19	With surgery	15	7.3					-

## Table 23 MOUNTAIN: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND DISCHARGE CHARACTERISTICS—Con.

-	Diagnasis And Discharge		Average		Perce	entiles (	(days)		Qiagnasis And Discharge		Average		Perce	entiles (	doys)	
	Characteristics (ICDA 8th Revision)	Number of discharges	stay (days)	10th	25th	50th	75th	90th	Characteristics (ICOA 8th Revision)	Number af discharges	stay (doys)	10th	25th	50th	75th	90th
	ACUTE HEART FAILURE, UNDEFINEO (782.4)								FRACTURE OF VERTEBRAL COLUMN, DORSAL (THORACIC) AND LUMBAR,							
	Total	305	7.8	1	1	5	9	15	CLOSED (8D5.2) Tatal	895	12.8	3	6	11	16	21
1 7	55 ta 74 years	80 145 80	8.4 8.4 5.9	1 1 1	1 2 1	4 5	12 9 8	19 13 14	65 to 74 years	385 350	12.9 13.8	3 5	5 8	9 12	16 17	25 21
	Single diognasis	185 12D	6.9 9.D	1	1	4 5	9 10	14 17	85 years ond aver	160 335	10.5	3	5	9	13	17 19
,	Vith surgery	10 295	7.8			. 5	. 9	15	Multiple diagnoses	560 25	13.4	4	6	ii •	17	23
l	5YNCOPE OR COLLAPSE (782.5)	273	7.0		,			,,,	Without surgery	870	12.5	3	6	11	16	21
	Tatal	27D	4.6	1	2	3	5	1D	Tatal	795	11.7	2	4	9	15	22
7	5 to 74 years	120 11D 40	5.1 4.6 3.2	] ] ]	2 2 1	3 3 2	5 5 5	13 8 6	65 to 74 years	395 300	10.1 13.6	2 3	4 5	8 11	13 18	19 25 32
Š	ingle diagnasis	21D 60	4.4 5.3	1	2	3	5 8	6 13	5ingle diagnasis	100 230	12.8 8.6	2	3	5	13	18
	Vith surgery	5 265	4.5	1	2	3	5	. 8	Multiple diagnases	565 35	13.D 16.3	2	6	10	17 23	24 27
	EPISTAXIS (783.0)								Without surgery	760	11.5	2	4	9	14	21
4	Tatal	450 215	5.5 7.3	1	1 2	3	5	9 1D	Total	520	20.9	4	8	15	3D	42
7	5 to 84 years	185 5D	3.9 3.6	i 1,	1 2	2	5	9 6	65 ta 74 years	160 260 100	19.D 22.2 20.3	4 2	7 10	12 16 17	26 32 32	37 44 43
	ingle diagnasis	380 70	5.5 5.4	] ]	1 2	3 3	5 6	8 12	Single diagnosis	245	17.8	3	6 8	13	24	37
	Vith surgeryVithaut surgery	60 390	15.4 4.0	1	2 1	4 3	11 4	16 7	Multiple diagnases	275 25	23.6	4		20	34	47
	PAIN IN CHEST (783.7)								Without surgery	495	20.2	4	7	15	29	40
	Tatal	215 165	4.3 4.D	1	1	3	5	8	OF TRUNK, CLOSED (8D9.D) Tatal	360	23.7	4	9	17	26	49
7	5 ta 84 years	45	5.7	į	2	5	8	10	65 to 74 years	135 160	21.9 27.2	1 6	4 12	13	29 28	48 80
8	ingle diagnosis	180 35	4.2 4.4	1 1	2 1	3 2	5 7	8 9	85 years and over	65	18.8	3	12	15	21	33 44
٧	Vith surgery	5 210	4.2	1	* 1	3	6	9	Single diagnosis Multiple diagnoses	180	27.3	6	10 5	20	34	77
	A8DOMINAL PAIN (785.5)								With surgery	85 275	18.6 25.2	3	11 8	15	21 29	36 65
6	Tatal	540 345	6.D 5.1	1	2	3	6	12	FRACTURE OF UPPER END OR SHAFT OF HUMERUS, CLOSED (812.D, 812.2)							
7	5 ta 84 years	135 60	7.4 8.2	1	2	2 6	3 11	14 15	Total	715 265	10.4 8.D	2	2	6	13	20 15
8	ingle diagnosis Aultiple diagnases	445 95	6.1 5.7	1 1	2 1	3	6	11 13	75 ta 84 years	350 100	11.0 14.7	2 2	4	8 7	14	20 37
	Vith surgery	4D 500	13.9 5.4	4 1	5 2	12 3	18 5	25 9	Single diagnosis	425 290	8.9 12.7	1 2	3 5	5 1D	9	20 20
	RETENTION OF URINE (786.1)								With surgery	150 565	8.5 10.9	1 2	3	5 7	10 14	18 20
	Total	245 13D	8.7 7.4	1	2	6 5	12 1D	18 16	FRACTURE OF UPPER END OR UNSPECIFIED PART OF RADIUS AND							
8	5 ta 84 years	7D 45	1D.9 8.8	1	5 3	9 6	13 8	21 19	ULNA, CLOSED (813.D) Tatal	225	7.5	1	2	4	1D	18
8	ingle diagnasis	200 45	8.4 9.6	1	3 4	6	12 13	18 17	65 to 74 years	125 75	8.3 3.8	1	1	4 3	11 4	21 6
V	Vith surgeryVithout surgery	105 140	10.5 7.2	3 1	5 1	8	13 9	20 15	85 years and over	25 145	4.9	1	1	3	6	11
	HEMATURIA (789.3)	215						10	Multiple diagnases	80	12.1	2	3	7	17 1D	24
6	Total	315 185	6.3	1	2	3	7	13 12	With surgery Without surgery	155 7D	8.2 5.9	1	2	3	6	16
8	5 to 84 years	85 45	6.9 5.8	1	2	4	6	16 12	FRACTURE OF LOWER END OF RADIUS AND ULNA, CLOSED (813.4)	2/5						7
٨	ingle diagnasis Aultiple diagnases	290 25	6.2	!	2	4	6	13	Tatal	360 205	5.0	1	1	2	5	7
	Vith surgery	18D 1351	5.7 7.D	11	2	3	7 5	12 17	75 ta 84 years	145 1D	3.7	1	11	3	*	*
									Single diagnasis	270 90	4.1 5.3	1	2	2	6	6 11
									With surgery	215 145	5.2 3.2	1	1	3 2	4 4	9 6

Table 23 MOUNTAIN: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND DISCHARGE CHARACTERISTICS—Con.

Oiagnasis And Oischarge Characteristics	Number of	Average stay		Perce	entiles (	days)		Oiagnasis And Oischarge Characteristics	Number of	Average stay	-	Perce	entiles (	days)	
(ICOA 8th Revision)	discharges	(days)	10th	25th	50th	75th	90th	(ICOA 8th Revision)	discharges	(days)	10th	25th	50th	75th	90th
FRACTURE OF INTERTROCHANTERIC SECTION OF NECK OF FEMUR, CLOSEO								CONCUSSION (850)							П
(820.2) Total	1,305	23.4	8	13	18	28	43	Tatal	270 155	7.8 7.5	1	2	5	11	13 15
65 ta 74 years	320	25.2	11	14	19	29 30	45	75 ta 84 years	90 25	8.7	2	4	6	iŏ	i
75 to 84 years	640 345	24.4 19.9	8 7	13 13	18 17	26	46 32	Single diagnasis	60 210	4.2 8.8	1 2	1 3	2 7	5 11	11 15
Single diagnosis	760 545	21.1 26.7	8 9	13 14	17 21	24 34	35 49	With surgery	30 240	21.8 6.0	10	11	19	28	34
With surgery	1,055 250	21.8 30.1	10 1	14 6	18 21	27 43	36 65	LACERATION AND OPEN WOUND	240	0.0			7		l "
FRACTURE OF OTHER AND UNSPECIFIED PART OF NECK OF FEMUR, CLOSEO								OF HEAD, NECK, AND TRUNK (870-879)							
(820.4) Tatal	3,300	21.3	4	10	17	25	40	Tatal	500 235	5.6 4.8	1	1	3	7	10
65 ta 74 years	810	21.5	4	10	17		39	75 ta 84 years	180 85	6.7 5.2	i	2 2	4	7 7 8	i
75 ta 84 years	1,590 900	21.5 20.8	4 3	10 9	17 17	26 25 23	38 41	Single diagnasis	105 395	3.6 6.1	1	1 2	2 4	5	1
Single diagnasis	2,015 1,285	20.4 22.6	3 4	10 10	17 18	24 27	37 46	With surgery	130 370	7.7 4.8	1	2	4 3	9	1:
With surgery	2,295 1,005	20.4 23.2	7 1	12 4	17 15	25 28	35 57	CONTUSION AND CRUSHING WITH	370	4.0	'		3		"
FRACTURE OF OTHER AND UNSPECIFIED PARTS OF FEMUR (821)								INTACT SKIN SURFACE (920-929)  Total	1,435	7.8	1	2	5	10	13
Tatal	515	25.2	3	9	17	32	60	65 ta 74 years	610	6.7	1	2	4	9	14
65 ta 74 years	165 230	29.5 23.5	2 2 3	9	17 18	34 33	82 43	75 ta 84 years	585 240	8.3 9.3	i	2	6 5	11	2
85 years and over	120 345	22.4		11 10	18 17 20	24 32	48	Single diagnasis	420 1,015	5.4 8.8	1	2	4	7 11	11
Single diagnasis	170	26.1 23.3	3		14	32	56 55	With surgery	105 1,330	11.5 7.5	1	4 2	9	14 9	18 17
With surgery	265 250	23.3 27.1	8	13 4	20 12	31 36	38 84	AOVERSE EFFECT OF MEDICAL AGENTS (960-979)							
FRACTURE OF TIBIA AND FIBULA (823)							20	Tatal	900	7.0	1	2	5	8	14
Tatal	330 195	14.0 15.3	1 2	5	11	19 21	28 29	65 ta 74 years	535 300	7.7 5.4	1	3 2	5 4 7	9	18 10
75 ta 84 years	90 45	12.4 12.0	1 2	5 2	10 8	19 20	21 22	85 years and aver	65 260	9.3 4.7	3	5		6 9	13
Single diagnasis	210 120	10.8 19.7	1	4	9 19	14 26	20 32	Single diagnosis	640	8.0	2	3	3 5	6 9	17
With surgery	135 195	13.2 14.6	2	6	10 11	18 19	28 28	With surgery	55 845	12.3 6.7	1	2 3	9 5	15 8	2: 1:
FRACTURE OF ANKLE (824)	.,,5							IMPLANT AND COMPLICATIONS OF MECHANICAL NATURE FROM INTERNAL							
Tatal	395	9.5	1	3	6	12	20	PROSTHETIC DEVICE (997.5)  Tatal	190	10.4	2	3	7	12	24
65 ta 74 years	265 105	7.8 14.1	1	3 6		9 16	18 24	65 ta 74 years	105 65	12.6 7.0	2		-	16	30 1
85 years and over	25 250	8.6	1	3		11	20	75 ta 84 years	20	•		3.	;	8	·
Multiple diagnoses	145 235	11.0 10.7	2	4	7	14	21	Single diagnasis	130 60	11.0 9.2	2 2	3 2	7	14	24 12
Without surgery	160	7.8	2	3	4	13 10	19	With surgery	120 70	11.1 9.1	2 2	3 5	5 7	15 9	25 12
MULTIPLE FRACTURES INVOLVING 80TH LOWER LIMBS, LOWER WITH UPPER LIMB, ANO LOWER LIMB WITH RIB ANO STERNUM (828)															
Tatal	325	22.1	5	10	16	31	45								
65 ta 74 years	185 100	19.0 26.1	5 2	10 8	15 22 17	27 36	36 56								
85 years and aver	40 160	26.2 17.1	3	15 8	17	40 21	49 29								
Multiple diagnases	165	26.9	5	11	24	39	52								
With surgery	205 120	23.4 19.9	6 2	11 7	17 15	32 27	47 40								
SPRAINS AND STRAINS OF BACK (846, 847)															
Tatal	945	8.7	3	4	7	11	16								
65 ta 74 years	525 330 90	8.2 9.8 7.8	3 3 2	4 5 4	6 8 7	11 11 10	15 17 14								
Single diagnasis	375	7.7	3	4	6 7	10	13								
Multiple diagnases	570 20	9.4	3	4		11	17								

### Table 24 MOUNTAIN: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED SURGICAL PROCEDURES, AND DISCHARGE CHARACTERISTICS

Surgical Pracedures And	Number of	Average	1	Perce	ntiles (	(days)		Surgical Pracedures And	Number of	Average		Perce	entiles (	days)	
Oischarge Characteristics (CPT 1st Edition)	discharges	stay (days)	10th	25th	50th	75th	90th	Oischarge Characteristics (CPT 1st Edition)	discharges	(days)	10th	25th	50th	75th	90th
MASTECTOMY, COMPLETE, SIMPLE								REPAIR OF VENTRAL HERNIA (3661)							
(0457) Totol	335	9.8	2	5	8	12	17	Tatal	640	9.5	4	5	7	11	16
65 to 74 years	155 125 55	8.8 11.2 9.4	2 3 3	4 i 6 5	7 9 6	10 13 14	17 17 17	65 ta 74 years 75 to 84 years 85 years and aver	435 185 20	8.9 10.6 *	4 3 *	5 5 *	7 9 *	10 14	14 21
Single diognasis	210 125	9.7 9.9	2 3	4 5	8 8	10 13	18 17	Single diagnasis	370 270	7.8 11.8	3 4	4 7	6 9	10 14	14 22
MASTECTOMY, RADICAL (0470) Tatal	540	10.6	6	7	9	11	15	PROSTATECTOMY, EXCEPT TRANSURETHRAL (4311-4313, 4316, 431X)							
65 to 74 years	415 120 5	10.2 11.7	5 6 *	7 8 *	9 10 *	11 11	14 16	Tatal	1,020 530	16.3 15.2	8	10 10	14 13	18 18	26 23
Single diagnosis	320 220	9.5 12.1	5 6	7 8	9 10	11 12	13 18	75 to 84 years 85 years and over		17.8 16.3	7		15	19 17	33 25
REOUCTION OF FRACTURE OF HIP (0865-0868, 0872-0874)								Single diagnasis Multiple diagnases PROSTATECTOMY, TRANSURETHRAL	565 455	13.7 19.5	8 7	10 11	12 16	16 22	19 37
Tatal	2,755	22.0	9	13	18	26	37	(4321)							
65 ta 74 years	665 1,295 795	21.7 23.1 20.3	10 9 7	13 13 13	18 19 18	26 27 24	37 38 34	Tatal	4,895 2,855	9.4	4	6	7	12	15
Single diagnosis	1,690 1,065	19.9 25.3	8 9	13 14	17 21	24 31	34 45	75 to 84 years 85 years and over	1,710 330 2,750	11.9 13.8 8.6	5 5 4	6 7 5	9 10 7	13 14 10	20 25
ANTHROPLASTY OF HIP (1150) Totol	1,560	23.2	10	15	20	28	38	Multiple diagnoses	2,145	13.0	5	5 7	10	14	23
65 to 74 years	610 680 270	25.7 22.2 19.9	13 11 7	17 15 11	23 19 17	30 27 24	41 35 39	4501, 4505, 450X) Total	680	9.2	5	6	8	10	14
85 years and over		23.3 22.9	12	16 14	20 20	28 28 28	37 37 39	65 ta 74 years	515 160 5	8.8 10.5	5 5 *	6	7 9	10 11 *	13 15
GASTRECTOMY (3112, 3114, 3115, 3118, 3119, 311X)			ĺ					5ingle diagnasis	375 305	8.9 9.5	5 4	6	7 8	10 12	13 15
Tatal		17.7	8	11	14	23	29	HY5TERECTOMY, A800MINAL (INCLUDING PELVIC EXENTERATION)							
65 to 74 years	440 185 15	17.7 17.3	8 8 *	11 10 *	14 14 *	23 22 *	29 29 *	(4617, 4618, 4621, 4624-4627)  Tatal	550	11.3	7	8	9	13	16
Single diagnosis	295 345	17.1 18.2	9 8	11 10	14 15	22 23	26 30	65 ta 74 years	435 110 5	11.0 12.3	7 7 *	8 8 *	9 10 *	12	15
COLECTOMY (3178, 3180)	1,165	20.2	9	12	17	23	34	Single diagnasis	195 355	11.2 11.4	7 7	8	9	12 14	15
65 to 74 years	685 435	20.2 19.1	9 8	12 12	16 17	22 23	31 32	HY5TERECTOMY, VAGINAL (4631)							
85 years and over	45	31.0	1	13	25	44	54	Tatal	565	10.5	6	7	9	12	15
Single diagnosis	510 655	17.9 22.0	9 9	11	16 17	21 25	28 44	65 ta 74 years 75 ta 84 years 85 years and over	415 145: 5	10.0 11.5	6 6 *	7 8 *	9 10 *	11 13 *	1;
Totol	560	9.2	4	5	7	11	15	Single diagnosis	325 240	10.1 11.0	6	7 8	9	12 12	14 16
65 to 74 years	420 125 15	8.6 11.8	4 5 *	5 6 *	7 10 *	9 13	14 17	OILATION ANO CURETTAGE UTERUS, OIAGNOSTIC (4647)							
Single diognasis	255 305	6.9 11.1	3 5	5 6	6 8	8 13	11 17	Total	660 505	3.7 3.6	1	1	2	3	1
CHOLECYSTECTOMY (3515)								75 ta 84 years	140 15	4.2	1	1	2	5	,
Totol	2,605	14.7	7	8	12	17	26	Single diagnasis	360 300	2.7 4.9	1	1 2	2 2	2	ć
65 to 74 years	1,745 770 90	13.6 16.8 19.2	7 7 12	8 10 14	10 14 17	15 21 23	23 28 28	EXTRACTION OF LENS (5611, 5612)	7,440	5.8	3	4	5	6	8
Single diagnasis	1,335 1,270	12.3 17.2	7	8 10	10 14	14 21	20 30	65 to 74 years		5.5 6.1	3	4 4	4 5	6	7
REPAIR OF INGUINAL HERNIA, EXCEPT RECURRENT (3630-3632)								85 years and aver	575 5,585	5.9 5.5	3	4	5	7 6	, é
Tatol	3,290	7.6	3	4	6	8	12 10	Multiple diagnases	1,855	6.8	3	4	5	7	11
65 to 74 years 75 to 84 years 85 years and aver	2,135 955 200	6.9 8.5 10.0	3 3 4	4 4 5	6 7 7	10 11	14								
Single diagnosis	2,260 1,030	6.6 9.7	3 4	4 5	5 8	7	9 17								

# Table 25 PACIFIC: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND DISCHARGE CHARACTERISTICS

Diognosis And Dischorge Chorocteristics	Number of dischorges	Averoge stoy			entiles (			Oiognosis And Oischorge Chorocteristics	Number of	Averoge stoy			ntiles (		
(ICDA 8th Revision)	uischorges	(doys)	10th	25th	50th	75th	90th	(ICDA 8th Revision)	dischorges	(doys)	10th	25th	50th	75th	90th
DIARRHEA (009.1)								MALIGNANT NEOPLASM OF ESOPHAGUS (150)							
Total	685 305	8.0 6.7	2	3	6 5	10 7	15 14	Total	625	13.0	1	4	10	17	2
65 to 74 yeors 75 to 84 yeors 85 years ond over	303 315 65	9.2 8.7	3	3	7 5	12 11	15 15	65 to 74 yeors	420 155 50	11.3 18.7	1 2	3 8 3	13 8	16 20 16	2: 4: 2:
Single diognosis	160 525	6.1 8.6	1 2	2 4	5 6	6 12	11 15	Single diognosis	270	10.3	1 2	3	. 9	16	2
With surgery	45 640	15.7 7.5	7 2	8 3	11 5	21 10	26 14	Multiple diognoses	355 340	13.6	2	5	10	18 18 15	2 2 2
GASTROENTERITIS AND COLITIS (009.2)								MALIGNANT NEOPLASM OF STOMACH	285	12.9		3	8	15	2
Total	5,175 2,595	6.4 5.8	1	2		8	12	(151) Totol	1,940	15.0	3	6	12	20	2
75 to 84 years	1,925 655	6.9 7.2	i 2	2 2 3	4 5	8 9	13 14	65 to 74 yeors	920	16.2	3	7	13	21	3
Single diognosis	1,725 3,450	5.0 7.0	1 2	2	3 5	6 8	10 13	75 to 84 yeors	835 185	14.5 11.4	4	6	13	20 16	2
With surgery	220 4,955	13.3 6.0	3	5 2	13 4	18 7	23 11	Single diognosis	535 1,405	14.5 15.2	3	6	13	19 21	2
PLEURISY WITH EFFUSION WITHOUT MENTION OF CAUSE (012.2)								With surgery	840 1,100	18.0 12.8	8	11	16 8	22 17	2
Total	625	11.6	2	4	7	15	27	MALIGNANT NEOPLASM OF CECUM, APPENDIX AND ASCENDING COLON (153.0)							
65 to 74 yeors	305	9.8 12.2 14.8	2 2 3	3 4 6	6 8 12	13 16 20	24 27 26	Total	1,335	16.6	4	9	14	19	3
Single diagnosis	130	8.5	2 2	3 4	6 8	12	18	65 to 74 years	620 585 130	16.6 15.6 21.2	5 3 3	9 9 7	14 14 14	19 19 31	3/ 2 4
Multiple diognoses	140	12.4	2	3	11	16 22	27 30	85 years and over	420	15.0	3	9	14	19	2
Without surgery	485	10.7	2	4	7	14	22	Multiple diognoses	915 875	17.3 17.6	5 8	9	14	21 19	2
Totol	790	13.6	1	4	10	18	26	Without surgery	460	14.8	1	4	10	18	3
65 to 74 years	345 310 135	13.7 12.4 16.2	2	5 3 3	10	15 17 19	40 22 42	TRANSVERSE AND DECENDING COLON (153.1, 153.2)							
Single diagnosis		6.1	1	1 5	4	7 18	15 33	Total	730 355	17.5 19.4	3	9	14	21	3
With surgery	115	17.5	4	7	11	18 17	39	75 to 84 years	265 110	15.3 17.0	4	9 7	12	18 24	2
Without surgery	675	12.9	'	4	9	17	25	Single diognosis	265 465	16.1 18.4	4 3	10 9	14 14	17 24	2
Total	1,145	10.2	2	4	8	12	20	With surgery	505 2 <b>2</b> 5	18.9 14.4	9	11	15	21 18	3
65 to 74 years	450 565 130	8.1 12.2 9.0	2 3 1	3 5 3	6 8 8	11 14 13	15 23 18	MALIGNANT NEOPLA5M OF SIGMOID COLON (153.3)							
Single diagnosis	350	7.6 11,4	) 1 3	3 4	6 8	10 14	13	Total	1,370	17.6	6	10	15	21	3
With surgery	45	11.2	4	5	7	14	24	65 to 74 yeors	650 605	16.5 18.1	7 <sup>1</sup>	10 10	13 15	20 23	34 3
OTHER VIRAL 015EA5E5 (070-079)	1,100	10.2	2	4	8	12	19	85 yeors and over	115 540	21.0	5 7	13 9	17	26 18	2
Totol	765	8.7	2	4	6	10	16	Multiple diognoses	830	19.3	6	11	17	24	3
65 to 74 years	360 320	8.8 8.9	3 2	4	6	10 10	16 16	With surgery	1,040 330	17.6 17.7	9	11 5	15	21 23	25
85 years and over	85	7.4 7.6	1 2	3	6	9	14	MALIGNANT NEOPLASM OF UNSPECIFIED PART OF LARGE INTESTINE (153.8)							
Multiple diognoses	535	9.1	3	3	7	11	16 14	Total	2,535 1,295	14.5 13.9	2	5	11	18	2
With surgery		7.6 8.7	2	4	6	iò	16	75 to 84 years	1,055	15.2 14.8	2	5.4	12 13	19	3
MALIGNANT NEOPLA5M OF BUCCAL CAVITY AND PHARYNX (140-149)	1)							Single diognosis	675 1,860	12.7 15.2	2 2	4 5	10 11	16 19	2
Totol	1,575 975	9.0 8.6	1	2	5	11	19 19	With surgery	1,005 1,530	18.9 11.6	7	10	14	22 14	3 2
75 to 84 years	480 120	9.7 9.8	1 2	3 4	5	13 14	24 21	MALIGNANT NEOPLASM OF RECTUM ANO RECTOSIGMOIO JUNCTION (154)	1,550	,1.0		3		'	
Single diognosis	740 835	6.7 11.1	1	2 3	4 7	7 14	14 24	Total	2,565	15.8	3	7	14	21	3
With surgery	1,000 575	8.1 10.6	1	2 3	4 6	10   12	19 22	65 to 74 yeors	1,275 1,120	15.8 16.4	3	7 7	14 14	20 22	2
								85 years and over	170 955	12.4 15.0	2	3 6 7	10	19 20	2
								Multiple diognoses	1,610	16.3	3	7	14	21	30

Table 25 PACIFIC: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND DISCHARGE CHARACTERISTICS—Con.

Diagnosis And Oischorge		Averoge		Perce	entiles (	(days)		Oiognosis And Oischorge		Averoge		Perce	entiles (	doys)	
Chorocteristics (ICOA 8th Revision)	Number of dischorges	stoy (doys)	10th	25th	50th	75th	90th	Chorocteristics (ICDA 8th Revision)	Number of dischorges	stoy (doys)	10th	25th	501h	75th	90th
MALIGNANT NEOPLASM OF PANCREAS (157)								MALIGNANT NEOPLASM OF OVARY (183.0)							
Totol	1,455	15.1	2	6	12	20	28	Total	1,245	13.3	2	4	10	18	28
65 to 74 years	875	14.3	1	5	12	20	27	65 to 74 yeors	855	13.2	2	5 3	10	16	27 29
75 to 84 years	465 115	16.9 13.8	3 4	6	13 10	20 20	33 26	75 to 84 years	335 55	13.4. 14.7	i	3	14	19	27
Single diognosis	410 1,045	14.8 15.2	2 2	5	11 12	18 21	30 28	Single diognosis	305 940	10.5 14.3	1 2	3 5	10	14 19	21 30
With surgery	590 865	18.7 12.6	7	11	17 8	23 18	30 26	With surgery	555 690	17.0 10.4	6 1	9	13	22 14	31 21
MALIGNANT NEOPLASM OF LARYNX (161)								MALIGNANT NEOPLASM OF PROSTATE (185)							
Total	635	9.7	1	1	5	14	19	Tatal	6,940	9.9	2	4	7	12	20
65 to 74 yeors	190	10.1 7.2 *	1	1 1	5 4 *	15 8	22 16	65 to 74 years 75 to 84 years 85 years and over	3,350 2,915 675	9.9 9.7 11.3	2 2 2	4 4	6 7 8	12 12 14	20 19 24
Single diognosis	330	9.2 10.3	1	1 2	2 7	13 15	19 22	Single diognosis	2,715 4,225	8.5 <sub>1</sub>	1 2	3 4	6 8	10	17 22
With surgery	455	8.5	1	1	3	14	18	With surgery	4,260	9.9	2	4 3	7	12	19
MALIGNANT NEOPLA5M OF TRACHEA. BRONCHU5, AND LUNG (162)	180	12.7	'	3	6	15	39	MALIGNANT NEOPLASM OF BLAODER (188)	2,680	10.0	'	3	6	13	22
Total	7,285	12.4	2	4	8	16	26	Total	4,695	8.9	1	3	5	10	19
65 to 74 years	2,105	12.5 12.4 10.8	1	4 3 4	9 8 8	16 16 15	28 26 21	65 to 74 yeors 75 to 84 yeors 85 yeors ond over	2,535 1,805 355	8.6 9.2 9.5	1 2 3	2 3 4	5 5 7	10 10 10	18 19 17
Single diognosis Multiple diognoses	2,370	10.8 13.2	1	3 4	8 9	14 17	21 29	5ingle diagnosis Multiple diagnoses	2,550 2,145	7.4 10.7	1 2	2 4	4 7	7	16 22
With surgery	2,970	12.5 12.3	2	4 3	10 7	16 15	25 28	With surgery	3,760 935	7.8 13.4	1 2	3 3	5 7	9	17 35
MALIGNANT NEOPLASM OF 5KIN (172, 173)	,,,,,							MALIGNANT NEOPLA5M OF KIONEY, EXCEPT PELVIS (189.0)							
Totol	2,465	6.6	1	2	3	8	14	Totol	705	12.8	2	5	9	16	27
65 to 74 years	965	6.2 7.0	1	2 2	3	8	14 13	65 to 74 yeors	445 220	12.0 14.0	1 3	3 6	9 10	15 19	26 26
85 years and over	1,395	7.0 5.3	1	1	2	5	16	85 yeors ond over	40 195	13.9	3	7	10	17	27
Multiple diagnoses		8.3 5.8		2 2	3	10	16	Multiple diognoses	305	12.7 16.1	2	8	9	20	28 35 22
Without surgery	520	9.5	1	3	6	12	18	Without surgery	400	10.2	1	3	7	14	22
(174)	5 (00	,,,,		,		12	22	RETICULUM-CELL SARCOMA (200)	1,150	12.9	2	4	9	18	24
Totol	5,680 3,340	11.7	3	6	8	13	23	Total	725	12.7	2	4	10	18	26 26
75 to 84 years		11.8	3	6	9	14	23 21	75 to 84 years	340 85	13.4 11.5	2	3	8	19 17	27 24
Single diognosis	2,160 3,520		3	6	8 9	10 16	15 26	Single diagnosis	480 670	11.7 13.8	1 2	3 4	10 10	16 19	25 27
With surgery	3,435 2,245	10.6 13.3		6 4	8 9	12 18	17 28	With surgery	365 785	15.4 11.8	2 1	5 4	11 8	22 17	33 24
MALIGNANT NEOPLASM OF CERVIX UTERI (180)								HODGKIN'S DISEASE AND OTHER NEOPLASMS OF LYMPHOID TISSUE (201, 202)							
Totol	1,170	7.6	1	2	4	9	15	Total	945	11.4	1	4	8	16	23
65 to 74 years	355	7.7 7.1	1	2 2	4 4 7	9 9 10	16 14 20	65 to 74 years	565 330	10.6 12.8	1 3	3	7 9	14	23 24
85 years and over	635	5.5	1	2	3	6	10	85 years and over	50	11.2	3	6	9	14	18
Multiple diagnoses	720	7.4	1	3	4	12	18	Single diagnosis	520	13.2	3	6	11	17	23
Without surgery		8.0	'	3	5	11	16	With surgery	325 620	12.4 10.9	1	3 4	9 8	17 15	25 22
EXCEPT CERVIX (182) Totol	1,930	8.7	2	3	7	10	16	MULTIPLE MYELOMA (203)  Total	855	12.6	2	5	10	16	24
65 to 74 years	1,385	7.9	1	3	7	9	13	65 to 74 years	460 355	13.6 11.2	2 3	4 6	10	18	31 21
75 to 84 years	115		3			11	21 28	75 to 84 years	40	14.2	4	5	9	25	27
Single diognosis	950		3	5	5 8	12	12 21	Single diognosis	245 610	10.4	3	6	11	17	25 25 40
With surgery	1,500	7.9		3 4	7 7	13	13 27	With surgery	35 820	24.0 12.2		11 5	16	16	24

Table 25 PACIFIC: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND DISCHARGE CHARACTERISTICS—Con.

Oiognosis And Dischorge Chorocteristics	Number of	Averoge stoy		Perce	entiles (	doys)		Diognosis And Oischorge Chorocteristics	Number of	Average		Perce	entiles	(doys)	
(ICOA 8th Revision)	dischorges	(doys)	10th	25th	50th	75th	90th	(ICOA 8th Revision)	dischorges	stoy (doys)	10th	25th	50th	75th	90th
LEUKEMIA (204-207)								AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCY (260-269)							
Total		11.4	1	3	7	14	25	Total	1,145	10.2	2	4	8	13	21
65 to 74 years	925 875 125	11.9 10.9 11.4	1 2 1	3 3 3	7	15 14 13	26 24 29	65 to 74 years	490 470	9.6 9.5	2 2	4	7 8	12 12	20 18
Single diognosis	690	10.9	1	3	6	13	22 25	85 years and over	185	13.6	î	4	10	20	25
Multiple diagnoses	1,235	11.7	3	5	8 9	14 21	35	Single diognosis	180 965	10.5	2	2 4	8	11 14	22 21
Without surgery		11.1	ì	3	7	14	24	With surgery	60 1,085	15.4 9.9	7 2	11 4	13 8	20 13	23 20
INTESTINE, EXCEPT RECTUM (211.3)								GOUT (274)							
Total		11.4	3	7	10 10	13	21 19	Total	800 410	8.7 8.4	2	4	6	11 10	16 16
75 to 84 years	295 30	12.4	1 2	6 3	11	16	23 13	75 to 84 years	315 75	8.5 10.9	2 2 4	4 6	7 10	11	14 18
5ingle diagnosis	420 510	9.5 13.0	1 4	6 7	9 10	12 14	17 27	Single diognosis	195 605	7.0 9.2	2 3	3 4	6 7	8 12	14 16
With surgery	715 215	12.3 8.5	5 1	8 2	10 5	13 10	21 19	With surgery	70 730	12.1 8.3	2 2	3 4	12 7	17 10	25 15
BENIGN NEOPLASM5 OF RECTUM (211.4)								IRON OEFICIENCY ANEMIAS (280)							
Total	605	7.1	1	2	4	9	16	Total	1,675	8.7	2	4	6	10	16
65 to 74 years	220	6.5 6.8 12.6	1 1 2	2 2 6	3 14	9 7 17	12 16 18	75 to 84 years	705 705 265	9.1 8.6 8.2	2 2 2	4 4 3	8 6 5	11 9 9	16 16 15
Single diognosis	365	5.3 9.9	1 2	2	3	7	12 18	Single diagnosis	335 1,340	6.2 9.4	2 2	3	5 7	11	10 17
Multiple diagnoses	535	7.2	1	2	4	9	16		145	15.0	4	7	11	18	29
Without surgery	70	6.6	1	2	4	6	10	PERNICIOUS ANEMIA (281.0)	1,530	8.1	2	4	6	10	15
Totol	855	4.7	1	1	2	5	10	Total	450	9.9	3	5	7	11	17
65 to 74 years	705 145	4.3 5.9	1 2	1 2	2 3	4 8	9 11	65 to 74 yeors	175 230	9.6 10.2	2 2	5 5	7 8	12 11	16 20
85 years and over	5	3.1	1	*	2	3	*	85 years and over	45 110	9.1 9.81	4	2	6 7	10	16 22
Single diagnosis	315	7.3	2	3	5	9	17	Multiple diognoses	340	9.9	3	5	8	11	17
With surgery	810 45	4.7 5.0	1	1	3	5	10 11	With surgery	35 415	11.4 9.7	6 3	7	7	12 11	19 17
NEOPLASMS OF UNSPECIFIED NATURE OF 8LAOOER (237.6)								ALL OTHER AND UNSPECIFIED ANEMIAS (281.1-281.9, 282-285)							
Total		4.6	1	2	3	5	8	Total	3,885	8.1	1	2	5		16
65 to 74 years	385	3.7 5.0 8.4	1 1 3	1 2 3	2 3 5	4 5 10	7 9 16	65 to 74 yeors	1,625 1,720 540	8.1 7.9 8.9	1 1	2 2 3	5 5 6	10 10 11	17 16 18
Single diognosis	715 320	3.7 6.6	1	2	2 5	4 8	6 13	Single diognosis	895 2,990	5.2 9.0	1	1 3	3 6	7	12 18
With surgery	955 80	4.6 4.2	1	2 1	3	5	8	With surgery	305 3,580	16.7 7.4	4	9	12 5	23	36 15
DISEASES OF THYROIO GLANO (240-246)								AFFECTIVE P5YCHO5E5 (296)							
Total	1,390	9.3	2	4	5	10	18	Total	1,000	15.6	3	6	11	21	31
65 to 74 years		8.2 12.4 9.0	2 3 2	3 4 4	5 7 9	9 13 10	18 19 16	65 to 74 years	695 280 25	15.4 15.9	3	6	11 13	21	31 31
Single diognosis	425 965	6.0 10.8	2	3	5 6	6 13	10 21	Single diagnosis	470 530	16.8 14.6	3 3	8 5	14 10	22 19	33 30
With surgery		6.5 11.5	3 2	4 4	5	6 14	10 21	With surgery	15 985	15.4	3	6	11	21	31
OIABETES MELLITUS (250)								ANXIETY NEUROSIS (300.0)							
Total		10.0	2	4	7	12	19	Total	900	5.3	1	2	3	6	10
65 to 74 years	7,715 4,375 955	9.8 9.9 11.0	2 2 2	4 4	7 7 8	11 12 13	20 19 24	65 ta 74 yeors	630 245 25	5.5 5.0	1	2 2	3 4	6	10
Single diagnosis	2,220 10,825	8.1 10.3	2 2	3	6 7	10 12	15 20	Single diagnosis	285 615	5.7 5.1	1	2 2	3	6	11 9
With surgery	1,205 11,840	16.4 9.3	2 2	5	12 7	23   11	33	With surgery	5   895	5.2	1	2	3	6	• 9

Table 25 PACIFIC: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND DISCHARGE CHARACTERISTICS—Con.

Diognosis And Oischorge	I,	Averoge		Perce	entiles (	(doys)		Oiognosis And Dischorge		Averoge		Perce	entiles (	doys)	
Chorocteristics (ICOA 8th Revision)	Number of dischorges	stoy (doys)	10th	25th	50th	75th	90th	Chorocteristics (ICOA 8th Revision)	Number of dischorges	stoy (doys)	10th	25th	50th	75th	90th
OEPRE55IVE NEUROSIS (300.4)								NEURALGIA AND NEURITIS, UNSPECIFIED							
Total	1,250	11.4	2	4	8	16	22	(355)							
65 to 74 years	860	10.6	2	3	7	15	20	Totol	760	8.8	1	3	6	10	18
75 to 84 years	375 15	13.3	3	5	10	19	26	65 to 74 yeors	440 245 75	8.1 10.1 9.0	2	3 4 2	5 7 7	10 10 12	16 25 20
Single diognosis		11.9 11.1	1 2	3 4	9 7	17 15	24 20	Single diognosis	290	7.1	1	2	, 5 7	8	15
With surgery	30 1,220	11.7 11.4	4 2	5	8	18 16	19 23	Multiple diagnoses	470 105	9.9 14.0	2 2	4	7 9	11 24	25
Without surgery	1,220	11.4	2	4	°	10	23	With surgery	655	8.0	í	3	6	9	31 15
Total	2,125	6.4	1	2	4	8	14	CATARACT (374)	03.346		,			,	
65 to 74 years	1,840 275	6.1 7.8	1	2	4 5	7 9	13 16	Total	21,145 9,525	5.9	3	4	5	6	8
85 years and over	10	*	*	•	•	•	•	75 to 84 years	9,675 1,945	6.0 6.4	3 3	4 4	5	6	9
Single diognosis	720 1,405	4.6 7.3	1	1 2	3 5	5 9	10 15	Single diognosis	15,410 5,735	5.6 6.7	3	4	5 5	6 7	8 10
With surgery	25 2,100	6.2	1	2	4	8	13	With surgery	20,170	5.9	3	4	5	6	8
MENTAL DISORDERS NOT SPECIFIED AS FSYCHOTIC, ASSOCIATED WITH PHYSICAL								Without surgery	975	5.9	1	3	5	7	10
CONDITIONS (309)								GLAUCOMA (375) Totol	1,615	5.7	1	2	4	6	10
Total	2,990	8.6	1	3	6	11	17	65 to 74 years	900	5.1	1	2 3	4	6	9
65 to 74 years		8.5 9.3 7.1	1 1	2 3 2	6 6 4	11 12 8	18 17 15	75 to 84 yeors	600 115	6.0 8.2	2 2	3	5 5	7	12
Single diognosis		5.8	'	1	3 7	7	13	Single diognosis	850 765	5.0 6.5	1 2	2	4 5	6 8	8 13
Multiple diagnoses	2,095	9.8	2	3		12	18	With surgery	1,310	5.4	2	3	4	6	9
With surgery	70 2,920	15.6 8.5	5 1	7 3	13	21 11	27 17	Without surgery	305	6.9	'	2	4	8	14
PARALYSIS AGITANS (342)								Total	1,415	8.0	2	4	7	9	14
Total	1,565	13.0	3	5	8	15 15	24	65 to 74 years	965	7.8	2 2	4	7	9	14 15
65 to 74 years	910 590 65	13.5 12.0 14.8	3 3 2	5	9 8 9	15 15	24 24 27	75 to 84 years	375 75	8.1 10.4	6	6	8	10	17
Single diognosis	330	10.3	1	4	7	14	21	Single diognosis	965 450	7.8 8.5	2 2	4	6	9 10	14 16
Multiple diagnoses	1,235	13.7 21.5	3	5 6	9	15 34	25 48	With surgery	1,260 155	8.2 6.6	2	4 2	7 5	9	15 11
With surgery	1,460	12.3	3	5	15 8	14	23	Without surgery	133	0.0	ı İ	-			
CEREBRAL PARALYSIS (344)								Total	1,165	6.0	1	2	4	7	12
Total	575 325	12.6	2	4	9	16 16	29 25	65 to 74 years	710 365	6.1 6.1	1	2	4	8 7	12 11
75 to 84 years		12.7 15.5	2 2 4	3	9	17 12	32 34	85 years and over	90	5.7	2	3 2	4	6	12
Single diognosis	135	10.5	1	2	5	16	24	Single diognosis	330 835	5.3 6.3	1	2 2	3 5	6 8	10 13
With surgery	35	9.9	1	2	<b>'</b>	16	22	With surgery	30 1,135	12.3 5.9	3	4 2	13	14	21 11
Without surgery	540	12.8	2	4	5 9	16	29	CHRONIC RHEUMATIC HEART DISEASE	,,,,,,						
FACIAL PARALYSIS AND TRIGEMINAL NEURALGIA (350, 351)								(393-398) Total	2,540	10.2	2	3	7	13	20
Totol	640	7.0	1	3	5	9	13	65 to 74 years	1,775	10.3	2 2	3	7	13	21
65 to 74 years	340 260	7.7 6.4	1 2	3	6 5 2	10 8	15 12	75 to 84 years	640 125	9.8 11.1	2 2	3	10	11	18 20
85 years and over	40 365	4.9 6.4	1	1	5	7 8	11	Single diognosis	610 1,930	8.7 10.7	1 2	3	6 7	13 13	18 22
Multiple diognoses		7.9	2	3	6	10	15	With surgery	400	12.0	2 2	3	11	17	23
With surgery	195 445	7.6 6.8	1	3	5	10 8	14 12	Without surgery	2,140	9.9	2	3	7	12	19
SCIATICA (353)								Total	3,585	6.8	1	3	5	8	13
Total	450	10.9	3	5	9	14	19	65 to 74 years	2,200	6.4 7.7	1	2	4	7 9	11
65 to 74 years		11.1 9.3	3 3 2	6 5 5	8 7 12	15 13 22	18 15 24	75 to 84 years	1,135 250	7.7	2	3	6	9	15 11
85 years ond over	60 95	15.1 8.9		4	7	11	15	Single diagnosis	905 2,680	5.6 7.2	1 2	2	4 5	7 9	11 13
Multiple diognoses	355	11.4	3	5	10	14	22	With surgery	250 3,335	9.7 6.6	3	4   3	7 5	12	19 12
With surgery	30 420	13.7 10.7	3	7 5	12 8	16	23 19	Without surgery	3,3331	0.01		31	- 51	31	. 2

Table 25 PACIFIC: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND DISCHARGE CHARACTERISTICS—Con.

Diognosis And Dischorge Choracteristics	Number of	Averoge stoy		Perce	ntiles (	doys)		Diognosis And Dischorge Chorocteristics	Number of	Averoge stoy		Perce	ntiles (	doys)	
(ICDA 8th Revision)	dischorges	(doys)	10th	25th	50th	75th	90th	(ICDA 8th Revision)	dischorges	(doys)	10th	25th	50th	75th	90th
HYPERTENSIVE HEART DISEASE (402)								HEART BLOCK, AND CARDIAC ARREST (427.2, 427.3)							
Total		8.9	2	3	6	11	15	Totol	2,545	8.7	1	2	6	11	19
65 to 74 years	730	8.4 8.3 12.5	2 2 2	3 4 4	5 6 6	11 10 11	17 14 16	65 to 74 yeors	985 1,115	8.3 8.4	1	2 2	5 5	10 11	20 18
Single diagnosis		9.0 8.8	2 2	3	5	10 11	13 17	85 yeors and over	445 995	10.7 7.3	2	2	8 5	12	23
With surgery	75	18.0	6	9	14	20	29	Multiple diognoses	1,550	9.7	i	2	6	12	22
Without surgery	1,585	8.4	2	3	6	10	14	With surgery	975 1,570	10.0 7.9	1	1	8	12 10	1
RENAL DI5EA5E (403, 404)  Totol	655	10.3	2	4	8	13	19	ATRIAL FIBRILLATION OR FLUTTER AND OTHER UNSPECIFIED DISORDERS OF HEART RHYTHM (427.4, 427.9)							
65 to 74 years	325	10.9	2	4	7	14	23	Totol	3,705	7.5	1	2	5	9	1:
75 to 84 years	255 75	9.8 9.3	3 1	4 2	8 9	12 11	17 17	65 to 74 yeors	1,940 1,350	7.0 7.7	1	2 3	5 5	8	1- 1:
Single diognosis		7.6 10.9	1 2	3	6 8	10 15	14 22	85 years and over	415	8.7	i	3	6	10	1
With surgery	75 580	16.9 9.4	6 2	9	14 7	18 12	34 18	Multiple diognoses	1,280 2,425	5.2 8.6	2	3	6	10	17
ACUTE MYOCARDIAL INFARCTION (410)	,							With surgery	280 3,425	11.0 7.2	2 1	4 2	9 5	14 8	22 14
Totol	20,280	13.4	1	5	13	19	25	DTHER MYDCARDIAL INSUFFICIENCY (428)							
65 to 74 years	10,970 7,660 1,650	14.0 13.0 11.8	1	6 4 2	13 12 9	19 19 18	24 24 26	Total	695	8.9	1	3	7	12	18
Single diognosis	8,555	12.4	1	4	12	18	23	65 ta 74 yeors	330 250	8.0 9.9	1	3 4 3	6	10	1: 18
Multiple diagnoses	11,725 725	14.2	1	6	13 16	20 25	26 32	85 years and over	115 235	9.3 8.2	1	3	6	13	1:
OTHER ACUTE AND 5U8ACUTE FORMS	19,555	13.3	1	5	12	19	24	Multiple diognoses	460 40	9.3 15.0	1	3	7 12	12	20
OF ISCHEMIC HEART DISEASE (411)	0.150							Without surgery	655	8.5	ĩ	3	6	ΪĬ	Ĩ:
Total	3,150 1,805	8.3 8.3	2	3	6	11	16 17	ILL-DEFINED HEART DISEASE (429)  Totol	1,620	9.5	2	4	7	11	19
75 to 84 years	1,105 240	8.7 6.5	1 2	3	6	12 8	17 11	65 to 74 yeors	610 720	9.1 10.1	1 2	4	7 8	12 11	18
Single diognosis	1,290 1,860	6.7 9.4	1 2	3 4	5 7	8 12	14 18	75 to 84 years	290	9.0	1	4	6	10	11
With surgery	60 3,090	16.0 8.2	4 2	8	9	23 11	29 16	Single diognosis	375 1,245	8.5 9.9	1 2	4	8	12	1 d 20
CHRONIC ISCHEMIC HEART DISEASE	3,370	0.2		Ĭ				With surgery	85 1,535	17.4 9.1	2 2	9 4	14 7	23 11	3: 18
(412)	63,510	9.5	2	4	7	12	19	CEREBRAL HEMDRRHAGE (431)							
65 to 74 years	27,710	9.3	2	4	7	12	19	Total	1,580	9.3	1	1	5	12	24
75 to 84 years	27,340 8,460	9.7 9.7	2	4	7 7	12 12	19 19	65 to 74 years	745 635 200	9.8 9.0 8.2	i 1	1	5	13 11 11	28 21 18
Single diognosis	15,895 47,615	8.2 9.9	1 2	3	6 7	10 13	16 19	Single diognosis	665 915	7.7 10.4	1	1	4	10	19
With surgery	3,905 59,605	14.7 9.2	3 2	7	12 7	19 11	27 18	With surgery	145	19.2	1	8	13	26	40
ANGINA PECTORIS (413)								Without surgeryOCCLU5ION OF PRECEREBRAL ARTERIES	1,435	8.3	'	'	4	10	20
Totol	1,360 870	5.9 6.0	1	2	4	7	12 11	(432) Totol	2,575	9.5	1	3	7	11	19
75 to 84 years	405 85	5.6 6.2	2	2 2	3	6 8	13	65 to 74 years	1,620	9.2	ì	3	6	11	18
Single diognosis	710 650	5.0 6.8	1	2	3	5 8	10 15	75 to 84 years	855 100	10.1 8.7	1 2	3	7 8	12 11	1:
With surgery	25			*			*	Single diognosis	1,200 1,375	8.3 10.5	1 2	3 4	6 7	10 13	1 <i>6</i> 24
CDNGESTIVE HEART FAILURE (427.0)	1,335	5.9	1	2	3	6	12	With surgery	950 1,625	11.9 8.1	4 1	6 2	9	14 10	24 17
Total	8,920	9.7	2	4	7	12	19	CEREBRAL THRDMBD5IS (433)	, ===						
65 to 74 years	3,550 3,870	9.7 10.0	2 2	4	7 7 6	11 12	18 20	Tatal	7,685	12.7	2	5	9	16	26
85 years and over	1,500 2,870	9.2 8.1	2	3		11	18 16	65 to 74 yeors	3,070 3,410 1,205	13.0 12.8 11.7	2 2 2	5 5 4	10 9 9	16 16 16	28 26 23
Multiple diagnoses	6,050   	10.5	2	4	6 7	12	20	Single diognosis	2,050	12.2	2	4	9	16	27
With surgery	300 8,620	19.9 9.4	4 2	9 4	15	30 I	37 18	Multiple diognoses	5,635	12.9 20.3	2 5 2	5 8	10 16 9	16 28	26 42

Table 25 PACIFIC: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND DISCHARGE CHARACTERISTICS—Con.

	T	Average		Perce	entiles (	days)	_	Diagnasis And Discharge		Average		Perce	entiles (	days)	
Characteristics (ICDA 8th Revision)	Number af discharges	stay (days)	10th	25th	50th	75th	90th	Characteristics (ICDA 8th Revision)	Number af discharges	stay (days)	10th	25th	50†h	75th	90th
SUBARACHNOID HEMORRHAGE AND CERE8RAL EMBOLISM (430, 434)								ARTERIAL EM80LI5M AND THROMBOSI5 (444)							
Tatal	880	11.9	1	2	7	15	30	Tatal	2,265	12.1	1	3	9	15	24
65 ta 74 years	485 310 85	12.6 11.0 10.8	1 1 1	2 3 3	6 6 7	17 16 9	32 29 16	65 ta 74 years 75 ta 84 years 85 years and aver	1,435 665 165	11.5 13.5 10.7	1 1 1	4 2 3	9 11 7	15 16 14	22 30 25
Single diagnasis	245 635	11.0 12.2	1 1	1 3	5 7	17 15	28 30	5ingle diagnasis	940 1,325	9.9 13.6	1	2 5	8 11	12 17	20 29
With surgery	65 815	19.9 11.2	4 1	8 2	16	27 14	38 28	With surgery	1,255 1,010	15.5 7.7	5 1	8 1	12 4	19 10	29 16
TRANSIENT CEREBRAL ISCHEMIA (435)								GANGRENE (445)						0.1	0.5
Tatal	2,390 1,045	6.5	1	2	4	8	13	65 ta 74 years	1,360	17.8 18.1	4	8	14	21	35 33
75 ta 84 years	970 375	6.6	i 1	2 2 2	4 4	8	14	75 ta 84 years	460 220	18.3 15.9	4 2	8	15	21 18	37 33
Single diagnasis	730 1,660	4.6 7.3	1	3	3 5	5 9	9 14	Single diagnasis	420 940	14.6 19.2	3	7 8	13 15	18 26	25 37
With surgery	135 2,255	14.9 6.0	4 1	7 2	10	18 7	29 12	With surgery	910 450	18.5 16.3	6 2	10	15 11	23 18	35 34
GENERALIZED I5CHEMIC CEREBROVASCULAR DISEASE (437)								PULMONARY EM80LI5M AND INFARCTION (450)							
Total	9,140	8.5	2	3	6	10	17	Total	2,330	14.0	3	7	11	17	26
65 ta 74 years 75 to 84 years 85 years and over	3,250 4,330 1,560	8.2 8.6 9.1	2 2 2	3 3 4	5 6 6	9 10 11	17 17 20	65 ta 74 years 75 ta 84 years 85 years and aver	1,200 955 175	13.2 14.8 15.4	3 4 2	6 8 8	10 13 14	16 19 18	23 28 25
Single diagnasis	2,230 6,910	6.5 9.2	1 2	2 4	4	8 11	12 19	Single diagnosis	525 1,805	10.5 15.0	3 4	5 8	9 13	13 18	19 27
With surgery	330 8,810	13.4 8.4	4 2	7	12 6	16 10	27 17	With surgery	205 2,125	14.7 14.0	3	5 7	12 11	19 17	31 25
ILL-DEFINED CEREBROVASCULAR DISEASE (436, 438)		·						PHLEBITIS AND THROMBOPHLE8ITI5 (451)							
Total	18,765	11.2	1	4	8	14	1	Tatal	3,670	10.7	4	5	8	13	19
65 to 74 years	7,255 8,490 3,020	11.2 11.3 11.0	1 2	3 4 4	7 8 8	15 14 14	24	65 ta 74 years 75 ta 84 years 85 years and aver	2,235 1,230 205	10.6 11.1 9.0	4 4 3	6 5	8 9 7	13 13 12	19
5ingle diagnasis		10.4 11.7	1 2	3 4	7 8	13 15	22 24	Single diagnasis	1,270 2,400	9.0 11.5	3 4	5 6	7 10	10 14	15 20
With surgery	515 18,250	20.0 11.0	4 1	10 4	18 8	28 14	38 23	With surgery	280 3,390	14.0 10.4	3 4	5 5	10 8	18 12	25 18
ARTERIOSCLEROSI5 (440)	6,005	10.2	1	3	6	12	21	VARICOSE VEINS OF LOWER EXTREMITIES WITH ULCER (454.0)							
65 to 74 years	2,600	10.7	. 1	3	7	13	22	Tatal	695 350	16.3	4	6	13 13	20	30 30
75 to 84 years	2,400 1,005 855	10.2 9.3 8.3	2	3 3	6	12 12	18 16	65 ta 74 years	270 75	16.2 17.5 12.8	4	6 8 6	15	20 19	33 22
Single diagnosis			i	3	7	13	22	5ingle diagnasis	260 435	16.3 16.4	3 4	6	13 13	19 20	33 27
With surgery		16.2 8.5	4 1	7 2	11	17 10	31 18	With surgery	265 430	17.1 15.9	5	7 6	16 12	23 18	30 29
NONSYPHILITIC AORTIC AND OTHER ANEURYSM (441, 442)								VARICOSE VEINS OF LOWER EXTREMITIES WITHOUT ULCER (454.1,	430	13.7	3		12		2,
Tatal	2,910	10.4	1	2	1	15		454.9)	1,170	6.6	2	3	4	7	11
65 ta 74 years	1,065	9.7 6.7	1	2 1 1	10 6 4	16 14 11	21 22 15		900	6.0		3	4	6	10
Single diagnasis		8.6 11.8	1	1 3	6 9	13 17	19 24	75 ta 84 years	250 20	8.0	2 2 .	3	6	5	14
With surgery		13.8 6.7	1	8 1	12 3	18 8	24 16	Single diagnasis	695 475 980	5.2 8.6	2 2 2	3	5	9	8 17 11
OTHER PERIPHERAL VASCULAR DISEASE (443)								With surgery	190	6.4 7.7	ĺ	3	4	8	17
Tatal	640	10.6	1	3	7	14	24	Tatal	2,335	6.7	3	4	5	8	10
65 to 74 years 75 ta 84 years 85 years and aver	365 230 45	9.3 12.6 10.1	1 2 4	2 4 5	7 8 8	14 17 11	18 30 16	65 ta 74 years	1,760 520	6.4 7.7	3 2 3	4 5 4	5 6	7 9 7	10 13 8
Single diagnosis		4.9 12.4	] ]	1 5	3 9	6 16	11 26	85 years and aver  Single diagnasis	1,055 1,280	6.2 6.4 6.9	3 3 3	4 4	5 6	7 8	9 11
With surgery	230 410	15.2 8.0	5 1	8 2	12	18 11	27 17	With surgery	1,990	6.9	3	4	6	8	10
								Without surgery	345	5.5	l 1	2	4	7	11

Table 25 PACIFIC: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND DISCHARGE CHARACTERISTICS—Con.

Oiognosis And Oischorge Chorocteristics	Number of dischorges	Averoge stoy			ntiles (			Oiognosis And Oischorge Choracteristics	Number of dischorges	Averoge stoy			ntiles (		
(ICOA 8th Revision)	discharges	(doy's)	10th	25th	50th	75th	90th	(ICOA 8th Revision)	discharges	(doy's)	10th	25th	50th	75th	90th
ACUTE UPPER RESPIRATORY INFECTIONS EXCEPT INFLUENZA (460-465)								OTHER OISEASES OF UPPER RESPIRATORY TRACT (500-508)							
Totol	1,945	7.1	2	3	5	9	13	Total	1,760	3.6	1	1	2	3	7
65 to 74 years	990 735 220	6.7 7.6 6.9	2 2 1	3 3 3	5 5 6	9 8 8	12 13 13	65 to 74 yeors	1,195 520 45	3.3 3.7 9.2	1 1 1	1 1 2	2 2 4	3 4 15	7 6 20
Single diognosis	410 1,535	5.3 7.5	1 2	2 3	4 6	7 9	9 14	Single diognosis	940 820	2.9 4.3	1	1	2 2	3 5	5 8
With surgery	120 1,825	6.8 7.1	1 2	1 3	4 5	12 8	14 13	With surgery	1,465 295	3.3 5.1	1 ; 1 ;	1 2	2 4	3 7	5 9
ACUTE ANO UNQUALIFIED BRONCHITIS ANO BRONCHIOLITIS (466, 490)								PLEURISY (511) Total	535	7.5	1	3	6	9	14
Total	6,915	8.0	2	4	6	9	14	65 to 74 yeors	265	8.1	1	2	5	10	16
65 to 74 years	3,905 2,470 540	7.8 8.4 8.1	2 2 2	4 4	6 6 7	9 10 9	14 15 15	75 to 84 yeors	225 45 130	7.2 6.1	1 2	3	6	9 8	13 11
Single diognosis	1,645 5,270	6.8 8.4	2 2	3 4	5 6	8 10	11 15	Single diognosis	405	6.2 8.0	1 2	2 3 3	4 6 5	11	10
With surgery	255 6,660	11.9 7.9	1 2	3 4	8 6	18 9	27 14	With surgery	490 490	8.3 7.5	1	3	6	12 9	15 14
INFLUENZA (470-474)	2,910	6.8	2	3	5	8	13	PULMONARY CONGESTION AND HYPOSTASIS (514)	1,465	8.7	,	3	6	11	18
65 to 74 years		6.5			5	7	11	Total	625		,	3	6	12	18
75 to 84 years	1,020	7.0 8.1	2 2 2		5 7	8 10	13 15	75 to 84 yeors	630 210	8.6 8.5 9.8	į į	3 2	6	11	18 18
Single diognosis	785 2,125	5.4 7.3	2 2		4 5	6 8	9 14	Single diognosis  Multiple diognoses	195 1,270	8.6 8.7	] ]	3	6 6	11 11	20 18
With surgery	40 2,870	15.6 6.7	2 2	10	14 5	18 8	28 12	With surgery	45 1,420	10.2 8.7	1	2 3	12 6	13 11	15 18
PNEUMONIA (480-486)								CHRONIC INTERSTITIAL PNEUMONIA (517)							
Total		9.9	2		7	12	19	Total	885	11.1	3	5	9	14	19
65 to 74 years 75 to 84 years 85 years and over	6,230	9.4 10.4 10.2	2 2 2	5 4	7 8 8	11 13 13	18 20 19	65 to 74 yeors	480 325 80	11.9 10.2 9.6	2 3 3	4 6 7	8 10 8	15 12 12	21 17 17
Single diognosis	4,050 12,190	8.1 10.5	2 2	4 5	6 8	10 13	14 20	Single diognosis Multiple diognoses	125 760	9.6 11.3	3	4 5	9	12	17 20
With surgery	775 15,465	18.3 9.5	4 2	9	15 7	23 12	33 18	With surgery	115 770	19.7 9.8	5 2	9	15	21 12	42 17
CHRONIC 8RONCHITI5 (491)								OISEASES OF ORAL CAVITY, SALIVARY							
Totol		8.8	2	4	6	11	17	GLANO5, ANO JAW5 (520-529)	1 200	. 7	,				10
65 to 74 yeors 75 to 84 yeors 85 yeors ond over	1,475 730 115	8.9 8.7 8.5	2 2 2	4 4 3	6 6 7	11 11 11	18 16 15	Totol	1,200 640 480	4.7 4.0 5.6	1	1	2 2 3	5 4 6	10 8 13
Single diognosis	485 1,835	6.3 9.4	1 3	2 4	5 7	8 12	11 18	85 years and over	80 500	4.4 3.6	2	2 2	2	5	10
With surgery	295 2,025	7.4 9.0	1 2	2 4	5 6	10 11	15 18	Multiple diognoses	700 855	5.4	1	2	3	6	12 8
EMPHY5EMA (492)								Without surgery	345	6.1	i	ż	4	8	13
Total	6,165	9.5	2	4	7	11	18	OISEASES OF ESOPHAGUS (530)	. 770	0.7					
65 to 74 years	3,765 2,020 380	9.1 9.8 11.2	2 2 2	3 4 4	6 7 6	10 12 13	17 19 22	Total	980	8.7	1	2	5	10	18
Single diognosis	1,210 4,955	7.7 9.9	1 2	2	5 7	9 12	15 19	75 to 84 years	620 170	8.2 12.7	4	6	11	10	20 22
With surgery	340 5,825	14.4 9.2	2	6	12 6	18 11	30 18	Single diognosis	525 1,245	7.0 9.4	1	3	6	12	17 19
ASTHMA (493)								With surgery	805 965	9.6 8.0	i	3	5	13	21 16
Total	2,995	8.0	2	3	6	10	15	ULCER OF STOMACH (531)					İ	Ì	
65 to 74 yeors	2,055 840 100	8.0 7.8 10.9	2 2 3	3 3 4	6 6 9	10 10 12	16 14 16	Total	3,230 1,645	11.8	3	6	9	15 14	22 20
Single diognosis	900 2,095	6.6 8.6	2 2	3 3	5	8 11	13 16	75 to 84 years	1,315	13.1 9.2	3	6 5	10	16	24 16
With surgery	85	9.8	2 2	4	8	11	16	Single diagnosis	965 2,265	9.7 12.6	2   4	6	8   9	13	17 23
Without surgery	2,910	8.0	21	31	61	10 !	15	With surgery	1,030 2,200	16.2 9.7	6	9	14	20 11	26 17

Table 25 PACIFIC: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND DISCHARGE CHARACTERISTICS—Con.

Oiognosis And Oischorge Chorocteristics	Number of dischorges	Averoge .	,		entiles (			Oiagnosis And Oischorge Chorocteristics	Number of discharges	Averoge			entiles (		
(ICOA 8th Revision)		(doys)	10th	25th	50th	75th	90th	(ICDA 8th Revision)	a.centryes	(doys)	10th	25th	50th	75th	90th
ULCER OF OUOOENUM (532)								HERNIA OF A800MINAL CAVITY WITH 085TRUCTION (552, 553)							
Total	4,700 2,755	9.8	3	5	8	13 12	19	Total	2.060	9.9	3	5	7	12	17
65 to 74 years	1,645 300	10.9 11.5	2 3 3	5	8 9	14	20 22	65 to 74 years	915 840	9.5 10.1	2 3 2	5 5	7 8	11 12	16 17
Single diagnosis	1,535 3,165	9.3 10.8	2	4 5	7 8	12	18 20	85 years and over	305 925	10.4	3	5	8	15	19 14
With surgery	1,255	16.1	8	10	14	19	26	Multiple diognoses	1,135	11.2	3	5	9	14	20
PEPTIC ULCER, SITE UNSPECIFIEO (533)	3,445	8.2	2	4	6	10	15	With surgery	1,705 355	10.0 9.4	3	5 3	8 6	12 11	17 19
Total	1,475	9.7	2	4	7	12	19	MENTION OF HERNIA (560)							
65 to 74 years	835 510	9.2 10.5	2 3 2	4	7	10 13	19 20	Total	6,170	10.5	1	3	7	14	23
85 years and over	130 450	9.9 7.3		5 3	7	13 8	19	65 to 74 yeors	2,800 2,410 960	10.6 10.2 10.7	1 1 2	3	7 7 8	13 14 14	24 21 23
Multiple diagnoses	1,025	10.8	3	5	8	13	20	Single diognosis	2,275	9.1	1	3	6	12	19
With surgery	230 1,245	15.9 8.6	5	8	13 6	19 10	31 17	Multiple diagnoses	3,895 2,090	11.2 16.3	6	9	8 14	14 20	25 28
GASTRITIS AND DUODENITIS (535) Total	2 046	4.0	,	3	5	8	12	Without surgery	4,080	7.4	1	2	5	9	15
65 to 74 years	2,865 1,625	6.8	1	2	4	7	11	Total	9,000	8.7	2	3	6	10	17
75 to 84 years	970 270	8.0 7.7	1	3	5 4	10 8	15 18	65 to 74 years	4,470 3,540	8.4 8.9	2 2 2 2	3	6	10 11	17 18
Single diagnosis	715 2,150	5. <b>8</b> 7.1	1 2	2 3	4 5	7 8	11 13	85 years and over	990	9.7	2	3	6	11	18
With surgery	210 2,655	11.4 6.4	2	4	9 4	12 7	16 11	Single diagnosis	2,715 6,285	7.3 9.4	2	3	5 6	11	15 18
DISORDERS OF FUNCTION OF STOMACH								With surgery	1,830° 7,170	15.8 6.9	4 2	8	13 5	19	27 12
(536)	535	6.1	1	2	4	8	12	FUNCTIONAL OISOROERS OF INTESTINE (564)							
65 to 74 years	260 210	5.6 6.4	1 2	2 2 3	4	8	10 12	Total	1,560	5.3	1	2	4	7	10
85 years ond over	65	7.0	1	3	6	10	13	65 to 74 yeors	745 620	5.3 5.3	1	3	4	6	9 10
Single diognosis	120 415	3.7 6.7	2	3	2 5	3 8	7 12	85 years and over	195	5.8 4.0	1	2	3	8 5	12 7
With surgery	40 495	11.7 5.6	2 1	4 2	9 4	15 7	23 11	Multiple diognoses	1,120	5.9	1 2	3	7	7	11
INGUINAL HERNIA WITHOUT MENTION OF OBSTRUCTION (550)								With surgery	1,480	9.4 5.1	1	2	4	6	18 9
Total	10,780	6.4	3	4	5	7	9	CIRRHOSIS OF LIVER (571) Total	1,885	11.7	2	4	8	14	22
65 to 74 years	7,000 3,290	5.9 7.3	2 3	4	5 6	6 8	8 11	65 to 74 years	1,435	11.0	2	4	8	13	21
85 years and over	490 7,040	7.9 5.7	3 2	3	6 5	9	13	75 to 84 years	415 35	13.7 16.0	3 6	6 9	13	16 19	25 26
Multiple diognoses	3,740	7.8	3	4	6	8	12	Single diognosis	535 1,350	11.7 11.7	2 2	4	8	14 14	22 22
With surgery	10,125 655	6.3 7.8	3	3	5 5	7 9	9 14	With surgery	210 1,675	14.2 11.4	5 2	8 4	13 8	18 13	22 22
VENTRAL HERNIA WITHOUT MENTION OF 085TRUCTION (551.2)								CHOLELITHIASIS (574)							
Total	1,715	8.5	3	5	7	10	14	Total	10,160	11.6	4	7	9	14	20
65 to 74 years	1,290 370 55	8.1 9.1 14.3	3 3 3	5 5 5	7 7 9	9 10 14	14 16 27	65 to 74 years	6,125 3,355 680	10.8 12.9 12.3	4 4 3	7 7 5	9 10 11	13 16 17	18 23 23
Single diognosis	945 770	7.9 9.3	3	4 5	7 8	9 11	12 16	Single diognosis	4,580 5,580	10.4 12.6	4	7	9	12 16	17 23
With surgery	1,515	8.6	4	5	7	10	14	With surgery	7,180	12.8	6	8	10	15	21
OIAPHRAGMATIC HERNIA WITHOUT	200	8.0	1	2	5	10	17	CHOLECYSTITIS AND CHOLANGITIS	2,980	8.7	2	3	6	10	17
MENTION OF O85TRUCTION (551.3)								WITHOUT MENTION OF CALCULUS (575)							
Total	4,520 2,555	7.5 7.5	2	3	5	9	14	Total	3,360	10.3	3	5	8	13	19
75 to 84 years	1,530 435	7.4 7.7	2 2	3	5	9	15 13	65 to 74 yeors	1,815 1,190 355	9.7 11.4 9.5	3 3 2	5 5 4	8 9 8	12 14 11	17 21 17
Single diognosis	835 3,685	6.3 7.7	1 2	3	4	8	12 14	Single diognosis	1,475	8.5	2	4	7	10	15
With surgery	995	11.2	3 2	6		14	21 11	Multiple diognoses	1,885	11.7 13.5	3	5 8	10	14	21
Without surgery	3,525	6.4	21	31	51	71	''.	Without surgery	1,975	8.0	7	3	6	10	15

Table 25 PACIFIC: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND DISCHARGE CHARACTERISTICS.....Con.

Diagnasis And Discharge Characteristics	Number of	Average stay		Perce	entiles (	days)	-	Diagnasis And Discharge Characteristics	Number of	Average stay		Perce	ntiles (	days)	
(ICDA 8th Revision)	discharges	(day's)	10th	25th	50th	75th	90th	(ICDA 8th Revision)	discharges	(days)	10th	25th	50th	75th	90th
OTHER DISEASES OF GALL BLADDER AND BILIARY DUCTS (576)								CY5TITI5 (595)	i						
Tatal	1,055	12.7	2	5	9	18	25	Tatal	2,815	7.0	1	3	5	8	14
65 ta 74 years	520 420	12.9 13.3	2 2	5 4	9 9 8	17 19	25 27	65 ta 74 years	1,350 1,085 380	6.4 7.8 7.0	1 1 2	3 3	4 5 5	8 9 8	13 16 14
85 years and aver	115	9.9	3	4		ií	19	Single diagnasis	800	4.3	1	2	3		8
Single diagnosis	280 775	11.7 13.1	2	4 5	8 9	15 19	22 27	Multiple diagnases	2,015	8.1	2	3	6	5 9 8	15
With surgery	340 715	18.0 10.2	8 2	11 4	17 6	22 10	28 23	With surgery	1,485 1,330	6.7 7.3	2	3	5	ş	13 14
DISEASES OF PANCREAS (577)								OTHER DISEASES OF BLADDER (596)  Tatal	2,360	9.4	2	3		11	19
Tatal	1,350	10.0	2	5	8	12	17	65 ta 74 years	1,255	9.0	2	4	7	10	17
65 ta 74 years	850 385 115	10.0 10.3 9.0	2 2 3	4 5 4	8 8 7	13 13 11	17 18 13	75 ta 84 years	855 250	9.8 10.7	2 2	3 4	6 8	11 16	21 22
Single diagnasis	465	8.9	2	4	7	11	14	Single diagnasis	685 1,675	7.6 10.2	1 2	2 4	5 7	9 12	15 20
Multiple diagnases	885 165	10.6	3 8	5 10	14	13 19	19 28	With surgery	1,700 660	9.2 10.0	2	4 3	7	11 13	17 22
Without surgery	1,185	9.1	2	4	7	11	16	URETHRITIS AND STRICTURE OF	800	10.0	l i	3		13	22
CHRONIC AND UNQUALIFIED NEPHRITIS (582, 583)								URETHRA (597, 598)	2.210		١,	,		7	,,
Tatal	365	12.3	1	4	9	18	24	Tatal	2,310 1,300	6.2 5.4	1	2	3	7	11
65 ta 74 years	255 75	13.5 10.1	3	4	10	18 17	25 20	75 to 84 years	835 175	7.4 6.2	1 2	2 3	5	7 9 7	13 12
85 years ond over	35 55	8.3 8.5	3	1	6	10	16 21	Single diagnasis	790 1,520	4.7 7.0	1	2 2	3 5	5 8	9 13
Multiple diagnoses	310	13.0	2	5	10	17	24	With surgery	1,915	6.1	į	2	4	8 7	11
With surgery	60 305	16.6 11.4	3 1	6 4	14 8	20 17	26 21	Without surgery	395	6.6		2	4		12
INFECTIONS OF KIDNEY (590)								EL5EWHERE CLA55IFIED (599.0)							
Tatal	2,770 1,385	9.5 9.2	2	4	7	11	18	Total	2,665 1,080	9.0 8.3	2	3	6	10	18
75 ta 84 years	1,060	9.5 11.2	2 3 3	4 5	7 8	11 12	17 18	75 ta 84 years	1,165 420	9.7 9.0	2	4	6 7 7	12 10	19 18
Single diagnasis	675 2,095	7.0 10.3	2 3	3 5	5 8	8 12	14 19	Single diagnasis	510 2,155	6.2 9.7	1 2	3 4	4 7	7	12 19
With surgery	375 2,395	12.3 9.1	2 2	5	10	15 10	23 16	With surgery	435 2,230	10.4 8.7	2	3	8	15	20 16
CALCULUS OF KIDNEY AND URETER	2,373	/		,		10	10	HYPERPLASIA OF PROSTATE (600)	2,200	0.7					
(592) Total	2,510	7.7	1	2	5	10	16	Tatal	16,995	9.4	3	5	7	11	16
65 ta 74 years	1,760	7.8	1	2	5	10	17	65 ta 74 years	9,810 5,990	8.6 10.3	3 3	5	7 8	10 12	15 18
75 ta 84 years	595 155	7.8 7.5	1 2	2 2	6 5	11 12	15 15	85 years and aver	1,195 7,580	11.0 8.2	3	5	9	14	21
Single diagnasis	1,105 1,405	6.6 8.6	1	2 3	4 6	9 12	13 17	Multiple diagnases	9,415	10.4	3	5	8	12	18
With surgery	1,155 1,355	11.0 5.0	3	5	9	13	20 11	With surgery	14,790 2,205	9.5 8.9	3	3	6	10	16 19
OTHER DISEASES OF KIDNEY AND	1,333	3.0	· ·	_		Ů		PROSTATITIS (601)							
URETER (593) Total	1,795	9.9	1	2	7	14	22	Tatal	495 340	8.2 7.6	1:	3 2	5 4	10	14
65 to 74 years	1,140	9.6	1	2	6	13	20	75 ta 84 years	135 20	9.7	3	5	9	12	16
75 ta 84 years	545 110	11.2 7.3	}	3 2	8 5	16 11	24 15	Single diagnasis	130 365	5.2 9.2	1	2	4 6	7 10	10 15
Single diagnosis	520 1,275	8.2 10.6	1 1	2 3	4 8	10 15	18 23	With surgery	230	7.2	1	3	5	10	14
With surgery	930 865	10.7 9.0	1	3 2	9	15 11	21 23	CHRONIC CYSTIC DISEASE AND OTHER	265	9.0		3	5	9	14
CALCULUS OF OTHER PARTS OF								DISEASES OF BREAST (610, 611)	, 405	0.7					
URINARY SYSTEM (594) Tatal	590	8.3	1	3	6	11	17	Tatal	1,485	3.7	]	1	2	3	5
65 to 74 years	385	7.0	1	2	4	9	15	75 ta 84 years	385 35	4.4 2.4	1 2	2	2	5	8
75 ta 84 years	185 20	10.8	2	4	8	12	22	Single diagnasis	1,000 485	3.4 4.2	1	1 2	2	3 4	4 7
5ingle diagnosis	215 375	7.3 8.9	1 2	2 3	5 7	10 11	15 18	With surgery	1,390	3.4	ļ	1	2	3	5
With surgery	420 170	9.9 4.41	2	4 2	8	12	20 11	Without surgery	95	7.1	11	2	41	81	14

## Table 25 PACIFIC: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND DISCHARGE CHARACTERISTICS—Con.

Oiagnasis And Oischarge	Number of	Average		Perce	entiles (	days)		Oiagnasis And Oischarge	Number of	Average		Perce	ntiles (	days)	
Choracteristics (ICOA 8th Revision)	discharges	stay (days)	10th	25th	50th	75th	90th	Characteristics (ICOA 8th Revision)	discharges	stay (days)	10th	25th	50th	75th	90th
UTEROVAGINAL PROLAPSE (623)								5PONOYLITIS OSTEOARTHRITICA (713.1)							
Tatal	4,730	9.2	5	6	8	10	14	Tatal	2.470	9.2	2	4	7	12	17
65 ta 74 years	3,280 1,315 135	8.9 9.9 10.4	5 5 3	6 7 6	8 8 9	10 11 12	13 15 17	65 ta 74 years 75 ta 84 years 85 years and aver	1,315 885 270	9.1 9.4 9.0	2 2 2	4 4	7 7 7	12 12 12	16 17 17
Single diagnasis		8.4 10.0	4 5	6 7	7 8	9 11	12 15	Single diagnasis	495 1,975	7.2 9.7	2 2	3 4	5 7	9 12	14 18
With surgery	4,385 345	9.3 8.2	5 2	6 4	7	10 10	13 16	With surgery	180 2,290	16.4 8.7	6 2	10	13 7	20 11	28 15
Total	1,410	3.3	1	1	2	3	7	Tatal	1,335	10.8	2	4	7	14	23
65 to 74 years	1,030	3.2	,	1	2	3	7	65 ta 74 years	575	10.6	2	4	6	14	22
75 to 84 years	30	3.2 6.7	2	2	3	3 6	15		575 185	12.1 7.9	3 2	3	8	15	24 16
Single diagnasis	710 700	2.2	1	1	2	5	10	Single diagnosis	325 1,010	9.8 11.2	3	3 4	7	13	23 22
With surgery	1,325 85	3.3 2.7	1	1	2 2	3	8	With surgery	190 1,145	19.7 9.4	3 2	7	18	25 11	36 19
CELLULITIS AND ABSCESS (681, 682)	0.005	11.0					00	O5TEOPORO515 (723.0)	2.005	10.0				1.5	00
Total	2,035 1,060	11.2	3	4	8	13 13	22	Tatal	3,025 955	12.0	3	6	9	15	22
75 to 84 years	785 190	11.2 12.4	2 3 3	5	8	13 14	19 23	75 ta 84 years	1,475 595	12.0 11.4	3 3	6 5	9	15	22 22
Single diagnasis	620 1,415	8.5 12.4	2 3	3 5	6 9	10 15	15 25	Single diagnasis	525 2,500	12.0 12.0	4	6	9 9	15 15	22 22
With surgery	490 1,545	12.1 10.9	2	4	8	14 13	26 21	With surgery	260 2,765	17.7 11.4	4 3	10 5	16 9	23 14	30 21
OERMATITIS AND ECZEMA (690, 692)								OISPLACEMENT OF INTERVERTEBRAL OISC (725)							
Total	605	6.7	1	3	5	9	14	Tatal	2,780	12.0	3	5	9	15	24
65 to 74 years	275 240 90	5.7 7.6 7.2	1 2 2	2 3 4	4 5 5	7 11 10	10 15 12	75 ta 84 years	1,970 720	12.2 11.6	2 3 2	5	9	15	24 23
Single diagnasis	175 430	5.0 7.4	1	2	3 6	5 10	10 14	85 years and aver	1,190	10.1 12.6 11.5	3	3 5 5	6 10 8	14 16 14	22 24 23
With surgery	55 550	8.3 6.5	1	2	5 5	11	19 13	Multiple diagnases	1,590 605 2,175	18.3 10.2	7 2	10	15	23	31 19
CHRONIC ULCER OF SKIN (707)								Without surgery	2,173	10.2	2	4	٥	12	17
Total	1,285	14.8	2	6	- 11	19	29	Tatal	1,710	8.9	2	4	6	11	17
65 to 74 years	515 565 205	13.6 15.1 17.3	2 2 7	6 5 8	10 12 12	17 20 21	28 30 33	65 ta 74 years	1,020 560	8.7 9.6	2	3 4	6 7	11	17 18
Single diagnosis	450	14.8	2 3	4	10	19	28	85 years and aver	130	6.7	1	4	6	8	11
Multiple diagnoses	835 500	14.8	3	7	12	20	30 35	Single diagnasis	575 1,135	8.3 9.1	2	3 4	6 7	10	17 17
RHEUMATOIO ARTHRITIS AND ALLIED	785	13.0	2	5	9	16	24	With surgery	185 1,525	15.8 8.0	6 2	9	15	20 10	25 15
CONDITIONS (712)	, 705	11.6				14	22	5YNOVITIS, 8URSITIS, ANO TENOSYNOVITIS (731)							
Total	1,725	11.5	2 2	4	8	14	23	Tatal	1,565	6.4	1	2	3	7	14
75 to 84 years 85 years and over	470	11.6 16.8	2 2	5 5	11	14 25	27 35	65 ta 74 years	1,115 395 55	5.7 8.4 6.6	1 1 2	2 2 2	3 5 4	6 8 9	13 20 14
Single diagnosis	480 1,245	11.6 11.4	2 2	5 4	8 8	14 14	22 23	Single diagnasis Multiple diagnases	845 720	4.3 8.8	1 2	1 3	2 5	4 10	9 20
With surgery	460 1,265	12.9 11.0	2 2	4 4	8 8	15 14	25 22	With surgery	965 600	5.3 8.2	1 2	1 3	2	5	13 17
OSTEOARTHRITIS (713.0)	. 005	10.5			,,	10	0.	SYMPTOMS REFERABLE TO NERVOUS	600	0.2	2	3	J	7	17
Tatal	2,255	13.9	3	5	11	19	26 26	5Y5TEM AND 5PECIAL 5ENSES (780, 781)							
75 ta 84 years	1,655	13.6 10.2	3	5 4	10 7	18 13	26 22	Tatal	770 455	6.1 5.3		2	3	8	12
Single diagnasis		15.8 12.7	4 2	9 4	15 8	20 16	26 26	75 to 84 years	270 45	7.9 3.4	1	2	6 2	3	16 7
With surgery		18.4 10.2	7 21	11 4	17 6	23 12	29 20	Single diagnasis	550 220	5.5 7.6	1 1	2	4	7 10	10 15
								With surgery	25 745	* 5.9	• 1	2	4	7	11

Table 25 PACIFIC: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND DISCHARGE CHARACTERISTICS—Con.

Choracteristics	Number of	Averoge stoy						Diognosis And Dischorge Chorocteristics	Number of	Averoge stoy				doys)	
(ICDA 8th Revision)	dischorges	(doys)	10th	25th	50th	75th	90th	(ICDA 8th Revision)	dischorges	(doys)	10th	25th	50th	75th	90th
ACUTE HEART FAILURE, UNDEFINED (782.4)								FRACTURE OF VERTEBRAL COLUMN, DORSAL (THORACIC) AND LUMBAR, CLOSED (805.2)							
Total	410	8.6	1	4	7	11	17	Total	2,680	12.0	3	6	10	15	21
65 to 74 yeors 75 to 84 yeors 85 years ond over	155 175 8D	8.8 7.6 1D.4	3 1 1	3 5	7 5 7	12 10 10	17 16 18	65 to 74 yeors	1,050 1,195 435	12.0 11.9 12.4	3 3 4	5 6 7	9 10 11	16 14 15	22 21 21
Single diognosis	260 150	8.7 8.4	1	4	7 6	11 10	16 19	Single diagnosis	930 1,750	11.1 12.5	3	5	9	14 15	19
With surgery Without surgery  SYNCOPE OR COLLAPSE (782.5)	10 400	8.7	1	4	7	11	17	With surgery	70 2,610	17.1 11.9	2	7 6	12 10	15 15	34 21
Total	555	3.8	1	1	2	4	7	FRACTURE RI8(S), CLOSED (8D7.0)							
65 to 74 years		3.4	1	1	2	4	7	Total	1,875	8.6	1	3	6	11	17
75 to 84 years	4D	4.0 5.1	]	2	4	5	8 9	65 to 74 yeors	830 725 32D	8.1 9.0 8.7	1 2 1	3 4 4	5 7 6	10 11 11	17 16 18
Single diognosis	14D	3.6 4.6	1	2	3	3 5	8	Single diognosis	375 1,500	5.9 9.2	1 2	2 4	<b>4</b> 7	7 12	11
With surgery Without surgery  EPISTAXIS (783.0)	2D 535	3.6	1	1	2	4	7	With surgery	90 1,785	15.7 8.2	5 1	9 3	14 6	22 10	26 16
Total	855	4.2	1	1	3	5	8	CLOSED FRACTURE OF PELVI5 (808.0)  Total	1,690	15.1	3	6	12	19	29
65 to 74 years	5D5 255	4.4 3.9	] ]	1	4 2	6	8 7	65 to 74 years	460	15.3	4	7	12	18	
85 years and over	735	3.5 4.0	1	1	3	5	6 8	75 to 84 yeors	745 485	14.8 15.5	3 4	6 6	12 12	20 17	29 29 26
Multiple diognoses	12D	4.9 5.2	1	3	3	5	8 9	Single diognosis	655 1,035	12.2 17.0	3	5 7	10 14	15 21	25 32
Without surgery		4.0	1	i	3	5	7	With surgery	20 1,670	14.9	3	6	12	18	28
Total	430	5.0	1	2	3	5	10	MULTIPLE AND ILL-DEFINED FRACTURES OF TRUNK, CLOSED (809.0)							
65 to 74 years	260 140 30	4.7° 5.7° 4.2	] ]	1 2 2	3 5 4	5 8 5	10 11 7	Total	885 320	19.2 22.4	4	7 6	13	25 30	43 55
Single diagnosis	295	4.4 6.3	1	2 2	3	5 8	, 8 11	75 to 84 years	425 140	18.8 12.7	4	6	16 10	26 15	39 18
With surgery		4.9	1	. 2	3	* 5	. 10	Single diognosis	320 565	14.8 21.7	3 5	5 9	1D 17	17 27	33 49
A8DOMINAL PAIN (785.5)				_				With surgery	240 645	27.2 16.2	6	11	19 11	41 20	57 34
Total	1,070	5.3	1	2	4	6	11	FRACTURE OF UPPER END OR SHAFT OF HUMERUS, CLOSED (812.0, 812.2)							
65 to 74 years	305	5.3 5.2 4.7	1 1 1	2 2 1	4 4 3	6 6 6	11 1D 12	Total	2,D65	8.4	1	3	5	11	17
Single diognosis	825	4.7 7.1	1 2	2	3 5	6	9 13	65 to 74 yeors 75 to 84 yeors 85 yeors ond over	760 850 455	9.0 7.4 9.4	1 1 2	2 2 3	5 5 6	11 10 12	21 14 19
With surgery	95	9.3 4.9	1	3 2	8	12 6	17 9	Single diognosis	1,045 1,020	6.7 1D.2	1 2	2	4 7	9	13 21
RETENTION OF URINE (786.1)								With surgery	370 1,695	1D.9 7.9	1	3 2	8	13 10	21 17
Total	39D	5.9	1	2	4	7	12	FRACTURE OF UPPER END OR	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,						
65 to 74 years	140	5.9 6.3 5.2	1 1 1	2 2 2	4 4 3	7 7 5	11 12 14	UN5PECIFIED PART OF RADIUS AND ULNA, CLOSED (813.0)							
Single diognosis		5.9	1	2	4	6	12	Total	395	4.7	1	1	3	6	9
Multiple diognoses	10D	6.1 7.9	2	2	6	8 1D	12	65 to 74 years	185 155 55	4.5 4.5 6.0		2	3 4	5	9
Without surgery	280	5.2	1	2	3	5	9	Single diognosis	225 170	4.2 5.3	1	1 2	3 4	5 8	7
Totol	36D	5.0	1	1.	3	5	11	With surgery	275	4.5	1	1	3	5	9
65 to 74 years	210 130 2D	4.4 6.0 *	1	1 2	2	5	8 18	FRACTURE OF LOWER END OF RADIUS AND ULNA, CLOSED (813.4)	120	5.1	1	2	4	6	8
85 years and over	340	4.9	1	1	2	5	10	Total	1,165	4.4	1	1	2	5	8
Multiple diagnoses	200	5.5	1	1	3	6	11	65 to 74 years	5D5 460	3.7 4.7	1	1	2 2	4	8
Without surgery	1601	4.4	11	1	2	41	8	85 yeors and over	800 346	5.5 3.9	1	1	2	6	11 8
								Multiple diognoses	365	5.4	'	2	4		11

Table 25 PACIFIC: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND DISCHARGE CHARACTERISTICS—Con.

Diognasis And Oischarge	Number of	Averoge		Perce	entiles (	doys)		Diagnosis And Discharge	Number of	Averoge		Perce	entiles (	days)	
Characteristics (ICOA 8th Revision)	discharges	stoy (doys)	10th	25th	50th	75th	90th	Characteristics (ICOA 8th Revision)	discharges	(days)	10th	25th	50th	75th	90th
FRACTURE OF INTERTROCHANTERIC SECTION OF NECK OF FEMUR, CLOSED								CONCUSSION (850)							
(820.2)								Tatal	1,125	7.6	1	2	5	9	16
Totol	1,000	19.1 19.2	7	12	16 16	22	33	65 to 74 years	590 415 120	7.5 7.6 7.9	j ;	2 3 3	5 5 4	9 10 12	16 16 15
75 to 84 years	2,035	19.2 18.9	8 6	12	16 15	21 22	34 33	Single diagnosis	235	4.3	1	1	2	6	9
Single diagnosis	2,260 2,245	17.7 20.5	8 7	11 12	15 16	21 23	29 37	Multiple diagnoses	890 50	8.4 13.5	1	7	10	10	19 24
With surgery	3,765	18.2	8	12	16	21	29	Without surgery	1,075	7.3	i	2	5	9	15
FRACTURE OF OTHER AND UNSPECIFIED	740	23.6	2	8	17	30	55	LACERATION AND OPEN WOUND OF HEAD, NECK, AND TRUNK (870-879)							
PART OF NECK OF FEMUR, CLOSEO (820.4)								Total	1,355	7.2	1	۱	3	7	16
Totol	9,255	18.3	6	10	15	22	32	65 to 74 years	650 460	7.3 7.2	1	1	3	7 8	15 17
65 to 74 years	4,125	18.6 18.1	6	10 10	15	22 22	33	85 years and over	245	6.8	1	2	4	9	13
85 years and over	2,685 5,125	18.3	6	11	15	22	30	Single diagnosis	265 1,090	4.4 7.9	i	i	2 4	5 8	9 17
Multiple diognoses	4,130	19.8	6	11	16	24	34	With surgery	320 1,035	9.5 6.5	1	2 1	4 3	11	20 12
With surgery	7,050 2,205	18.1 19.0	8 2	6	16 14	21 26	28 41	CONTUSION AND CRUSHING WITH INTACT SKIN SURFACE (920-929)							
FRACTURE OF OTHER AND UNSPECIFIED PARTS OF FEMUR (821)								Total	3,525	7.4	1	3	5	9	15
Total		26.6	4	10	18	32	52	65 to 74 years	1,350 1,460	6.5 7.8	1	2 3 3	4 6	7 10	13 15
65 to 74 years	410 550 265	27.5 28.2 22.0	4 4 6	9 11 10	16 20 18	29 34 28	55 59 46	85 years and over	715 815	8.5 7.1	2		6	10 7	17 13
Single diognosis	630	25.4	3	9	16	31	53	Single diagnosis	2,710	7.5	2	3	5	9	15
Multiple diagnoses	595 645	28.0 21.8	6	12	20 17	32	51	With surgery	150 3,375	12.3 7.2	2 1	4 3	7 5	11 9	18 15
Without surgery	580	32.0	2	8	20	40	71	AOVERSE EFFECT OF MEDICAL AGENTS (960-979)							
FRACTURE OF TIBIA AND FIBULA (823) Totol	850	12.8	2	5	9	15	25	Total	2,600	6.6	1	2	4	8	12
65 to 74 years	500	12.1	2	5	9	15	23	65 to 74 years	1,370 990	6.5 6.9	1	1 2 3	4 5	8	13 13
75 to 84 years		13.4 16.3	2 2	6	8	14 20	27 32	85 years and over	705	5.9 4.2	1	3	5	8	10
Single diagnosis	425 425	11.6 14.0	2 3	4 6	8 9	13 17	22 30	Multiple diagnoses	1,895	7.5	i	3	5	9	13
With surgery	295 555	13.6 12.4	2 2	5	11 8	19	25 25	With surgery	2,535	13.5 6.5	5 1	7 2	9	19	12
FRACTURE OF ANKLE (824)								IMPLANT AND COMPLICATIONS OF MECHANICAL NATURE FROM INTERNAL							
Total	1,105	9.0	2	4	7	11	17	PROSTHETIC OEVICE (997.5)  Total	860	9.6	2	3	6	12	21
65 to 74 years	310	7.9 10.2	2 2 3	4 4 7	8	9 13 19	14 19	65 to 74 years	305	8.1	1	3	6	11	19
85 years and over		7.8	2 2	4	12	10	14	75 to 84 years	430 125	10.6 9.8	3	4	6	13	24 22
Multiple diagnoses	415 725	9.5	3	4 5	7	11	17	Single diagnosis	630 230	9.0 11.4	2 2	3	5 7	12 15	20 23
Without surgery	380	8.2	i	3	Ś	iò	18	With surgery	710 150	9.7 9.0	2 1	3	6 6	12 13	20 22
MULTIPLE FRACTURES INVOLVING 80TH LOWER LIMBS, LOWER WITH UPPER LIMB, ANO LOWER LIMB WITH RIB ANO STERNUM (828)														1	
Total	860	19.7	4	9	15	24	43								
65 to 74 years	370	19.4 19.9 20.2	4 5 6	8 10 10	15 15 17	22 23 25	41 43 43								
Single diagnosis	425	16.9 22.5	4 6	8 10	15 16	20 29	29 49								
With surgery		19.9 19.4	8	12	16 15	24 22	36 45								
SPRAINS AND STRAINS OF 8ACK (846, 847)	340	19.4	3	5	13	22	43								
Total	2,815	8.3	2	4	6	10	16								
65 to 74 years	880	8.3 8.5 8.1	2 2 2	3 3 4	6 7 6	10 10 10	15 17 17								
Single diagnosis	790	7.5	1	3	6	9	13								
Multiple diagnoses	45	8.7 18.6	2	8	7	11 29	17 34								
Without surgery		8.2	2	4	6	10	15								

## Table 26 PACIFIC: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED SURGICAL PROCEDURES, AND DISCHARGE CHARACTERISTICS

Surgical Pracedures And Discharge Characteristics (CPT 1st Edition)	Number of discharges	Average .			entiles			5urgical Pracedures And Discharge Characteristics (CPT 1st Editian)	Number of discharges	Average stay	-		entiles (	aays)	
(CPT 1st Edition)	discituliges	(days)	10th	25th	50th	75th	90th	(CPT 1st Edition)	discharges	(days)	10th	2,5th	50th	75th	90th
MASTECTOMY, COMPLETE, SIMPLE (0457)				:				REPAIR OF VENTRAL HERNIA (3661)							
Tatal	1,255	8.4	3	4	7	9	14	Tatal	1,685	9.1	4	5	7	10	1.
65 ta 74 years	590 495 170	7.6 8.9 9.7	2 3 3	5 5	6 7 7	8 9 12	12 14 21	65 to 74 years	1,225 395 65	8.7 9.4 15.4	4 4 7	5 6 7	7 8 11	10 10 16	14
Single diagnasis	660 595	7.3 9.5	2	4 5	6 7	8 10	12 15	5ingle diagnasis	935 750	8.1 10.4	3 4	5 6	7 8	9 12	1 1
MASTECTOMY, RADICAL (0470) Tatal	2,045	10.5	5	7	8	12	15	PROSTATECTOMY, EXCEPT TRANSURETHRAL (4311-4313, 4316, 431X)							
5 ta 74 years	1,370 630	9.9 11.7	5 6 8	7 7 8	8 9	11 13	14 18	Total	3,495	14.2	7	9	12	16	:
5 years and averingle diagnosis		13.7 9.3	5	7	10	16	23 13	65 to 74 years	2,115 1,205 175	13.6 15.0 15.8	7 8 7	9 9 10	12 13 15	15 18 20	2
Nultiple diagnases	850	12.2	5	7	10	14	21	Single diagnasis	1,500 1,995	12.7 15.3	7 8	9	11 13	15	
(0865-0868, 0872-0874) Tatal	8,745	18.4	8	11	16	21	30	PROSTATECTOMY, TRANSURETHRAL (4321)							
55 ta 74 years	2,180 3,980	19.1 18.6	9 8	12 12	16 16	22 21	31 30	Total	13,880	9.6	4	5	7	11	1
5 years and over		17.6	8	11	15	21 21 20	29 28	65 to 74 years 75 to 84 years 85 years and over	7,845 5,015 1,020	8.8 10.3 12.2	4 4 5	5 6 6	7 8 10	9 12 15	
Multiple diagnoses	4,145		8		16	23	32	Single diagnasis	6,285 7,595	7.9 11.0	4	5 6	6	9	1
Tatal	5,005	20.0	10	13	18	24	31	COLPORRHAPHY (4481-4495, 449X, 4501, 4505, 450X)	7,575						
5 to 74 years	1,890 2,085 1,030	19.9 20.5 19.2	10 10 8	14	18 18 18	23 25 23	32 32 29	Tatal	1,925	8.9	5	6	8	10	
single diagnasis	2,800 2,205	18.9 21.5	9	13	17	22 25	29 33	65 ta 74 years 75 ta 84 years 85 years and over	475	8.5 9.9	5 5 *	6	7 8 *	9 11 *	
GASTRECTOMY (3112, 3114, 3115, 3118, 3119, 311X)								Single diagnasis	1,025 900	8.2 9.7	4 5	6	7 8	9 11	1
Tatal	1,680	17.5	8		15	21	30	HYSTERECTOMY, A8DOMINAL (INCLUDING PELVIC EXENTERATION)							
55 to 74 years	1,070 535 75	16.3 20.4 14.7	7 10 7	10 13 10	14 17 14	19 24 16	29 34 23	(4617, 4618, 4621, 4624-4627) Tatal	1,995	10.2	6	7	8	11	
single diagnasis	520 1,160	15.3 18.5	8		14 15	18 23	24 33	65 to 74 years	1,555 400	9.8 11.1	6 6 6	7 7 8	8 9	10 13 20	
COLECTOMY (3178, 3180)								85 years and over	40 695	15.2 9.4	6	7 7	11	10	:
Tatal	4,185 2,280	İ	9	İ	İ	21	31	Multiple diagnoses	1,300	10.6	6	7	8	11	
75 to 84 years	1,605	18.9 19.7	9	12	16 17	21 25	31 35	Tatal	1,940	9.8	6	7	8	11	,
Single diagnasis	1,485 2,700		9		14 16	19 23	25 34		1,370 520 50	9.2 10.7 15.5	6 5 7	7 7 8	8 8 11	10 11 17	:
HEMORRHOIDECTOMY (3375)  Total	1,945	7.5	3	4	6	8	12	Single diagnasis	815 1,125	9.3 10.1	5 6	7 7	8	10 11	
55 ta 74 years	1,530 375	7.0 9.1	3 5 5	6	5 7 6	8 10 17	11 14 18	DILATION AND CURETTAGE UTERUS, DIAGNOSTIC (4647)							
35 years and over	40 860	10.4	3	4	6	8	10	Total	2,695	3.6	1	1	2	3	
Multiple diagnases	1.085	8.1	3	4	6	9	14	65 ta 74 years	1,920 715 60	3.1 4.7 5.8	1 1 2	1 1 2	2 2 3	2 5 5	
Tata‡	7,390	12.7	6	8	10	15	21	Single diagnosis	1,490 1,205	2.5 4.8	1	1	1 2	2	
5 ta 74 years	4,980 2,135 275	11.8 14.5 15.5	6 7 6	7 9 9	9 12 12	13 17 19	19 24 27	EXTRACTION OF LENS (5611, 5612)							
ingle diagnasis		10.6 14.8	6 7	7 9	9	12 18	16 25	Tatal	20,790 9,340	6.0 5.8	3	4	5	6	
REPAIR OF INGUINAL HERNIA, EXCEPT RECURRENT (3630-3632)	3,, .3	,5						75 ta 84 years	9,520 1,930	6.0 6.5	3	4	5	6 7	
Tatal	10,570	6.7	3	4	5	7	10	Single diagnasis	14,880 5,910	5.6 6.8	3	4 4	5 5	6 7	
65 ta 74 years	6,640 3,395 535	7.6	3 3 3	4 4 5	5 6 7	7 8 10	9 12 16								
Single diagnasis	4 970	5.7 E 0	3			4									

6,870 3,700





THIRD CLASS



Health, Education, and Welfare Social Security Administration Washington, D.C. 20201

Penalty for private use, \$300

Official Business

U.S. Department of